


Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz

Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5830.2000	92.77	18.10	110.87	122.20	-11.33	Peak	
2	5850.0000	63.62	18.13	81.75	122.20	-40.45	Peak	
3	5860.0000	56.47	18.15	74.62	109.40	-34.78	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11649.8850	43.82	14.57	58.39	74.00	-15.61	Peak	
2 *	11650.5800	32.63	14.57	47.20	54.00	-6.80	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5826.6000	81.60	17.95	99.55	122.20	-22.65	Peak	
2	5850.0000	38.57	18.02	56.59	122.20	-65.61	Peak	
3	5860.0000	37.13	18.05	55.18	109.40	-54.22	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11648.5199	26.71	14.57	41.28	54.00	-12.72	AVG	
2	11652.0950	38.20	14.57	52.77	74.00	-21.23	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	70.78	17.92	88.70	109.40	-20.70	Peak	
2	5725.0000	74.22	17.94	92.16	122.20	-30.04	Peak	
3 *	5744.4000	95.41	17.97	113.38	122.20	-8.82	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Vertical

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11509.2100	31.77	14.57	46.34	54.00	-7.66	AVG	
2	11509.9400	44.03	14.57	58.60	74.00	-15.40	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Horizontal

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	43.65	17.62	61.27	109.40	-48.13	Peak	
2	5725.0000	47.78	17.65	65.43	122.20	-56.77	Peak	
3 *	5748.8000	78.27	17.72	95.99	122.20	-26.21	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Horizontal

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11511.1200	38.59	14.57	53.16	74.00	-20.84	Peak	
2 *	11511.1849	26.73	14.57	41.30	54.00	-12.70	AVG	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Vertical

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5788.4000	95.75	18.04	113.79	122.20	-8.41	Peak	
2	5850.0000	61.00	18.13	79.13	122.20	-43.07	Peak	
3	5860.0000	54.74	18.15	72.89	109.40	-36.51	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Vertical

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11588.3400	42.07	14.57	56.64	74.00	-17.36	Peak	
2 *	11589.3000	30.68	14.57	45.25	54.00	-8.75	AVG	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Horizontal

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5792.6000	77.82	17.85	95.67	122.20	-26.53	Peak	
2	5850.0000	36.03	18.02	54.05	122.20	-68.15	Peak	
3	5860.0000	35.15	18.05	53.20	109.40	-56.20	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Horizontal

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11589.4900	38.47	14.57	53.04	74.00	-20.96	Peak	
2 *	11590.7950	26.58	14.57	41.15	54.00	-12.85	AVG	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Vertical

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5635.0000	47.78	17.80	65.58	68.20	-2.62	Peak	
2	5715.0000	62.49	17.92	80.41	109.40	-28.99	Peak	
3	5725.0000	65.79	17.94	83.73	122.20	-38.47	Peak	
4	5745.8000	89.64	17.97	107.61	122.20	-14.59	Peak	
5	5850.0000	61.75	18.13	79.88	122.20	-42.32	Peak	
6	5860.0000	53.78	18.15	71.93	109.40	-37.47	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Vertical

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11548.7699	28.94	14.57	43.51	54.00	-10.49	AVG	
2	11550.0500	41.17	14.57	55.74	74.00	-18.26	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Horizontal

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	50.22	17.62	67.84	109.40	-41.56	Peak	
2	5725.0000	45.46	17.65	63.11	122.20	-59.09	Peak	
3 *	5749.4000	75.31	17.73	93.04	122.20	-29.16	Peak	
4	5850.0000	39.55	18.02	57.57	122.20	-64.63	Peak	
5	5860.0000	44.64	18.05	62.69	109.40	-46.71	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Horizontal

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11548.8200	26.83	14.57	41.40	54.00	-12.60	AVG	
2	11548.9950	39.63	14.57	54.20	74.00	-19.80	Peak	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	32.15	16.90
40	5200	30.75	16.90
48	5240	36.75	17.30

CH36




Date: 16.OCT.2020 09:54:29

CH40
26 dB Bandwidth




Date: 16.OCT.2020 09:56:23

CH48




Date: 16.OCT.2020 10:00:52


99 % Emission Bandwidth



Date: 16.OCT.2020 09:53:59



Date: 16.OCT.2020 09:55:49




Date: 16.OCT.2020 10:00:28

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	36.35	18.30
60	5300	36.40	17.70
64	5320	36.39	19.00

CH52




Date: 16.OCT.2020 10:02:11

CH60
26 dB Bandwidth




Date: 16.OCT.2020 10:05:50

CH64




Date: 16.OCT.2020 10:08:00


99 % Emission Bandwidth



Date: 16.OCT.2020 10:01:56



Date: 16.OCT.2020 10:05:22




Date: 16.OCT.2020 10:07:35

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	34.85	16.90
116	5580	36.55	17.40
140	5700	36.15	19.20

CH100




Date: 16.OCT.2020 10:10:48

CH116
26 dB Bandwidth




Date: 16.OCT.2020 10:12:38

CH140




Date: 16.OCT.2020 10:14:40


99 % Emission Bandwidth



Date: 16.OCT.2020 10:10:21



Date: 16.OCT.2020 10:12:15




Date: 16.OCT.2020 10:14:11

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	16.35	17.20	500	Complies
157	5785	16.45	17.10	500	Complies
165	5825	16.35	17.30	500	Complies


CH149



Date: 16.OCT.2020 10:17:56


CH157

6 dB Bandwidth




Date: 16.OCT.2020 10:20:23

CH165




Date: 16.OCT.2020 10:21:55


99 % Emission Bandwidth



Date: 16.OCT.2020 10:17:07



Date: 16.OCT.2020 10:19:35




Date: 16.OCT.2020 10:21:06

Test Mode	UNII-1_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	32.85	17.90
40	5200	32.00	17.80
48	5240	36.45	18.10

CH36




Date: 16.OCT.2020 10:25:03

CH40
26 dB Bandwidth




Date: 16.OCT.2020 10:26:45

CH48




Date: 16.OCT.2020 10:28:08


99 % Emission Bandwidth



Date: 16.OCT.2020 10:24:34



Date: 16.OCT.2020 10:26:00




Date: 16.OCT.2020 10:27:42

Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	77.30	37.20
46	5230	78.99	38.00

CH38




Date: 16.OCT.2020 10:45:00

CH46 26 dB Bandwidth




Date: 16.OCT.2020 10:46:24

99 % Emission Bandwidth



Date: 16.OCT.2020 10:44:38




Date: 16.OCT.2020 10:46:02

Test Mode	UNII-1_TX AC (VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	82.20	75.20

CH42 26 dB Bandwidth



Date: 16.OCT.2020 11:05:05

99 % Emission Bandwidth




Date: 16.OCT.2020 11:04:06

Test Mode	UNII-2A_TX AC (VHT20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	36.90	18.10
60	5300	36.29	18.00
64	5320	36.50	18.10

CH52




Date: 16.OCT.2020 10:29:26

CH60
26 dB Bandwidth




Date: 16.OCT.2020 10:30:37

CH64




Date: 16.OCT.2020 10:32:02


99 % Emission Bandwidth



Date: 16.OCT.2020 10:28:54



Date: 16.OCT.2020 10:30:10




Date: 16.OCT.2020 10:31:36

Test Mode	UNII-2A_TX AC (VHT40) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	78.20	38.80
62	5310	76.90	38.20

CH54




Date: 16.OCT.2020 10:47:41

CH62 26 dB Bandwidth




Date: 16.OCT.2020 10:49:11

99 % Emission Bandwidth



Date: 16.OCT.2020 10:47:19




Date: 16.OCT.2020 10:48:48

Test Mode	UNII-2A_TX AC (VHT80) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
58	5290	82.61	75.60

CH58 26 dB Bandwidth



Date: 16.OCT.2020 11:06:55

99 % Emission Bandwidth




Date: 16.OCT.2020 11:06:00

Test Mode	UNII-2C_TX AC (VHT20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	35.89	17.90
116	5580	35.19	17.90
140	5700	37.35	18.20

CH100




Date: 16.OCT.2020 10:33:29

CH116
26 dB Bandwidth




Date: 16.OCT.2020 10:35:05

CH140




Date: 16.OCT.2020 10:36:13


99 % Emission Bandwidth



Date: 16.OCT.2020 10:33:04



Date: 16.OCT.2020 10:34:32




Date: 16.OCT.2020 10:35:49

Test Mode	UNII-2C_TX AC (VHT40) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	76.70	37.60
110	5550	78.70	37.20
134	5670	76.19	41.20

CH102




Date: 16.OCT.2020 10:51:18

CH110 26 dB Bandwidth




Date: 16.OCT.2020 10:52:41

CH134




Date: 16.OCT.2020 10:54:01


99 % Emission Bandwidth



Date: 16.OCT.2020 10:50:52



Date: 16.OCT.2020 10:52:18




Date: 16.OCT.2020 10:53:36

Test Mode	UNII-2C_TX AC (VHT80) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
106	5530	82.60	75.20
122	5610	99.39	75.60

CH106




Date: 16.OCT.2020 11:08:42

CH122 26 dB Bandwidth




Date: 16.OCT.2020 11:12:40

CH106



Date: 16.OCT.2020 11:07:47

CH122 99 % Emission Bandwidth




Date: 16.OCT.2020 11:09:55

Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	17.65	17.90	500	Complies
157	5785	17.65	17.90	500	Complies
165	5825	17.40	17.90	500	Complies

CH149




Date: 16.OCT.2020 10:37:49

CH157




Date: 16.OCT.2020 10:39:23

CH165




Date: 16.OCT.2020 10:40:54


99 % Emission Bandwidth



Date: 16.OCT.2020 10:37:01



Date: 16.OCT.2020 10:38:36




Date: 16.OCT.2020 10:40:05

Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	35.30	38.00	500	Complies
159	5795	35.40	38.80	500	Complies

CH151




Date: 16.OCT.2020 10:55:52

CH159 6 dB Bandwidth




Date: 16.OCT.2020 10:58:40

99 % Emission Bandwidth



Date: 16.OCT.2020 10:55:04




Date: 16.OCT.2020 10:57:48

Test Mode	UNII-3_TX AC (VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	70.79	75.60	500	Complies

CH155 6 dB Bandwidth



Date: 16.OCT.2020 11:15:43

99 % Emission Bandwidth



Date: 16.OCT.2020 11:14:19

APPENDIX F - MAXIMUM OUTPUT POWER

Non Beamforming

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.14	0.45	17.59	30.00	1.00	Complies
40	5200	17.61	0.45	18.06	30.00	1.00	Complies
48	5240	17.19	0.45	17.64	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.91	0.45	17.36	30.00	1.00	Complies
40	5200	18.11	0.45	18.56	30.00	1.00	Complies
48	5240	17.28	0.45	17.73	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.48	30.00	1.00	Complies
40	5200	21.33	30.00	1.00	Complies
48	5240	20.69	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.48	0.50	15.98	30.00	1.00	Complies
40	5200	15.96	0.50	16.46	30.00	1.00	Complies
48	5240	15.56	0.50	16.06	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.48	0.50	16.98	30.00	1.00	Complies
40	5200	17.26	0.50	17.76	30.00	1.00	Complies
48	5240	16.65	0.50	17.15	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.52	30.00	1.00	Complies
40	5200	20.17	30.00	1.00	Complies
48	5240	19.65	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.72	0.98	14.70	30.00	1.00	Complies
46	5230	18.48	0.98	19.46	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.86	0.98	14.84	30.00	1.00	Complies
46	5230	19.21	0.98	20.19	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.78	30.00	1.00	Complies
46	5230	22.85	30.00	1.00	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.33	0.45	17.78	24.00	0.25	Complies
60	5300	14.23	0.45	14.68	24.00	0.25	Complies
64	5320	14.07	0.45	14.52	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.26	0.45	17.71	24.00	0.25	Complies
60	5300	15.08	0.45	15.53	24.00	0.25	Complies
64	5320	14.62	0.45	15.07	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.75	24.00	0.25	Complies
60	5300	18.13	24.00	0.25	Complies
64	5320	17.81	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.33	0.50	15.83	24.00	0.25	Complies
60	5300	13.26	0.50	13.76	24.00	0.25	Complies
64	5320	13.19	0.50	13.69	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.02	0.50	16.52	24.00	0.25	Complies
60	5300	14.56	0.50	15.06	24.00	0.25	Complies
64	5320	14.08	0.50	14.58	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.20	24.00	0.25	Complies
60	5300	17.47	24.00	0.25	Complies
64	5320	17.17	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.52	0.98	19.50	24.00	0.25	Complies
62	5310	12.21	0.98	13.19	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.93	0.98	19.91	24.00	0.25	Complies
62	5310	12.82	0.98	13.80	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	22.72	24.00	0.25	Complies
62	5310	16.52	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.04	0.45	16.49	24.00	0.25	Complies
116	5580	17.81	0.45	18.26	24.00	0.25	Complies
140	5700	14.21	0.45	14.66	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.66	0.45	17.11	24.00	0.25	Complies
116	5580	18.25	0.45	18.70	24.00	0.25	Complies
140	5700	14.36	0.45	14.81	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.82	24.00	0.25	Complies
116	5580	21.49	24.00	0.25	Complies
140	5700	17.74	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.31	0.50	14.81	24.00	0.25	Complies
116	5580	17.82	0.50	18.32	24.00	0.25	Complies
140	5700	15.86	0.50	16.36	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.62	0.50	15.12	24.00	0.25	Complies
116	5580	17.96	0.50	18.46	24.00	0.25	Complies
140	5700	16.31	0.50	16.81	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.98	24.00	0.25	Complies
116	5580	21.40	24.00	0.25	Complies
140	5700	19.60	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.08	0.98	15.06	24.00	0.25	Complies
110	5550	17.35	0.98	18.33	24.00	0.25	Complies
134	5670	13.33	0.98	14.31	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.00	0.98	15.98	24.00	0.25	Complies
110	5550	18.52	0.98	19.50	24.00	0.25	Complies
134	5670	14.53	0.98	15.51	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.56	24.00	0.25	Complies
110	5550	21.97	24.00	0.25	Complies
134	5670	17.96	24.00	0.25	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.89	0.45	20.34	30.00	1.00	Complies
157	5785	20.01	0.45	20.46	30.00	1.00	Complies
165	5825	20.11	0.45	20.56	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.04	0.45	20.49	30.00	1.00	Complies
157	5785	20.17	0.45	20.62	30.00	1.00	Complies
165	5825	20.05	0.45	20.50	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.42	30.00	1.00	Complies
157	5785	23.55	30.00	1.00	Complies
165	5825	23.54	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.68	0.50	20.18	30.00	1.00	Complies
157	5785	19.58	0.50	20.08	30.00	1.00	Complies
165	5825	19.24	0.50	19.74	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.79	0.50	20.29	30.00	1.00	Complies
157	5785	19.89	0.50	20.39	30.00	1.00	Complies
165	5825	19.82	0.50	20.32	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.24	30.00	1.00	Complies
157	5785	23.25	30.00	1.00	Complies
165	5825	23.05	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.36	0.98	19.34	30.00	1.00	Complies
159	5795	18.45	0.98	19.43	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.53	0.98	20.51	30.00	1.00	Complies
159	5795	19.21	0.98	20.19	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.98	30.00	1.00	Complies
159	5795	22.84	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.64	0.22	15.86	30.00	1.00	Complies
40	5200	16.38	0.22	16.60	30.00	1.00	Complies
48	5240	15.94	0.22	16.16	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.92	0.22	17.14	30.00	1.00	Complies
40	5200	17.51	0.22	17.73	30.00	1.00	Complies
48	5240	16.88	0.22	17.10	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.56	30.00	1.00	Complies
40	5200	20.22	30.00	1.00	Complies
48	5240	19.67	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.85	1.00	14.85	30.00	1.00	Complies
46	5230	19.12	1.00	20.12	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.91	1.00	14.91	30.00	1.00	Complies
46	5230	18.96	1.00	19.96	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.89	30.00	1.00	Complies
46	5230	23.05	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.76	1.04	13.80	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.59	1.04	13.63	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.72	30.00	1.00	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.56	0.22	15.78	24.00	0.25	Complies
60	5300	13.67	0.22	13.89	24.00	0.25	Complies
64	5320	13.57	0.22	13.79	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.38	0.22	16.60	24.00	0.25	Complies
60	5300	14.78	0.22	15.00	24.00	0.25	Complies
64	5320	14.38	0.22	14.60	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.22	24.00	0.25	Complies
60	5300	17.49	24.00	0.25	Complies
64	5320	17.23	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.03	1.00	20.03	24.00	0.25	Complies
62	5310	12.31	1.00	13.31	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.72	1.00	19.72	24.00	0.25	Complies
62	5310	12.79	1.00	13.79	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	22.88	24.00	0.25	Complies
62	5310	16.56	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.32	1.04	12.36	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.06	1.04	12.10	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.24	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.83	0.22	15.05	24.00	0.25	Complies
116	5580	18.01	0.22	18.23	24.00	0.25	Complies
140	5700	16.74	0.22	16.96	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.65	0.22	14.87	24.00	0.25	Complies
116	5580	18.49	0.22	18.71	24.00	0.25	Complies
140	5700	16.31	0.22	16.53	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.97	24.00	0.25	Complies
116	5580	21.49	24.00	0.25	Complies
140	5700	19.76	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.12	1.00	15.12	24.00	0.25	Complies
110	5550	18.24	1.00	19.24	24.00	0.25	Complies
134	5670	14.12	1.00	15.12	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.03	1.00	16.03	24.00	0.25	Complies
110	5550	18.05	1.00	19.05	24.00	0.25	Complies
134	5670	13.98	1.00	14.98	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.60	24.00	0.25	Complies
110	5550	22.15	24.00	0.25	Complies
134	5670	18.06	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	10.25	1.04	11.29	24.00	0.25	Complies
122	5610	14.68	1.04	15.72	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	9.98	1.04	11.02	24.00	0.25	Complies
122	5610	14.33	1.04	15.37	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.16	24.00	0.25	Complies
122	5610	18.56	24.00	0.25	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.04	0.22	20.26	30.00	1.00	Complies
157	5785	19.98	0.22	20.20	30.00	1.00	Complies
165	5825	19.74	0.22	19.96	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.21	0.22	20.43	30.00	1.00	Complies
157	5785	20.14	0.22	20.36	30.00	1.00	Complies
165	5825	19.91	0.22	20.13	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.36	30.00	1.00	Complies
157	5785	23.29	30.00	1.00	Complies
165	5825	23.06	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.27	1.00	20.27	30.00	1.00	Complies
159	5795	18.45	1.00	19.45	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.72	1.00	19.72	30.00	1.00	Complies
159	5795	19.40	1.00	20.40	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.01	30.00	1.00	Complies
159	5795	22.96	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	13.73	1.04	14.77	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	13.59	1.04	14.63	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.71	30.00	1.00	Complies

Beamforming

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.01	0.50	15.51	30.00	1.00	Complies
40	5200	16.68	0.50	17.18	30.00	1.00	Complies
48	5240	15.51	0.50	16.01	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.21	0.50	16.71	30.00	1.00	Complies
40	5200	15.97	0.50	16.47	30.00	1.00	Complies
48	5240	16.15	0.50	16.65	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.16	30.00	1.00	Complies
40	5200	19.85	30.00	1.00	Complies
48	5240	19.35	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.36	0.98	14.34	30.00	1.00	Complies
46	5230	18.52	0.98	19.50	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.12	0.98	15.10	30.00	1.00	Complies
46	5230	19.05	0.98	20.03	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.75	30.00	1.00	Complies
46	5230	22.79	30.00	1.00	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.32	0.50	15.82	24.00	0.25	Complies
60	5300	13.23	0.50	13.73	24.00	0.25	Complies
64	5320	12.82	0.50	13.32	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.53	0.50	16.03	24.00	0.25	Complies
60	5300	13.89	0.50	14.39	24.00	0.25	Complies
64	5320	13.85	0.50	14.35	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.94	24.00	0.25	Complies
60	5300	17.08	24.00	0.25	Complies
64	5320	16.87	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.63	0.98	19.61	24.00	0.25	Complies
62	5310	12.28	0.98	13.26	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.71	0.98	19.69	24.00	0.25	Complies
62	5310	12.59	0.98	13.57	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	22.66	24.00	0.25	Complies
62	5310	16.43	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.08	0.50	14.58	24.00	0.25	Complies
116	5580	17.36	0.50	17.86	24.00	0.25	Complies
140	5700	15.42	0.50	15.92	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.13	0.50	14.63	24.00	0.25	Complies
116	5580	17.96	0.50	18.46	24.00	0.25	Complies
140	5700	16.02	0.50	16.52	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.61	24.00	0.25	Complies
116	5580	21.18	24.00	0.25	Complies
140	5700	19.24	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.12	0.98	15.10	24.00	0.25	Complies
110	5550	17.41	0.98	18.39	24.00	0.25	Complies
134	5670	13.24	0.98	14.22	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.83	0.98	15.81	24.00	0.25	Complies
110	5550	18.34	0.98	19.32	24.00	0.25	Complies
134	5670	14.51	0.98	15.49	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.48	24.00	0.25	Complies
110	5550	21.89	24.00	0.25	Complies
134	5670	17.91	24.00	0.25	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.26	0.50	19.76	30.00	1.00	Complies
157	5785	19.29	0.50	19.79	30.00	1.00	Complies
165	5825	19.35	0.50	19.85	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.61	0.50	20.11	30.00	1.00	Complies
157	5785	19.38	0.50	19.88	30.00	1.00	Complies
165	5825	19.02	0.50	19.52	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.95	30.00	1.00	Complies
157	5785	22.84	30.00	1.00	Complies
165	5825	22.70	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.68	0.98	19.66	30.00	1.00	Complies
159	5795	18.43	0.98	19.41	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.06	0.98	20.04	30.00	1.00	Complies
159	5795	18.93	0.98	19.91	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.87	30.00	1.00	Complies
159	5795	22.68	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.36	0.22	15.58	30.00	1.00	Complies
40	5200	17.28	0.22	17.50	30.00	1.00	Complies
48	5240	15.69	0.22	15.91	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.61	0.22	16.83	30.00	1.00	Complies
40	5200	16.02	0.22	16.24	30.00	1.00	Complies
48	5240	16.54	0.22	16.76	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.26	30.00	1.00	Complies
40	5200	19.93	30.00	1.00	Complies
48	5240	19.37	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.67	1.00	14.67	30.00	1.00	Complies
46	5230	18.51	1.00	19.51	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.02	1.00	15.02	30.00	1.00	Complies
46	5230	19.21	1.00	20.21	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.85	30.00	1.00	Complies
46	5230	22.88	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.38	1.04	13.42	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.69	1.04	13.73	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.58	30.00	1.00	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.33	0.22	15.55	24.00	0.25	Complies
60	5300	13.35	0.22	13.57	24.00	0.25	Complies
64	5320	13.21	0.22	13.43	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.09	0.22	16.31	24.00	0.25	Complies
60	5300	14.42	0.22	14.64	24.00	0.25	Complies
64	5320	14.11	0.22	14.33	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.96	24.00	0.25	Complies
60	5300	17.15	24.00	0.25	Complies
64	5320	16.92	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.61	1.00	19.61	24.00	0.25	Complies
62	5310	12.15	1.00	13.15	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.08	1.00	20.08	24.00	0.25	Complies
62	5310	12.76	1.00	13.76	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	22.86	24.00	0.25	Complies
62	5310	16.47	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	10.89	1.04	11.93	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.36	1.04	12.40	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.18	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.53	0.22	14.75	24.00	0.25	Complies
116	5580	17.86	0.22	18.08	24.00	0.25	Complies
140	5700	16.34	0.22	16.56	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.36	0.22	14.58	24.00	0.25	Complies
116	5580	18.12	0.22	18.34	24.00	0.25	Complies
140	5700	16.02	0.22	16.24	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.68	24.00	0.25	Complies
116	5580	21.23	24.00	0.25	Complies
140	5700	19.42	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.18	1.00	15.18	24.00	0.25	Complies
110	5550	17.86	1.00	18.86	24.00	0.25	Complies
134	5670	14.01	1.00	15.01	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.86	1.00	15.86	24.00	0.25	Complies
110	5550	18.26	1.00	19.26	24.00	0.25	Complies
134	5670	14.02	1.00	15.02	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.54	24.00	0.25	Complies
110	5550	22.07	24.00	0.25	Complies
134	5670	18.02	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	9.87	1.04	10.91	24.00	0.25	Complies
122	5610	14.23	1.04	15.27	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	10.21	1.04	11.25	24.00	0.25	Complies
122	5610	14.62	1.04	15.66	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.09	24.00	0.25	Complies
122	5610	18.48	24.00	0.25	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.71	0.22	19.93	30.00	1.00	Complies
157	5785	19.63	0.22	19.85	30.00	1.00	Complies
165	5825	19.35	0.22	19.57	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.85	0.22	20.07	30.00	1.00	Complies
157	5785	19.77	0.22	19.99	30.00	1.00	Complies
165	5825	19.62	0.22	19.84	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.01	30.00	1.00	Complies
157	5785	22.93	30.00	1.00	Complies
165	5825	22.72	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.69	1.00	19.69	30.00	1.00	Complies
159	5795	18.46	1.00	19.46	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.12	1.00	20.12	30.00	1.00	Complies
159	5795	19.26	1.00	20.26	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.92	30.00	1.00	Complies
159	5795	22.88	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	13.36	1.04	14.40	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	13.86	1.04	14.90	30.00	1.00	Complies




Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.66	30.00	1.00	Complies

APPENDIX G - POWER SPECTRAL DENSITY




Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.97	0.45	7.42	17.00	Complies
40	5200	7.71	0.45	8.16	17.00	Complies
48	5240	7.19	0.45	7.64	17.00	Complies



Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.52	0.45	5.97	17.00	Complies
40	5200	6.22	0.45	6.67	17.00	Complies
48	5240	5.61	0.45	6.06	17.00	Complies




Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.76	17.00	Complies
40	5200	10.49	17.00	Complies
48	5240	9.93	17.00	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.33	0.45	7.78	11.00	Complies
60	5300	4.94	0.45	5.39	11.00	Complies
64	5320	4.79	0.45	5.24	11.00	Complies



Date: 16.OCT.2020 14:16:33




Date: 16.OCT.2020 14:17:20




Date: 16.OCT.2020 14:18:27

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.88	0.45	6.33	11.00	Complies
60	5300	3.59	0.45	4.04	11.00	Complies
64	5320	2.98	0.45	3.43	11.00	Complies



Date: 16.OCT.2020 11:52:01



Date: 16.OCT.2020 11:52:43




Date: 16.OCT.2020 11:53:20

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	10.12	11.00	Complies
60	5300	7.78	11.00	Complies
64	5320	7.44	11.00	Complies

Test Mode UNII-2C_TX A Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.58	0.45	8.03	11.00	Complies
116	5580	6.29	0.45	6.74	11.00	Complies
140	5700	4.73	0.45	5.18	11.00	Complies



Date: 16.OCT.2020 14:19:08




Date: 26.OCT.2020 13:01:33




Date: 16.OCT.2020 14:20:51

Test Mode UNII-2C_TX A Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.96	0.45	5.41	11.00	Complies
116	5580	7.15	0.45	7.60	11.00	Complies
140	5700	2.01	0.45	2.46	11.00	Complies



Date: 16.OCT.2020 11:54:00



Date: 26.OCT.2020 12:55:36




Date: 16.OCT.2020 11:55:29

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	9.92	11.00	Complies
116	5580	10.20	11.00	Complies
140	5700	7.04	11.00	Complies

Test Mode UNII-3_TX A Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.49	0.45	9.94	30.00	Complies
157	5785	9.41	0.45	9.86	30.00	Complies
165	5825	9.06	0.45	9.51	30.00	Complies



Date: 16.OCT.2020 14:21:36




Date: 16.OCT.2020 14:22:05




Date: 16.OCT.2020 14:22:31

Test Mode UNII-3_TX A Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.78	0.45	8.23	30.00	Complies
157	5785	7.16	0.45	7.61	30.00	Complies
165	5825	7.21	0.45	7.66	30.00	Complies



Date: 16.OCT.2020 14:29:35



Date: 16.OCT.2020 14:30:59




Date: 16.OCT.2020 14:31:57

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.18	30.00	Complies
157	5785	11.89	30.00	Complies
165	5825	11.69	30.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.69	0.22	6.91	17.00	Complies
40	5200	7.30	0.22	7.52	17.00	Complies
48	5240	8.00	0.22	8.22	17.00	Complies



Date: 16.OCT.2020 10:25:18




Date: 16.OCT.2020 10:27:00




Date: 16.OCT.2020 10:28:23

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.08	0.22	6.30	17.00	Complies
40	5200	7.38	0.22	7.60	17.00	Complies
48	5240	6.90	0.22	7.12	17.00	Complies



Date: 16.OCT.2020 13:44:16



Date: 16.OCT.2020 13:44:59





Date: 16.OCT.2020 13:45:43

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.63	17.00	Complies
40	5200	10.57	17.00	Complies
48	5240	10.72	17.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.68	1.00	1.68	17.00	Complies
46	5230	5.19	1.00	6.19	17.00	Complies





Date: 16.OCT.2020 14:48:38

Date: 16.OCT.2020 14:49:50

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.94	1.00	1.94	17.00	Complies
46	5230	5.64	1.00	6.64	17.00	Complies



Date: 16.OCT.2020 13:56:15

Date: 16.OCT.2020 13:57:06

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.82	17.00	Complies
46	5230	9.43	17.00	Complies