


Orthogonal Axis	X
Test Mode	UNII-3_TX N (HT40) Mode 5795 MHz

Horizontal

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11589.5599	30.91	17.06	47.97	54.00	-6.03	AVG	
2	11590.5950	41.25	17.06	58.31	74.00	-15.69	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT80) Mode 5210 MHz

Vertical

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	37.24	19.18	56.42	74.00	-17.58	Peak	
2	5150.0000	30.44	19.18	49.62	54.00	-4.38	AVG	
3 *	5182.4000	80.12	19.30	99.42	68.30	31.12	Peak	No Limit
4	5183.6000	72.33	19.30	91.63	999.00	-907.37	AVG	No Limit


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT80) Mode 5210 MHz

Vertical

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10419.9500	45.44	20.14	65.58	68.30	-2.72	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT80) Mode 5210 MHz

Horizontal

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	34.45	19.18	53.63	74.00	-20.37	Peak	
2	5150.0000	26.60	19.18	45.78	54.00	-8.22	AVG	
3 *	5228.8000	72.76	19.47	92.23	68.30	23.93	Peak	No Limit
4	5237.6000	63.44	19.50	82.94	999.00	-916.06	AVG	No Limit


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT80) Mode 5210 MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10420.5850	41.28	13.94	55.22	68.30	-13.08	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT80) Mode 5290 MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	5307.600	73.79	19.74	93.53	68.30	25.23	AVG	No Limit
2	*	5317.200	80.86	19.78	100.64	68.30	32.34	peak	No Limit
3		5350.000	38.30	19.91	58.21	74.00	-15.79	peak	
4		5350.000	30.77	19.91	50.68	54.00	-3.32	AVG	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT80) Mode 5290 MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10583.5500	45.79	20.42	66.21	68.30	-2.09	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT80) Mode 5290 MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5307.600	74.82	19.74	94.56	68.30	26.26	peak	No Limit
2	X	5317.600	64.20	19.78	83.98	68.30	15.68	AVG	No Limit
3		5350.000	36.45	19.91	56.36	74.00	-17.64	peak	
4		5350.000	26.32	19.91	46.23	54.00	-7.77	AVG	

REMARKS:


(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT80) Mode 5290 MHz

Horizontal

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10580.1200	41.02	14.33	55.35	68.30	-12.95	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5530 MHz

Vertical

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	37.31	20.31	57.62	74.00	-16.38	Peak	
2	5460.0000	30.79	20.31	51.10	54.00	-2.90	AVG	
3	5470.0000	39.91	20.35	60.26	68.30	-8.04	Peak	
4 *	5512.0000	79.31	20.51	99.82	68.30	31.52	Peak	No Limit
5	5556.4000	71.62	20.73	92.35	999.00	-906.65	AVG	No Limit


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5530 MHz

Vertical

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11044.0500	40.45	20.58	61.03	74.00	-12.97	Peak	
2 *	11059.8000	31.32	20.55	51.87	54.00	-2.13	AVG	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5530 MHz

Horizontal

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	33.65	20.31	53.96	74.00	-20.04	Peak	
2	5460.0000	26.73	20.31	47.04	54.00	-6.96	AVG	
3	5470.0000	34.06	20.35	54.41	68.30	-13.89	Peak	
4	5521.6000	63.94	20.56	84.50	999.00	-914.50	AVG	No Limit
5 *	5558.0000	73.94	20.74	94.68	68.30	26.38	Peak	No Limit


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5530 MHz

Horizontal

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11059.2650	30.58	15.67	46.25	54.00	-7.75	AVG	
2	11060.3050	41.56	15.67	57.23	74.00	-16.77	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5610 MHz

Vertical

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5590.8000	85.48	20.90	106.38	68.30	38.08	Peak	No Limit
2	5627.6000	77.75	21.08	98.83	999.00	-900.17	AVG	No Limit
3	5725.0000	35.87	21.55	57.42	68.30	-10.88	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5610 MHz

Vertical

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11219.8000	31.42	20.24	51.66	54.00	-2.34	AVG	
2	11219.8500	41.97	20.24	62.21	74.00	-11.79	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5610 MHz

Horizontal

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5575.2000	79.75	20.82	100.57	68.30	32.27	Peak	No Limit
2	5627.6000	69.75	21.08	90.83	999.00	-908.17	AVG	No Limit
3	5725.0000	33.83	21.55	55.38	68.30	-12.92	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5610 MHz

Horizontal

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11220.8949	30.75	16.15	46.90	54.00	-7.10	AVG	
2	11221.2450	41.32	16.15	57.47	74.00	-16.53	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Vertical

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5648.2000	44.89	21.18	66.07	68.20	-2.13	Peak	
2	5715.0000	53.29	21.50	74.79	109.40	-34.61	Peak	
3	5725.0000	50.92	21.55	72.47	122.20	-49.73	Peak	
4	5747.4000	88.90	21.66	110.56	122.20	-11.64	Peak	No Limit
5	5850.0000	59.17	22.16	81.33	122.20	-40.87	Peak	
6	5860.0000	54.72	22.21	76.93	109.40	-32.47	Peak	

REMARKS:


(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Vertical

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11549.8000	32.10	19.55	51.65	54.00	-2.35	AVG	
2	11566.3000	43.47	19.50	62.97	74.00	-11.03	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Horizontal

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	43.89	21.50	65.39	109.40	-44.01	Peak	
2	5725.0000	44.58	21.55	66.13	122.20	-56.07	Peak	
3 *	5739.4000	80.96	21.62	102.58	122.20	-19.62	Peak	No Limit
4	5850.0000	42.82	22.16	64.98	122.20	-57.22	Peak	
5	5860.0000	42.52	22.21	64.73	109.40	-44.67	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Horizontal

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11549.0350	29.54	17.03	46.57	54.00	-7.43	AVG	
2	11551.3099	42.00	17.03	59.03	74.00	-14.97	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

The worst case of simultaneous transmission:

Test Mode: TX WLAN 2.4G N-40M Mode 2452MHz + WLAN 5G N-20M Mode 5745MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		4904.050	54.44	8.30	62.74	74.00	-11.26	peak	
2		4904.120	43.33	8.30	51.63	54.00	-2.37	AVG	
3		11490.150	41.10	19.70	60.80	74.00	-13.20	peak	
4	*	11490.250	32.23	19.70	51.93	54.00	-2.07	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode:	TX WLAN 2.4G N-40M Mode 2452MHz + WLAN 5G N-20M Mode 5745MHz
------------	--

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		4904.500	38.02	8.02	46.04	74.00	-27.96	peak	
2		4904.670	26.71	8.02	34.73	54.00	-19.27	AVG	
3		11490.260	39.88	16.95	56.83	74.00	-17.17	peak	
4	*	11490.350	29.32	16.95	46.27	54.00	-7.73	AVG	

REMARKS:


(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.


APPENDIX E - BANDWIDTH

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	20.59	16.70
40	5200	20.55	16.70
48	5240	20.59	16.70



Date: 25.MAR.2020 09:19:35




Date: 25.MAR.2020 09:20:52




Date: 25.MAR.2020 09:21:55

Test Mode	UNII-1_TX N (HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	21.56	17.90
40	5200	21.69	17.90
48	5240	21.49	17.80



Date: 25.MAR.2020 09:37:58




Date: 25.MAR.2020 09:39:18




Date: 25.MAR.2020 09:41:14

Test Mode	UNII-1_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	42.60	36.40
46	5230	43.30	36.40




Date: 25.MAR.2020 10:10:40




Date: 25.MAR.2020 10:12:34

Test Mode UNII-2A_TX A Mode


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	20.60	16.80
60	5300	20.69	16.70
64	5320	20.59	16.80



Date: 25.MAR.2020 09:23:27




Date: 25.MAR.2020 09:24:19




Date: 25.MAR.2020 09:25:17

Test Mode UNII-2A_TX N (HT20) Mode


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	21.59	17.80
60	5300	21.65	17.80
64	5320	21.65	17.80



Date: 25.MAR.2020 09:42:03




Date: 25.MAR.2020 09:43:01




Date: 25.MAR.2020 09:45:10

Test Mode	UNII-2A_TX N (HT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	43.00	36.40
62	5310	42.99	36.40




Date: 25.MAR.2020 10:14:04




Date: 25.MAR.2020 10:15:30

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	20.79	16.80
116	5580	20.95	16.80
140	5700	20.80	16.80



Date: 25.MAR.2020 09:26:01




Date: 25.MAR.2020 09:28:43




Date: 25.MAR.2020 09:30:15

Test Mode	UNII-2C_TX N (HT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	21.85	18.00
116	5580	21.95	18.00
140	5700	21.79	17.90



Date: 25.MAR.2020 09:47:46




Date: 25.MAR.2020 09:49:06




Date: 25.MAR.2020 09:50:41

Test Mode	UNII-2C_TX N (HT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	43.20	36.40
110	5550	43.50	36.40
134	5670	43.70	36.40



Date: 25.MAR.2020 10:16:33




Date: 25.MAR.2020 10:19:17




Date: 25.MAR.2020 10:20:10

Test Mode UNII-3_TX A Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	16.40	500	Complies
157	5785	16.45	500	Complies
165	5825	16.35	500	Complies



Date: 25_MAR_2020 09:31:32




Date: 25_MAR_2020 09:32:59




Date: 25_MAR_2020 09:34:34


Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)	Result
149	5745	16.90	Complies
157	5785	16.80	Complies
165	5825	16.80	Complies



Date: 25_MAR_2020 11:32:54




Date: 25_MAR_2020 11:33:15




Date: 25_MAR_2020 11:33:31

Test Mode	UNII-3_TX N (HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	16.60	500	Complies
157	5785	16.99	500	Complies
165	5825	16.70	500	Complies



Date: 25.MAR.2020 09:51:44




Date: 25.MAR.2020 09:52:39




Date: 25.MAR.2020 09:53:31


Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)	Result
149	5745	18.00	Complies
157	5785	18.00	Complies
165	5825	17.90	Complies



Date: 25.MAR.2020 11:34:12




Date: 25.MAR.2020 11:34:47




Date: 25.MAR.2020 11:35:12

Test Mode	UNII-3_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	36.00	500	Complies
159	5795	35.81	500	Complies




Date: 25.MAR.2020 10:22:13




Date: 25.MAR.2020 10:23:14

Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)	Result
151	5755	37.60	Complies
159	5795	37.60	Complies



Date: 25.MAR.2020 11:38:34




Date: 25.MAR.2020 11:38:54

Test Mode	UNII-1_TX AC (VHT80)
-----------	----------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	82.20	76.00

CH42




Date: 25.MAR.2020 10:34:04

Test Mode	UNII-2A_TX AC (VHT80)
-----------	-----------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
58	5290	82.20	76.00

CH58




Date: 25.MAR.2020 10:34:53

Test Mode	UNII-2C_TX AC (VHT80)
-----------	-----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
106	5530	82.21	76.00
122	5610	82.80	76.00

CH106



Date: 25.MAR.2020 10:35:37


CH122



Date: 25.MAR.2020 10:36:32


Test Mode	UNII-3_TX AC (VHT80)
-----------	----------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	75.40	500	Complies



Date: 25.MAR.2020 10:37:36

Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)	Result
155	5775	76.00	Complies



Date: 25.MAR.2020 11:41:11

APPENDIX F - MAXIMUM OUTPUT POWER

Non Beamforming

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	8.39	0.31	8.70	30.00	1.00	Complies
40	5200	8.55	0.31	8.86	30.00	1.00	Complies
48	5240	7.31	0.31	7.62	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	8.82	0.31	9.13	30.00	1.00	Complies
40	5200	8.69	0.31	9.00	30.00	1.00	Complies
48	5240	7.35	0.31	7.66	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	11.93	28.53	0.71	Complies
40	5200	11.94	28.53	0.71	Complies
48	5240	10.65	28.53	0.71	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	7.95	0.30	8.25	30.00	1.00	Complies
40	5200	8.34	0.30	8.64	30.00	1.00	Complies
48	5240	8.33	0.30	8.63	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	8.36	0.30	8.66	30.00	1.00	Complies
40	5200	8.77	0.30	9.07	30.00	1.00	Complies
48	5240	8.61	0.30	8.91	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	11.47	28.53	0.71	Complies
40	5200	11.87	28.53	0.71	Complies
48	5240	11.79	28.53	0.71	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	8.85	0.50	9.35	30.00	1.00	Complies
46	5230	8.25	0.50	8.75	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	9.42	0.50	9.92	30.00	1.00	Complies
46	5230	8.72	0.50	9.22	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.66	28.53	0.71	Complies
46	5230	12.00	28.53	0.71	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.71	0.31	8.02	24.00	0.25	Complies
60	5300	5.08	0.31	5.39	24.00	0.25	Complies
64	5320	5.35	0.31	5.66	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.75	0.31	8.06	24.00	0.25	Complies
60	5300	5.57	0.31	5.88	24.00	0.25	Complies
64	5320	4.92	0.31	5.23	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.05	22.53	0.18	Complies
60	5300	8.65	22.53	0.18	Complies
64	5320	8.46	22.53	0.18	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.89	0.30	8.19	24.00	0.25	Complies
60	5300	6.76	0.30	7.06	24.00	0.25	Complies
64	5320	6.02	0.30	6.32	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.87	0.30	8.17	24.00	0.25	Complies
60	5300	6.71	0.30	7.01	24.00	0.25	Complies
64	5320	5.73	0.30	6.03	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.19	22.53	0.18	Complies
60	5300	10.05	22.53	0.18	Complies
64	5320	9.19	22.53	0.18	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	7.92	0.50	8.42	24.00	0.25	Complies
62	5310	4.88	0.50	5.38	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	8.44	0.50	8.94	24.00	0.25	Complies
62	5310	4.55	0.50	5.05	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.70	22.53	0.18	Complies
62	5310	8.23	22.53	0.18	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	6.92	0.31	7.23	24.00	0.25	Complies
116	5580	7.37	0.31	7.68	24.00	0.25	Complies
140	5700	7.78	0.31	8.09	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	7.44	0.31	7.75	24.00	0.25	Complies
116	5580	7.83	0.31	8.14	24.00	0.25	Complies
140	5700	7.31	0.31	7.62	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.51	22.53	0.18	Complies
116	5580	10.93	22.53	0.18	Complies
140	5700	10.87	22.53	0.18	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	6.23	0.30	6.53	24.00	0.25	Complies
116	5580	7.02	0.30	7.32	24.00	0.25	Complies
140	5700	7.36	0.30	7.66	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	6.65	0.30	6.95	24.00	0.25	Complies
116	5580	7.48	0.30	7.78	24.00	0.25	Complies
140	5700	7.10	0.30	7.40	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	9.76	22.53	0.18	Complies
116	5580	10.57	22.53	0.18	Complies
140	5700	10.55	22.53	0.18	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	6.73	0.50	7.23	24.00	0.25	Complies
110	5550	7.12	0.50	7.62	24.00	0.25	Complies
134	5670	7.56	0.50	8.06	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	7.12	0.50	7.62	24.00	0.25	Complies
110	5550	7.41	0.50	7.91	24.00	0.25	Complies
134	5670	7.02	0.50	7.52	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.44	22.53	0.18	Complies
110	5550	10.78	22.53	0.18	Complies
134	5670	10.81	22.53	0.18	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	10.28	0.31	10.59	30.00	1.00	Complies
157	5785	9.68	0.31	9.99	30.00	1.00	Complies
165	5825	9.25	0.31	9.56	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	9.96	0.31	10.27	30.00	1.00	Complies
157	5785	10.02	0.31	10.33	30.00	1.00	Complies
165	5825	9.66	0.31	9.97	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.44	28.53	0.71	Complies
157	5785	13.17	28.53	0.71	Complies
165	5825	12.78	28.53	0.71	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	10.49	0.30	10.79	30.00	1.00	Complies
157	5785	10.08	0.30	10.38	30.00	1.00	Complies
165	5825	8.68	0.30	8.98	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	10.22	0.30	10.52	30.00	1.00	Complies
157	5785	10.33	0.30	10.63	30.00	1.00	Complies
165	5825	9.22	0.30	9.52	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.67	28.53	0.71	Complies
157	5785	13.52	28.53	0.71	Complies
165	5825	12.27	28.53	0.71	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	10.02	0.50	10.52	30.00	1.00	Complies
159	5795	9.42	0.50	9.92	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	9.53	0.50	10.03	30.00	1.00	Complies
159	5795	9.62	0.50	10.12	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.29	28.53	0.71	Complies
159	5795	13.03	28.53	0.71	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	6.71	0.65	7.36	30.00	1.00	Complies
40	5200	6.89	0.65	7.54	30.00	1.00	Complies
48	5240	6.85	0.65	7.50	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	6.98	0.65	7.63	30.00	1.00	Complies
40	5200	7.38	0.65	8.03	30.00	1.00	Complies
48	5240	6.69	0.65	7.34	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	10.50	28.53	0.71	Complies
40	5200	10.80	28.53	0.71	Complies
48	5240	10.43	28.53	0.71	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	7.64	0.78	8.42	30.00	1.00	Complies
46	5230	7.62	0.78	8.40	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	8.31	0.78	9.09	30.00	1.00	Complies
46	5230	7.69	0.78	8.47	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.78	28.53	0.71	Complies
46	5230	11.45	28.53	0.71	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	6.52	1.66	8.18	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	6.88	1.66	8.54	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	11.37	28.53	0.71	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.03	0.65	7.68	24.00	0.25	Complies
60	5300	6.92	0.65	7.57	24.00	0.25	Complies
64	5320	5.26	0.65	5.91	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.22	0.65	7.87	24.00	0.25	Complies
60	5300	6.83	0.65	7.48	24.00	0.25	Complies
64	5320	5.05	0.65	5.70	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.78	22.53	0.18	Complies
60	5300	10.53	22.53	0.18	Complies
64	5320	8.81	22.53	0.18	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	6.42	0.78	7.20	24.00	0.25	Complies
62	5310	4.20	0.78	4.98	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	6.61	0.78	7.39	24.00	0.25	Complies
62	5310	4.39	0.78	5.17	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.31	22.53	0.18	Complies
62	5310	8.09	22.53	0.18	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	6.29	1.66	7.95	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	6.44	1.66	8.10	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.04	22.53	0.18	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	5.75	0.65	6.40	24.00	0.25	Complies
116	5580	6.75	0.65	7.40	24.00	0.25	Complies
140	5700	7.35	0.65	8.00	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	6.07	0.65	6.72	24.00	0.25	Complies
116	5580	6.88	0.65	7.53	24.00	0.25	Complies
140	5700	6.92	0.65	7.57	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	9.57	22.53	0.18	Complies
116	5580	10.47	22.53	0.18	Complies
140	5700	10.80	22.53	0.18	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	5.57	0.78	6.35	24.00	0.25	Complies
110	5550	6.12	0.78	6.90	24.00	0.25	Complies
134	5670	6.65	0.78	7.43	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	6.05	0.78	6.83	24.00	0.25	Complies
110	5550	6.41	0.78	7.19	24.00	0.25	Complies
134	5670	6.21	0.78	6.99	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.61	22.53	0.18	Complies
110	5550	10.06	22.53	0.18	Complies
134	5670	10.23	22.53	0.18	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	4.36	1.66	6.02	24.00	0.25	Complies
122	5610	6.47	1.66	8.13	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	4.94	1.66	6.60	24.00	0.25	Complies
122	5610	6.58	1.66	8.24	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	9.33	22.53	0.18	Complies
122	5610	11.20	22.53	0.18	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	10.15	0.65	10.86	30.00	1.00	Complies
157	5785	8.83	0.65	9.48	30.00	1.00	Complies
165	5825	8.15	0.65	8.80	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	9.82	0.65	10.47	30.00	1.00	Complies
157	5785	9.02	0.65	9.67	30.00	1.00	Complies
165	5825	8.41	0.65	9.06	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.65	28.53	0.71	Complies
157	5785	12.58	28.53	0.71	Complies
165	5825	11.94	28.53	0.71	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	8.68	0.78	9.46	30.00	1.00	Complies
159	5795	8.33	0.78	9.11	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	8.55	0.78	9.33	30.00	1.00	Complies
159	5795	8.58	0.78	9.36	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	12.41	28.53	0.71	Complies
159	5795	12.25	28.53	0.71	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	8.61	1.66	10.27	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	8.55	1.66	10.21	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	13.25	28.53	0.71	Complies

Beamforming

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	7.66	0.30	7.96	30.00	1.00	Complies
40	5200	8.21	0.30	8.51	30.00	1.00	Complies
48	5240	8.22	0.30	8.52	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	8.12	0.30	8.42	30.00	1.00	Complies
40	5200	8.57	0.30	8.87	30.00	1.00	Complies
48	5240	8.43	0.30	8.73	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	11.21	28.28	0.67	Complies
40	5200	11.71	28.28	0.67	Complies
48	5240	11.64	28.28	0.67	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	8.93	0.50	9.43	30.00	1.00	Complies
46	5230	8.15	0.50	8.65	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	9.25	0.50	9.75	30.00	1.00	Complies
46	5230	8.62	0.50	9.12	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.60	28.28	0.67	Complies
46	5230	11.90	28.28	0.67	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.77	0.30	8.07	24.00	0.25	Complies
60	5300	6.58	0.30	6.88	24.00	0.25	Complies
64	5320	5.88	0.30	6.18	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.62	0.30	7.92	24.00	0.25	Complies
60	5300	6.53	0.30	6.83	24.00	0.25	Complies
64	5320	5.62	0.30	5.92	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.01	22.28	0.17	Complies
60	5300	9.87	22.28	0.17	Complies
64	5320	9.07	22.28	0.17	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	7.85	0.50	8.35	24.00	0.25	Complies
62	5310	4.66	0.50	5.16	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	8.32	0.50	8.82	24.00	0.25	Complies
62	5310	4.28	0.50	4.78	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.60	22.28	0.17	Complies
62	5310	7.98	22.28	0.17	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	5.66	0.30	5.96	24.00	0.25	Complies
116	5580	6.88	0.30	7.18	24.00	0.25	Complies
140	5700	7.31	0.30	7.61	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	6.13	0.30	6.43	24.00	0.25	Complies
116	5580	7.25	0.30	7.55	24.00	0.25	Complies
140	5700	7.11	0.30	7.41	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	9.21	22.28	0.17	Complies
116	5580	10.38	22.28	0.17	Complies
140	5700	10.52	22.28	0.17	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	6.74	0.50	7.24	24.00	0.25	Complies
110	5550	6.87	0.50	7.37	24.00	0.25	Complies
134	5670	7.41	0.50	7.91	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	7.03	0.50	7.53	24.00	0.25	Complies
110	5550	7.35	0.50	7.85	24.00	0.25	Complies
134	5670	6.89	0.50	7.39	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.40	22.28	0.17	Complies
110	5550	10.63	22.28	0.17	Complies
134	5670	10.67	22.28	0.17	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	10.23	0.30	10.53	30.00	1.00	Complies
157	5785	9.96	0.30	10.26	30.00	1.00	Complies
165	5825	8.71	0.30	9.01	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	10.17	0.30	10.47	30.00	1.00	Complies
157	5785	10.21	0.30	10.51	30.00	1.00	Complies
165	5825	9.14	0.30	9.44	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.51	28.28	0.67	Complies
157	5785	13.40	28.28	0.67	Complies
165	5825	12.24	28.28	0.67	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	9.97	0.50	10.47	30.00	1.00	Complies
159	5795	9.35	0.50	9.85	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	9.37	0.50	9.87	30.00	1.00	Complies
159	5795	9.47	0.50	9.97	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.19	28.28	0.67	Complies
159	5795	12.92	28.28	0.67	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	6.67	0.65	7.32	30.00	1.00	Complies
40	5200	6.62	0.65	7.27	30.00	1.00	Complies
48	5240	6.71	0.65	7.36	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	6.89	0.65	7.54	30.00	1.00	Complies
40	5200	7.25	0.65	7.90	30.00	1.00	Complies
48	5240	6.56	0.65	7.21	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	10.44	28.28	0.67	Complies
40	5200	10.60	28.28	0.67	Complies
48	5240	10.29	28.28	0.67	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	7.75	0.78	8.53	30.00	1.00	Complies
46	5230	7.52	0.78	8.30	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	8.15	0.78	8.93	30.00	1.00	Complies
46	5230	7.52	0.78	8.30	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.75	28.28	0.67	Complies
46	5230	11.31	28.28	0.67	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	6.42	1.66	8.08	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	6.68	1.66	8.34	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	11.22	28.28	0.67	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	6.89	0.65	7.54	24.00	0.25	Complies
60	5300	6.62	0.65	7.27	24.00	0.25	Complies
64	5320	5.13	0.65	5.78	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.18	0.65	7.83	24.00	0.25	Complies
60	5300	6.74	0.65	7.39	24.00	0.25	Complies
64	5320	4.92	0.65	5.57	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.69	22.28	0.17	Complies
60	5300	10.34	22.28	0.17	Complies
64	5320	8.68	22.28	0.17	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	6.35	0.78	7.13	24.00	0.25	Complies
62	5310	4.22	0.78	5.00	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	6.51	0.78	7.29	24.00	0.25	Complies
62	5310	4.33	0.78	5.11	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.22	22.28	0.17	Complies
62	5310	8.07	22.28	0.17	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	6.23	1.66	7.89	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	6.35	1.66	8.01	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	10.96	22.28	0.17	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	5.47	0.65	6.12	24.00	0.25	Complies
116	5580	6.57	0.65	7.22	24.00	0.25	Complies
140	5700	7.19	0.65	7.84	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	5.97	0.65	6.62	24.00	0.25	Complies
116	5580	6.68	0.65	7.33	24.00	0.25	Complies
140	5700	6.75	0.65	7.40	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	9.38	22.28	0.17	Complies
116	5580	10.28	22.28	0.17	Complies
140	5700	10.63	22.28	0.17	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	5.55	0.78	6.33	24.00	0.25	Complies
110	5550	5.84	0.78	6.62	24.00	0.25	Complies
134	5670	6.52	0.78	7.30	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	6.03	0.78	6.81	24.00	0.25	Complies
110	5550	6.35	0.78	7.13	24.00	0.25	Complies
134	5670	5.95	0.78	6.73	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.59	22.28	0.17	Complies
110	5550	9.89	22.28	0.17	Complies
134	5670	10.04	22.28	0.17	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	4.31	1.66	5.97	24.00	0.25	Complies
122	5610	6.35	1.66	8.01	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	4.77	1.66	6.43	24.00	0.25	Complies
122	5610	6.46	1.66	8.12	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	9.22	22.28	0.17	Complies
122	5610	11.08	22.28	0.17	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	10.13	0.65	10.78	30.00	1.00	Complies
157	5785	8.77	0.65	9.42	30.00	1.00	Complies
165	5825	8.02	0.65	8.67	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	9.63	0.65	10.28	30.00	1.00	Complies
157	5785	8.85	0.65	9.50	30.00	1.00	Complies
165	5825	8.28	0.65	8.93	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.54	28.28	0.67	Complies
157	5785	12.47	28.28	0.67	Complies
165	5825	11.81	28.28	0.67	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	8.46	0.78	9.24	30.00	1.00	Complies
159	5795	8.28	0.78	9.06	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	8.39	0.78	9.17	30.00	1.00	Complies
159	5795	8.46	0.78	9.24	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	12.22	28.28	0.67	Complies
159	5795	12.16	28.28	0.67	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	8.59	1.66	10.25	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	8.47	1.66	10.13	30.00	1.00	Complies


Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	13.20	28.28	0.67	Complies


APPENDIX G - POWER SPECTRAL DENSITY

Test Mode UNII-1_TX A Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-1.75	0.31	-1.44	17.00	Complies
40	5200	-1.51	0.31	-1.20	17.00	Complies
48	5240	-3.48	0.31	-3.17	17.00	Complies



Date: 25.MAR.2020 09:19:13




Date: 25.MAR.2020 09:20:25




Date: 25.MAR.2020 09:21:31

Test Mode UNII-1_TX A Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-2.56	0.31	-2.25	17.00	Complies
40	5200	-1.99	0.31	-1.68	17.00	Complies
48	5240	-2.98	0.31	-2.67	17.00	Complies



Date: 25.MAR.2020 10:42:16



Date: 25.MAR.2020 10:42:32




Date: 25.MAR.2020 10:42:52

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	1.19	15.53	Complies
40	5200	1.58	15.53	Complies
48	5240	0.10	15.53	Complies

Test Mode UNII-1_TX N (HT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-2.94	0.30	-2.64	17.00	Complies
40	5200	-1.77	0.30	-1.47	17.00	Complies
48	5240	-2.44	0.30	-2.14	17.00	Complies



Date: 25.MAR.2020 09:37:33




Date: 25.MAR.2020 09:38:54




Date: 25.MAR.2020 09:40:51

Test Mode UNII-1_TX N (HT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-2.51	0.30	-2.21	17.00	Complies
40	5200	-2.12	0.30	-1.82	17.00	Complies
48	5240	-2.08	0.30	-1.78	17.00	Complies



Date: 25.MAR.2020 10:51:38



Date: 25.MAR.2020 10:52:14




Date: 25.MAR.2020 10:53:12

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	0.59	15.53	Complies
40	5200	1.37	15.53	Complies
48	5240	1.06	15.53	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-4.44	0.50	-3.94	17.00	Complies
46	5230	-4.85	0.50	-4.35	17.00	Complies




Date: 25.MAR.2020 10:10:08




Date: 25.MAR.2020 10:12:11

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-3.97	0.50	-3.47	17.00	Complies
46	5230	-4.88	0.50	-4.38	17.00	Complies



Date: 25.MAR.2020 11:08:57




Date: 25.MAR.2020 11:09:21

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-0.69	15.53	Complies
46	5230	-1.35	15.53	Complies

Test Mode UNII-2A_TX A Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-3.40	0.31	-3.09	11.00	Complies
60	5300	-5.79	0.31	-5.48	11.00	Complies
64	5320	-5.92	0.31	-5.61	11.00	Complies



Date: 25.MAR.2020 09:23:04




Date: 25.MAR.2020 09:23:57




Date: 25.MAR.2020 09:24:55

Test Mode UNII-2A_TX A Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-2.77	0.31	-2.46	11.00	Complies
60	5300	-6.02	0.31	-5.71	11.00	Complies
64	5320	-6.05	0.31	-5.74	11.00	Complies



Date: 25.MAR.2020 10:43:09



Date: 25.MAR.2020 10:43:35




Date: 25.MAR.2020 10:46:18

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.25	9.53	Complies
60	5300	-2.58	9.53	Complies
64	5320	-2.66	9.53	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-3.23	0.30	-2.93	11.00	Complies
60	5300	-4.95	0.30	-4.65	11.00	Complies
64	5320	-5.50	0.30	-5.20	11.00	Complies



Date: 25.MAR.2020 09:41:41




Date: 25.MAR.2020 09:42:39




Date: 25.MAR.2020 09:44:48

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-2.46	0.30	-2.16	11.00	Complies
60	5300	-4.24	0.30	-3.94	11.00	Complies
64	5320	-5.31	0.30	-5.01	11.00	Complies



Date: 25.MAR.2020 10:53:35



Date: 25.MAR.2020 10:53:58




Date: 25.MAR.2020 10:54:32

Test Mode	UNII-2A_TX N (HT20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.49	9.53	Complies
60	5300	-1.27	9.53	Complies
64	5320	-2.09	9.53	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-5.52	0.50	-5.02	11.00	Complies
62	5310	-9.31	0.50	-8.81	11.00	Complies




Date: 25.MAR.2020 10:13:32




Date: 25.MAR.2020 10:14:58

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-5.56	0.50	-5.06	11.00	Complies
62	5310	-8.98	0.50	-8.48	11.00	Complies



Date: 25.MAR.2020 11:09:43




Date: 25.MAR.2020 11:10:06

Test Mode	UNII-2A_TX N (HT40) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-2.03	9.53	Complies
62	5310	-5.63	9.53	Complies

Test Mode UNII-2C_TX A Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-2.03	0.31	-1.72	11.00	Complies
116	5580	-0.97	0.31	-0.66	11.00	Complies
140	5700	-2.75	0.31	-2.44	11.00	Complies



Date: 25.MAR.2020 09:25:38




Date: 25.MAR.2020 09:28:19




Date: 25.MAR.2020 09:29:50

Test Mode UNII-2C_TX A Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-3.79	0.31	-3.48	11.00	Complies
116	5580	-4.07	0.31	-3.76	11.00	Complies
140	5700	-4.85	0.31	-4.54	11.00	Complies



Date: 25.MAR.2020 11:25:43



Date: 25.MAR.2020 10:47:39



Date: 25.MAR.2020 10:48:36

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.50	9.53	Complies
116	5580	1.07	9.53	Complies
140	5700	-0.35	9.53	Complies