

3. Maximum Conducted Output Power

3.1 Power

3.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Maximum Peak Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
802.11b	SISO	2412	20.00	<=30	Pass
		2437	19.99	<=30	Pass
		2462	19.76	<=30	Pass
802.11g	SISO	2412	23.01	<=30	Pass
		2437	23.00	<=30	Pass
		2462	23.02	<=30	Pass
802.11n (HT20)	SISO	2412	22.78	<=30	Pass
		2437	22.82	<=30	Pass
		2462	22.83	<=30	Pass
802.11n (HT40)	SISO	2422	22.48	<=30	Pass
		2437	22.53	<=30	Pass
		2452	22.53	<=30	Pass

Note1: Antenna Gain: Ant1: 2.00dBi;

4. Maximum Power Spectral Density


4.1 PSD



4.1.1 Test Result



Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/3kHz)		Verdict
			ANT1	Limit	
802.11b	SISO	2412	-5.38	<=8	Pass
		2437	-4.69	<=8	Pass
		2462	-5.02	<=8	Pass
802.11g	SISO	2412	-9.50	<=8	Pass
		2437	-9.59	<=8	Pass
		2462	-9.53	<=8	Pass
802.11n (HT20)	SISO	2412	-9.92	<=8	Pass
		2437	-9.31	<=8	Pass
		2462	-9.24	<=8	Pass
802.11n (HT40)	SISO	2422	-12.37	<=8	Pass
		2437	-12.59	<=8	Pass
		2452	-13.30	<=8	Pass



Note1: Antenna Gain: Ant1: 0.00dBi;



4.1.2 Test Graph















5. Unwanted Emissions In Non-restricted Frequency Bands


5.1 Ref



5.1.1 Test Result



Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
802.11b	SISO	2412	1	9.64
		2437	1	9.44
		2462	1	9.46
802.11g	SISO	2412	1	5.23
		2437	1	5.21
		2462	1	5.05
802.11n (HT20)	SISO	2412	1	5.11
		2437	1	5.27
		2462	1	5.20
802.11n (HT40)	SISO	2422	1	1.24
		2437	1	1.49
		2452	1	1.45



Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.



5.1.2 Test Graph
















5.2 CSE



5.2.1 Test Result



Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
802.11b	SISO	2412	1	9.64	-10.36	Pass
		2437	1	9.64	-10.36	Pass
		2462	1	9.64	-10.36	Pass
802.11g	SISO	2412	1	5.23	-14.77	Pass
		2437	1	5.23	-14.77	Pass
		2462	1	5.23	-14.77	Pass
802.11n (HT20)	SISO	2412	1	5.27	-14.73	Pass
		2437	1	5.27	-14.73	Pass
		2462	1	5.27	-14.73	Pass
802.11n (HT40)	SISO	2422	1	1.49	-18.51	Pass
		2437	1	1.49	-18.51	Pass
		2452	1	1.49	-18.51	Pass



Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.



5.2.2 Test Graph































6. Form731

6.1 Form731

6.1.1 Test Result

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
2412	2462	0.2004	23.02
2422	2452	0.1791	22.53



Test Report Number: BTF230324R00703



BTF Testing Lab (Shenzhen) Co., Ltd.

F101, 201 and 301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Street,
Bao'an District, Shenzhen, China

www.btf-lab.com

-- END OF REPORT --