



Test Graphs





BLE_2M-Ant1-2480-PASS

Appendix F: Conducted Spurious Emission

Test Result

TestMode	Antenna	Frequency [MHz]	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	2402	30~1000	3.71	-58.76	≤-16.29	PASS
BLE_1M	Ant1	2402	1000~26500	3.71	-44.4	≤-16.29	PASS
BLE_1M	Ant1	2440	30~1000	3.11	-59.08	≤-16.89	PASS
BLE_1M	Ant1	2440	1000~26500	3.11	-44.36	≤-16.89	PASS
BLE_1M	Ant1	2480	30~1000	3.55	-59.07	≤-16.45	PASS
BLE_1M	Ant1	2480	1000~26500	3.55	-44.65	≤-16.45	PASS
BLE_2M	Ant1	2402	30~1000	3.38	-58.82	≤-16.62	PASS
BLE_2M	Ant1	2402	1000~26500	3.38	-43.34	≤-16.62	PASS
BLE_2M	Ant1	2440	30~1000	2.69	-59.18	≤-17.31	PASS
BLE_2M	Ant1	2440	1000~26500	2.69	-44.09	≤-17.31	PASS
BLE_2M	Ant1	2480	30~1000	3.00	-59.34	≤-17	PASS
BLE_2M	Ant1	2480	1000~26500	3.00	-44.09	≤-17	PASS

Test Graphs

