

Appendix A

RF Test Data for BT V4.1(LE) (Conducted Measurement)

Product Name: Smart-T

Trade Mark: N/A


Test Model: TE1001V11

Environmental Conditions

Temperature:	23.5 ° C
Relative Humidity:	52.6%
ATM Pressure:	100.0 kPa
Test Engineer:	David.Luo
Supervised by:	Li Huan


A.1 Duty Cycle

Test Mode	Test Channel	Ant	Duty Cycle[%]	Verdict
BT LE	2440	Ant1	100	PASS




A.2 Maximum Conducted Peak Output Power

Mode	Channel	Conduct Peak Power[dBm]	Limit [dBm]	Verdict
BT LE	LCH	-1.251	30	PASS
BT LE	MCH	-1.321	30	PASS
BT LE	HCH	-1.572	30	PASS





HCH




A.3 Maximum Power Spectral Density

Mode	Channel	PSD [dBm/3KHz]	Limit [dBm/3KHz]	Verdict
BT LE	LCH	-18.559	8	PASS
BT LE	MCH	-18.787	8	PASS
BT LE	HCH	-19.009	8	PASS

Test Graphs




HCH





A.4 6dB Bandwidth

Mode	Channel	6dB Bandwidth [MHz]	Limit [MHz]	Verdict
BT LE	LCH	0.6872	≥0.5	PASS
BT LE	MCH	0.6850	≥0.5	PASS
BT LE	HCH	0.6865	≥0.5	PASS

Test Graphs

LCH	<p style="font-size: small; margin: 0;">Agilent Spectrum Analyzer - Occupied BW</p> <p style="font-size: x-small; margin: 0;">RL RF 50 Ω AC SENSE:INT ALIGN: AUTO 09:24:29 AM Apr 02, 2020</p> <p style="font-size: small; margin: 0;">Center Freq 2.402000000 GHz Center Freq: 2.402000000 GHz Radio Std: None</p> <p style="font-size: x-small; margin: 0;">Trig: Free Run AvgHold: 1/1</p> <p style="font-size: x-small; margin: 0;">#IFGain: Low #Atten: 30 dB Radio Device: BTS</p> <div style="border: 1px solid black; padding: 2px;"> <p style="font-size: x-small; margin: 0;">10 dB/div Ref Offset 8.05 dB Mkr1 2.4019906 GHz</p> <p style="font-size: x-small; margin: 0;">Log Ref 20.00 dBm -1.3724 dBm</p>  </div> <p style="font-size: x-small; margin: 0;">Center 2.402 GHz Span 3 MHz</p> <p style="font-size: x-small; margin: 0;">#Res BW 100 kHz #VBW 300 kHz Sweep 1.067 ms</p> <table style="width: 100%; font-size: x-small; border-collapse: collapse;"> <tr> <td style="width: 33%;">Occupied Bandwidth</td> <td style="width: 33%;">Total Power</td> <td style="width: 33%;">4.86 dBm</td> </tr> <tr> <td style="text-align: center;">1.0717 MHz</td> <td></td> <td></td> </tr> <tr> <td>Transmit Freq Error</td> <td>OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>x dB</td> <td>-6.00 dB</td> </tr> </table> <p style="font-size: x-small; margin: 0;">MSG STATUS</p>	Occupied Bandwidth	Total Power	4.86 dBm	1.0717 MHz			Transmit Freq Error	OBW Power	99.00 %	x dB Bandwidth	x dB	-6.00 dB	<p style="font-size: x-small;">Frequency</p> <hr/> <p style="font-size: x-small;">Center Freq 2.402000000 GHz</p> <hr/> <p style="font-size: x-small;">CF Step 300.000 kHz Auto Man</p> <hr/> <p style="font-size: x-small;">Freq Offset 0 Hz</p>
	Occupied Bandwidth	Total Power	4.86 dBm											
	1.0717 MHz													
	Transmit Freq Error	OBW Power	99.00 %											
x dB Bandwidth	x dB	-6.00 dB												


MCH	<p style="font-size: small; margin: 0;">Agilent Spectrum Analyzer - Occupied BW</p> <p style="font-size: x-small; margin: 0;">RL RF 50 Ω AC SENSE:INT ALIGN: AUTO 09:27:45 AM Apr 02, 2020</p> <p style="font-size: small; margin: 0;">Center Freq 2.440000000 GHz Center Freq: 2.440000000 GHz Radio Std: None</p> <p style="font-size: x-small; margin: 0;">Trig: Free Run AvgHold: 1/1</p> <p style="font-size: x-small; margin: 0;">#IFGain: Low #Atten: 30 dB Radio Device: BTS</p> <div style="border: 1px solid black; padding: 2px;"> <p style="font-size: x-small; margin: 0;">10 dB/div Ref Offset 8.05 dB Mkr1 2.4399843 GHz</p> <p style="font-size: x-small; margin: 0;">Log Ref 20.00 dBm -1.4125 dBm</p>  </div> <p style="font-size: x-small; margin: 0;">Center 2.44 GHz Span 3 MHz</p> <p style="font-size: x-small; margin: 0;">#Res BW 100 kHz #VBW 300 kHz Sweep 1.067 ms</p> <table style="width: 100%; font-size: x-small; border-collapse: collapse;"> <tr> <td style="width: 33%;">Occupied Bandwidth</td> <td style="width: 33%;">Total Power</td> <td style="width: 33%;">4.82 dBm</td> </tr> <tr> <td style="text-align: center;">1.0680 MHz</td> <td></td> <td></td> </tr> <tr> <td>Transmit Freq Error</td> <td>OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>x dB</td> <td>-6.00 dB</td> </tr> </table> <p style="font-size: x-small; margin: 0;">MSG STATUS</p>	Occupied Bandwidth	Total Power	4.82 dBm	1.0680 MHz			Transmit Freq Error	OBW Power	99.00 %	x dB Bandwidth	x dB	-6.00 dB	<p style="font-size: x-small;">Frequency</p> <hr/> <p style="font-size: x-small;">Center Freq 2.440000000 GHz</p> <hr/> <p style="font-size: x-small;">CF Step 300.000 kHz Auto Man</p> <hr/> <p style="font-size: x-small;">Freq Offset 0 Hz</p>
	Occupied Bandwidth	Total Power	4.82 dBm											
	1.0680 MHz													
	Transmit Freq Error	OBW Power	99.00 %											
x dB Bandwidth	x dB	-6.00 dB												



A.5 RF Conducted Spurious Emissions


Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	-1.35	-36.832	-21.350	PASS
BT LE	MCH	-1.391	-37.039	-21.391	PASS
BT LE	HCH	-1.666	-36.695	-21.666	PASS

BT LE LCH Graphs




BT LE MCH Graphs

Pref/BT LE/MCH




Puw/BT LE/MCH




BT LE HCH Graphs

Pref/BT LE/HCH



Puw/BT LE/HCH



A.6 Band-edge for RF Conducted Emissions

Mode	Channel	Carrier Power[dBm]	Max.Spurious Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	-2.800	-49.273	-22.8	PASS
BT LE	HCH	-1.921	-49.313	-21.92	PASS


Test Graphs

LCH		<p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.35700000 GHz</p> <p>Start Freq 2.31000000 GHz</p> <p>Stop Freq 2.40400000 GHz</p> <p>CF Step 9.400000 MHz</p> <p>Freq Offset 0 Hz</p>
HCH		<p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.48900000 GHz</p> <p>Start Freq 2.47800000 GHz</p> <p>Stop Freq 2.50000000 GHz</p> <p>CF Step 2.200000 MHz</p> <p>Freq Offset 0 Hz</p>


A.7 Restrict-band band-edge measurements

Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdi
BT LE	2402	Ant1	2310.0	-43.76	2.0	0	53.47	PEAK	74	PASS
		Ant1	2310.0	-53.29	2.0	0	43.94	AV	54	PASS
		Ant1	2390.0	-44.06	2.0	0	53.17	PEAK	74	PASS
		Ant1	2390.0	-52.96	2.0	0	44.27	AV	54	PASS
	2480	Ant1	2483.5	-41.88	2.0	0	55.35	PEAK	74	PASS
		Ant1	2483.5	-52.40	2.0	0	44.83	AV	54	PASS
		Ant1	2500.0	-41.48	2.0	0	55.75	PEAK	74	PASS
		Ant1	2500.0	-52.34	2.0	0	44.89	AV	54	PASS


Restrict-band band-edge measurements_BT LE_2402_Ant1_PEAK



Restrict-band band-edge measurements_BT LE_2402_Ant1_AV



Restrict-band band-edge measurements_BT LE_2480_Ant1_PEAK



Restrict-band band-edge measurements_BT LE_2480_Ant1_AV

