







Band Edge NVNT n20 2412MHz Ant1 Emission



Band Edge NVNT n20 2462MHz Ant1 Ref



Band Edge NVNT n20 2462MHz Ant1 Emission




Band Edge NVNT n40 2422MHz Ant1 Ref




Band Edge NVNT n40 2422MHz Ant1 Emission




Band Edge NVNT n40 2452MHz Ant1 Ref






Appendix G: Conducted RF Spurious Emission


Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
b	2412	Ant1	-42.45	-30	Pass
b	2437	Ant1	-43.08	-30	Pass
b	2462	Ant1	-42.06	-30	Pass
g	2412	Ant1	-40.48	-30	Pass
g	2437	Ant1	-39.7	-30	Pass
g	2462	Ant1	-40.06	-30	Pass
n20	2412	Ant1	-48.68	-30	Pass
n20	2437	Ant1	-39.98	-30	Pass
n20	2462	Ant1	-40.03	-30	Pass
n40	2422	Ant1	-48.26	-30	Pass
n40	2437	Ant1	-46.99	-30	Pass
n40	2452	Ant1	-47.26	-30	Pass





















Appendix H: Radiated Band edge and Spurious Emission


RESTRICTED BANDEDGE



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	2389.60	56.65	61.25	4.60	74.00	12.75	PK	Horizontal	PASS
2	2390.00	52.71	57.31	4.60	74.00	16.69	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2389.60	4.60	41.69	46.29	54.00	7.71	Horizontal	PASS
2	2390.00	4.60	40.73	45.33	54.00	8.67	Horizontal	PASS


Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	2387.86	52.94	57.54	4.60	74.00	16.46	PK	Vertical	PASS
2	2390.00	52.02	56.62	4.60	74.00	17.38	PK	Vertical	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2387.86	4.60	40.59	45.19	54.00	8.81	Vertical	PASS
2	2390.00	4.60	39.09	43.69	54.00	10.31	Vertical	PASS


Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	2483.50	52.29	56.87	4.58	74.00	17.13	PK	Horizontal	PASS
2	2488.28	55.34	60.03	4.69	74.00	13.97	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.50	4.58	40.06	44.64	54.00	9.36	Horizontal	PASS
2	2488.28	4.69	43.08	47.77	54.00	6.23	Horizontal	PASS


Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	2387.68	64.96	69.56	4.60	74.00	4.44	PK	Horizontal	PASS
2	2390.00	62.38	66.98	4.60	74.00	7.02	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2387.68	4.60	46.11	50.71	54.00	3.29	Horizontal	PASS
2	2390.00	4.60	49.30	52.90	54.00	1.10	Horizontal	PASS


Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	2483.50	61.59	66.17	4.58	74.00	7.83	PK	Horizontal	PASS
2	2483.96	63.73	68.32	4.59	74.00	5.68	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.50	4.58	45.29	49.87	54.00	4.13	Horizontal	PASS
2	2483.96	4.59	46.59	51.18	54.00	2.82	Horizontal	PASS


Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	2389.42	66.26	70.86	4.60	74.00	3.14	PK	Horizontal	PASS
2	2390.00	67.24	71.84	4.60	74.00	2.16	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2389.42	4.60	48.02	52.62	54.00	1.38	Horizontal	PASS
2	2390.00	4.60	48.08	52.68	54.00	1.32	Horizontal	PASS


Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	2483.50	59.68	64.26	4.58	74.00	9.74	PK	Horizontal	PASS
2	2485.23	67.19	71.81	4.62	74.00	2.19	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.50	4.58	42.83	47.41	54.00	6.59	Horizontal	PASS
2	2485.22	4.62	46.04	50.66	54.00	3.34	Horizontal	PASS


Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	2388.95	57.81	62.40	4.59	74.00	11.60	PK	Horizontal	PASS
2	2390.00	56.21	60.81	4.60	74.00	13.19	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2388.95	4.59	41.07	45.66	54.00	8.34	Horizontal	PASS
2	2390.00	4.60	41.54	46.14	54.00	7.86	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	2483.50	57.22	61.80	4.58	74.00	12.20	PK	Horizontal	PASS
2	2483.75	60.01	64.60	4.59	74.00	9.40	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.50	4.58	40.12	44.70	54.00	9.30	Horizontal	PASS
2	2483.75	4.59	42.21	46.80	54.00	7.20	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


SPURIOUS EMISSIONS(1 GHz~3 GHz)



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1512.51	59.74	47.31	-12.43	74.00	26.69	PK	Horizontal	PASS
2	2359.36	61.79	55.27	-6.52	74.00	18.73	PK	Horizontal	PASS
3	2412.00	57.82	51.38	-6.44	/	/	PK	Horizontal	Fundamental
4	2515.52	59.15	52.87	-6.28	74.00	21.13	PK	Horizontal	PASS
5	2589.59	57.55	51.49	-6.06	74.00	22.51	PK	Horizontal	PASS
6	2933.93	53.24	48.11	-5.13	74.00	25.89	PK	Horizontal	PASS


AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2359.36	-6.52	49.86	43.34	54.00	10.66	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level



PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	2093.09	54.13	47.01	-7.12	74.00	26.99	PK	Vertical	PASS
2	2359.36	58.82	52.30	-6.52	74.00	21.70	PK	Vertical	PASS
3	2412.00	55.67	49.23	-6.44	/	/	PK	Vertical	Fundamental
4	2513.51	58.32	52.03	-6.29	74.00	21.97	PK	Vertical	PASS
5	2687.69	54.08	48.31	-5.77	74.00	25.69	PK	Vertical	PASS
6	2909.91	52.68	47.50	-5.18	74.00	26.50	PK	Vertical	PASS


Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1512.51	59.11	46.68	-12.43	74.00	27.32	PK	Horizontal	PASS
2	1620.62	56.09	44.64	-11.45	74.00	29.36	PK	Horizontal	PASS
3	2359.36	59.13	52.61	-6.52	74.00	21.39	PK	Horizontal	PASS
4	2437.00	58.05	51.65	-6.40	/	/	PK	Horizontal	Fundamental
5	2519.52	59.49	53.23	-6.26	74.00	20.77	PK	Horizontal	PASS
6	2587.59	58.86	52.79	-6.07	74.00	21.21	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2519.52	-6.26	50.96	44.70	54.00	9.30	Horizontal	PASS


Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level



PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1512.51	55.56	43.13	-12.43	74.00	30.87	PK	Vertical	PASS
2	2339.34	56.17	49.62	-6.55	74.00	24.38	PK	Vertical	PASS
3	2437.00	56.02	49.62	-6.40	/	/	PK	Vertical	Fundamental
4	2533.53	60.25	54.03	-6.22	74.00	19.97	PK	Vertical	PASS
5	2589.59	57.46	51.40	-6.06	74.00	22.60	PK	Vertical	PASS
6	2949.95	52.98	47.88	-5.10	74.00	26.12	PK	Vertical	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2533.53	-6.22	50.88	44.66	54.00	9.34	Vertical	PASS


Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1510.51	59.37	46.92	-12.45	74.00	27.08	PK	Horizontal	PASS
2	2359.36	58.58	52.06	-6.52	74.00	21.94	PK	Horizontal	PASS
3	2515.52	61.46	55.18	-6.28	74.00	18.82	PK	Horizontal	PASS
4	2581.58	59.35	53.26	-6.09	74.00	20.74	PK	Horizontal	PASS
5	2695.70	54.46	48.73	-5.73	74.00	25.27	PK	Horizontal	PASS
6	2953.95	52.85	47.76	-5.09	74.00	26.24	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2515.52	-6.28	49.79	43.51	54.00	10.49	Horizontal	PASS
2	2581.58	-6.09	45.85	39.76	54.00	14.24	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1458.46	55.17	42.69	-12.48	74.00	31.31	PK	Vertical	PASS
2	1916.92	53.25	44.84	-8.41	74.00	29.16	PK	Vertical	PASS
3	2361.36	56.04	49.53	-6.51	74.00	24.47	PK	Vertical	PASS
4	2515.52	60.12	53.84	-6.28	74.00	20.16	PK	Vertical	PASS
5	2597.60	57.59	51.55	-6.04	74.00	22.45	PK	Vertical	PASS
6	2913.91	53.17	47.99	-5.18	74.00	26.01	PK	Vertical	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2515.52	-6.28	47.70	41.42	54.00	12.58	Vertical	PASS


Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

SPURIOUS EMISSIONS(3 GHz~18 GHz)




PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9918.46	45.38	49.37	3.99	74.00	24.63	PK	Horizontal	PASS
2	12147.07	45.30	51.84	6.54	74.00	22.16	PK	Horizontal	PASS
3	13272.64	43.63	51.90	8.27	74.00	22.10	PK	Horizontal	PASS
4	14143.07	44.20	52.82	8.62	74.00	21.18	PK	Horizontal	PASS
5	16034.02	42.57	52.20	9.63	74.00	21.80	PK	Horizontal	PASS
6	17219.61	39.86	51.47	11.61	74.00	22.53	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	10016.01	44.66	49.14	4.48	74.00	24.86	PK	Vertical	PASS
2	11576.79	45.14	50.87	5.73	74.00	23.13	PK	Vertical	PASS
3	12267.13	45.18	51.61	6.43	74.00	22.39	PK	Vertical	PASS
4	14105.55	43.67	52.11	8.44	74.00	21.89	PK	Vertical	PASS
5	16664.33	41.77	52.41	10.64	74.00	21.59	PK	Vertical	PASS
6	17714.86	39.57	51.88	12.31	74.00	22.12	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9978.49	44.92	49.33	4.41	74.00	24.67	PK	Horizontal	PASS
2	12244.62	45.03	51.55	6.52	74.00	22.45	PK	Horizontal	PASS
3	13272.64	43.45	51.72	8.27	74.00	22.28	PK	Horizontal	PASS
4	14150.58	43.60	52.26	8.66	74.00	21.74	PK	Horizontal	PASS
5	15996.50	42.34	52.01	9.67	74.00	21.99	PK	Horizontal	PASS
6	17182.09	40.34	52.02	11.68	74.00	21.98	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	12237.12	44.78	51.32	6.54	74.00	22.68	PK	Vertical	PASS
2	13295.15	43.64	51.86	8.22	74.00	22.14	PK	Vertical	PASS
3	14188.09	43.12	51.97	8.85	74.00	22.03	PK	Vertical	PASS
4	15351.18	43.09	51.19	8.10	74.00	22.81	PK	Vertical	PASS
5	16461.73	42.32	52.53	10.21	74.00	21.47	PK	Vertical	PASS
6	17669.83	39.07	51.46	12.39	74.00	22.54	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	12049.52	44.92	51.22	6.30	74.00	22.78	PK	Horizontal	PASS
2	13227.61	43.06	51.41	8.35	74.00	22.59	PK	Horizontal	PASS
3	14188.09	43.25	52.10	8.85	74.00	21.90	PK	Horizontal	PASS
4	16094.05	42.40	51.90	9.50	74.00	22.10	PK	Horizontal	PASS
5	16551.78	41.58	52.11	10.53	74.00	21.89	PK	Horizontal	PASS
6	17669.83	39.64	52.03	12.39	74.00	21.97	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	12282.14	45.52	51.92	6.40	74.00	22.08	PK	Vertical	PASS
2	13295.15	43.81	52.03	8.22	74.00	21.97	PK	Vertical	PASS
3	14263.13	43.30	51.94	8.64	74.00	22.06	PK	Vertical	PASS
4	15328.66	44.41	52.36	7.95	74.00	21.64	PK	Vertical	PASS
5	16619.31	41.44	52.12	10.68	74.00	21.88	PK	Vertical	PASS
6	17684.84	39.70	52.07	12.37	74.00	21.93	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	10053.53	45.21	49.46	4.25	74.00	24.54	PK	Horizontal	PASS
2	12282.14	44.85	51.25	6.40	74.00	22.75	PK	Horizontal	PASS
3	13295.15	43.25	51.47	8.22	74.00	22.53	PK	Horizontal	PASS
4	14203.10	43.75	52.63	8.88	74.00	21.37	PK	Horizontal	PASS
5	16004.00	42.83	52.51	9.68	74.00	21.49	PK	Horizontal	PASS
6	17204.60	40.28	51.97	11.69	74.00	22.03	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8327.66	46.69	50.07	3.38	74.00	23.93	PK	Vertical	PASS
2	12214.61	45.03	51.64	6.61	74.00	22.36	PK	Vertical	PASS
3	13302.65	43.42	51.63	8.21	74.00	22.37	PK	Vertical	PASS
4	14203.10	42.87	51.75	8.88	74.00	22.25	PK	Vertical	PASS
5	16011.51	42.93	52.60	9.67	74.00	21.40	PK	Vertical	PASS
6	16739.37	41.62	52.20	10.58	74.00	21.80	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level



PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	12244.62	45.01	51.53	6.52	74.00	22.47	PK	Horizontal	PASS
2	13407.70	43.72	51.71	7.99	74.00	22.29	PK	Horizontal	PASS
3	14210.61	43.03	51.89	8.86	74.00	22.11	PK	Horizontal	PASS
4	14975.99	43.49	51.59	8.10	74.00	22.41	PK	Horizontal	PASS
5	16469.23	42.40	52.64	10.24	74.00	21.36	PK	Horizontal	PASS
6	17212.11	40.20	51.86	11.66	74.00	22.14	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level



PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	11516.76	45.68	51.11	5.43	74.00	22.89	PK	Vertical	PASS
2	12169.58	45.15	51.74	6.59	74.00	22.26	PK	Vertical	PASS
3	13302.65	43.30	51.51	8.21	74.00	22.49	PK	Vertical	PASS
4	14210.61	43.50	52.36	8.86	74.00	21.64	PK	Vertical	PASS
5	16041.52	42.52	52.14	9.62	74.00	21.86	PK	Vertical	PASS
6	17197.10	39.92	51.62	11.70	74.00	22.38	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level