






11N20SISO_Ant1_5240




11N40SISO_Ant1_5190






11N40SISO_Ant1_5230




11AC20SISO_Ant1_5180






11AC20SISO_Ant1_5220




11AC20SISO_Ant1_5240






11AC40SiSO_Ant1_5190




11AC40SiSO_Ant1_5230








11AC80SISO_Ant1_5210




11AX20SISO_Ant1_5180








11AX40SISO_Ant1_5190




11AX40SISO_Ant1_5230





11AX80SISO_Ant1_5210





D.4 Emissions in Restricted Bands

Test Result

TestMode	Antenna	ChName	Channel	Detector	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11A	Ant0	Low	5180	AV	4500.000	-49.3	≤-41.20	45.90	≤54	PASS
				AV	4859.800	-47.35	≤-41.20	47.85	≤54	PASS
				AV	5150.000	-47.73	≤-41.20	47.47	≤54	PASS
				Peak	4500.000	-40.93	≤-21.20	54.27	≤74	PASS
				Peak	4882.200	-36.35	≤-21.20	58.85	≤74	PASS
				Peak	5150.000	-38.07	≤-21.20	57.13	≤74	PASS
		High	5240	AV	5350.000	-47.76	≤-41.20	47.44	≤54	PASS
				AV	5437.200	-47.65	≤-41.20	47.55	≤54	PASS
				AV	5460.000	-47.71	≤-41.20	47.49	≤54	PASS
				Peak	5350.000	-37.72	≤-21.20	57.48	≤74	PASS
				Peak	5391.120	-36.39	≤-21.20	58.81	≤74	PASS
				Peak	5460.000	-37.63	≤-21.20	57.57	≤74	PASS
11N20SIS O	Ant0	Low	5180	AV	4500.000	-49.3	≤-41.20	45.90	≤54	PASS
				AV	4851.400	-47.34	≤-41.20	47.86	≤54	PASS
				AV	5150.000	-47.69	≤-41.20	47.51	≤54	PASS
				Peak	4500.000	-40.77	≤-21.20	54.43	≤74	PASS
				Peak	4921.400	-35.88	≤-21.20	59.32	≤74	PASS
				Peak	5150.000	-39.12	≤-21.20	56.08	≤74	PASS
		High	5240	AV	5350.000	-45.88	≤-41.20	49.32	≤54	PASS
				AV	5448.960	-44.83	≤-41.20	50.37	≤54	PASS
				AV	5460.000	-45.65	≤-41.20	49.55	≤54	PASS
				Peak	5350.000	-37.38	≤-21.20	57.82	≤74	PASS
				Peak	5406.480	-36.18	≤-21.20	59.02	≤74	PASS
				Peak	5460.000	-39.01	≤-21.20	56.19	≤74	PASS
11N40SIS O	Ant0	Low	5190	AV	4500.000	-47.26	≤-41.20	47.94	≤54	PASS
				AV	5148.900	-44.24	≤-41.20	50.96	≤54	PASS
				AV	5150.000	-45.22	≤-41.20	49.98	≤54	PASS
				Peak	4500.000	-40.7	≤-21.20	54.50	≤74	PASS
				Peak	4798.200	-36.13	≤-21.20	59.07	≤74	PASS
				Peak	5150.000	-38.23	≤-21.20	56.97	≤74	PASS
		High	5230	AV	5350.000	-46.15	≤-41.20	49.05	≤54	PASS
				AV	5417.360	-44.94	≤-41.20	50.26	≤54	PASS
				AV	5460.000	-46.28	≤-41.20	48.92	≤54	PASS
				Peak	5350.000	-39.22	≤-21.20	55.98	≤74	PASS
				Peak	5354.440	-36.38	≤-21.20	58.82	≤74	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AC20SI SO	Ant0	Low	5180	Peak	5460.000	-37.92	≤-21.20	57.28	≤74	PASS
				AV	4500.000	-49.22	≤-41.20	45.98	≤54	PASS
				AV	4836.700	-47.29	≤-41.20	47.91	≤54	PASS
				AV	5150.000	-47.63	≤-41.20	47.57	≤54	PASS
				Peak	4500.000	-39.99	≤-21.20	55.21	≤74	PASS
				Peak	4940.300	-35.64	≤-21.20	59.56	≤74	PASS
		High	5240	Peak	5150.000	-39.07	≤-21.20	56.13	≤74	PASS
				AV	5350.000	-48.11	≤-41.20	47.09	≤54	PASS
				AV	5378.640	-48.06	≤-41.20	47.14	≤54	PASS
				AV	5460.000	-48.12	≤-41.20	47.08	≤54	PASS
				Peak	5350.000	-40.03	≤-21.20	55.17	≤74	PASS
				Peak	5368.080	-36.15	≤-21.20	59.05	≤74	PASS
11AC40SI SO	Ant0	Low	5190	Peak	5460.000	-40.04	≤-21.20	55.16	≤74	PASS
				AV	4500.000	-47.14	≤-41.20	48.06	≤54	PASS
				AV	5144.000	-44.04	≤-41.20	51.16	≤54	PASS
				AV	5150.000	-44.79	≤-41.20	50.41	≤54	PASS
				Peak	4500.000	-38.78	≤-21.20	56.42	≤74	PASS
				Peak	5001.200	-35.72	≤-21.20	59.48	≤74	PASS
		High	5230	Peak	5150.000	-38.03	≤-21.20	57.17	≤74	PASS
				AV	5350.000	-45.27	≤-41.20	49.93	≤54	PASS
				AV	5396.300	-44.93	≤-41.20	50.27	≤54	PASS
				AV	5460.000	-45.85	≤-41.20	49.35	≤54	PASS
				Peak	5350.000	-39.37	≤-21.20	55.83	≤74	PASS
				Peak	5433.480	-36.41	≤-21.20	58.79	≤74	PASS
11AC80SI SO	Ant0	Low	5210	Peak	5460.000	-39.83	≤-21.20	55.37	≤74	PASS
				AV	4500.000	-47.92	≤-41.20	47.28	≤54	PASS
				AV	5142.750	-45.57	≤-41.20	49.63	≤54	PASS
				AV	5150.000	-45.64	≤-41.20	49.56	≤54	PASS
				Peak	4500.000	-40.72	≤-21.20	54.48	≤74	PASS
				Peak	5145.750	-34.59	≤-21.20	60.61	≤74	PASS
		High	5210	Peak	5150.000	-37.84	≤-21.20	57.36	≤74	PASS
				AV	5350.000	-46.52	≤-41.20	48.68	≤54	PASS
				AV	5376.280	-45.96	≤-41.20	49.24	≤54	PASS
				AV	5460.000	-46.42	≤-41.20	48.78	≤54	PASS
				Peak	5350.000	-38.14	≤-21.20	57.06	≤74	PASS
				Peak	5379.640	-36.68	≤-21.20	58.52	≤74	PASS
11AX20SI SO	Ant0	Low	5180	Peak	5460.000	-38.77	≤-21.20	56.43	≤74	PASS
				AV	4500.000	-56.48	≤-41.20	38.72	≤54	PASS
				AV	5148.900	-52.48	≤-41.20	42.72	≤54	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



		High	5240	Peak	4500.000	-47.28	≤-21.20	47.92	≤74	PASS
				Peak	5149.600	-42.66	≤-21.20	52.54	≤74	PASS
				Peak	5150.000	-42.64	≤-21.20	52.56	≤74	PASS
				AV	5350.000	-57.48	≤-41.20	37.72	≤54	PASS
				AV	5355.840	-57.43	≤-41.20	37.77	≤54	PASS
				AV	5460.000	-57.63	≤-41.20	37.57	≤54	PASS
				Peak	5350.000	-49.06	≤-21.20	46.14	≤74	PASS
				Peak	5350.320	-46.44	≤-21.20	48.76	≤74	PASS
11AX40SI SO	Ant0	Low	5190	AV	4500.000	-58.39	≤-41.20	36.81	≤54	PASS
				AV	5148.900	-53.1	≤-41.20	42.10	≤54	PASS
				AV	5150.000	-53.1	≤-41.20	42.10	≤54	PASS
				Peak	4500.000	-47.98	≤-21.20	47.22	≤74	PASS
				Peak	5149.600	-42.03	≤-21.20	53.17	≤74	PASS
				Peak	5150.000	-42.29	≤-21.20	52.91	≤74	PASS
		High	5230	AV	5350.000	-55.3	≤-41.20	39.90	≤54	PASS
				AV	5406.180	-54.58	≤-41.20	40.62	≤54	PASS
				AV	5460.000	-55.24	≤-41.20	39.96	≤54	PASS
				Peak	5350.000	-49.37	≤-21.20	45.83	≤74	PASS
				Peak	5383.300	-45.86	≤-21.20	49.34	≤74	PASS
				Peak	5460.000	-47.41	≤-21.20	47.79	≤74	PASS
11AX80SI SO	Ant0	Low	5210	AV	4500.000	-57.18	≤-41.20	38.02	≤54	PASS
				AV	5146.500	-50.62	≤-41.20	44.58	≤54	PASS
				AV	5150.000	-51.03	≤-41.20	44.17	≤54	PASS
				Peak	4500.000	-48.61	≤-21.20	46.59	≤74	PASS
				Peak	5144.250	-41.53	≤-21.20	53.67	≤74	PASS
				Peak	5150.000	-42.41	≤-21.20	52.79	≤74	PASS
		High	5210	AV	5350.000	-55.97	≤-41.20	39.23	≤54	PASS
				AV	5364.800	-55.48	≤-41.20	39.72	≤54	PASS
				AV	5460.000	-56.25	≤-41.20	38.95	≤54	PASS
				Peak	5350.000	-47.93	≤-21.20	47.27	≤74	PASS
				Peak	5452.440	-46.48	≤-21.20	48.72	≤74	PASS
				Peak	5460.000	-48.37	≤-21.20	46.83	≤74	PASS





TestMode	Antenna	ChName	Channel	Detector	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11A	Ant1	Low	5180	AV	4500.000	-49.21	≤-41.20	45.99	≤54	PASS
				AV	4845.100	-47.32	≤-41.20	47.88	≤54	PASS
				AV	5150.000	-47.31	≤-41.20	47.89	≤54	PASS
				Peak	4500.000	-40.23	≤-21.20	54.97	≤74	PASS
				Peak	4971.800	-36.19	≤-21.20	59.01	≤74	PASS
				Peak	5150.000	-38.3	≤-21.20	56.90	≤74	PASS
		High	5240	AV	5350.000	-48.17	≤-41.20	47.03	≤54	PASS
				AV	5371.920	-48.11	≤-41.20	47.09	≤54	PASS
				AV	5460.000	-48.19	≤-41.20	47.01	≤54	PASS
				Peak	5350.000	-40.04	≤-21.20	55.16	≤74	PASS
				Peak	5436.240	-36.71	≤-21.20	58.49	≤74	PASS
11N20SIS O	Ant1	Low	5180	AV	4500.000	-47.4	≤-41.20	47.80	≤54	PASS
				AV	4831.800	-44.54	≤-41.20	50.66	≤54	PASS
				AV	5150.000	-45.43	≤-41.20	49.77	≤54	PASS
				Peak	4500.000	-40.43	≤-21.20	54.77	≤74	PASS
				Peak	4861.900	-35.91	≤-21.20	59.29	≤74	PASS
				Peak	5150.000	-37.81	≤-21.20	57.39	≤74	PASS
		High	5240	AV	5350.000	-47.78	≤-41.20	47.42	≤54	PASS
				AV	5379.360	-47.7	≤-41.20	47.50	≤54	PASS
				AV	5460.000	-47.82	≤-41.20	47.38	≤54	PASS
				Peak	5350.000	-39.72	≤-21.20	55.48	≤74	PASS
				Peak	5452.560	-35.15	≤-21.20	60.05	≤74	PASS
11N40SIS O	Ant1	Low	5190	AV	4500.000	-49.27	≤-41.20	45.93	≤54	PASS
				AV	5148.900	-45.84	≤-41.20	49.36	≤54	PASS
				AV	5150.000	-45.75	≤-41.20	49.45	≤54	PASS
				Peak	4500.000	-40.62	≤-21.20	54.58	≤74	PASS
				Peak	5149.600	-33.55	≤-21.20	61.65	≤74	PASS
				Peak	5150.000	-34.53	≤-21.20	60.67	≤74	PASS
		High	5230	AV	5350.000	-45.46	≤-41.20	49.74	≤54	PASS
				AV	5393.700	-44.82	≤-41.20	50.38	≤54	PASS
				AV	5460.000	-45.49	≤-41.20	49.71	≤54	PASS
				Peak	5350.000	-38.8	≤-21.20	56.40	≤74	PASS
				Peak	5420.220	-35.78	≤-21.20	59.42	≤74	PASS
11AC20SI	Ant1	Low	5180	AV	4500.000	-49.27	≤-41.20	45.93	≤54	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



SO				AV	4847.900	-47.37	≤-41.20	47.83	≤54	PASS
				AV	5150.000	-47.29	≤-41.20	47.91	≤54	PASS
				Peak	4500.000	-39.95	≤-21.20	55.25	≤74	PASS
				Peak	4845.100	-36.37	≤-21.20	58.83	≤74	PASS
				Peak	5150.000	-37.69	≤-21.20	57.51	≤74	PASS
		High	5240	AV	5350.000	-47.77	≤-41.20	47.43	≤54	PASS
				AV	5383.680	-47.71	≤-41.20	47.49	≤54	PASS
				AV	5460.000	-47.77	≤-41.20	47.43	≤54	PASS
				Peak	5350.000	-37.98	≤-21.20	57.22	≤74	PASS
				Peak	5396.640	-36	≤-21.20	59.20	≤74	PASS
				Peak	5460.000	-38.8	≤-21.20	56.40	≤74	PASS
11AC40SI SO	Ant1	Low	5190	AV	4500.000	-46.83	≤-41.20	48.37	≤54	PASS
				AV	5143.300	-43.33	≤-41.20	51.87	≤54	PASS
				AV	5150.000	-43.8	≤-41.20	51.40	≤54	PASS
				Peak	4500.000	-39.06	≤-21.20	56.14	≤74	PASS
				Peak	5147.500	-35.54	≤-21.20	59.66	≤74	PASS
				Peak	5150.000	-36.15	≤-21.20	59.05	≤74	PASS
		High	5230	AV	5350.000	-45.52	≤-41.20	49.68	≤54	PASS
				AV	5448.040	-44.5	≤-41.20	50.70	≤54	PASS
				AV	5460.000	-45.73	≤-41.20	49.47	≤54	PASS
				Peak	5350.000	-38.46	≤-21.20	56.74	≤74	PASS
				Peak	5371.080	-36.42	≤-21.20	58.78	≤74	PASS
				Peak	5460.000	-38.5	≤-21.20	56.70	≤74	PASS
11AC80SI SO	Ant1	Low	5210	AV	4500.000	-48.3	≤-41.20	46.90	≤54	PASS
				AV	5117.250	-42.74	≤-41.20	52.46	≤54	PASS
				AV	5150.000	-44.03	≤-41.20	51.17	≤54	PASS
				Peak	4500.000	-40.98	≤-21.20	54.22	≤74	PASS
				Peak	5119.500	-27.01	≤-21.20	68.19	≤74	PASS
				Peak	5150.000	-33.9	≤-21.20	61.30	≤74	PASS
		High	5210	AV	5350.000	-46.32	≤-41.20	48.88	≤54	PASS
				AV	5353.600	-45.87	≤-41.20	49.33	≤54	PASS
				AV	5460.000	-46.64	≤-41.20	48.56	≤54	PASS
				Peak	5350.000	-38.14	≤-21.20	57.06	≤74	PASS
				Peak	5358.640	-36.8	≤-21.20	58.40	≤74	PASS
				Peak	5460.000	-39.32	≤-21.20	55.88	≤74	PASS
11AX20SI SO	Ant1	Low	5180	AV	4500.000	-57.02	≤-41.20	38.18	≤54	PASS
				AV	5148.900	-50.88	≤-41.20	44.32	≤54	PASS
				AV	5150.000	-51.1	≤-41.20	44.10	≤54	PASS
				Peak	4500.000	-48.11	≤-21.20	47.09	≤74	PASS
				Peak	5149.600	-42.01	≤-21.20	53.19	≤74	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



		High	5240	Peak	5150.000	-42.89	≤-21.20	52.31	≤74	PASS
				AV	5350.000	-55.77	≤-41.20	39.43	≤54	PASS
				AV	5357.280	-54.29	≤-41.20	40.91	≤54	PASS
				AV	5460.000	-55.79	≤-41.20	39.41	≤54	PASS
				Peak	5350.000	-48.42	≤-21.20	46.78	≤74	PASS
				Peak	5400.240	-46.48	≤-21.20	48.72	≤74	PASS
				Peak	5460.000	-49.09	≤-21.20	46.11	≤74	PASS
11AX40SI SO	Ant1	Low	5190	AV	4500.000	-56.81	≤-41.20	38.39	≤54	PASS
				AV	5144.700	-46.43	≤-41.20	48.77	≤54	PASS
				AV	5150.000	-46.75	≤-41.20	48.45	≤54	PASS
				Peak	4500.000	-49.43	≤-21.20	45.77	≤74	PASS
				Peak	5147.500	-36.49	≤-21.20	58.71	≤74	PASS
				Peak	5150.000	-38.18	≤-21.20	57.02	≤74	PASS
		High	5230	AV	5350.000	-55.3	≤-41.20	39.90	≤54	PASS
				AV	5358.080	-54.3	≤-41.20	40.90	≤54	PASS
				AV	5460.000	-56	≤-41.20	39.20	≤54	PASS
				Peak	5350.000	-48.13	≤-21.20	47.07	≤74	PASS
				Peak	5421.260	-45.1	≤-21.20	50.10	≤74	PASS
				Peak	5460.000	-48.21	≤-21.20	46.99	≤74	PASS
11AX80SI SO	Ant1	Low	5210	AV	4500.000	-58.57	≤-41.20	36.63	≤54	PASS
				AV	5126.250	-48.18	≤-41.20	47.02	≤54	PASS
				AV	5150.000	-48.4	≤-41.20	46.80	≤54	PASS
				Peak	4500.000	-50	≤-21.20	45.20	≤74	PASS
				Peak	5115.750	-33.05	≤-21.20	62.15	≤74	PASS
				Peak	5150.000	-36	≤-21.20	59.20	≤74	PASS
		High	5210	AV	5350.000	-54.53	≤-41.20	40.67	≤54	PASS
				AV	5350.240	-54.72	≤-41.20	40.48	≤54	PASS
				AV	5460.000	-57.59	≤-41.20	37.61	≤54	PASS
				Peak	5350.000	-44.69	≤-21.20	50.51	≤74	PASS
				Peak	5350.240	-43.84	≤-21.20	51.36	≤74	PASS
				Peak	5460.000	-48.53	≤-21.20	46.67	≤74	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



MIMO

TestMode	ChName	Channel	Detector	Freq. [MHz]	Result [dBm]			Result [dBuV/m]	Limit [dBuV/m]	Verdict
					ANT0	ANT1	MIMO			
11N20SIS O	Low	5180	AV	4500.000	-49.3	-47.4	-45.24	49.99	≤54	PASS
			AV	4851.400	-47.34	-44.54	-42.71	52.52	≤54	PASS
			AV	5150.000	-47.69	-45.43	-43.40	51.82	≤54	PASS
			Peak	4500.000	-40.77	-40.43	-37.59	57.64	≤74	PASS
			Peak	4921.400	-35.88	-35.91	-32.88	62.34	≤74	PASS
			Peak	5150.000	-39.12	-37.81	-35.41	59.82	≤74	PASS
	High	5240	AV	5350.000	-45.88	-47.78	-43.72	51.51	≤54	PASS
			AV	5448.960	-44.83	-47.7	-43.02	52.21	≤54	PASS
			AV	5460.000	-45.65	-47.82	-43.59	51.64	≤54	PASS
			Peak	5350.000	-37.38	-39.72	-35.38	59.84	≤74	PASS
			Peak	5406.480	-36.18	-35.15	-32.62	62.60	≤74	PASS
			Peak	5460.000	-39.01	-38.14	-35.54	59.68	≤74	PASS
11N40SIS O	Low	5190	AV	4500.000	-47.26	-49.27	-45.14	50.09	≤54	PASS
			AV	5148.900	-44.24	-45.84	-41.96	53.27	≤54	PASS
			AV	5150.000	-45.22	-45.75	-42.47	52.76	≤54	PASS
			Peak	4500.000	-40.7	-40.62	-37.65	57.58	≤74	PASS
			Peak	4798.200	-36.13	-33.55	-31.64	63.59	≤74	PASS
			Peak	5150.000	-38.23	-34.53	-32.99	62.24	≤74	PASS
	High	5230	AV	5350.000	-46.15	-45.46	-42.78	52.45	≤54	PASS
			AV	5417.360	-44.94	-44.82	-41.87	53.36	≤54	PASS
			AV	5460.000	-46.28	-45.49	-42.86	52.37	≤54	PASS
			Peak	5350.000	-39.22	-38.8	-35.99	59.23	≤74	PASS
			Peak	5354.440	-36.38	-35.78	-33.06	62.17	≤74	PASS
			Peak	5460.000	-37.92	-36.84	-34.34	60.89	≤74	PASS
11AC20SI SO	Low	5180	AV	4500.000	-49.22	-49.27	-46.23	48.99	≤54	PASS
			AV	4836.700	-47.29	-47.37	-44.32	50.91	≤54	PASS
			AV	5150.000	-47.63	-47.29	-44.45	50.78	≤54	PASS
			Peak	4500.000	-39.99	-39.95	-36.96	58.27	≤74	PASS
			Peak	4940.300	-35.64	-36.37	-32.98	62.25	≤74	PASS
			Peak	5150.000	-39.07	-37.69	-35.32	59.91	≤74	PASS
	High	5240	AV	5350.000	-48.11	-47.77	-44.93	50.30	≤54	PASS
			AV	5378.640	-48.06	-47.71	-44.87	50.36	≤54	PASS
			AV	5460.000	-48.12	-47.77	-44.93	50.30	≤54	PASS
			Peak	5350.000	-40.03	-37.98	-35.87	59.35	≤74	PASS
			Peak	5368.080	-36.15	-36	-33.06	62.16	≤74	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



			Peak	5460.000	-40.04	-38.8	-36.37	58.86	≤74	PASS
11AC40SI SO	Low	5190	AV	4500.000	-47.14	-46.83	-43.97	51.26	≤54	PASS
			AV	5144.000	-44.04	-43.33	-40.66	54.57	≤54	PASS
			AV	5150.000	-44.79	-43.8	-41.26	53.97	≤54	PASS
			Peak	4500.000	-38.78	-39.06	-35.91	59.32	≤74	PASS
			Peak	5001.200	-35.72	-35.54	-32.62	62.61	≤74	PASS
			Peak	5150.000	-38.03	-36.15	-33.98	61.25	≤74	PASS
	High	5230	AV	5350.000	-45.27	-45.52	-42.38	52.84	≤54	PASS
			AV	5396.300	-44.93	-44.5	-41.70	53.53	≤54	PASS
			AV	5460.000	-45.85	-45.73	-42.78	52.45	≤54	PASS
			Peak	5350.000	-39.37	-38.46	-35.88	59.35	≤74	PASS
			Peak	5433.480	-36.41	-36.42	-33.40	61.82	≤74	PASS
			Peak	5460.000	-39.83	-38.5	-36.10	59.12	≤74	PASS
11AC80SI SO	Low	5210	AV	4500.000	-47.92	-48.3	-45.10	50.13	≤54	PASS
			AV	5142.750	-45.57	-42.74	-40.92	54.31	≤54	PASS
			AV	5150.000	-45.64	-44.03	-41.75	53.48	≤54	PASS
			Peak	4500.000	-40.72	-40.98	-37.84	57.39	≤74	PASS
			Peak	5145.750	-34.59	-27.01	-26.31	68.92	≤74	PASS
			Peak	5150.000	-37.84	-33.9	-32.43	62.80	≤74	PASS
	High	5210	AV	5350.000	-46.52	-46.32	-43.41	51.82	≤54	PASS
			AV	5376.280	-45.96	-45.87	-42.90	52.32	≤54	PASS
			AV	5460.000	-46.42	-46.64	-43.52	51.71	≤54	PASS
			Peak	5350.000	-38.14	-38.14	-35.13	60.10	≤74	PASS
			Peak	5379.640	-36.68	-36.8	-33.73	61.50	≤74	PASS
			Peak	5460.000	-38.77	-39.32	-36.03	59.20	≤74	PASS
11AX20SI SO	Low	5180	AV	4500.000	-56.48	-57.02	-53.73	41.50	≤54	PASS
			AV	5148.900	-52.48	-50.88	-48.60	46.63	≤54	PASS
			AV	5150.000	-52.63	-51.1	-48.79	46.44	≤54	PASS
			Peak	4500.000	-47.28	-48.11	-44.66	50.56	≤74	PASS
			Peak	5149.600	-42.66	-42.01	-39.31	55.92	≤74	PASS
			Peak	5150.000	-42.64	-42.89	-39.75	55.47	≤74	PASS
	High	5240	AV	5350.000	-57.48	-55.77	-53.53	41.70	≤54	PASS
			AV	5355.840	-57.43	-54.29	-52.57	42.66	≤54	PASS
			AV	5460.000	-57.63	-55.79	-53.60	41.62	≤54	PASS
			Peak	5350.000	-49.06	-48.42	-45.72	49.51	≤74	PASS
			Peak	5350.320	-46.44	-46.48	-43.45	51.78	≤74	PASS
			Peak	5460.000	-47.71	-49.09	-45.34	49.89	≤74	PASS
11AX40SI SO	Low	5190	AV	4500.000	-58.39	-56.81	-54.52	40.71	≤54	PASS
			AV	5148.900	-53.1	-46.43	-45.58	49.64	≤54	PASS
			AV	5150.000	-53.1	-46.75	-45.84	49.38	≤54	PASS





			Peak	4500.000	-47.98	-49.43	-45.63	49.59	≤74	PASS
			Peak	5149.600	-42.03	-36.49	-35.42	59.81	≤74	PASS
			Peak	5150.000	-42.29	-38.18	-36.76	58.47	≤74	PASS
	High	5230	AV	5350.000	-55.3	-55.3	-52.29	42.94	≤54	PASS
			AV	5406.180	-54.58	-54.3	-51.43	43.80	≤54	PASS
			AV	5460.000	-55.24	-56	-52.59	42.63	≤54	PASS
			Peak	5350.000	-49.37	-48.13	-45.70	49.53	≤74	PASS
			Peak	5383.300	-45.86	-45.1	-42.45	52.77	≤74	PASS
			Peak	5460.000	-47.41	-48.21	-44.78	50.45	≤74	PASS
11AX80SI SO	Low	5210	AV	4500.000	-57.18	-58.57	-54.81	40.42	≤54	PASS
			AV	5146.500	-50.62	-48.18	-46.22	49.01	≤54	PASS
			AV	5150.000	-51.03	-48.4	-46.51	48.72	≤54	PASS
			Peak	4500.000	-48.61	-50	-46.24	48.99	≤74	PASS
			Peak	5144.250	-41.53	-33.05	-32.47	62.75	≤74	PASS
			Peak	5150.000	-42.41	-36	-35.11	60.12	≤74	PASS
	High	5210	AV	5350.000	-55.97	-54.53	-52.18	43.05	≤54	PASS
			AV	5364.800	-55.48	-54.72	-52.07	43.15	≤54	PASS
			AV	5460.000	-56.25	-57.59	-53.86	41.37	≤54	PASS
			Peak	5350.000	-47.93	-44.69	-43.00	52.22	≤74	PASS
			Peak	5452.440	-46.48	-43.84	-41.95	53.28	≤74	PASS
			Peak	5460.000	-48.37	-48.53	-45.44	49.79	≤74	PASS

Note:

1. The Antenna Gain is compensated in the graph.
2. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

11A_Ant0_Low_5180_AV




11A_Ant0_Low_5180_Peak




11A_Ant0_High_5240_AV






11A_Ant0_High_5240_Peak




11N20SISO_Ant0_Low_5180_AV






11N20SISO_Ant0_Low_5180_Peak




11N20SISO_Ant0_High_5240_AV






11N20SISO_Ant0_High_5240_Peak




11N40SISO_Ant0_Low_5190_AV






11N40SISO_Ant0_Low_5190_Peak




11N40SISO_Ant0_High_5230_AV






11N40SISO_Ant0_High_5230_Peak




11AC20SISO_Ant0_Low_5180_AV






11AC20SISO_Ant0_Low_5180_Peak




11AC20SISO_Ant0_High_5240_AV






11AC20SISO_Ant0_High_5240_Peak




11AC40SISO_Ant0_Low_5190_AV






11AC40SISO_Ant0_Low_5190_Peak




11AC40SISO_Ant0_High_5230_AV






11AC40SISO_Ant0_High_5230_Peak




11AC80SISO_Ant0_Low_5210_AV






11AC80SISO_Ant0_Low_5210_Peak




11AC80SISO_Ant0_High_5210_AV






11AC80SISO_Ant0_High_5210_Peak




11AX20SISO_Ant0_Low_5180_AV






11AX20SISO_Ant0_Low_5180_Peak




11AX20SISO_Ant0_High_5240_AV






11AX20SISO_Ant0_High_5240_Peak




11AX40SISO_Ant0_Low_5190_AV






11AX40SISO_Ant0_Low_5190_Peak




11AX40SISO_Ant0_High_5230_AV






11AX40SISO_Ant0_High_5230_Peak




11AX80SISO_Ant0_Low_5210_AV






11AX80SISO_Ant0_Low_5210_Peak




11AX80SISO_Ant0_High_5210_AV






11AX80SISO_Ant0_High_5210_Peak






11A_Ant1_Low_5180_AV



11A_Ant1_Low_5180_Peak



11A_Ant1_High_5240_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




11A_Ant1_High_5240_Peak




11N20SISO_Ant1_Low_5180_AV






11N20SISO_Ant1_Low_5180_Peak




11N20SISO_Ant1_High_5240_AV





11N20SISO_Ant1_High_5240_Peak



11N40SISO_Ant1_Low_5190_AV

