



## Appendix E

### RF Test Data for 5.8GWIFI (Conducted Measurement)

Product Name: NoteBook

Test Model: HT14CB12I5E01

#### Environmental Conditions

|                    |            |
|--------------------|------------|
| Temperature:       | 23.8°C     |
| Relative Humidity: | 52.1%      |
| ATM Pressure:      | 100.0 kPa  |
| Test Engineer:     | Paddi Chen |
| Supervised by:     | Nick Peng  |



Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity



## E.1 -6dB Bandwidth

| Condition | Mode | Frequency (MHz) | Antenna | -6 dB Bandwidth (MHz) | Limit -6 dB Bandwidth (MHz) | Verdict |
|-----------|------|-----------------|---------|-----------------------|-----------------------------|---------|
| NVNT      | a    | 5745            | Ant0    | 16.336                | $\geq 0.5$                  | Pass    |
| NVNT      | a    | 5785            | Ant0    | 16.338                | $\geq 0.5$                  | Pass    |
| NVNT      | a    | 5825            | Ant0    | 16.329                | $\geq 0.5$                  | Pass    |
| NVNT      | n20  | 5745            | Ant0    | 17.415                | $\geq 0.5$                  | Pass    |
| NVNT      | n20  | 5785            | Ant0    | 17.419                | $\geq 0.5$                  | Pass    |
| NVNT      | n20  | 5825            | Ant0    | 17.238                | $\geq 0.5$                  | Pass    |
| NVNT      | n40  | 5755            | Ant0    | 36.117                | $\geq 0.5$                  | Pass    |
| NVNT      | n40  | 5795            | Ant0    | 35.985                | $\geq 0.5$                  | Pass    |
| NVNT      | ac20 | 5745            | Ant0    | 17.342                | $\geq 0.5$                  | Pass    |
| NVNT      | ac20 | 5785            | Ant0    | 17.23                 | $\geq 0.5$                  | Pass    |
| NVNT      | ac20 | 5825            | Ant0    | 17.384                | $\geq 0.5$                  | Pass    |
| NVNT      | ac40 | 5755            | Ant0    | 36.044                | $\geq 0.5$                  | Pass    |
| NVNT      | ac40 | 5795            | Ant0    | 35.918                | $\geq 0.5$                  | Pass    |
| NVNT      | ac80 | 5775            | Ant0    | 75.516                | $\geq 0.5$                  | Pass    |
| NVNT      | ax20 | 5745            | Ant0    | 17.538                | $\geq 0.5$                  | Pass    |
| NVNT      | ax20 | 5785            | Ant0    | 17.396                | $\geq 0.5$                  | Pass    |
| NVNT      | ax20 | 5825            | Ant0    | 17.544                | $\geq 0.5$                  | Pass    |
| NVNT      | ax40 | 5755            | Ant0    | 36.41                 | $\geq 0.5$                  | Pass    |
| NVNT      | ax40 | 5795            | Ant0    | 35.872                | $\geq 0.5$                  | Pass    |
| NVNT      | ax80 | 5775            | Ant0    | 75.489                | $\geq 0.5$                  | Pass    |




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




## Test Graphs

-6dB Bandwidth NVNT a 5745MHz Ant0




-6dB Bandwidth NVNT a 5785MHz Ant0






## -6dB Bandwidth NVNT a 5825MHz Ant0




## -6dB Bandwidth NVNT n20 5745MHz Ant0






## -6dB Bandwidth NVNT n20 5785MHz Ant0




## -6dB Bandwidth NVNT n20 5825MHz Ant0






-6dB Bandwidth NVNT n40 5755MHz Ant0




-6dB Bandwidth NVNT n40 5795MHz Ant0






-6dB Bandwidth NVNT ac20 5745MHz Ant0




-6dB Bandwidth NVNT ac20 5785MHz Ant0






## -6dB Bandwidth NVNT ac20 5825MHz Ant0




## -6dB Bandwidth NVNT ac40 5755MHz Ant0






## -6dB Bandwidth NVNT ac40 5795MHz Ant0




## -6dB Bandwidth NVNT ac80 5775MHz Ant0






-6dB Bandwidth NVNT ax20 5745MHz Ant0




-6dB Bandwidth NVNT ax20 5785MHz Ant0






## -6dB Bandwidth NVNT ax20 5825MHz Ant0




## -6dB Bandwidth NVNT ax40 5755MHz Ant0






-6dB Bandwidth NVNT ax40 5795MHz Ant0



-6dB Bandwidth NVNT ax80 5775MHz Ant0





| Condition | Mode | Frequency (MHz) | Antenna | -6 dB Bandwidth (MHz) | Limit -6 dB Bandwidth (MHz) | Verdict |
|-----------|------|-----------------|---------|-----------------------|-----------------------------|---------|
| NVNT      | a    | 5745            | Ant1    | 16.363                | $\geq 0.5$                  | Pass    |
| NVNT      | a    | 5785            | Ant1    | 16.331                | $\geq 0.5$                  | Pass    |
| NVNT      | a    | 5825            | Ant1    | 16.329                | $\geq 0.5$                  | Pass    |
| NVNT      | n20  | 5745            | Ant1    | 17.444                | $\geq 0.5$                  | Pass    |
| NVNT      | n20  | 5785            | Ant1    | 17.374                | $\geq 0.5$                  | Pass    |
| NVNT      | n20  | 5825            | Ant1    | 16.989                | $\geq 0.5$                  | Pass    |
| NVNT      | n40  | 5755            | Ant1    | 36.288                | $\geq 0.5$                  | Pass    |
| NVNT      | n40  | 5795            | Ant1    | 36.146                | $\geq 0.5$                  | Pass    |
| NVNT      | ac20 | 5745            | Ant1    | 17.539                | $\geq 0.5$                  | Pass    |
| NVNT      | ac20 | 5785            | Ant1    | 17.511                | $\geq 0.5$                  | Pass    |
| NVNT      | ac20 | 5825            | Ant1    | 17.421                | $\geq 0.5$                  | Pass    |
| NVNT      | ac40 | 5755            | Ant1    | 36.368                | $\geq 0.5$                  | Pass    |
| NVNT      | ac40 | 5795            | Ant1    | 35.997                | $\geq 0.5$                  | Pass    |
| NVNT      | ac80 | 5775            | Ant1    | 75.541                | $\geq 0.5$                  | Pass    |
| NVNT      | ax20 | 5745            | Ant1    | 17.409                | $\geq 0.5$                  | Pass    |
| NVNT      | ax20 | 5785            | Ant1    | 17.21                 | $\geq 0.5$                  | Pass    |
| NVNT      | ax20 | 5825            | Ant1    | 17.147                | $\geq 0.5$                  | Pass    |
| NVNT      | ax40 | 5755            | Ant1    | 36.286                | $\geq 0.5$                  | Pass    |
| NVNT      | ax40 | 5795            | Ant1    | 36.026                | $\geq 0.5$                  | Pass    |
| NVNT      | ax80 | 5775            | Ant1    | 75.572                | $\geq 0.5$                  | Pass    |




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




## Test Graphs

-6dB Bandwidth NVNT a 5745MHz Ant1




-6dB Bandwidth NVNT a 5785MHz Ant1






-6dB Bandwidth NVNT a 5825MHz Ant1




-6dB Bandwidth NVNT n20 5745MHz Ant1






-6dB Bandwidth NVNT n20 5785MHz Ant1




-6dB Bandwidth NVNT n20 5825MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity



-6dB Bandwidth NVNT n40 5755MHz Ant1




-6dB Bandwidth NVNT n40 5795MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity



-6dB Bandwidth NVNT ac20 5745MHz Ant1




-6dB Bandwidth NVNT ac20 5785MHz Ant1






-6dB Bandwidth NVNT ac20 5825MHz Ant1




-6dB Bandwidth NVNT ac40 5755MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity



-6dB Bandwidth NVNT ac40 5795MHz Ant1




-6dB Bandwidth NVNT ac80 5775MHz Ant1






-6dB Bandwidth NVNT ax20 5745MHz Ant1




-6dB Bandwidth NVNT ax20 5785MHz Ant1






## -6dB Bandwidth NVNT ax20 5825MHz Ant1




## -6dB Bandwidth NVNT ax40 5755MHz Ant1






## -6dB Bandwidth NVNT ax40 5795MHz Ant1



## -6dB Bandwidth NVNT ax80 5775MHz Ant1





## E.2 Maximum Conducted Output Power

| Condition | Mode | Frequency (MHz) | Antenna | Conducted Power (dBm) | Duty Factor (dB) | Total Power (dBm) | Limit (dBm) | Verdict |
|-----------|------|-----------------|---------|-----------------------|------------------|-------------------|-------------|---------|
| NVNT      | a    | 5745            | Ant0    | 12.54                 | 0.24             | 12.78             | 30          | Pass    |
| NVNT      | a    | 5785            | Ant0    | 13.14                 | 0.24             | <b>13.38</b>      | 30          | Pass    |
| NVNT      | a    | 5825            | Ant0    | 12.52                 | 0.24             | 12.76             | 30          | Pass    |
| NVNT      | n20  | 5745            | Ant0    | 11.91                 | 0.28             | 12.19             | 30          | Pass    |
| NVNT      | n20  | 5785            | Ant0    | 11.06                 | 0.28             | 11.34             | 30          | Pass    |
| NVNT      | n20  | 5825            | Ant0    | 11.45                 | 0.28             | 11.73             | 30          | Pass    |
| NVNT      | n40  | 5755            | Ant0    | 10.28                 | 0.12             | 10.4              | 30          | Pass    |
| NVNT      | n40  | 5795            | Ant0    | 10.03                 | 0.12             | 10.15             | 30          | Pass    |
| NVNT      | ac20 | 5745            | Ant0    | 11.03                 | 0.28             | 11.31             | 30          | Pass    |
| NVNT      | ac20 | 5785            | Ant0    | 11.06                 | 0.28             | 11.34             | 30          | Pass    |
| NVNT      | ac20 | 5825            | Ant0    | 11.52                 | 0.28             | 11.8              | 30          | Pass    |
| NVNT      | ac40 | 5755            | Ant0    | 10.2                  | 0.12             | 10.32             | 30          | Pass    |
| NVNT      | ac40 | 5795            | Ant0    | 10.05                 | 0.12             | 10.17             | 30          | Pass    |
| NVNT      | ac80 | 5775            | Ant0    | 9.24                  | 0.25             | 9.49              | 30          | Pass    |
| NVNT      | ax20 | 5745            | Ant0    | 10.24                 | 0.28             | 10.52             | 30          | Pass    |
| NVNT      | ax20 | 5785            | Ant0    | 9.59                  | 0.28             | 9.87              | 30          | Pass    |
| NVNT      | ax20 | 5825            | Ant0    | 11.39                 | 0.28             | 11.67             | 30          | Pass    |
| NVNT      | ax40 | 5755            | Ant0    | 10.14                 | 0.12             | 10.26             | 30          | Pass    |
| NVNT      | ax40 | 5795            | Ant0    | 10.13                 | 0.12             | 10.25             | 30          | Pass    |
| NVNT      | ax80 | 5775            | Ant0    | 9.17                  | 0.25             | 9.42              | 30          | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity



| Condition | Mode | Frequency (MHz) | Antenna | Conducted Power (dBm) | Duty Factor (dB) | Total Power (dBm) | Limit (dBm) | Verdict |
|-----------|------|-----------------|---------|-----------------------|------------------|-------------------|-------------|---------|
| NVNT      | a    | 5745            | Ant1    | 12.02                 | 0.24             | 12.26             | 30          | Pass    |
| NVNT      | a    | 5785            | Ant1    | 12.21                 | 0.24             | 12.45             | 30          | Pass    |
| NVNT      | a    | 5825            | Ant1    | 11.88                 | 0.24             | 12.12             | 30          | Pass    |
| NVNT      | n20  | 5745            | Ant1    | 10.96                 | 0.28             | 11.24             | 30          | Pass    |
| NVNT      | n20  | 5785            | Ant1    | 10.29                 | 0.28             | 10.57             | 30          | Pass    |
| NVNT      | n20  | 5825            | Ant1    | 11.28                 | 0.28             | 11.56             | 30          | Pass    |
| NVNT      | n40  | 5755            | Ant1    | 9.84                  | 0.12             | 9.96              | 30          | Pass    |
| NVNT      | n40  | 5795            | Ant1    | 9.23                  | 0.12             | 9.35              | 30          | Pass    |
| NVNT      | ac20 | 5745            | Ant1    | 10.02                 | 0.28             | 10.3              | 30          | Pass    |
| NVNT      | ac20 | 5785            | Ant1    | 10.17                 | 0.28             | 10.45             | 30          | Pass    |
| NVNT      | ac20 | 5825            | Ant1    | 10.75                 | 0.28             | 11.03             | 30          | Pass    |
| NVNT      | ac40 | 5755            | Ant1    | 9.13                  | 0.12             | 9.25              | 30          | Pass    |
| NVNT      | ac40 | 5795            | Ant1    | 9.38                  | 0.12             | 9.5               | 30          | Pass    |
| NVNT      | ac80 | 5775            | Ant1    | 8.29                  | 0.25             | 8.54              | 30          | Pass    |
| NVNT      | ax20 | 5745            | Ant1    | 11                    | 0.28             | 11.28             | 30          | Pass    |
| NVNT      | ax20 | 5785            | Ant1    | 11.28                 | 0.28             | 11.56             | 30          | Pass    |
| NVNT      | ax20 | 5825            | Ant1    | 10.43                 | 0.28             | 10.71             | 30          | Pass    |
| NVNT      | ax40 | 5755            | Ant1    | 9.21                  | 0.12             | 9.33              | 30          | Pass    |
| NVNT      | ax40 | 5795            | Ant1    | 9.39                  | 0.12             | 9.51              | 30          | Pass    |
| NVNT      | ax80 | 5775            | Ant1    | 8.27                  | 0.25             | 8.52              | 30          | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity



### E.3 Maximum Power Spectral Density Level

| Condition | Mode | Frequency (MHz) | Antenna | Conducted PSD (dBm/500KHz) | Duty Factor (dB) | Total PSD (dBm/500KHz) | Limit (dBm/500KHz) | Verdict |
|-----------|------|-----------------|---------|----------------------------|------------------|------------------------|--------------------|---------|
| NVNT      | a    | 5745            | Ant0    | -1.09                      | 0.24             | -0.85                  | 30                 | Pass    |
| NVNT      | a    | 5785            | Ant0    | -0.56                      | 0.24             | -0.32                  | 30                 | Pass    |
| NVNT      | a    | 5825            | Ant0    | -1.08                      | 0.24             | -0.84                  | 30                 | Pass    |
| NVNT      | n20  | 5745            | Ant0    | -1.84                      | 0.28             | -1.56                  | 30                 | Pass    |
| NVNT      | n20  | 5785            | Ant0    | -2.98                      | 0.28             | -2.7                   | 30                 | Pass    |
| NVNT      | n20  | 5825            | Ant0    | -2.25                      | 0.28             | -1.97                  | 30                 | Pass    |
| NVNT      | n40  | 5755            | Ant0    | -6.32                      | 0.12             | -6.2                   | 30                 | Pass    |
| NVNT      | n40  | 5795            | Ant0    | -6.55                      | 0.12             | -6.43                  | 30                 | Pass    |
| NVNT      | ac20 | 5745            | Ant0    | -2.82                      | 0.28             | -2.54                  | 30                 | Pass    |
| NVNT      | ac20 | 5785            | Ant0    | -2.68                      | 0.28             | -2.4                   | 30                 | Pass    |
| NVNT      | ac20 | 5825            | Ant0    | -2.36                      | 0.28             | -2.08                  | 30                 | Pass    |
| NVNT      | ac40 | 5755            | Ant0    | -6.43                      | 0.12             | -6.31                  | 30                 | Pass    |
| NVNT      | ac40 | 5795            | Ant0    | -6.62                      | 0.12             | -6.5                   | 30                 | Pass    |
| NVNT      | ac80 | 5775            | Ant0    | -10.24                     | 0.25             | -9.99                  | 30                 | Pass    |
| NVNT      | ax20 | 5745            | Ant0    | -3.7                       | 0.28             | -3.42                  | 30                 | Pass    |
| NVNT      | ax20 | 5785            | Ant0    | -4.32                      | 0.28             | -4.04                  | 30                 | Pass    |
| NVNT      | ax20 | 5825            | Ant0    | -2.42                      | 0.28             | -2.14                  | 30                 | Pass    |
| NVNT      | ax40 | 5755            | Ant0    | -6.69                      | 0.12             | -6.57                  | 30                 | Pass    |
| NVNT      | ax40 | 5795            | Ant0    | -6.6                       | 0.12             | -6.48                  | 30                 | Pass    |
| NVNT      | ax80 | 5775            | Ant0    | -9.97                      | 0.25             | -9.72                  | 30                 | Pass    |




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




## Test Graphs

PSD NVNT a 5745MHz Ant0




PSD NVNT a 5785MHz Ant0










PSD NVNT a 5825MHz Ant0







PSD NVNT n20 5745MHz Ant0

























PSD NVNT ax40 5795MHz Ant0



PSD NVNT ax80 5775MHz Ant0





| Condition | Mode | Frequency (MHz) | Antenna | Conducted PSD (dBm) | Duty Factor (dB) | Total PSD (dBm) | Limit (dBm) | Verdict |
|-----------|------|-----------------|---------|---------------------|------------------|-----------------|-------------|---------|
| NVNT      | a    | 5745            | Ant1    | -1.59               | 0.24             | -1.35           | 30          | Pass    |
| NVNT      | a    | 5785            | Ant1    | -1.37               | 0.24             | -1.13           | 30          | Pass    |
| NVNT      | a    | 5825            | Ant1    | -1.77               | 0.24             | -1.53           | 30          | Pass    |
| NVNT      | n20  | 5745            | Ant1    | -2.5                | 0.28             | -2.22           | 30          | Pass    |
| NVNT      | n20  | 5785            | Ant1    | -3.25               | 0.28             | -2.97           | 30          | Pass    |
| NVNT      | n20  | 5825            | Ant1    | -2.35               | 0.28             | -2.07           | 30          | Pass    |
| NVNT      | n40  | 5755            | Ant1    | -6.99               | 0.12             | -6.87           | 30          | Pass    |
| NVNT      | n40  | 5795            | Ant1    | -6.97               | 0.12             | -6.85           | 30          | Pass    |
| NVNT      | ac20 | 5745            | Ant1    | -3.78               | 0.28             | -3.5            | 30          | Pass    |
| NVNT      | ac20 | 5785            | Ant1    | -3.69               | 0.28             | -3.41           | 30          | Pass    |
| NVNT      | ac20 | 5825            | Ant1    | -3.18               | 0.28             | -2.9            | 30          | Pass    |
| NVNT      | ac40 | 5755            | Ant1    | -7.71               | 0.12             | -7.59           | 30          | Pass    |
| NVNT      | ac40 | 5795            | Ant1    | -7.18               | 0.12             | -7.06           | 30          | Pass    |
| NVNT      | ac80 | 5775            | Ant1    | -11.05              | 0.25             | -10.8           | 30          | Pass    |
| NVNT      | ax20 | 5745            | Ant1    | -2.76               | 0.28             | -2.48           | 30          | Pass    |
| NVNT      | ax20 | 5785            | Ant1    | -2.67               | 0.28             | -2.39           | 30          | Pass    |
| NVNT      | ax20 | 5825            | Ant1    | -3.17               | 0.28             | -2.89           | 30          | Pass    |
| NVNT      | ax40 | 5755            | Ant1    | -7.53               | 0.12             | -7.41           | 30          | Pass    |
| NVNT      | ax40 | 5795            | Ant1    | -6.8                | 0.12             | -6.68           | 30          | Pass    |
| NVNT      | ax80 | 5775            | Ant1    | -11.09              | 0.25             | -10.84          | 30          | Pass    |




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




## Test Graphs

PSD NVNT a 5745MHz Ant1




PSD NVNT a 5785MHz Ant1










PSD NVNT a 5825MHz Ant1







PSD NVNT n20 5745MHz Ant1















PSD NVNT ac40 5795MHz Ant1




PSD NVNT ac80 5775MHz Ant1










PSD NVNT ax20 5745MHz Ant1



PSD NVNT ax20 5785MHz Ant1









## E.4 Restrict Band

| Condition | Mode | Frequency (MHz) | Antenna | Spur Freq (MHz) | Power (dBm) | Gain (dBi) | Duty Factor (dB) | EIRP Power (dBm) | Detector | Limit (dBm) | Verdict |
|-----------|------|-----------------|---------|-----------------|-------------|------------|------------------|------------------|----------|-------------|---------|
| NVNT      | a    | 5745            | Ant0    | 5650            | -50.44      | 2.79       | -                | -47.65           | Peak     | -27         | Pass    |
| NVNT      | a    | 5745            | Ant0    | 5650            | -57.24      | 2.79       | 0.24             | -54.21           | Average  | -27         | Pass    |
| NVNT      | a    | 5745            | Ant0    | 5700            | -50.3       | 2.79       | -                | -47.51           | Peak     | 10          | Pass    |
| NVNT      | a    | 5745            | Ant0    | 5700            | -57.99      | 2.79       | 0.24             | -54.96           | Average  | 10          | Pass    |
| NVNT      | a    | 5745            | Ant0    | 5720            | -41.05      | 2.79       | -                | -38.26           | Peak     | 15.6        | Pass    |
| NVNT      | a    | 5745            | Ant0    | 5720            | -55.22      | 2.79       | 0.24             | -52.19           | Average  | 15.6        | Pass    |
| NVNT      | a    | 5745            | Ant0    | 5725            | -30.26      | 2.79       | -                | -27.47           | Peak     | 27          | Pass    |
| NVNT      | a    | 5745            | Ant0    | 5725            | -52.27      | 2.79       | 0.24             | -49.24           | Average  | 27          | Pass    |
| NVNT      | a    | 5825            | Ant0    | 5850            | -43.87      | 2.79       | -                | -41.08           | Peak     | 27          | Pass    |
| NVNT      | a    | 5825            | Ant0    | 5850            | -56         | 2.79       | 0.24             | -52.97           | Average  | 27          | Pass    |
| NVNT      | a    | 5825            | Ant0    | 5855            | -48.92      | 2.79       | -                | -46.13           | Peak     | 15.6        | Pass    |
| NVNT      | a    | 5825            | Ant0    | 5855            | -57.67      | 2.79       | 0.24             | -54.64           | Average  | 15.6        | Pass    |
| NVNT      | a    | 5825            | Ant0    | 5875            | -49.31      | 2.79       | -                | -46.52           | Peak     | 10          | Pass    |
| NVNT      | a    | 5825            | Ant0    | 5875            | -58.12      | 2.79       | 0.24             | -55.09           | Average  | 10          | Pass    |
| NVNT      | a    | 5825            | Ant0    | 5925            | -48.15      | 2.79       | -                | -45.36           | Peak     | -27         | Pass    |
| NVNT      | a    | 5825            | Ant0    | 5925            | -57.5       | 2.79       | 0.24             | -54.47           | Average  | -27         | Pass    |
| NVNT      | n20  | 5745            | Ant0    | 5650            | -49.47      | 2.79       | -                | -46.68           | Peak     | -27         | Pass    |
| NVNT      | n20  | 5745            | Ant0    | 5650            | -58.26      | 2.79       | 0.28             | -55.19           | Average  | -27         | Pass    |
| NVNT      | n20  | 5745            | Ant0    | 5700            | -50.56      | 2.79       | -                | -47.77           | Peak     | 10          | Pass    |
| NVNT      | n20  | 5745            | Ant0    | 5700            | -57.36      | 2.79       | 0.28             | -54.29           | Average  | 10          | Pass    |
| NVNT      | n20  | 5745            | Ant0    | 5720            | -37.07      | 2.79       | -                | -34.28           | Peak     | 15.6        | Pass    |
| NVNT      | n20  | 5745            | Ant0    | 5720            | -54.81      | 2.79       | 0.28             | -51.74           | Average  | 15.6        | Pass    |
| NVNT      | n20  | 5745            | Ant0    | 5725            | -34.57      | 2.79       | -                | -31.78           | Peak     | 27          | Pass    |
| NVNT      | n20  | 5745            | Ant0    | 5725            | -50.87      | 2.79       | 0.28             | -47.80           | Average  | 27          | Pass    |
| NVNT      | n20  | 5825            | Ant0    | 5850            | -43.99      | 2.79       | -                | -41.20           | Peak     | 27          | Pass    |
| NVNT      | n20  | 5825            | Ant0    | 5850            | -54.61      | 2.79       | 0.28             | -51.54           | Average  | 27          | Pass    |
| NVNT      | n20  | 5825            | Ant0    | 5855            | -47.68      | 2.79       | -                | -44.89           | Peak     | 15.6        | Pass    |
| NVNT      | n20  | 5825            | Ant0    | 5855            | -57.25      | 2.79       | 0.28             | -54.18           | Average  | 15.6        | Pass    |
| NVNT      | n20  | 5825            | Ant0    | 5875            | -51.06      | 2.79       | -                | -48.27           | Peak     | 10          | Pass    |
| NVNT      | n20  | 5825            | Ant0    | 5875            | -57.47      | 2.79       | 0.28             | -54.40           | Average  | 10          | Pass    |
| NVNT      | n20  | 5825            | Ant0    | 5925            | -50.39      | 2.79       | -                | -47.60           | Peak     | -27         | Pass    |
| NVNT      | n20  | 5825            | Ant0    | 5925            | -57.58      | 2.79       | 0.28             | -54.51           | Average  | -27         | Pass    |
| NVNT      | n40  | 5755            | Ant0    | 5650            | -47.76      | 2.79       | -                | -44.97           | Peak     | -27         | Pass    |
| NVNT      | n40  | 5755            | Ant0    | 5650            | -57.54      | 2.79       | 0.12             | -54.63           | Average  | -27         | Pass    |
| NVNT      | n40  | 5755            | Ant0    | 5700            | -49.9       | 2.79       | -                | -47.11           | Peak     | 10          | Pass    |
| NVNT      | n40  | 5755            | Ant0    | 5700            | -57.35      | 2.79       | 0.12             | -54.44           | Average  | 10          | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity



|      |      |      |      |      |        |      |      |        |         |      |      |
|------|------|------|------|------|--------|------|------|--------|---------|------|------|
| NVNT | n40  | 5755 | Ant0 | 5720 | -41.67 | 2.79 | -    | -38.88 | Peak    | 15.6 | Pass |
| NVNT | n40  | 5755 | Ant0 | 5720 | -53.06 | 2.79 | 0.12 | -50.15 | Average | 15.6 | Pass |
| NVNT | n40  | 5755 | Ant0 | 5725 | -37.13 | 2.79 | -    | -34.34 | Peak    | 27   | Pass |
| NVNT | n40  | 5755 | Ant0 | 5725 | -49.78 | 2.79 | 0.12 | -46.87 | Average | 27   | Pass |
| NVNT | n40  | 5795 | Ant0 | 5850 | -50.03 | 2.79 | -    | -47.24 | Peak    | 27   | Pass |
| NVNT | n40  | 5795 | Ant0 | 5850 | -58.55 | 2.79 | 0.12 | -55.64 | Average | 27   | Pass |
| NVNT | n40  | 5795 | Ant0 | 5855 | -49.6  | 2.79 | -    | -46.81 | Peak    | 15.6 | Pass |
| NVNT | n40  | 5795 | Ant0 | 5855 | -58.6  | 2.79 | 0.12 | -55.69 | Average | 15.6 | Pass |
| NVNT | n40  | 5795 | Ant0 | 5875 | -50.12 | 2.79 | -    | -47.33 | Peak    | 10   | Pass |
| NVNT | n40  | 5795 | Ant0 | 5875 | -58.26 | 2.79 | 0.12 | -55.35 | Average | 10   | Pass |
| NVNT | n40  | 5795 | Ant0 | 5925 | -49.92 | 2.79 | -    | -47.13 | Peak    | -27  | Pass |
| NVNT | n40  | 5795 | Ant0 | 5925 | -57.3  | 2.79 | 0.12 | -54.39 | Average | -27  | Pass |
| NVNT | ac20 | 5745 | Ant0 | 5650 | -48.27 | 2.79 | -    | -45.48 | Peak    | -27  | Pass |
| NVNT | ac20 | 5745 | Ant0 | 5650 | -57.42 | 2.79 | 0.28 | -54.35 | Average | -27  | Pass |
| NVNT | ac20 | 5745 | Ant0 | 5700 | -50.16 | 2.79 | -    | -47.37 | Peak    | 10   | Pass |
| NVNT | ac20 | 5745 | Ant0 | 5700 | -57.24 | 2.79 | 0.28 | -54.17 | Average | 10   | Pass |
| NVNT | ac20 | 5745 | Ant0 | 5720 | -40.26 | 2.79 | -    | -37.47 | Peak    | 15.6 | Pass |
| NVNT | ac20 | 5745 | Ant0 | 5720 | -54.2  | 2.79 | 0.28 | -51.13 | Average | 15.6 | Pass |
| NVNT | ac20 | 5745 | Ant0 | 5725 | -38.13 | 2.79 | -    | -35.34 | Peak    | 27   | Pass |
| NVNT | ac20 | 5745 | Ant0 | 5725 | -49.33 | 2.79 | 0.28 | -46.26 | Average | 27   | Pass |
| NVNT | ac20 | 5825 | Ant0 | 5850 | -42.53 | 2.79 | -    | -39.74 | Peak    | 27   | Pass |
| NVNT | ac20 | 5825 | Ant0 | 5850 | -54.95 | 2.79 | 0.28 | -51.88 | Average | 27   | Pass |
| NVNT | ac20 | 5825 | Ant0 | 5855 | -45.24 | 2.79 | -    | -42.45 | Peak    | 15.6 | Pass |
| NVNT | ac20 | 5825 | Ant0 | 5855 | -57.49 | 2.79 | 0.28 | -54.42 | Average | 15.6 | Pass |
| NVNT | ac20 | 5825 | Ant0 | 5875 | -50.09 | 2.79 | -    | -47.30 | Peak    | 10   | Pass |
| NVNT | ac20 | 5825 | Ant0 | 5875 | -57.3  | 2.79 | 0.28 | -54.23 | Average | 10   | Pass |
| NVNT | ac20 | 5825 | Ant0 | 5925 | -48.31 | 2.79 | -    | -45.52 | Peak    | -27  | Pass |
| NVNT | ac20 | 5825 | Ant0 | 5925 | -57.44 | 2.79 | 0.28 | -54.37 | Average | -27  | Pass |
| NVNT | ac40 | 5755 | Ant0 | 5650 | -50.42 | 2.79 | -    | -47.63 | Peak    | -27  | Pass |
| NVNT | ac40 | 5755 | Ant0 | 5650 | -57.2  | 2.79 | 0.12 | -54.29 | Average | -27  | Pass |
| NVNT | ac40 | 5755 | Ant0 | 5700 | -49.32 | 2.79 | -    | -46.53 | Peak    | 10   | Pass |
| NVNT | ac40 | 5755 | Ant0 | 5700 | -57.78 | 2.79 | 0.12 | -54.87 | Average | 10   | Pass |
| NVNT | ac40 | 5755 | Ant0 | 5720 | -41.46 | 2.79 | -    | -38.67 | Peak    | 15.6 | Pass |
| NVNT | ac40 | 5755 | Ant0 | 5720 | -54.23 | 2.79 | 0.12 | -51.32 | Average | 15.6 | Pass |
| NVNT | ac40 | 5755 | Ant0 | 5725 | -35.06 | 2.79 | -    | -32.27 | Peak    | 27   | Pass |
| NVNT | ac40 | 5755 | Ant0 | 5725 | -51.55 | 2.79 | 0.12 | -48.64 | Average | 27   | Pass |
| NVNT | ac40 | 5795 | Ant0 | 5850 | -50.66 | 2.79 | -    | -47.87 | Peak    | 27   | Pass |
| NVNT | ac40 | 5795 | Ant0 | 5850 | -58.27 | 2.79 | 0.12 | -55.36 | Average | 27   | Pass |
| NVNT | ac40 | 5795 | Ant0 | 5855 | -50.7  | 2.79 | -    | -47.91 | Peak    | 15.6 | Pass |
| NVNT | ac40 | 5795 | Ant0 | 5855 | -58.69 | 2.79 | 0.12 | -55.78 | Average | 15.6 | Pass |
| NVNT | ac40 | 5795 | Ant0 | 5875 | -50.7  | 2.79 | -    | -47.91 | Peak    | 10   | Pass |





|      |      |      |      |      |        |      |      |        |         |      |      |
|------|------|------|------|------|--------|------|------|--------|---------|------|------|
| NVNT | ac40 | 5795 | Ant0 | 5875 | -58.45 | 2.79 | 0.12 | -55.54 | Average | 10   | Pass |
| NVNT | ac40 | 5795 | Ant0 | 5925 | -49.85 | 2.79 | -    | -47.06 | Peak    | -27  | Pass |
| NVNT | ac40 | 5795 | Ant0 | 5925 | -57.66 | 2.79 | 0.12 | -54.75 | Average | -27  | Pass |
| NVNT | ac80 | 5775 | Ant0 | 5850 | -39.94 | 2.79 | -    | -37.15 | Peak    | 27   | Pass |
| NVNT | ac80 | 5775 | Ant0 | 5850 | -49.68 | 2.79 | 0.25 | -46.64 | Average | 27   | Pass |
| NVNT | ac80 | 5775 | Ant0 | 5855 | -41.43 | 2.79 | -    | -38.64 | Peak    | 15.6 | Pass |
| NVNT | ac80 | 5775 | Ant0 | 5855 | -49.97 | 2.79 | 0.25 | -46.93 | Average | 15.6 | Pass |
| NVNT | ac80 | 5775 | Ant0 | 5875 | -44.81 | 2.79 | -    | -42.02 | Peak    | 10   | Pass |
| NVNT | ac80 | 5775 | Ant0 | 5875 | -54.12 | 2.79 | 0.25 | -51.08 | Average | 10   | Pass |
| NVNT | ac80 | 5775 | Ant0 | 5925 | -49.35 | 2.79 | -    | -46.56 | Peak    | -27  | Pass |
| NVNT | ac80 | 5775 | Ant0 | 5925 | -57.11 | 2.79 | 0.25 | -54.07 | Average | -27  | Pass |
| NVNT | ac80 | 5775 | Ant0 | 5650 | -51.45 | 2.79 | -    | -48.66 | Peak    | -27  | Pass |
| NVNT | ac80 | 5775 | Ant0 | 5650 | -58.09 | 2.79 | 0.25 | -55.05 | Average | -27  | Pass |
| NVNT | ac80 | 5775 | Ant0 | 5700 | -49.05 | 2.79 | -    | -46.26 | Peak    | 10   | Pass |
| NVNT | ac80 | 5775 | Ant0 | 5700 | -57.72 | 2.79 | 0.25 | -54.68 | Average | 10   | Pass |
| NVNT | ac80 | 5775 | Ant0 | 5720 | -46.04 | 2.79 | -    | -43.25 | Peak    | 15.6 | Pass |
| NVNT | ac80 | 5775 | Ant0 | 5720 | -54.5  | 2.79 | 0.25 | -51.46 | Average | 15.6 | Pass |
| NVNT | ac80 | 5775 | Ant0 | 5725 | -39.32 | 2.79 | -    | -36.53 | Peak    | 27   | Pass |
| NVNT | ac80 | 5775 | Ant0 | 5725 | -53.52 | 2.79 | 0.25 | -50.48 | Average | 27   | Pass |
| NVNT | ax20 | 5745 | Ant0 | 5650 | -48.56 | 2.79 | -    | -45.77 | Peak    | -27  | Pass |
| NVNT | ax20 | 5745 | Ant0 | 5650 | -58.15 | 2.79 | 0.28 | -55.08 | Average | -27  | Pass |
| NVNT | ax20 | 5745 | Ant0 | 5700 | -49.22 | 2.79 | -    | -46.43 | Peak    | 10   | Pass |
| NVNT | ax20 | 5745 | Ant0 | 5700 | -57.46 | 2.79 | 0.28 | -54.39 | Average | 10   | Pass |
| NVNT | ax20 | 5745 | Ant0 | 5720 | -38.41 | 2.79 | -    | -35.62 | Peak    | 15.6 | Pass |
| NVNT | ax20 | 5745 | Ant0 | 5720 | -55.01 | 2.79 | 0.28 | -51.94 | Average | 15.6 | Pass |
| NVNT | ax20 | 5745 | Ant0 | 5725 | -33.58 | 2.79 | -    | -30.79 | Peak    | 27   | Pass |
| NVNT | ax20 | 5745 | Ant0 | 5725 | -46.6  | 2.79 | 0.28 | -43.53 | Average | 27   | Pass |
| NVNT | ax20 | 5825 | Ant0 | 5850 | -40.13 | 2.79 | -    | -37.34 | Peak    | 27   | Pass |
| NVNT | ax20 | 5825 | Ant0 | 5850 | -55.48 | 2.79 | 0.28 | -52.41 | Average | 27   | Pass |
| NVNT | ax20 | 5825 | Ant0 | 5855 | -44.42 | 2.79 | -    | -41.63 | Peak    | 15.6 | Pass |
| NVNT | ax20 | 5825 | Ant0 | 5855 | -57.41 | 2.79 | 0.28 | -54.34 | Average | 15.6 | Pass |
| NVNT | ax20 | 5825 | Ant0 | 5875 | -50.39 | 2.79 | -    | -47.60 | Peak    | 10   | Pass |
| NVNT | ax20 | 5825 | Ant0 | 5875 | -57.13 | 2.79 | 0.28 | -54.06 | Average | 10   | Pass |
| NVNT | ax20 | 5825 | Ant0 | 5925 | -49.96 | 2.79 | -    | -47.17 | Peak    | -27  | Pass |
| NVNT | ax20 | 5825 | Ant0 | 5925 | -57.9  | 2.79 | 0.28 | -54.83 | Average | -27  | Pass |
| NVNT | ax40 | 5755 | Ant0 | 5650 | -50.38 | 2.79 | -    | -47.59 | Peak    | -27  | Pass |
| NVNT | ax40 | 5755 | Ant0 | 5650 | -58.13 | 2.79 | 0.12 | -55.22 | Average | -27  | Pass |
| NVNT | ax40 | 5755 | Ant0 | 5700 | -50.62 | 2.79 | -    | -47.83 | Peak    | 10   | Pass |
| NVNT | ax40 | 5755 | Ant0 | 5700 | -57.92 | 2.79 | 0.12 | -55.01 | Average | 10   | Pass |
| NVNT | ax40 | 5755 | Ant0 | 5720 | -42.52 | 2.79 | -    | -39.73 | Peak    | 15.6 | Pass |
| NVNT | ax40 | 5755 | Ant0 | 5720 | -53.98 | 2.79 | 0.12 | -51.07 | Average | 15.6 | Pass |





|      |      |      |      |      |        |      |      |        |         |      |      |
|------|------|------|------|------|--------|------|------|--------|---------|------|------|
| NVNT | ax40 | 5755 | Ant0 | 5725 | -35.6  | 2.79 | -    | -32.81 | Peak    | 27   | Pass |
| NVNT | ax40 | 5755 | Ant0 | 5725 | -51.17 | 2.79 | 0.12 | -48.26 | Average | 27   | Pass |
| NVNT | ax40 | 5795 | Ant0 | 5850 | -49.51 | 2.79 | -    | -46.72 | Peak    | 27   | Pass |
| NVNT | ax40 | 5795 | Ant0 | 5850 | -58.07 | 2.79 | 0.12 | -55.16 | Average | 27   | Pass |
| NVNT | ax40 | 5795 | Ant0 | 5855 | -51.48 | 2.79 | -    | -48.69 | Peak    | 15.6 | Pass |
| NVNT | ax40 | 5795 | Ant0 | 5855 | -58.43 | 2.79 | 0.12 | -55.52 | Average | 15.6 | Pass |
| NVNT | ax40 | 5795 | Ant0 | 5875 | -49.99 | 2.79 | -    | -47.20 | Peak    | 10   | Pass |
| NVNT | ax40 | 5795 | Ant0 | 5875 | -58.28 | 2.79 | 0.12 | -55.37 | Average | 10   | Pass |
| NVNT | ax40 | 5795 | Ant0 | 5925 | -48.48 | 2.79 | -    | -45.69 | Peak    | -27  | Pass |
| NVNT | ax40 | 5795 | Ant0 | 5925 | -57.62 | 2.79 | 0.12 | -54.71 | Average | -27  | Pass |
| NVNT | ax80 | 5775 | Ant0 | 5850 | -40.84 | 2.79 | -    | -38.05 | Peak    | 27   | Pass |
| NVNT | ax80 | 5775 | Ant0 | 5850 | -50.48 | 2.79 | 0.25 | -47.44 | Average | 27   | Pass |
| NVNT | ax80 | 5775 | Ant0 | 5855 | -41.17 | 2.79 | -    | -38.38 | Peak    | 15.6 | Pass |
| NVNT | ax80 | 5775 | Ant0 | 5855 | -50.7  | 2.79 | 0.25 | -47.66 | Average | 15.6 | Pass |
| NVNT | ax80 | 5775 | Ant0 | 5875 | -45.04 | 2.79 | -    | -42.25 | Peak    | 10   | Pass |
| NVNT | ax80 | 5775 | Ant0 | 5875 | -54.23 | 2.79 | 0.25 | -51.19 | Average | 10   | Pass |
| NVNT | ax80 | 5775 | Ant0 | 5925 | -49.5  | 2.79 | -    | -46.71 | Peak    | -27  | Pass |
| NVNT | ax80 | 5775 | Ant0 | 5925 | -56.76 | 2.79 | 0.25 | -53.72 | Average | -27  | Pass |
| NVNT | ax80 | 5775 | Ant0 | 5650 | -48.93 | 2.79 | -    | -46.14 | Peak    | -27  | Pass |
| NVNT | ax80 | 5775 | Ant0 | 5650 | -57.77 | 2.79 | 0.25 | -54.73 | Average | -27  | Pass |
| NVNT | ax80 | 5775 | Ant0 | 5700 | -49.67 | 2.79 | -    | -46.88 | Peak    | 10   | Pass |
| NVNT | ax80 | 5775 | Ant0 | 5700 | -56.98 | 2.79 | 0.25 | -53.94 | Average | 10   | Pass |
| NVNT | ax80 | 5775 | Ant0 | 5720 | -44.03 | 2.79 | -    | -41.24 | Peak    | 15.6 | Pass |
| NVNT | ax80 | 5775 | Ant0 | 5720 | -53.87 | 2.79 | 0.25 | -50.83 | Average | 15.6 | Pass |
| NVNT | ax80 | 5775 | Ant0 | 5725 | -37.64 | 2.79 | -    | -34.85 | Peak    | 27   | Pass |
| NVNT | ax80 | 5775 | Ant0 | 5725 | -52.47 | 2.79 | 0.25 | -49.43 | Average | 27   | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




## Test Graphs

## Restrict Band NVNT a 5745MHz Ant0 Peak




## Restrict Band NVNT a 5745MHz Ant0 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity



## Restrict Band NVNT a 5825MHz Ant0 Peak




## Restrict Band NVNT a 5825MHz Ant0 Average






## Restrict Band NVNT n20 5745MHz Ant0 Peak




## Restrict Band NVNT n20 5745MHz Ant0 Average






## Restrict Band NVNT n20 5825MHz Ant0 Peak




## Restrict Band NVNT n20 5825MHz Ant0 Average






## Restrict Band NVNT n40 5755MHz Ant0 Peak




## Restrict Band NVNT n40 5755MHz Ant0 Average






## Restrict Band NVNT n40 5795MHz Ant0 Peak




## Restrict Band NVNT n40 5795MHz Ant0 Average






## Restrict Band NVNT ac20 5745MHz Ant0 Peak




## Restrict Band NVNT ac20 5745MHz Ant0 Average






## Restrict Band NVNT ac20 5825MHz Ant0 Peak




## Restrict Band NVNT ac20 5825MHz Ant0 Average






## Restrict Band NVNT ac40 5755MHz Ant0 Peak




## Restrict Band NVNT ac40 5755MHz Ant0 Average






## Restrict Band NVNT ac40 5795MHz Ant0 Peak




## Restrict Band NVNT ac40 5795MHz Ant0 Average






## Restrict Band NVNT ac80 5775MHz Ant0 Peak




## Restrict Band NVNT ac80 5775MHz Ant0 Average






## Restrict Band NVNT ac80 5775MHz Ant0 Peak




## Restrict Band NVNT ac80 5775MHz Ant0 Average






## Restrict Band NVNT ax20 5745MHz Ant0 Peak




## Restrict Band NVNT ax20 5745MHz Ant0 Average






## Restrict Band NVNT ax20 5825MHz Ant0 Peak




## Restrict Band NVNT ax20 5825MHz Ant0 Average






## Restrict Band NVNT ax40 5755MHz Ant0 Peak




## Restrict Band NVNT ax40 5755MHz Ant0 Average






## Restrict Band NVNT ax40 5795MHz Ant0 Peak




## Restrict Band NVNT ax40 5795MHz Ant0 Average






## Restrict Band NVNT ax80 5775MHz Ant0 Peak




## Restrict Band NVNT ax80 5775MHz Ant0 Average






## Restrict Band NVNT ax80 5775MHz Ant0 Peak



## Restrict Band NVNT ax80 5775MHz Ant0 Average





| Condition | Mode | Frequency (MHz) | Antenna | Spur Freq (MHz) | Power (dBm) | Gain (dBi) | Duty Factor (dB) | EIRP Power (dBm) | Detector | Limit (dBm) | Verdict |
|-----------|------|-----------------|---------|-----------------|-------------|------------|------------------|------------------|----------|-------------|---------|
| NVNT      | a    | 5745            | Ant1    | 5650            | -50.13      | 2.33       | -                | -47.80           | Peak     | -27         | Pass    |
| NVNT      | a    | 5745            | Ant1    | 5650            | -57.68      | 2.33       | 0.24             | -55.11           | Average  | -27         | Pass    |
| NVNT      | a    | 5745            | Ant1    | 5700            | -50.7       | 2.33       | -                | -48.37           | Peak     | 10          | Pass    |
| NVNT      | a    | 5745            | Ant1    | 5700            | -57.53      | 2.33       | 0.24             | -54.96           | Average  | 10          | Pass    |
| NVNT      | a    | 5745            | Ant1    | 5720            | -43.92      | 2.33       | -                | -41.59           | Peak     | 15.6        | Pass    |
| NVNT      | a    | 5745            | Ant1    | 5720            | -55.07      | 2.33       | 0.24             | -52.50           | Average  | 15.6        | Pass    |
| NVNT      | a    | 5745            | Ant1    | 5725            | -30.68      | 2.33       | -                | -28.35           | Peak     | 27          | Pass    |
| NVNT      | a    | 5745            | Ant1    | 5725            | -51.92      | 2.33       | 0.24             | -49.35           | Average  | 27          | Pass    |
| NVNT      | a    | 5825            | Ant1    | 5850            | -41.27      | 2.33       | -                | -38.94           | Peak     | 27          | Pass    |
| NVNT      | a    | 5825            | Ant1    | 5850            | -55.93      | 2.33       | 0.24             | -53.36           | Average  | 27          | Pass    |
| NVNT      | a    | 5825            | Ant1    | 5855            | -49.16      | 2.33       | -                | -46.83           | Peak     | 15.6        | Pass    |
| NVNT      | a    | 5825            | Ant1    | 5855            | -57.78      | 2.33       | 0.24             | -55.21           | Average  | 15.6        | Pass    |
| NVNT      | a    | 5825            | Ant1    | 5875            | -50.17      | 2.33       | -                | -47.84           | Peak     | 10          | Pass    |
| NVNT      | a    | 5825            | Ant1    | 5875            | -57.91      | 2.33       | 0.24             | -55.34           | Average  | 10          | Pass    |
| NVNT      | a    | 5825            | Ant1    | 5925            | -49.87      | 2.33       | -                | -47.54           | Peak     | -27         | Pass    |
| NVNT      | a    | 5825            | Ant1    | 5925            | -57.52      | 2.33       | 0.24             | -54.95           | Average  | -27         | Pass    |
| NVNT      | n20  | 5745            | Ant1    | 5650            | -50.16      | 2.33       | -                | -47.83           | Peak     | -27         | Pass    |
| NVNT      | n20  | 5745            | Ant1    | 5650            | -57.74      | 2.33       | 0.28             | -55.13           | Average  | -27         | Pass    |
| NVNT      | n20  | 5745            | Ant1    | 5700            | -48.97      | 2.33       | -                | -46.64           | Peak     | 10          | Pass    |
| NVNT      | n20  | 5745            | Ant1    | 5700            | -57.62      | 2.33       | 0.28             | -55.01           | Average  | 10          | Pass    |
| NVNT      | n20  | 5745            | Ant1    | 5720            | -42.25      | 2.33       | -                | -39.92           | Peak     | 15.6        | Pass    |
| NVNT      | n20  | 5745            | Ant1    | 5720            | -52.39      | 2.33       | 0.28             | -49.78           | Average  | 15.6        | Pass    |
| NVNT      | n20  | 5745            | Ant1    | 5725            | -32.25      | 2.33       | -                | -29.92           | Peak     | 27          | Pass    |
| NVNT      | n20  | 5745            | Ant1    | 5725            | -48.42      | 2.33       | 0.28             | -45.81           | Average  | 27          | Pass    |
| NVNT      | n20  | 5825            | Ant1    | 5850            | -42.01      | 2.33       | -                | -39.68           | Peak     | 27          | Pass    |
| NVNT      | n20  | 5825            | Ant1    | 5850            | -54.37      | 2.33       | 0.28             | -51.76           | Average  | 27          | Pass    |
| NVNT      | n20  | 5825            | Ant1    | 5855            | -43.64      | 2.33       | -                | -41.31           | Peak     | 15.6        | Pass    |
| NVNT      | n20  | 5825            | Ant1    | 5855            | -56.32      | 2.33       | 0.28             | -53.71           | Average  | 15.6        | Pass    |
| NVNT      | n20  | 5825            | Ant1    | 5875            | -48.6       | 2.33       | -                | -46.27           | Peak     | 10          | Pass    |
| NVNT      | n20  | 5825            | Ant1    | 5875            | -58.08      | 2.33       | 0.28             | -55.47           | Average  | 10          | Pass    |
| NVNT      | n20  | 5825            | Ant1    | 5925            | -50.32      | 2.33       | -                | -47.99           | Peak     | -27         | Pass    |
| NVNT      | n20  | 5825            | Ant1    | 5925            | -58.02      | 2.33       | 0.28             | -55.41           | Average  | -27         | Pass    |
| NVNT      | n40  | 5755            | Ant1    | 5650            | -48.51      | 2.33       | -                | -46.18           | Peak     | -27         | Pass    |
| NVNT      | n40  | 5755            | Ant1    | 5650            | -57.77      | 2.33       | 0.12             | -55.32           | Average  | -27         | Pass    |
| NVNT      | n40  | 5755            | Ant1    | 5700            | -51.25      | 2.33       | -                | -48.92           | Peak     | 10          | Pass    |
| NVNT      | n40  | 5755            | Ant1    | 5700            | -57.17      | 2.33       | 0.12             | -54.72           | Average  | 10          | Pass    |
| NVNT      | n40  | 5755            | Ant1    | 5720            | -35.68      | 2.33       | -                | -33.35           | Peak     | 15.6        | Pass    |
| NVNT      | n40  | 5755            | Ant1    | 5720            | -52.26      | 2.33       | 0.12             | -49.81           | Average  | 15.6        | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity