



Appendix F

RF Test Data for 5.5G WIFI (Conducted Measurement)

Product Name: Communicator

Test Model: Communicator 3-A

Environmental Conditions

Temperature:	23.8 ° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Ling Zhu
Supervised by:	Li Huan



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



F.1 -26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5500	Ant	19.964	---	Pass
NVNT	a	5580	Ant	19.863	---	Pass
NVNT	a	5700	Ant	20.216	---	Pass
NVNT	n20	5500	Ant	20.347	---	Pass
NVNT	n20	5580	Ant	20.263	---	Pass
NVNT	n20	5700	Ant	20.401	---	Pass
NVNT	n40	5510	Ant	39.467	---	Pass
NVNT	n40	5550	Ant	39.876	---	Pass
NVNT	n40	5670	Ant	49.255	---	Pass
NVNT	ac20	5500	Ant	20.304	---	Pass
NVNT	ac20	5580	Ant	20.175	---	Pass
NVNT	ac20	5700	Ant	25.445	---	Pass
NVNT	ac40	5510	Ant	39.92	---	Pass
NVNT	ac40	5550	Ant	39.572	---	Pass
NVNT	ac40	5670	Ant	54.101	---	Pass
NVNT	ac80	5530	Ant	79.844	---	Pass
NVNT	ac80	5610	Ant	79.356	---	Pass






Test Graphs

-26dB Bandwidth NVNT a 5500MHz Ant




-26dB Bandwidth NVNT a 5580MHz Ant






-26dB Bandwidth NVNT a 5700MHz Ant




-26dB Bandwidth NVNT n20 5500MHz Ant






-26dB Bandwidth NVNT n20 5580MHz Ant



-26dB Bandwidth NVNT n20 5700MHz Ant



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT n40 5510MHz Ant




-26dB Bandwidth NVNT n40 5550MHz Ant






-26dB Bandwidth NVNT n40 5670MHz Ant




-26dB Bandwidth NVNT ac20 5500MHz Ant






-26dB Bandwidth NVNT ac20 5580MHz Ant




-26dB Bandwidth NVNT ac20 5700MHz Ant






-26dB Bandwidth NVNT ac40 5510MHz Ant




-26dB Bandwidth NVNT ac40 5550MHz Ant







-26dB Bandwidth NVNT ac40 5670MHz Ant



-26dB Bandwidth NVNT ac80 5530MHz Ant







F.2 Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5500	Ant	16.407
NVNT	a	5580	Ant	16.414
NVNT	a	5700	Ant	16.415
NVNT	n20	5500	Ant	17.558
NVNT	n20	5580	Ant	17.537
NVNT	n20	5700	Ant	17.562
NVNT	n40	5510	Ant	35.833
NVNT	n40	5550	Ant	35.935
NVNT	n40	5670	Ant	36.023
NVNT	ac20	5500	Ant	17.587
NVNT	ac20	5580	Ant	17.547
NVNT	ac20	5700	Ant	17.641
NVNT	ac40	5510	Ant	35.834
NVNT	ac40	5550	Ant	35.897
NVNT	ac40	5670	Ant	36.047
NVNT	ac80	5530	Ant	75.194
NVNT	ac80	5610	Ant	74.976




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

OBW NVNT a 5500MHz Ant




OBW NVNT a 5580MHz Ant






OBW NVNT a 5700MHz Ant




OBW NVNT n20 5500MHz Ant






OBW NVNT n20 5580MHz Ant




OBW NVNT n20 5700MHz Ant






OBW NVNT n40 5510MHz Ant




OBW NVNT n40 5550MHz Ant






OBW NVNT n40 5670MHz Ant




OBW NVNT ac20 5500MHz Ant








OBW NVNT ac20 5580MHz Ant




OBW NVNT ac20 5700MHz Ant









OBW NVNT ac40 5670MHz Ant



OBW NVNT ac80 5530MHz Ant







F.3 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant	11.65	0.14	11.79	24	Pass
NVNT	a	5580	Ant	11.31	0.14	11.45	24	Pass
NVNT	a	5700	Ant	10.04	0.13	10.17	24	Pass
NVNT	n20	5500	Ant	11.31	0.15	11.46	24	Pass
NVNT	n20	5580	Ant	10.09	0.15	10.24	24	Pass
NVNT	n20	5700	Ant	10.77	0.15	10.92	24	Pass
NVNT	n40	5510	Ant	11.99	0.32	12.31	24	Pass
NVNT	n40	5550	Ant	10.42	0.32	10.74	24	Pass
NVNT	n40	5670	Ant	10.11	0.31	10.42	24	Pass
NVNT	ac20	5500	Ant	11.11	0.17	11.28	24	Pass
NVNT	ac20	5580	Ant	10.06	0.17	10.23	24	Pass
NVNT	ac20	5700	Ant	10.84	0.17	11.01	24	Pass
NVNT	ac40	5510	Ant	10.91	0.32	11.23	24	Pass
NVNT	ac40	5550	Ant	10.38	0.26	10.64	24	Pass
NVNT	ac40	5670	Ant	10.35	0.31	10.66	24	Pass
NVNT	ac80	5530	Ant	9.15	0.23	9.38	24	Pass
NVNT	ac80	5610	Ant	9.89	0.6	10.49	24	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



F.4 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5500	Ant	-0.56	0.14	-0.42	11	Pass
NVNT	a	5580	Ant	-0.45	0.14	-0.31	11	Pass
NVNT	a	5700	Ant	-1.81	0.13	-1.68	11	Pass
NVNT	n20	5500	Ant	-1.95	0.15	-1.8	11	Pass
NVNT	n20	5580	Ant	-1.64	0.15	-1.49	11	Pass
NVNT	n20	5700	Ant	-1.63	0.15	-1.48	11	Pass
NVNT	n40	5510	Ant	-4.98	0.32	-4.66	11	Pass
NVNT	n40	5550	Ant	-4.77	0.32	-4.45	11	Pass
NVNT	n40	5670	Ant	-5.95	0.31	-5.64	11	Pass
NVNT	ac20	5500	Ant	-1.05	0.17	-0.88	11	Pass
NVNT	ac20	5580	Ant	-2.71	0.17	-2.54	11	Pass
NVNT	ac20	5700	Ant	-2.44	0.17	-2.27	11	Pass
NVNT	ac40	5510	Ant	-4.66	0.32	-4.34	11	Pass
NVNT	ac40	5550	Ant	-5.39	0.26	-5.13	11	Pass
NVNT	ac40	5670	Ant	-6.29	0.31	-5.98	11	Pass
NVNT	ac80	5530	Ant	-11.86	0.23	-11.63	11	Pass
NVNT	ac80	5610	Ant	-11.88	0.6	-11.28	11	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

PSD NVNT a 5500MHz Ant




PSD NVNT a 5580MHz Ant










PSD NVNT a 5700MHz Ant







PSD NVNT n20 5500MHz Ant
























F.5 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5500	Ant	5460	-44.61	4.2	54.82	Peak	74	Pass
NVNT	a	5500	Ant	5460	-55.28	4.2	44.15	Average	54	Pass
NVNT	a	5500	Ant	5469.2	-33.68	4.2	65.75	Peak	74	Pass
NVNT	a	5500	Ant	5470	-53.55	4.2	45.88	Average	54	Pass
NVNT	a	5500	Ant	5470	-37.66	4.2	61.77	Peak	74	Pass
NVNT	a	5700	Ant	5725	-38.99	4.2	60.44	Peak	74	Pass
NVNT	a	5700	Ant	5725	-52.91	4.2	46.52	Average	54	Pass
NVNT	a	5700	Ant	5725.8	-38.21	4.2	61.22	Peak	74	Pass
NVNT	a	5700	Ant	5735	-40.69	4.2	58.74	Peak	74	Pass
NVNT	a	5700	Ant	5735	-55.3	4.2	44.13	Average	54	Pass
NVNT	n20	5500	Ant	5460	-45.42	4.2	54.01	Peak	74	Pass
NVNT	n20	5500	Ant	5460	-55.28	4.2	44.15	Average	54	Pass
NVNT	n20	5500	Ant	5467.6	-35.14	4.2	64.29	Peak	74	Pass
NVNT	n20	5500	Ant	5469.8	-54.35	4.2	45.08	Average	54	Pass
NVNT	n20	5500	Ant	5470	-43.32	4.2	56.11	Peak	74	Pass
NVNT	n20	5500	Ant	5470	-54.41	4.2	45.02	Average	54	Pass
NVNT	n20	5700	Ant	5725	-44.12	4.2	55.31	Peak	74	Pass
NVNT	n20	5700	Ant	5725	-54.87	4.2	44.56	Average	54	Pass
NVNT	n20	5700	Ant	5727.2	-36.76	4.2	62.67	Peak	74	Pass
NVNT	n20	5700	Ant	5725.8	-54.74	4.2	44.69	Average	54	Pass
NVNT	n20	5700	Ant	5735	-47.39	4.2	52.04	Peak	74	Pass
NVNT	n20	5700	Ant	5735	-56.51	4.2	42.92	Average	54	Pass
NVNT	n40	5510	Ant	5460	-48.31	4.2	51.12	Peak	74	Pass
NVNT	n40	5510	Ant	5460	-56.54	4.2	42.89	Average	54	Pass
NVNT	n40	5510	Ant	5466.2	-42.41	4.2	57.02	Peak	74	Pass
NVNT	n40	5510	Ant	5470	-55.44	4.2	43.99	Average	54	Pass
NVNT	n40	5510	Ant	5470	-46.13	4.2	53.30	Peak	74	Pass
NVNT	n40	5670	Ant	5725	-37.6	4.2	61.83	Peak	74	Pass
NVNT	n40	5670	Ant	5725	-50.07	4.2	49.36	Average	54	Pass
NVNT	n40	5670	Ant	5733.6	-34.14	4.2	65.29	Peak	74	Pass
NVNT	n40	5670	Ant	5725.4	-49.82	4.2	49.61	Average	54	Pass
NVNT	n40	5670	Ant	5735	-41.47	4.2	57.96	Peak	74	Pass
NVNT	n40	5670	Ant	5735	-52.43	4.2	47.00	Average	54	Pass
NVNT	ac20	5500	Ant	5460	-45.3	4.2	54.13	Peak	74	Pass
NVNT	ac20	5500	Ant	5460	-55.4	4.2	44.03	Average	54	Pass
NVNT	ac20	5500	Ant	5469	-37.89	4.2	61.54	Peak	74	Pass
NVNT	ac20	5500	Ant	5469.8	-54.32	4.2	45.11	Average	54	Pass






NVNT	ac20	5500	Ant	5470	-41.65	4.2	57.78	Peak	74	Pass
NVNT	ac20	5500	Ant	5470	-54.5	4.2	44.93	Average	54	Pass
NVNT	ac20	5700	Ant	5725	-31.62	4.2	67.81	Peak	74	Pass
NVNT	ac20	5700	Ant	5725	-45.13	4.2	53.30	Average	54	Pass
NVNT	ac20	5700	Ant	5726.4	-30.51	4.2	68.92	Peak	74	Pass
NVNT	ac20	5700	Ant	5735	-39.62	4.2	59.81	Peak	74	Pass
NVNT	ac20	5700	Ant	5735	-51.29	4.2	48.14	Average	54	Pass
NVNT	ac40	5510	Ant	5460	-38.27	4.2	61.16	Peak	74	Pass
NVNT	ac40	5510	Ant	5460	-54.73	4.2	44.70	Average	54	Pass
NVNT	ac40	5510	Ant	5466.6	-33.66	4.2	65.77	Peak	74	Pass
NVNT	ac40	5510	Ant	5470	-51.6	4.2	47.83	Average	54	Pass
NVNT	ac40	5510	Ant	5470	-39.28	4.2	60.15	Peak	74	Pass
NVNT	ac40	5670	Ant	5725	-38.43	4.2	61.00	Peak	74	Pass
NVNT	ac40	5670	Ant	5725	-49.92	4.2	49.51	Average	54	Pass
NVNT	ac40	5670	Ant	5734.8	-32.9	4.2	66.53	Peak	74	Pass
NVNT	ac40	5670	Ant	5725.4	-49.64	4.2	49.79	Average	54	Pass
NVNT	ac40	5670	Ant	5735	-39.25	4.2	60.18	Peak	74	Pass
NVNT	ac40	5670	Ant	5735	-52.31	4.2	47.12	Average	54	Pass
NVNT	ac80	5530	Ant	5460	-43.72	4.2	55.71	Peak	74	Pass
NVNT	ac80	5530	Ant	5460	-53.07	4.2	46.36	Average	54	Pass
NVNT	ac80	5530	Ant	5467.2	-33.69	4.2	65.74	Peak	74	Pass
NVNT	ac80	5530	Ant	5470	-50.32	4.2	49.11	Average	54	Pass
NVNT	ac80	5530	Ant	5470	-44.23	4.2	55.20	Peak	74	Pass
NVNT	ac80	5530	Ant	5725	-46.99	4.2	52.44	Peak	74	Pass
NVNT	ac80	5530	Ant	5725	-57.98	4.2	41.45	Average	54	Pass
NVNT	ac80	5530	Ant	5725.025	-46.99	4.2	52.44	Peak	74	Pass
NVNT	ac80	5530	Ant	5728.73	-57.3	4.2	42.13	Average	54	Pass
NVNT	ac80	5530	Ant	5735	-50.62	4.2	48.81	Peak	74	Pass
NVNT	ac80	5530	Ant	5735	-58.02	4.2	41.41	Average	54	Pass
NVNT	ac80	5610	Ant	5725	-49.39	4.2	50.04	Peak	74	Pass
NVNT	ac80	5610	Ant	5725	-56.79	4.2	42.64	Average	54	Pass
NVNT	ac80	5610	Ant	5734.385	-43.72	4.2	55.71	Peak	74	Pass
NVNT	ac80	5610	Ant	5727.005	-56.72	4.2	42.71	Average	54	Pass
NVNT	ac80	5610	Ant	5735	-48.43	4.2	51.00	Peak	74	Pass
NVNT	ac80	5610	Ant	5735	-57.37	4.2	42.06	Average	54	Pass






Test Graphs

Restrict Band NVNT a 5500MHz Ant Peak




Restrict Band NVNT a 5500MHz Ant Average






Restrict Band NVNT a 5700MHz Ant Peak




Restrict Band NVNT a 5700MHz Ant Average






Restrict Band NVNT n20 5500MHz Ant Peak




Restrict Band NVNT n20 5500MHz Ant Average






Restrict Band NVNT n20 5700MHz Ant Peak




Restrict Band NVNT n20 5700MHz Ant Average






Restrict Band NVNT n40 5510MHz Ant Peak




Restrict Band NVNT n40 5510MHz Ant Average






Restrict Band NVNT n40 5670MHz Ant Peak




Restrict Band NVNT n40 5670MHz Ant Average






Restrict Band NVNT ac20 5500MHz Ant Peak




Restrict Band NVNT ac20 5500MHz Ant Average






Restrict Band NVNT ac20 5700MHz Ant Peak




Restrict Band NVNT ac20 5700MHz Ant Average






Restrict Band NVNT ac40 5510MHz Ant Peak




Restrict Band NVNT ac40 5510MHz Ant Average






Restrict Band NVNT ac40 5670MHz Ant Peak




Restrict Band NVNT ac40 5670MHz Ant Average






Restrict Band NVNT ac80 5530MHz Ant Peak




Restrict Band NVNT ac80 5530MHz Ant Average






Restrict Band NVNT ac80 5530MHz Ant Peak




Restrict Band NVNT ac80 5530MHz Ant Average






Restrict Band NVNT ac80 5610MHz Ant Peak



Restrict Band NVNT ac80 5610MHz Ant Average





F.6 Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	ac20	5500	Ant	5499.98	-20000	-3.64	25	Pass
NVNT	ac20	5580	Ant	5580	0	0	25	Pass
NVNT	ac20	5700	Ant	5699.98	-20000	-3.51	25	Pass
NVNT	ac40	5510	Ant	5510	0	0	25	Pass
NVNT	ac40	5550	Ant	5549.96	-40000	-7.21	25	Pass
NVNT	ac40	5670	Ant	5669.96	-40000	-7.05	25	Pass
NVNT	ac80	5530	Ant	5530	0	0	25	Pass
NVNT	ac80	5610	Ant	5610	0	0	25	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Freq. Stability NVNT ac20 5500MHz Ant




Freq. Stability NVNT ac20 5580MHz Ant






Freq. Stability NVNT ac20 5700MHz Ant




Freq. Stability NVNT ac40 5510MHz Ant






Freq. Stability NVNT ac40 5550MHz Ant




Freq. Stability NVNT ac40 5670MHz Ant






Freq. Stability NVNT ac80 5530MHz Ant



Freq. Stability NVNT ac80 5610MHz Ant





F.7 Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5500	Ant	96.87	0.14	0.72
NVNT	a	5580	Ant	96.87	0.14	0.72
NVNT	a	5700	Ant	96.94	0.13	0.72
NVNT	n20	5500	Ant	96.62	0.15	0.78
NVNT	n20	5580	Ant	96.7	0.15	0.78
NVNT	n20	5700	Ant	96.7	0.15	0.78
NVNT	n40	5510	Ant	92.92	0.32	1.69
NVNT	n40	5550	Ant	92.94	0.32	1.69
NVNT	n40	5670	Ant	93.08	0.31	1.69
NVNT	ac20	5500	Ant	96.19	0.17	0.84
NVNT	ac20	5580	Ant	96.19	0.17	0.84
NVNT	ac20	5700	Ant	96.11	0.17	0.84
NVNT	ac40	5510	Ant	92.92	0.32	1.69
NVNT	ac40	5550	Ant	94.12	0.26	1.69
NVNT	ac40	5670	Ant	93.08	0.31	1.69
NVNT	ac80	5530	Ant	94.9	0.23	3.36
NVNT	ac80	5610	Ant	87.1	0.6	3.37






Test Graphs

Duty Cycle NVNT a 5500MHz Ant



Duty Cycle NVNT a 5580MHz Ant



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Duty Cycle NVNT a 5700MHz Ant




Duty Cycle NVNT n20 5500MHz Ant






Duty Cycle NVNT n20 5580MHz Ant




Duty Cycle NVNT n20 5700MHz Ant






Duty Cycle NVNT n40 5510MHz Ant




Duty Cycle NVNT n40 5550MHz Ant






Duty Cycle NVNT n40 5670MHz Ant




Duty Cycle NVNT ac20 5500MHz Ant






Duty Cycle NVNT ac20 5580MHz Ant




Duty Cycle NVNT ac20 5700MHz Ant






Duty Cycle NVNT ac40 5510MHz Ant




Duty Cycle NVNT ac40 5550MHz Ant





Duty Cycle NVNT ac40 5670MHz Ant



Duty Cycle NVNT ac80 5530MHz Ant

