

						138	5300.080	5292.465 to 5307.535	Pass
					-30	120	5300.000	5292.465 to 5307.535	Pass
					50	120	5300.020	5292.465 to 5307.535	Pass
		5320	/	/	20	102	5320.140	5312.54 to 5327.46	Pass
						120	5320.020	5312.54 to 5327.46	Pass
						138	5320.120	5312.54 to 5327.46	Pass
					-30	120	5320.000	5312.54 to 5327.46	Pass
					50	120	5320.080	5312.54 to 5327.46	Pass
		5500	/	/	20	102	5500.040	5492.503 to 5507.497	Pass
						120	5500.040	5492.503 to 5507.497	Pass
						138	5499.940	5492.503 to 5507.497	Pass
					-30	120	5499.980	5492.503 to 5507.497	Pass
					50	120	5500.080	5492.503 to 5507.497	Pass
		5580	/	/	20	102	5579.980	5572.522 to 5587.478	Pass
						120	5579.960	5572.522 to 5587.478	Pass
						138	5580.020	5572.522 to 5587.478	Pass
					-30	120	5579.960	5572.522 to 5587.478	Pass
					50	120	5580.020	5572.522 to 5587.478	Pass
		5700	/	/	20	102	5699.980	5692.522 to 5707.478	Pass
						120	5699.920	5692.522 to 5707.478	Pass
						138	5699.960	5692.522 to 5707.478	Pass
					-30	120	5699.940	5692.522 to 5707.478	Pass
					50	120	5700.020	5692.522 to 5707.478	Pass
		5745	/	/	20	102	5744.880	5737.49 to 5752.51	Pass
						120	5745.020	5737.49 to 5752.51	Pass
						138	5744.960	5737.49 to 5752.51	Pass
					-30	120	5744.980	5737.49 to 5752.51	Pass
					50	120	5745.020	5737.49 to 5752.51	Pass
		5785	/	/	20	102	5785.000	5777.521 to 5792.479	Pass
						120	5784.980	5777.521 to 5792.479	Pass
						138	5785.000	5777.521 to 5792.479	Pass
					-30	120	5785.020	5777.521 to 5792.479	Pass
					50	120	5785.000	5777.521 to 5792.479	Pass
		5825	/	/	20	102	5824.980	5817.497 to 5832.503	Pass
						120	5824.920	5817.497 to 5832.503	Pass
						138	5824.980	5817.497 to 5832.503	Pass
					-30	120	5824.980	5817.497 to 5832.503	Pass
					50	120	5824.980	5817.497 to 5832.503	Pass
802.11ac (VHT40)	SISO	5190	/	/	20	102	5190.160	5175.002 to 5204.998	Pass
						120	5190.080	5175.002 to 5204.998	Pass
						138	5190.080	5175.002 to 5204.998	Pass
					-30	120	5190.040	5175.002 to 5204.998	Pass
					50	120	5190.040	5175.002 to 5204.998	Pass
		5230	/	/	20	102	5230.080	5215.011 to 5244.989	Pass
						120	5229.960	5215.011 to 5244.989	Pass
						138	5230.040	5215.011 to 5244.989	Pass
					-30	120	5230.040	5215.011 to 5244.989	Pass

					50	120	5230.040	5215.011 to 5244.989	Pass
		5270	/	/	20	102	5270.040	5255.052 to 5284.948	Pass
						120	5270.120	5255.052 to 5284.948	Pass
						138	5270.040	5255.052 to 5284.948	Pass
					-30	120	5270.160	5255.052 to 5284.948	Pass
					50	120	5270.120	5255.052 to 5284.948	Pass
		5310	/	/	20	102	5310.120	5294.995 to 5325.005	Pass
						120	5310.040	5294.995 to 5325.005	Pass
						138	5310.080	5294.995 to 5325.005	Pass
					-30	120	5310.160	5294.995 to 5325.005	Pass
					50	120	5310.000	5294.995 to 5325.005	Pass
		5510	/	/	20	102	5510.160	5494.931 to 5525.069	Pass
						120	5510.040	5494.931 to 5525.069	Pass
						138	5510.080	5494.931 to 5525.069	Pass
					-30	120	5510.080	5494.931 to 5525.069	Pass
					50	120	5510.120	5494.931 to 5525.069	Pass
		5550	/	/	20	102	5550.120	5535.058 to 5564.942	Pass
						120	5550.000	5535.058 to 5564.942	Pass
						138	5550.080	5535.058 to 5564.942	Pass
					-30	120	5550.040	5535.058 to 5564.942	Pass
					50	120	5550.040	5535.058 to 5564.942	Pass
		5670	/	/	20	102	5670.040	5654.979 to 5685.021	Pass
						120	5670.040	5654.979 to 5685.021	Pass
						138	5670.040	5654.979 to 5685.021	Pass
					-30	120	5670.040	5654.979 to 5685.021	Pass
					50	120	5670.040	5654.979 to 5685.021	Pass
		5755	/	/	20	102	5755.040	5739.999 to 5770.001	Pass
						120	5755.080	5739.999 to 5770.001	Pass
						138	5755.040	5739.999 to 5770.001	Pass
					-30	120	5755.000	5739.999 to 5770.001	Pass
					50	120	5755.040	5739.999 to 5770.001	Pass
		5795	/	/	20	102	5795.080	5780.062 to 5809.938	Pass
						120	5795.040	5780.062 to 5809.938	Pass
						138	5795.000	5780.062 to 5809.938	Pass
					-30	120	5795.080	5780.062 to 5809.938	Pass
					50	120	5795.080	5780.062 to 5809.938	Pass
802.11ac (VHT80)	SISO	5210	/	/	20	102	5210.075	5178.989 to 5241.011	Pass
						120	5210.075	5178.989 to 5241.011	Pass
						138	5210.075	5178.989 to 5241.011	Pass
					-30	120	5210.075	5178.989 to 5241.011	Pass
					50	120	5210.075	5178.989 to 5241.011	Pass
		5290	/	/	20	102	5290.075	5258.912 to 5321.088	Pass
						120	5290.225	5258.912 to 5321.088	Pass
						138	5290.150	5258.912 to 5321.088	Pass
					-30	120	5290.075	5258.912 to 5321.088	Pass
					50	120	5290.150	5258.912 to 5321.088	Pass
		5530	/	/	20	102	5530.075	5499.065 to 5560.935	Pass

						120	5530.075	5499.065 to 5560.935	Pass	
						138	5530.150	5499.065 to 5560.935	Pass	
						-30	120	5530.000	5499.065 to 5560.935	Pass
						50	120	5530.075	5499.065 to 5560.935	Pass
		5775	/	/	20	102	5775.075	5743.947 to 5806.053	Pass	
						120	5775.075	5743.947 to 5806.053	Pass	
						138	5775.075	5743.947 to 5806.053	Pass	
					-30	120	5775.150	5743.947 to 5806.053	Pass	
					50	120	5775.150	5743.947 to 5806.053	Pass	
802.11ac (VHT160)	SISO	5250	/	/	20	102	5250.225	5187.387 to 5312.613	Pass	
						120	5250.150	5187.387 to 5312.613	Pass	
						138	5250.150	5187.387 to 5312.613	Pass	
						-30	120	5250.075	5187.387 to 5312.613	Pass
						50	120	5250.225	5187.387 to 5312.613	Pass
802.11ax (HEW20)	SISO	5180	SU	/	20	102	5180.020	5172.214 to 5187.786	Pass	
						120	5179.900	5172.214 to 5187.786	Pass	
						138	5180.020	5172.214 to 5187.786	Pass	
					-30	120	5179.960	5172.214 to 5187.786	Pass	
					50	120	5180.000	5172.214 to 5187.786	Pass	
		5200	SU	/	20	102	5199.940	5192.227 to 5207.773	Pass	
						120	5199.960	5192.227 to 5207.773	Pass	
						138	5199.960	5192.227 to 5207.773	Pass	
					-30	120	5200.020	5192.227 to 5207.773	Pass	
					50	120	5200.040	5192.227 to 5207.773	Pass	
		5240	SU	/	20	102	5240.020	5232.233 to 5247.767	Pass	
						120	5240.020	5232.233 to 5247.767	Pass	
						138	5239.940	5232.233 to 5247.767	Pass	
					-30	120	5240.000	5232.233 to 5247.767	Pass	
					50	120	5240.080	5232.233 to 5247.767	Pass	
		5260	SU	/	20	102	5260.100	5252.236 to 5267.764	Pass	
						120	5260.000	5252.236 to 5267.764	Pass	
						138	5260.040	5252.236 to 5267.764	Pass	
					-30	120	5259.960	5252.236 to 5267.764	Pass	
					50	120	5260.000	5252.236 to 5267.764	Pass	
		5300	SU	/	20	102	5300.000	5292.2 to 5307.8	Pass	
						120	5300.000	5292.2 to 5307.8	Pass	
						138	5300.020	5292.2 to 5307.8	Pass	
					-30	120	5299.940	5292.2 to 5307.8	Pass	
					50	120	5299.900	5292.2 to 5307.8	Pass	
		5320	SU	/	20	102	5320.040	5312.204 to 5327.796	Pass	
						120	5320.000	5312.204 to 5327.796	Pass	
						138	5320.020	5312.204 to 5327.796	Pass	
					-30	120	5319.920	5312.204 to 5327.796	Pass	
					50	120	5319.940	5312.204 to 5327.796	Pass	
		5500	SU	/	20	102	5500.040	5492.209 to 5507.791	Pass	
						120	5499.920	5492.209 to 5507.791	Pass	
						138	5499.980	5492.209 to 5507.791	Pass	

					-30	120	5499.940	5492.209 to 5507.791	Pass		
					50	120	5500.000	5492.209 to 5507.791	Pass		
					5580	SU	/	20	102	5580.000	5572.196 to 5587.804
		120	5579.940	5572.196 to 5587.804					Pass		
		138	5580.000	5572.196 to 5587.804					Pass		
		-30	120	5580.060				5572.196 to 5587.804	Pass		
		50	120	5579.940				5572.196 to 5587.804	Pass		
		5700	SU	/				20	102	5699.960	5692.228 to 5707.772
					120	5699.980	5692.228 to 5707.772		Pass		
					138	5699.960	5692.228 to 5707.772		Pass		
					-30	120	5700.020	5692.228 to 5707.772	Pass		
					50	120	5700.040	5692.228 to 5707.772	Pass		
		5745	SU	/	20	102	5744.960	5737.24 to 5752.76	Pass		
						120	5744.900	5737.24 to 5752.76	Pass		
						138	5744.880	5737.24 to 5752.76	Pass		
					-30	120	5745.000	5737.24 to 5752.76	Pass		
					50	120	5745.040	5737.24 to 5752.76	Pass		
					5785	SU	/	20	102	5784.980	5777.236 to 5792.764
		120	5784.980	5777.236 to 5792.764					Pass		
		138	5784.980	5777.236 to 5792.764					Pass		
		-30	120	5784.960				5777.236 to 5792.764	Pass		
		50	120	5784.920				5777.236 to 5792.764	Pass		
		5825	SU	/	20	102	5825.020	5817.221 to 5832.779	Pass		
						120	5825.000	5817.221 to 5832.779	Pass		
						138	5824.960	5817.221 to 5832.779	Pass		
					-30	120	5825.060	5817.221 to 5832.779	Pass		
					50	120	5824.980	5817.221 to 5832.779	Pass		
					802.11ax (HEW40)	SISO	5190	SU	/	20	102
		120	5190.080	5174.583 to 5205.417							Pass
		138	5190.120	5174.583 to 5205.417							Pass
		-30	120	5190.000						5174.583 to 5205.417	Pass
		50	120	5190.000						5174.583 to 5205.417	Pass
		5230	SU	/			20	102	5230.000	5214.542 to 5245.458	Pass
								120	5229.960	5214.542 to 5245.458	Pass
								138	5230.040	5214.542 to 5245.458	Pass
							-30	120	5230.000	5214.542 to 5245.458	Pass
50	120						5230.040	5214.542 to 5245.458	Pass		
5270	SU	/	20	102			5270.040	5254.6 to 5285.4	Pass		
				120			5270.080	5254.6 to 5285.4	Pass		
				138			5270.040	5254.6 to 5285.4	Pass		
			-30	120			5270.080	5254.6 to 5285.4	Pass		
			50	120			5270.080	5254.6 to 5285.4	Pass		
5310	SU	/	20	102	5310.000	5294.536 to 5325.464	Pass				
				120	5310.040	5294.536 to 5325.464	Pass				
				138	5310.040	5294.536 to 5325.464	Pass				
			-30	120	5310.080	5294.536 to 5325.464	Pass				
			50	120	5310.120	5294.536 to 5325.464	Pass				

		5510	SU	/	20	102	5510.000	5494.54 to 5525.46	Pass
						120	5510.000	5494.54 to 5525.46	Pass
						138	5509.960	5494.54 to 5525.46	Pass
					-30	120	5510.000	5494.54 to 5525.46	Pass
					50	120	5510.080	5494.54 to 5525.46	Pass
		5550	SU	/	20	102	5550.080	5534.626 to 5565.374	Pass
						120	5550.040	5534.626 to 5565.374	Pass
						138	5550.000	5534.626 to 5565.374	Pass
					-30	120	5550.000	5534.626 to 5565.374	Pass
					50	120	5550.080	5534.626 to 5565.374	Pass
		5670	SU	/	20	102	5669.960	5654.625 to 5685.375	Pass
						120	5669.960	5654.625 to 5685.375	Pass
						138	5670.000	5654.625 to 5685.375	Pass
					-30	120	5670.000	5654.625 to 5685.375	Pass
					50	120	5670.040	5654.625 to 5685.375	Pass
		5755	SU	/	20	102	5755.040	5739.62 to 5770.38	Pass
						120	5755.000	5739.62 to 5770.38	Pass
						138	5755.080	5739.62 to 5770.38	Pass
					-30	120	5755.000	5739.62 to 5770.38	Pass
					50	120	5755.040	5739.62 to 5770.38	Pass
		5795	SU	/	20	102	5795.000	5779.535 to 5810.465	Pass
						120	5794.960	5779.535 to 5810.465	Pass
						138	5794.960	5779.535 to 5810.465	Pass
					-30	120	5795.040	5779.535 to 5810.465	Pass
					50	120	5795.000	5779.535 to 5810.465	Pass
802.11ax (HEW80)	SISO	5210	SU	/	20	102	5210.075	5178.562 to 5241.438	Pass
						120	5210.075	5178.562 to 5241.438	Pass
						138	5210.075	5178.562 to 5241.438	Pass
					-30	120	5209.925	5178.562 to 5241.438	Pass
					50	120	5210.075	5178.562 to 5241.438	Pass
		5290	SU	/	20	102	5290.150	5258.517 to 5321.483	Pass
						120	5290.075	5258.517 to 5321.483	Pass
						138	5290.000	5258.517 to 5321.483	Pass
					-30	120	5290.150	5258.517 to 5321.483	Pass
					50	120	5290.075	5258.517 to 5321.483	Pass
		5530	SU	/	20	102	5530.075	5498.542 to 5561.458	Pass
						120	5530.075	5498.542 to 5561.458	Pass
						138	5530.000	5498.542 to 5561.458	Pass
					-30	120	5530.075	5498.542 to 5561.458	Pass
					50	120	5530.000	5498.542 to 5561.458	Pass
		5775	SU	/	20	102	5775.075	5743.534 to 5806.466	Pass
						120	5775.000	5743.534 to 5806.466	Pass
						138	5775.075	5743.534 to 5806.466	Pass
					-30	120	5775.075	5743.534 to 5806.466	Pass
					50	120	5775.075	5743.534 to 5806.466	Pass
802.11ax (HEW160)	SISO	5250	SU	/	20	102	5250.150	5186.882 to 5313.118	Pass
						120	5250.075	5186.882 to 5313.118	Pass



Report No.: KSCR250500115504

Page: 372 of 390

						138	5250.075	5186.882 to 5313.118	Pass
					-30	120	5250.150	5186.882 to 5313.118	Pass
					50	120	5250.075	5186.882 to 5313.118	Pass



1. Signal Calibration

1.1 Test Result

1.1.1 SC

Band: 2A							
Mode	Bandwidth (MHz)	Frequency (MHz)	Radar Signal		Signal Calibration		Verdict
			Type	Trial Id	Result	Limit	
802.11ax (HEW160)	160	5250	0	0	Refer To Test Graph		Pass
			1	0	Refer To Test Graph		Pass
			2	0	Refer To Test Graph		Pass
			3	0	Refer To Test Graph		Pass
			4	0	Refer To Test Graph		Pass
			5	0	Refer To Test Graph		Pass
			6	0	Refer To Test Graph		Pass


1.1.2 SC

Band: 2C							
Mode	Bandwidth (MHz)	Frequency (MHz)	Radar Signal		Signal Calibration		Verdict
			Type	Trial Id	Result	Limit	
802.11ax (HEW80)	80	5530	0	0	Refer To Test Graph		Pass
			1	0	Refer To Test Graph		Pass
			2	0	Refer To Test Graph		Pass
			3	0	Refer To Test Graph		Pass
			4	0	Refer To Test Graph		Pass
			5	0	Refer To Test Graph		Pass
			6	0	Refer To Test Graph		Pass


1.2 Test Graph

1.2.1 SC


Signal Calibration_802.11ax(HEW160)_2A_5250MHz_RadarType0_Trial0




Signal Calibration_802.11ax(HEW160)_2A_5250MHz_RadarType1_Trial0




Signal Calibration 802.11ax(HEW160) 2A 5250MHz RadarType2 Trial0




Signal Calibration 802.11ax(HEW160) 2A 5250MHz RadarType3 Trial0




Signal Calibration 802.11ax(HEW160) 2A 5250MHz RadarType4 Trial0



Signal Calibration 802.11ax(HEW160) 2A 5250MHz RadarType5 Trial0




Signal Calibration_802.11ax(HEW160)_2A_5250MHz_RadarType6_Trial0




1.2.2 SC


Signal Calibration_802.11ax(HEW80)_2C_5530MHz_RadarType0_Trial0




Signal Calibration_802.11ax(HEW80)_2C_5530MHz_RadarType1_Trial0




Signal Calibration_802.11ax(HEW80)_2C_5530MHz_RadarType2_Trial0




Signal Calibration_802.11ax(HEW80)_2C_5530MHz_RadarType3_Trial0




Signal Calibration_802.11ax(HEW80)_2C_5530MHz_RadarType4_Trial0



Signal Calibration_802.11ax(HEW80)_2C_5530MHz_RadarType5_Trial0



Signal Calibration_802.11ax(HEW80)_2C_5530MHz_RadarType6_Trial0





2. Channel Loading (Payload)

2.1 Test Result

2.1.1 Payload


Band: 2A					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Loading (Payload) (%)		Verdict
			Result	Limit	
802.11ax (HEW160)	160	5250	96.11	>=17	Pass

2.1.2 Payload


Band: 2C					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Loading (Payload) (%)		Verdict
			Result	Limit	
802.11ax (HEW80)	80	5530	96.18	>=17	Pass

2.2 Test Graph

2.2.1 Payload



2.2.2 Payload



3. Channel Move Time and Closing Transmission Time

3.1 Test Result

3.1.1 CMT_CTT


Band: 2A							
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Closing Transmission Time (ms)		Channel Move Time (s)		Verdict
			Result	Limit	Result	Limit	
802.11ax (HEW160)	160	5250	5.000	<= 60	0.787	<=10	Pass

3.1.2 CMT_CTT

Band: 2C							
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Closing Transmission Time (ms)		Channel Move Time (s)		Verdict
			Result	Limit	Result	Limit	
802.11ax (HEW80)	80	5530	5.000	<= 60	0.784	<=10	Pass


3.2 Test Graph

3.2.1 CMT_CTT



3.2.2 CMT_CTT

Channel Move Time and Closing Transmission Time_802.11ax(HEW80)_2C_5530MHz





4. Non-Occupancy Period

4.1 Test Result

4.1.1 Period


Band: 2A					
Mode	Bandwidth (MHz)	Frequency (MHz)	Non-Occupancy Period		Verdict
			Result	Limit	
802.11ax (HEW160)	160	5250	Refer To Test Graph		Pass

4.1.2 Period


Band: 2C					
Mode	Bandwidth (MHz)	Frequency (MHz)	Non-Occupancy Period		Verdict
			Result	Limit	
802.11ax (HEW80)	80	5530	Refer To Test Graph		Pass

4.2 Test Graph

4.2.1 Period



4.2.2 Period



- End of the Report -