




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:20_CC2:20MHz_CC1:256QAM_CC2:256QAM_CC1:2510_CC2:2529.8MHz_CC1: 1@0_CC2: 1@0




CA_7C_SISO_NTNV_CC1:20_CC2:20MHz_CC1:256QAM_CC2:256QAM_CC1:2510_CC2:2529.8MHz_CC1: 1@0_CC2: 1@0




CA_7C_SISO_NTNV_CC1:20_CC2:20MHz_CC1:256QAM_CC2:256QAM_CC1:2510_CC2:2529.8MHz_CC1: 1@0_CC2: 1@0



CA_7C_SISO_NTNV_CC1:20_CC2:20MHz_CC1:256QAM_CC2:256QAM_CC1:2510_CC2:2529.8MHz_CC1: 1@0_CC2: 1@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2510 CC2:2529.8MHz_CC1: 100@0 CC2: 100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2488.250	-40.62	-25	Pass
2490.5	2496	1	CHP	2	2490.800	-40.84	-13	Pass
2496	2499	1	CHP	3	2498.500	-41.51	-10	Pass
2499	2500	0.816	CHP	4	2499.550	-41.86	-10	Pass
2500	2539.9	0.1	/	/	/	/	/	/


CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2510 CC2:2529.8MHz_CC1: 100@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2510 CC2:2529.8MHz_CC1: 100@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2510 CC2:2529.8MHz_CC1: 100@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:20_CC2:20MHz_CC1:256QAM_CC2:256QAM_CC1:2540.2_CC2:2560MHz_CC1: 1@0_CC2: 1@0




CA_7C_SISO_NTNV_CC1:20_CC2:20MHz_CC1:256QAM_CC2:256QAM_CC1:2540.2_CC2:2560MHz_CC1: 1@0_CC2: 1@0



CA_7C_SISO_NTNV_CC1:20 CC2:20MHz CC1:256QAM CC2:256QAM CC1:2540.2 CC2:2560MHz CC1: 1@0 CC2: 1@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2540.2 CC2:2560MHz_CC1: 1@99 CC2: 1@99




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2530.1	2570	0.02	CHP	/	/	/	/	/
2570	2571	0.02	CHP	1	2570.015	-58.84	-10	Pass
2571	2575	1	CHP	2	2572.890	-53.03	-10	Pass
2575	2610.467	1	CHP	3	2588.690	-38.04	-13	Pass
2610.467	2615	1	CHP	4	2611.575	-54.18	-25	Pass

CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2:
100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2530.1	2570	0.1	/	/	/	/	/	/
2570	2571	0.809	CHP	1	2570.450	-46.75	-10	Pass
2571	2575	1	CHP	2	2573.000	-45.76	-10	Pass
2575	2610.467	1	CHP	3	2581.500	-44.80	-13	Pass
2610.467	2615	1	CHP	4	2612.750	-54.36	-25	Pass


CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2:
100@0



CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2:
100@0



CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2:
100@0



4. Field Strength of Spurious Radiation

CA_7C-Low channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5041.6	-56.75	-25	-31.75	-62.34	4.58	10.17	Horizontal	Pass
7562.4	-55.48	-25	-30.48	-62.35	4.94	11.81	Horizontal	Pass
10083.2	-54.42	-25	-29.42	-61.99	5.47	13.04	Horizontal	Pass
5041.6	-55.24	-25	-30.24	-60.83	4.58	10.17	Vertical	Pass
7562.4	-54.68	-25	-29.68	-61.55	4.94	11.81	Vertical	Pass
10083.2	-53.53	-25	-28.53	-61.1	5.47	13.04	Vertical	Pass

CA_7C-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5071.8	-54.5	-25	-29.5	-60.09	4.59	10.18	Horizontal	Pass
7607.7	-54.16	-25	-29.16	-61.08	4.95	11.87	Horizontal	Pass
10143.6	-52.59	-25	-27.59	-60.17	5.48	13.06	Horizontal	Pass
5071.8	-54.42	-25	-29.42	-60.01	4.59	10.18	Vertical	Pass
7607.7	-54.51	-25	-29.51	-61.43	4.95	11.87	Vertical	Pass
10143.6	-53.26	-25	-28.26	-60.84	5.48	13.06	Vertical	Pass

CA_7C-High channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5102.0	-54.88	-25	-29.88	-60.48	4.6	10.2	Horizontal	Pass
7653.0	-53.87	-25	-28.87	-60.84	4.95	11.92	Horizontal	Pass
10204.0	-51.66	-25	-26.66	-59.24	5.49	13.07	Horizontal	Pass
5102.0	-55.5	-25	-30.5	-61.1	4.6	10.2	Vertical	Pass
7653.0	-54.56	-25	-29.56	-61.53	4.95	11.92	Vertical	Pass
10204.0	-52.54	-25	-27.54	-60.12	5.49	13.07	Vertical	Pass