



Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	18.55	16.40
60	5300	18.45	16.40
64	5320	20.29	16.70


CH52






CH60
26 dB Bandwidth



CH64




99 % Occupied Bandwidth



Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	20.51	17.70
60	5300	20.65	17.70
64	5320	20.45	17.70

CH52




Date: 25.AUG.2021 19:29:00

CH60
26 dB Bandwidth




Date: 25.AUG.2021 19:30:03

CH64




Date: 25.AUG.2021 19:31:05


99 % Occupied Bandwidth



Date: 25.AUG.2021 19:28:17



Date: 25.AUG.2021 19:29:17




Date: 25.AUG.2021 19:30:21

Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	40.10	36.20
62	5310	40.10	36.40

CH54




Date: 25.AUG.2021 19:44:25

CH62 26 dB Bandwidth




Date: 25.AUG.2021 19:45:16

99 % Occupied Bandwidth



Date: 25.AUG.2021 19:43:42




Date: 25.AUG.2021 19:44:51

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	80.20	75.20

CH58 26 dB Bandwidth



Date: 25.AUG.2021 20:24:28

99 % Occupied Bandwidth




Date: 25.AUG.2021 20:23:32

Test Mode	UNII-2A_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	24.69	19.00
60	5300	29.20	19.00
64	5320	26.95	19.00

CH52




Date: 25.AUG.2021 20:34:07

CH60
26 dB Bandwidth




Date: 25.AUG.2021 20:35:42

CH64




Date: 25.AUG.2021 20:36:49


99 % Occupied Bandwidth



Date: 25.AUG.2021 20:33:17



Date: 25.AUG.2021 20:35:07




Date: 25.AUG.2021 20:36:02

Test Mode	UNII-2A_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	39.70	38.00
62	5310	39.60	37.80

CH54




Date: 27.AUG.2021 11:27:04

CH62 26 dB Bandwidth




Date: 27.AUG.2021 11:28:06

99 % Occupied Bandwidth



Date: 27.AUG.2021 11:26:21




Date: 27.AUG.2021 11:27:21

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	18.90	16.40
116	5580	20.09	16.60
140	5700	20.15	16.60

CH100




Date: 25.AUG.2021 19:16:04

CH116
26 dB Bandwidth




Date: 25.AUG.2021 19:17:10

CH140




Date: 25.AUG.2021 19:18:21


99 % Occupied Bandwidth



Date: 25.AUG.2021 19:15:17



Date: 25.AUG.2021 19:16:26




Date: 25.AUG.2021 19:17:36

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	19.35	17.50
116	5580	20.55	17.60
140	5700	20.55	17.60

CH100




Date: 25.AUG.2021 19:32:20

CH116
26 dB Bandwidth




Date: 25.AUG.2021 19:33:49

CH140




Date: 25.AUG.2021 19:34:56


99 % Occupied Bandwidth



Date: 25.AUG.2021 19:31:33



Date: 25.AUG.2021 19:33:05




Date: 25.AUG.2021 19:34:11

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	40.20	36.20
110	5550	38.30	36.20
134	5670	40.20	36.40

CH102




Date: 27.AUG.2021 11:20:51

CH110
26 dB Bandwidth




Date: 25.AUG.2021 19:48:24

CH134




Date: 25.AUG.2021 19:50:22


99 % Occupied Bandwidth



Date: 27.AUG.2021 11:20:04



Date: 25.AUG.2021 19:47:38




Date: 25.AUG.2021 19:49:39

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	80.80	75.20
122	5610	80.60	75.20

CH106




Date: 25.AUG.2021 20:26:13

CH122
26 dB Bandwidth




Date: 25.AUG.2021 20:28:07

99 % Occupied Bandwidth



Date: 25.AUG.2021 20:25:18




Date: 25.AUG.2021 20:27:08

Test Mode	UNII-2C_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	24.89	19.10
116	5580	22.65	19.00
140	5700	22.55	19.00

CH100




Date: 25.AUG.2021 20:38:56

CH116
26 dB Bandwidth




Date: 25.AUG.2021 20:39:59

CH140




Date: 25.AUG.2021 20:41:01


99 % Occupied Bandwidth



Date: 25.AUG.2021 20:38:01



Date: 25.AUG.2021 20:39:17




Date: 25.AUG.2021 20:40:18

Test Mode	UNII-2C_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	39.61	37.60
110	5550	39.70	37.60
134	5670	39.61	37.80

CH102




Date: 27.AUG.2021 11:29:13

CH110
26 dB Bandwidth




Date: 27.AUG.2021 11:30:14

CH134




Date: 27.AUG.2021 11:31:22


99 % Occupied Bandwidth



Date: 27.AUG.2021 11:28:29



Date: 27.AUG.2021 11:29:30




Date: 27.AUG.2021 11:30:37


Test Mode	UNII-2C_TX AX(HE80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	81.00	76.80
122	5610	81.20	76.80



CH106



CH122
26 dB Bandwidth




99 % Occupied Bandwidth



Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.20	23.70	0.50	Complies
157	5785	15.05	24.40	0.50	Complies
165	5825	15.15	24.10	0.50	Complies

CH149




Date: 25.AUG.2021 19:20:00

CH157
6 dB Bandwidth




Date: 25.AUG.2021 19:21:08

CH165




Date: 25.AUG.2021 19:22:25


99 % Occupied Bandwidth



Date: 25.AUG.2021 19:19:09



Date: 25.AUG.2021 19:20:19




Date: 25.AUG.2021 19:21:34

Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.25	24.40	0.50	Complies
157	5785	15.05	25.30	0.50	Complies
165	5825	15.20	24.70	0.50	Complies

CH149




Date: 25.AUG.2021 19:36:24

CH157
6 dB Bandwidth




Date: 25.AUG.2021 19:37:31

CH165




Date: 25.AUG.2021 19:38:37


99 % Occupied Bandwidth



Date: 25.AUG.2021 19:36:34



Date: 25.AUG.2021 19:36:41




Date: 25.AUG.2021 19:37:47

Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	32.90	51.20	0.50	Complies
159	5795	30.20	51.80	0.50	Complies

CH151




Date: 25.AUG.2021 19:52:02

CH159
6 dB Bandwidth




Date: 25.AUG.2021 19:53:28

99 % Occupied Bandwidth



Date: 25.AUG.2021 19:51:07




Date: 25.AUG.2021 19:52:21

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	73.00	95.6	0.50	Complies

CH155 6 dB Bandwidth



Date: 25.AUG.2021 20:21:08

99 % Occupied Bandwidth




Date: 30.AUG.2021 15:28:53

Test Mode	UNII-3_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.90	25.10	0.50	Complies
157	5785	16.30	24.80	0.50	Complies
165	5825	16.40	25.70	0.50	Complies

CH149




Date: 25.AUG.2021 20:42:45

CH157
6 dB Bandwidth




Date: 25.AUG.2021 20:44:09

CH165




Date: 25.AUG.2021 20:45:21


99 % Occupied Bandwidth



Date: 25.AUG.2021 20:41:56



Date: 25.AUG.2021 20:43:17




Date: 25.AUG.2021 20:44:27

Test Mode	UNII-3_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	35.30	51.00	0.50	Complies
159	5795	37.90	52.40	0.50	Complies

CH151




Date: 25.AUG.2021 20:47:08

CH159
6 dB Bandwidth




Date: 25.AUG.2021 20:49:44

99 % Occupied Bandwidth



Date: 25.AUG.2021 20:46:20




Date: 25.AUG.2021 20:47:26

Test Mode	UNII-3_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	77.00	126.00	0.50	Complies

CH155 6 dB Bandwidth



Date: 25.AUG.2021 20:53:10

99 % Occupied Bandwidth



Date: 30.AUG.2021 15:29:43

APPENDIX F - MAXIMUM OUTPUT POWER

Non Beamforming

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.57	0.18	16.75	30.00	1.0000	Complies
40	5200	18.91	0.18	19.09	30.00	1.0000	Complies
48	5240	17.56	0.18	17.74	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.25	0.18	16.43	30.00	1.0000	Complies
40	5200	19.25	0.18	19.43	30.00	1.0000	Complies
48	5240	19.29	0.18	19.47	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.60	30.00	1.0000	Complies
40	5200	22.28	30.00	1.0000	Complies
48	5240	21.70	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.11	0.19	16.30	30.00	1.0000	Complies
40	5200	19.15	0.19	19.34	30.00	1.0000	Complies
48	5240	20.74	0.19	20.93	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.69	0.19	15.88	30.00	1.0000	Complies
40	5200	18.83	0.19	19.02	30.00	1.0000	Complies
48	5240	19.79	0.19	19.98	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.11	30.00	1.0000	Complies
40	5200	22.20	30.00	1.0000	Complies
48	5240	23.49	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.71	0.38	14.09	30.00	1.0000	Complies
46	5230	18.01	0.38	18.39	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.01	0.38	13.39	30.00	1.0000	Complies
46	5230	19.21	0.38	19.59	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.77	30.00	1.0000	Complies
46	5230	22.05	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.28	0.19	16.47	30.00	1.0000	Complies
40	5200	19.17	0.19	19.36	30.00	1.0000	Complies
48	5240	20.75	0.19	20.94	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.73	0.19	15.92	30.00	1.0000	Complies
40	5200	18.86	0.19	19.05	30.00	1.0000	Complies
48	5240	19.83	0.19	20.02	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.22	30.00	1.0000	Complies
40	5200	22.22	30.00	1.0000	Complies
48	5240	23.52	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.73	0.38	14.11	30.00	1.0000	Complies
46	5230	18.06	0.38	18.44	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.03	0.38	13.41	30.00	1.0000	Complies
46	5230	19.25	0.38	19.63	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.78	30.00	1.0000	Complies
46	5230	22.08	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	10.59	0.74	11.33	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	10.07	0.74	10.81	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.08	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.21	0.75	16.96	30.00	1.0000	Complies
40	5200	18.48	0.75	19.23	30.00	1.0000	Complies
48	5240	18.35	0.75	19.10	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.73	0.75	16.48	30.00	1.0000	Complies
40	5200	18.37	0.75	19.12	30.00	1.0000	Complies
48	5240	19.64	0.75	20.39	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.73	30.00	1.0000	Complies
40	5200	22.18	30.00	1.0000	Complies
48	5240	22.80	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.76	0.77	14.53	30.00	1.0000	Complies
46	5230	18.28	0.77	19.05	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.03	0.77	13.80	30.00	1.0000	Complies
46	5230	19.56	0.77	20.33	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.19	30.00	1.0000	Complies
46	5230	22.75	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	11.08	0.73	11.81	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	10.59	0.73	11.32	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.58	30.00	1.0000	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.26	0.18	11.44	23.98	0.2500	Complies
60	5300	11.84	0.18	12.02	23.98	0.2500	Complies
64	5320	11.97	0.18	12.15	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.94	0.18	11.12	23.98	0.2500	Complies
60	5300	11.62	0.18	11.80	23.98	0.2500	Complies
64	5320	11.45	0.18	11.63	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.29	23.98	0.2500	Complies
60	5300	14.92	23.98	0.2500	Complies
64	5320	14.91	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.79	0.19	12.98	23.98	0.2500	Complies
60	5300	12.84	0.19	13.03	23.98	0.2500	Complies
64	5320	12.65	0.19	12.84	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.40	0.19	12.59	23.98	0.2500	Complies
60	5300	12.11	0.19	12.30	23.98	0.2500	Complies
64	5320	12.13	0.19	12.32	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.80	23.98	0.2500	Complies
60	5300	15.69	23.98	0.2500	Complies
64	5320	15.60	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.55	0.38	14.93	23.98	0.2500	Complies
62	5310	15.63	0.38	16.01	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.12	0.38	14.50	23.98	0.2500	Complies
62	5310	14.79	0.38	15.17	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.73	23.98	0.2500	Complies
62	5310	18.62	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.82	0.19	13.01	23.98	0.2500	Complies
60	5300	12.88	0.19	13.07	23.98	0.2500	Complies
64	5320	12.68	0.19	12.87	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.43	0.19	12.62	23.98	0.2500	Complies
60	5300	12.14	0.19	12.33	23.98	0.2500	Complies
64	5320	12.16	0.19	12.35	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.83	23.98	0.2500	Complies
60	5300	15.73	23.98	0.2500	Complies
64	5320	15.63	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.58	0.38	14.96	23.98	0.2500	Complies
62	5310	15.64	0.38	16.02	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.18	0.38	14.56	23.98	0.2500	Complies
62	5310	14.81	0.38	15.19	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.77	23.98	0.2500	Complies
62	5310	18.63	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.54	0.74	15.28	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.08	0.74	14.82	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	18.06	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.06	0.75	12.81	23.98	0.2500	Complies
60	5300	12.17	0.75	12.92	23.98	0.2500	Complies
64	5320	12.33	0.75	13.08	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.65	0.75	12.40	23.98	0.2500	Complies
60	5300	11.17	0.75	11.92	23.98	0.2500	Complies
64	5320	11.52	0.75	12.27	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.62	23.98	0.2500	Complies
60	5300	15.46	23.98	0.2500	Complies
64	5320	15.70	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.22	0.77	15.99	23.98	0.2500	Complies
62	5310	15.37	0.77	16.14	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.75	0.77	15.52	23.98	0.2500	Complies
62	5310	14.26	0.77	15.03	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.77	23.98	0.2500	Complies
62	5310	18.63	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.79	0.73	13.52	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.67	0.73	13.40	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.47	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.23	0.18	11.41	23.98	0.2500	Complies
116	5580	11.71	0.18	11.89	23.98	0.2500	Complies
140	5700	11.11	0.18	11.29	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.64	0.18	10.82	23.98	0.2500	Complies
116	5580	10.81	0.18	10.99	23.98	0.2500	Complies
140	5700	10.72	0.18	10.90	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.14	23.98	0.2500	Complies
116	5580	14.48	23.98	0.2500	Complies
140	5700	14.11	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.40	0.19	11.59	23.98	0.2500	Complies
116	5580	11.49	0.19	11.68	23.98	0.2500	Complies
140	5700	11.47	0.19	11.66	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.92	0.19	11.11	23.98	0.2500	Complies
116	5580	10.51	0.19	10.70	23.98	0.2500	Complies
140	5700	11.08	0.19	11.27	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.37	23.98	0.2500	Complies
116	5580	14.23	23.98	0.2500	Complies
140	5700	14.48	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.58	0.38	14.96	23.98	0.2500	Complies
110	5550	13.69	0.38	14.07	23.98	0.2500	Complies
134	5670	14.51	0.38	14.89	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.31	0.38	13.69	23.98	0.2500	Complies
110	5550	12.05	0.38	12.43	23.98	0.2500	Complies
134	5670	14.20	0.38	14.58	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.39	23.98	0.2500	Complies
110	5550	16.34	23.98	0.2500	Complies
134	5670	17.75	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.43	0.19	11.62	23.98	0.2500	Complies
116	5580	11.52	0.19	11.71	23.98	0.2500	Complies
140	5700	11.53	0.19	11.72	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.99	0.19	11.18	23.98	0.2500	Complies
116	5580	10.59	0.19	10.78	23.98	0.2500	Complies
140	5700	11.11	0.19	11.30	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.42	23.98	0.2500	Complies
116	5580	14.28	23.98	0.2500	Complies
140	5700	14.53	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.59	0.38	14.97	23.98	0.2500	Complies
110	5550	13.71	0.38	14.09	23.98	0.2500	Complies
134	5670	14.53	0.38	14.91	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.36	0.38	13.74	23.98	0.2500	Complies
110	5550	12.08	0.38	12.46	23.98	0.2500	Complies
134	5670	14.22	0.38	14.60	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.41	23.98	0.2500	Complies
110	5550	16.36	23.98	0.2500	Complies
134	5670	17.77	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.83	0.74	14.57	23.98	0.2500	Complies
122	5610	16.13	0.74	16.87	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.35	0.74	13.09	23.98	0.2500	Complies
122	5610	14.28	0.74	15.02	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.90	23.98	0.2500	Complies
122	5610	19.05	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.78	0.75	11.53	23.98	0.2500	Complies
116	5580	10.47	0.75	11.22	23.98	0.2500	Complies
140	5700	10.95	0.75	11.70	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	9.95	0.75	10.70	23.98	0.2500	Complies
116	5580	9.83	0.75	10.58	23.98	0.2500	Complies
140	5700	10.58	0.75	11.33	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.14	23.98	0.2500	Complies
116	5580	13.92	23.98	0.2500	Complies
140	5700	14.53	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.29	0.77	15.06	23.98	0.2500	Complies
110	5550	14.37	0.77	15.14	23.98	0.2500	Complies
134	5670	14.38	0.77	15.15	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.53	0.77	13.30	23.98	0.2500	Complies
110	5550	12.02	0.77	12.79	23.98	0.2500	Complies
134	5670	14.15	0.77	14.92	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.28	23.98	0.2500	Complies
110	5550	17.13	23.98	0.2500	Complies
134	5670	18.05	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.25	0.73	12.98	23.98	0.2500	Complies
122	5610	17.58	0.73	18.31	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.99	0.73	12.72	23.98	0.2500	Complies
122	5610	15.27	0.73	16.00	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.86	23.98	0.2500	Complies
122	5610	20.32	23.98	0.2500	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.84	0.18	23.02	30.00	1.0000	Complies
157	5785	26.17	0.18	26.35	30.00	1.0000	Complies
165	5825	26.03	0.18	26.21	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.87	0.18	22.05	30.00	1.0000	Complies
157	5785	25.72	0.18	25.90	30.00	1.0000	Complies
165	5825	25.81	0.18	25.99	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.57	30.00	1.0000	Complies
157	5785	29.14	30.00	1.0000	Complies
165	5825	29.11	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.92	0.19	21.11	30.00	1.0000	Complies
157	5785	23.29	0.19	23.48	30.00	1.0000	Complies
165	5825	26.11	0.19	26.30	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.81	0.19	21.00	30.00	1.0000	Complies
157	5785	22.53	0.19	22.72	30.00	1.0000	Complies
165	5825	24.71	0.19	24.90	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.07	30.00	1.0000	Complies
157	5785	26.13	30.00	1.0000	Complies
165	5825	28.67	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.41	0.38	25.79	30.00	1.0000	Complies
159	5795	25.22	0.38	25.60	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.49	0.38	24.87	30.00	1.0000	Complies
159	5795	23.95	0.38	24.33	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	28.37	30.00	1.0000	Complies
159	5795	28.03	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.93	0.19	21.12	30.00	1.0000	Complies
157	5785	23.32	0.19	23.51	30.00	1.0000	Complies
165	5825	26.17	0.19	26.36	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.84	0.19	21.03	30.00	1.0000	Complies
157	5785	22.66	0.19	22.85	30.00	1.0000	Complies
165	5825	24.73	0.19	24.92	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.09	30.00	1.0000	Complies
157	5785	26.21	30.00	1.0000	Complies
165	5825	28.71	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.43	0.38	25.81	30.00	1.0000	Complies
159	5795	25.28	0.38	25.66	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.51	0.38	24.89	30.00	1.0000	Complies
159	5795	23.96	0.38	24.34	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	28.38	30.00	1.0000	Complies
159	5795	28.06	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.86	0.74	21.60	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.37	0.74	21.11	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.37	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.94	0.75	24.69	30.00	1.0000	Complies
157	5785	25.62	0.75	26.37	30.00	1.0000	Complies
165	5825	25.91	0.75	26.66	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.37	0.75	24.12	30.00	1.0000	Complies
157	5785	24.61	0.75	25.36	30.00	1.0000	Complies
165	5825	24.51	0.75	25.26	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.42	30.00	1.0000	Complies
157	5785	28.90	30.00	1.0000	Complies
165	5825	29.02	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.53	0.77	25.30	30.00	1.0000	Complies
159	5795	24.11	0.77	24.88	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.72	0.77	24.49	30.00	1.0000	Complies
159	5795	23.08	0.77	23.85	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.92	30.00	1.0000	Complies
159	5795	27.40	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.98	0.73	21.71	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.35	0.73	21.08	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.42	30.00	1.0000	Complies

Beamforming

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.79	0.19	15.98	27.16	0.5200	Complies
40	5200	18.19	0.19	18.38	27.16	0.5200	Complies
48	5240	20.21	0.19	20.40	27.16	0.5200	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.31	0.19	15.50	27.16	0.5200	Complies
40	5200	18.13	0.19	18.32	27.16	0.5200	Complies
48	5240	19.73	0.19	19.92	27.16	0.5200	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.76	27.16	0.5200	Complies
40	5200	21.36	27.16	0.5200	Complies
48	5240	23.18	27.16	0.5200	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.21	0.38	13.59	27.16	0.5200	Complies
46	5230	17.58	0.38	17.96	27.16	0.5200	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.86	0.38	13.24	27.16	0.5200	Complies
46	5230	18.73	0.38	19.11	27.16	0.5200	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.43	27.16	0.5200	Complies
46	5230	21.59	27.16	0.5200	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.82	0.19	16.01	27.16	0.5200	Complies
40	5200	18.21	0.19	18.40	27.16	0.5200	Complies
48	5240	20.29	0.19	20.48	27.16	0.5200	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.33	0.19	15.52	27.16	0.5200	Complies
40	5200	18.16	0.19	18.35	27.16	0.5200	Complies
48	5240	19.79	0.19	19.98	27.16	0.5200	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.79	27.16	0.5200	Complies
40	5200	21.39	27.16	0.5200	Complies
48	5240	23.25	27.16	0.5200	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.26	0.38	13.64	27.16	0.5200	Complies
46	5230	17.62	0.38	18.00	27.16	0.5200	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.89	0.38	13.27	27.16	0.5200	Complies
46	5230	18.77	0.38	19.15	27.16	0.5200	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.47	27.16	0.5200	Complies
46	5230	21.62	27.16	0.5200	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	10.09	0.74	10.83	27.16	0.5200	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	9.87	0.74	10.61	27.16	0.5200	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.73	27.16	0.5200	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.75	0.75	16.50	27.16	0.5200	Complies
40	5200	17.96	0.75	18.71	27.16	0.5200	Complies
48	5240	18.56	0.75	19.31	27.16	0.5200	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.33	0.75	16.08	27.16	0.5200	Complies
40	5200	17.87	0.75	18.62	27.16	0.5200	Complies
48	5240	18.35	0.75	19.10	27.16	0.5200	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.30	27.16	0.5200	Complies
40	5200	21.67	27.16	0.5200	Complies
48	5240	22.21	27.16	0.5200	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.28	0.77	14.05	27.16	0.5200	Complies
46	5230	18.09	0.77	18.86	27.16	0.5200	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.96	0.77	13.73	27.16	0.5200	Complies
46	5230	18.86	0.77	19.63	27.16	0.5200	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.90	27.16	0.5200	Complies
46	5230	22.27	27.16	0.5200	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	10.61	0.73	11.34	27.16	0.5200	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	10.11	0.73	10.84	27.16	0.5200	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.11	27.16	0.5200	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.31	0.19	12.50	21.14	0.1300	Complies
60	5300	12.39	0.19	12.58	21.14	0.1300	Complies
64	5320	12.21	0.19	12.40	21.14	0.1300	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.92	0.19	12.11	21.14	0.1300	Complies
60	5300	11.81	0.19	12.00	21.14	0.1300	Complies
64	5320	11.73	0.19	11.92	21.14	0.1300	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.32	21.14	0.1300	Complies
60	5300	15.31	21.14	0.1300	Complies
64	5320	15.18	21.14	0.1300	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.94	0.38	14.32	21.14	0.1300	Complies
62	5310	14.93	0.38	15.31	21.14	0.1300	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.69	0.38	14.07	21.14	0.1300	Complies
62	5310	14.45	0.38	14.83	21.14	0.1300	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.21	21.14	0.1300	Complies
62	5310	18.09	21.14	0.1300	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.34	0.19	12.53	21.14	0.1300	Complies
60	5300	12.41	0.19	12.60	21.14	0.1300	Complies
64	5320	12.22	0.19	12.41	21.14	0.1300	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.96	0.19	12.15	21.14	0.1300	Complies
60	5300	11.83	0.19	12.02	21.14	0.1300	Complies
64	5320	11.76	0.19	11.95	21.14	0.1300	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.36	21.14	0.1300	Complies
60	5300	15.33	21.14	0.1300	Complies
64	5320	15.20	21.14	0.1300	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.96	0.38	14.34	21.14	0.1300	Complies
62	5310	14.96	0.38	15.34	21.14	0.1300	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.71	0.38	14.09	21.14	0.1300	Complies
62	5310	14.48	0.38	14.86	21.14	0.1300	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.22	21.14	0.1300	Complies
62	5310	18.11	21.14	0.1300	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.06	0.74	14.80	21.14	0.1300	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.83	0.74	14.57	21.14	0.1300	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.69	21.14	0.1300	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.59	0.75	12.34	21.14	0.1300	Complies
60	5300	11.57	0.75	12.32	21.14	0.1300	Complies
64	5320	11.85	0.75	12.60	21.14	0.1300	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.21	0.75	11.96	21.14	0.1300	Complies
60	5300	11.18	0.75	11.93	21.14	0.1300	Complies
64	5320	11.12	0.75	11.87	21.14	0.1300	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.16	21.14	0.1300	Complies
60	5300	15.14	21.14	0.1300	Complies
64	5320	15.26	21.14	0.1300	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.77	0.77	15.54	21.14	0.1300	Complies
62	5310	14.75	0.77	15.52	21.14	0.1300	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.29	0.77	15.06	21.14	0.1300	Complies
62	5310	14.25	0.77	15.02	21.14	0.1300	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.32	21.14	0.1300	Complies
62	5310	18.29	21.14	0.1300	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.31	0.73	13.04	21.14	0.1300	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.19	0.73	12.92	21.14	0.1300	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.99	21.14	0.1300	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.94	0.19	11.13	21.14	0.1300	Complies
116	5580	10.95	0.19	11.14	21.14	0.1300	Complies
140	5700	11.02	0.19	11.21	21.14	0.1300	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.48	0.19	10.67	21.14	0.1300	Complies
116	5580	10.51	0.19	10.70	21.14	0.1300	Complies
140	5700	10.69	0.19	10.88	21.14	0.1300	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.92	21.14	0.1300	Complies
116	5580	13.94	21.14	0.1300	Complies
140	5700	14.06	21.14	0.1300	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.86	0.38	14.24	21.14	0.1300	Complies
110	5550	12.97	0.38	13.35	21.14	0.1300	Complies
134	5670	14.07	0.38	14.45	21.14	0.1300	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.73	0.38	14.11	21.14	0.1300	Complies
110	5550	12.33	0.38	12.71	21.14	0.1300	Complies
134	5670	13.82	0.38	14.20	21.14	0.1300	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.19	21.14	0.1300	Complies
110	5550	16.06	21.14	0.1300	Complies
134	5670	17.34	21.14	0.1300	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.96	0.19	11.15	21.14	0.1300	Complies
116	5580	10.96	0.19	11.15	21.14	0.1300	Complies
140	5700	11.05	0.19	11.24	21.14	0.1300	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.52	0.19	10.71	21.14	0.1300	Complies
116	5580	10.56	0.19	10.75	21.14	0.1300	Complies
140	5700	10.73	0.19	10.92	21.14	0.1300	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.95	21.14	0.1300	Complies
116	5580	13.97	21.14	0.1300	Complies
140	5700	14.10	21.14	0.1300	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.89	0.38	14.27	21.14	0.1300	Complies
110	5550	12.98	0.38	13.36	21.14	0.1300	Complies
134	5670	14.08	0.38	14.46	21.14	0.1300	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.76	0.38	14.14	21.14	0.1300	Complies
110	5550	12.36	0.38	12.74	21.14	0.1300	Complies
134	5670	13.86	0.38	14.24	21.14	0.1300	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.21	21.14	0.1300	Complies
110	5550	16.07	21.14	0.1300	Complies
134	5670	17.36	21.14	0.1300	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.13	0.74	13.87	21.14	0.1300	Complies
122	5610	15.13	0.74	15.87	21.14	0.1300	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.51	0.74	13.25	21.14	0.1300	Complies
122	5610	14.75	0.74	15.49	21.14	0.1300	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.58	21.14	0.1300	Complies
122	5610	18.69	21.14	0.1300	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.31	0.75	11.06	21.14	0.1300	Complies
116	5580	9.99	0.75	10.74	21.14	0.1300	Complies
140	5700	10.46	0.75	11.21	21.14	0.1300	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	9.83	0.75	10.58	21.14	0.1300	Complies
116	5580	9.63	0.75	10.38	21.14	0.1300	Complies
140	5700	10.11	0.75	10.86	21.14	0.1300	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.83	21.14	0.1300	Complies
116	5580	13.57	21.14	0.1300	Complies
140	5700	14.05	21.14	0.1300	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.89	0.77	14.66	21.14	0.1300	Complies
110	5550	13.61	0.77	14.38	21.14	0.1300	Complies
134	5670	13.91	0.77	14.68	21.14	0.1300	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.01	0.77	13.78	21.14	0.1300	Complies
110	5550	13.02	0.77	13.79	21.14	0.1300	Complies
134	5670	13.66	0.77	14.43	21.14	0.1300	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.25	21.14	0.1300	Complies
110	5550	17.10	21.14	0.1300	Complies
134	5670	17.57	21.14	0.1300	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.77	0.73	12.50	21.14	0.1300	Complies
122	5610	16.75	0.73	17.48	21.14	0.1300	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.51	0.73	12.24	21.14	0.1300	Complies
122	5610	15.31	0.73	16.04	21.14	0.1300	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.38	21.14	0.1300	Complies
122	5610	19.83	21.14	0.1300	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.48	0.19	20.67	27.16	0.5200	Complies
157	5785	22.73	0.19	22.92	27.16	0.5200	Complies
165	5825	24.31	0.19	24.50	27.16	0.5200	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.21	0.19	20.40	27.16	0.5200	Complies
157	5785	22.57	0.19	22.76	27.16	0.5200	Complies
165	5825	23.39	0.19	23.58	27.16	0.5200	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.55	27.16	0.5200	Complies
157	5785	25.85	27.16	0.5200	Complies
165	5825	27.08	27.16	0.5200	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.11	0.38	24.49	27.16	0.5200	Complies
159	5795	24.16	0.38	24.54	27.16	0.5200	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.98	0.38	23.36	27.16	0.5200	Complies
159	5795	22.97	0.38	23.35	27.16	0.5200	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.98	27.16	0.5200	Complies
159	5795	27.00	27.16	0.5200	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.51	0.19	20.70	27.16	0.5200	Complies
157	5785	22.88	0.19	23.07	27.16	0.5200	Complies
165	5825	24.57	0.19	24.76	27.16	0.5200	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.36	0.19	20.55	27.16	0.5200	Complies
157	5785	22.59	0.19	22.78	27.16	0.5200	Complies
165	5825	23.21	0.19	23.40	27.16	0.5200	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.64	27.16	0.5200	Complies
157	5785	25.94	27.16	0.5200	Complies
165	5825	27.15	27.16	0.5200	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.16	0.38	24.54	27.16	0.5200	Complies
159	5795	24.19	0.38	24.57	27.16	0.5200	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.05	0.38	23.43	27.16	0.5200	Complies
159	5795	22.98	0.38	23.36	27.16	0.5200	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.03	27.16	0.5200	Complies
159	5795	27.02	27.16	0.5200	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.16	0.74	20.90	27.16	0.5200	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.37	0.74	21.11	27.16	0.5200	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.01	27.16	0.5200	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.46	0.75	24.21	27.16	0.5200	Complies
157	5785	23.62	0.75	24.37	27.16	0.5200	Complies
165	5825	23.81	0.75	24.56	27.16	0.5200	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.97	0.75	23.72	27.16	0.5200	Complies
157	5785	22.61	0.75	23.36	27.16	0.5200	Complies
165	5825	22.43	0.75	23.18	27.16	0.5200	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.98	27.16	0.5200	Complies
157	5785	26.90	27.16	0.5200	Complies
165	5825	26.93	27.16	0.5200	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.61	0.77	24.38	27.16	0.5200	Complies
159	5795	23.51	0.77	24.28	27.16	0.5200	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.97	0.77	23.74	27.16	0.5200	Complies
159	5795	23.11	0.77	23.88	27.16	0.5200	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.08	27.16	0.5200	Complies
159	5795	27.09	27.16	0.5200	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.51	0.73	21.24	27.16	0.5200	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.93	0.73	20.66	27.16	0.5200	Complies




Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.97	27.16	0.5200	Complies

APPENDIX G - POWER SPECTRAL DENSITY




Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.67	0.18	9.85	13.15	Complies
40	5200	9.21	0.18	9.39	13.15	Complies
48	5240	9.51	0.18	9.69	13.15	Complies



Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.79	0.18	9.97	13.15	Complies
40	5200	9.55	0.18	9.73	13.15	Complies
48	5240	9.75	0.18	9.93	13.15	Complies



Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.92	13.15	Complies
40	5200	12.58	13.15	Complies
48	5240	12.82	13.15	Complies