


FCC Radio Test Report

FCC ID: 2AXKF-C003

Original Grant

Report No. : TB-FCC175226
Applicant : Shenzhen Xingmai Digital Co.,Ltd.
Equipment Under Test (EUT)
EUT Name : Beidou+GPS tracker
Model No. : Please see the page of 5
S/N : 19171534261
Brand Name : XINGMAI
Sample ID : 20200804-10_1-01
Receipt Date : 2020-08-24
Test Date : 2020-08-25 to 2020-09-12
Issue Date : 2020-09-12
Standards : 47 CFR FCC Part 2, 24(E), 27
Test Method : ANSI C63.26 2015
Conclusions : **PASS**

In the configuration tested, the EUT complied with the standards specified above,

Test/Witness Engineer :  Jack Deng
Engineer Supervisor :  Ivan Su
Engineer Manager :  Ray Lai



This report details the results of the testing carried out on one sample. The results contained in this test report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in the report.

Contents

CONTENTS.....	2
1. GENERAL INFORMATION ABOUT EUT	5
1.1 Client Information.....	5
1.2 General Description of EUT (Equipment Under Test)	5
1.3 Block Diagram Showing the Configuration of System Tested.....	8
1.4 Description of Support Units	8
1.5 Description of Test Mode.....	9
1.6 Measurement Uncertainty	10
1.7 Test Facility.....	10
2. TEST SUMMARY	11
3. TEST SOFTWARE.....	11
4. TEST EQUIPMENT.....	12
5. CONDUCTED RF OUTPUT POWER.....	13
5.1 Test Standard and Limit.....	13
5.2 Test Setup.....	13
5.3 Test Procedure.....	13
5.4 Deviation From Test Standard.....	13
5.5 EUT Operating Condition	13
5.6 Test Data.....	13
6. PEAK-AVERAGE RATIO	14
6.1 Test Standard and Limit.....	14
6.2 Test Setup.....	14
6.3 Test Procedure.....	14
6.4 Deviation From Test Standard.....	14
6.5 EUT Operating Condition	14
6.6 Test Data.....	14
7. OCCUPIED BANDWIDTH	15
7.1 Test Standard and Limit.....	15
7.2 Test Setup.....	15
7.3 Test Procedure.....	15
7.4 Deviation From Test Standard.....	16
7.5 EUT Operating Condition	16
7.6 Test Data.....	16
8. OUT OF BAND EMISSION AT ANTENNA TERMINALS.....	17
8.1 Test Standard and Limit.....	17
8.2 Test Setup.....	17
8.3 Test Procedure.....	18
8.4 Deviation From Test Standard.....	18
8.5 EUT Operating Condition	18

8.6 Test Data.....	18
9. BAND EDGE TEST	19
9.1 Test Standard and Limit.....	19
9.2 Test Setup.....	19
9.3 Test Procedure.....	19
9.4 Deviation From Test Standard.....	20
9.5 EUT Operating Condition	20
9.6 Test Data.....	20
10. RADIATED OUTPUT POWER	21
10.1 Test Standard and Limit	21
10.2 Test Setup.....	21
10.3 Test Procedure.....	22
10.4 Deviation From Test Standard.....	22
10.4 EUT Operating Condition	22
10.5 Test Data.....	22
11. RADIATED OUT BAND OF EMISSIONS.....	23
11.1 Test Standard and Limit	23
11.2 Test Setup.....	23
11.3 Test Procedure.....	23
11.4 Deviation From Test Standard.....	24
11.5 EUT Operating Condition	24
11.6 Test Data.....	24
12. FREQUENCY STABILITY	25
12.1 Test Standard and Limit	25
12.2 Test Setup.....	25
12.3 Test Procedure.....	26
11.4 Deviation From Test Standard.....	26
12.5 EUT Operating Condition	26
12.6 Test Data.....	26
ATTACHMENT A--CONDUCTED RF OUTPUT POWER	27
ATTACHMENT B--PEAK-AVERAGE RATIO	35
ATTACHMENT C--OCCUPY BANDWIDTH	39
ATTACHMENT D--OUT OF BAND EMISSION AT ANTENNA TERMINALS	58
ATTACHMENT E--BAND EDGE TEST	90
ATTACHMENT F--RADIATED OUTPUT POWER	122
ATTACHMENT G--RADIATED OUT BAND OF EMISSIONS	130
ATTACHMENT H--FREQUENCY STABILITY	138

1. General Information about EUT

1.1 Client Information

Applicant	:	Shenzhen Xingmai Digital Co.,Ltd.
Address	:	Room 401, Building C, Huali Industrial Park, No. 404, Yu'an 2nd Road, 28 District, Xin'an Street, Bao'an District, Shenzhen, China
Manufacturer	:	Shenzhen Xingmai Digital Co.,Ltd.
Address	:	Room 401, Building C, Huali Industrial Park, No. 404, Yu'an 2nd Road, 28 District, Xin'an Street, Bao'an District, Shenzhen, China

1.2 General Description of EUT (Equipment Under Test)

EUT Name	:	Beidou+GPS tracker
Models No.	:	C003, AK-GT01, AK-GT02, AK-GT03, AK-GTZZ, X1, X2, X3, X5, X6, X7, X8, X9, X10, X11, X12, X13, X13B, X13C, X20, X21, X22, X33, X35, X36, X37, X38, X39, X50, X51, X52, X53, X55, X56, X57, X58, X59, X60, XZZ, C001, C002, C003, C005, C006, C007, C008, C009, C10, C11, C12, C13, C15, C16, C17, C18, C19, C20, C21, C22, C23, C25, C26, C27, C28, C29, C30, C31, C32, C33, C35, C36, C37, C38, C39, C50, C51, C52, C53, C55, C56, C57, C58, C59, C60, CZZ, ZZ means digital number
Model Difference	:	All these models are identical in the same PCB, layout and electrical circuit, the only difference is the appearance.
Product Description	:	Frequency Bands: LTE Band 2: TX: 1850MHz-1910MHz, RX: 1930MHz-1990MHz LTE Band 4: TX: 1710MHz-1755MHz, RX: 2110MHz-2155MHz LTE Band 12: TX: 699MHz -716MHz, RX: 729MHz-746MHz
	Antenna Type:	FPC Antenna
	Antenna Gain:	0.7dBi
	Modulation Type:	QPSK, 16QAM
	Bandwidth:	LTE Band 2 :1.4MHz/3MHz/5MHz/10MHz/15MHz/20MHz LTE Band 4 :1.4MHz/3MHz/5MHz/10MHz/15MHz/20MHz LTE Band 12 :1.4MHz/3MHz/5MHz/10MHz
Power Rating	:	Input: DC 9V-95V or DC 3.7V by Li-ion Battery.
Software Version	:	C003_XM_808_2_9_20200702
Hardware Version	:	20200623

Note: For a more detailed features description, please refer to the manufacturer's specifications or the User's Manual.


(1) Channel List

LTE Band 2(1.4MHz)		LTE Band 2(3MHz)	
Channel	Frequency (MHz)	Channel	Frequency (MHz)
18607	1850.70	18615	1851.50
18608	1850.80	18616	1851.60
.....
18899	1879.90	18899	1879.90
18900	1880.00	18900	1880.00
18901	1880.10	18901	1880.10
.....
19192	1909.20	19184	1905.40
19193	1909.30	19185	1908.50
LTE Band 2(5MHz)		LTE Band 2(10MHz)	
Channel	Frequency (MHz)	Channel	Frequency (MHz)
18625	1850.50	18650	1855.00
18616	1851.60	18626	1854.90
.....
18899	1879.90	18899	1879.90
18900	1880.00	18900	1880.00
18901	1880.10	18901	1880.10
.....
19174	1908.40	19149	1907.90
19175	1907.50	19150	1905.00
LTE Band 2(15MHz)		LTE Band 2(20MHz)	
Channel	Frequency (MHz)	Channel	Frequency (MHz)
18675	1857.50	18700	1860.00
18676	1857.60	18701	1860.10
.....
18899	1879.90	18899	1879.90
18900	1880.00	18900	1880.00
18901	1880.10	18901	1880.10
.....
19124	1902.40	19099	1899.90
19125	1902.50	19100	1900.00
LTE Band 4(1.4MHz)		LTE Band 4(3MHz)	
Channel	Frequency (MHz)	Channel	Frequency (MHz)
19957	1710.70	19965	1711.50
19958	1710.80	19966	1711.60
.....
20174	1732.40	20174	1732.40
20175	1732.50	20175	1732.50
20176	1732.60	20176	1732.60

.....
20392	1754.20	20384	1753.40
20393	1754.30	20385	1753.50
LTE Band 4(5MHz)		LTE Band 4(10MHz)	
Channel	Frequency (MHz)	Channel	Frequency (MHz)
19975	1712.50	20000	1715.00
19976	1712.60	20001	1715.10
.....
20174	1732.40	20174	1732.40
20175	1732.50	20175	1732.50
20176	1732.60	20176	1732.60
.....
20374	1752.40	20349	1749.90
20375	1752.50	20350	1750.00
LTE Band 4(15MHz)		LTE Band 4(20MHz)	
Channel	Frequency (MHz)	Channel	Frequency (MHz)
20025	1717.50	20050	1720.00
20026	1717.60	20051	1720.10
.....
20174	1732.40	20174	1732.40
20175	1732.50	20175	1732.50
20176	1732.60	20176	1732.60
.....
20324	1747.40	20299	1744.90
20325	1747.50	20300	1745.00
LTE Band 12(1.4MHz)		LTE Band 12(3MHz)	
Channel	Frequency (MHz)	Channel	Frequency (MHz)
23017	699.70	23025	700.50
23018	699.80	23026	700.60
.....
23094	707.40	23094	707.40
23095	707.50	23095	707.50
23096	707.60	23096	707.60
.....
23172	715.20	23164	714.30
23173	715.30	23165	714.40
LTE Band 12(5MHz)		LTE Band 12(10MHz)	
Channel	Frequency (MHz)	Channel	Frequency (MHz)
23035	701.50	23060	704.00
23036	701.40	23061	703.90
.....
23094	707.40	23094	707.40

23095	707.50	23095	707.50
23096	707.60	23096	707.60
.....
23156	713.40	23129	710.90
23155	713.50	23130	711.00

1.3 Block Diagram Showing the Configuration of System Tested



The above block diagram of setup is the normal mode. And more detail please refer to the test setup of each test item of bellow.

1.4 Description of Support Units

The EUT has been tested as an independent unit.

1.5 Description of Test Mode

Antenna port conducted and radiated test items listed below are performed according to KDB 971168 D01 v03r01 and ANSI C63.26 2015 Power Meas. License Digital Systems with maximum output power. Radiated measurements are performed by rotating the EUT in three different or tho-gonal test planes to find the maximum emission.

Remark:

1. The mark “v “ means that this configuration is chosen for testing
2. The mark “--“ means that this bandwidth is not supported.
3. The device is investigated from 30MHz to 10 times of fundamental signal for radiated

ITEMS	Band	Bandwidth (MHz)						Modulation		RB #			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	1	Half	Full	L	M	H
RF Output Power	2	V	V	V	V	V	V	V	V	V	V	V	V	V	V
	4	V	V	V	V	V	V	V	V	V	V	V	V	V	V
	12	V	V	V	V	--	--	V	V	V	V	V	V	V	V
Peak-to-Average Ratio	2	--	--	--	--	--	V	V	V			V	V	V	V
	4	--	--	--	--	--	V	V	V			V	V	V	V
	12	--	--	--	V	--	--	V	V			V	V	V	V
99% & -26 dB Occupied Bandwidth	2	V	V	V	V	V	V	V	V	V			V	V	V
	4	V	V	V	V	V	V	V	V	V			V	V	V
	12	V	V	V	V	--	--	V	V	V			V	V	V
Spurious Emissions at Antenna Terminal	2	V	V	V	V	V	V	V	V	V		V	V	V	V
	4	V	V	V	V	V	V	V	V	V		V	V	V	V
	12	V	V	V	V	--	--	V	V	V		V	V	V	V
Field Strength of Spurious Radiation	2	V	V	V	V	V	V	V	V	V				V	
	4	V	V	V	V	V	V	V	V	V				V	
	12	V	V	V	V	--	--	V	V	V				V	
Out of band emission, Band Edge	2	V	V	V	V	V	V	V	V	V		V	V	V	V
	4	V	V	V	V	V	V	V	V	V		V	V	V	V
	12	V	V	V	V	--	--	V	V	V		V	V	V	V
Frequency stability	2	V	V	V	V	V	V	V	V	V				V	
	4	V	V	V	V	V	V	V	V	V				V	
	12	V	V	V	V	--	--	V	V	V				V	

Note: (1) During the testing procedure, the EUT is in link mode with base station emulator at maximum power level in each test mode.

(2) The EUT is considered a portable unit; it was pre-tested on the positioned of each 3 axis, X-plane, Y-plane and Z-plane. The worst case was found positioned on Z-plane as the normal use. Therefore only the test data of this Z-plane was used for radiated emission measurement test.

1.6 Measurement Uncertainty

Test Item	Parameters	Expanded Uncertainty (U _{Lab})
RF Power, conducted	/	±0.82 dB
Radiated Emission	Level Accuracy: 9kHz to 30 MHz	± 4.60 dB
Radiated Emission	Level Accuracy: 30MHz to 1000 MHz	± 4.50 dB
Radiated Emission	Level Accuracy: Above 1000MHz	± 4.20 dB

1.7 Test Facility

The testing was performed by the Shenzhen Toby Technology Co., Ltd., in their facilities located at:1A/F., Bldg.6, Yusheng Industrial Zone, The National Road No.107 Xixiang Section 467, Xixiang, Bao'an, Shenzhen, Guangdong, China.

At the time of testing, the following bodies accredited the Laboratory:

CNAS (L5813)

The Laboratory has been accredited by CNAS to ISO/IEC 17025: 2005 General Requirements for the Competence of Testing and Calibration Laboratories for the competence in the field of testing. And the Registration No.: CNAS L5813.

A2LA Certificate No.: 4750.01

The laboratory has been accredited by American Association for Laboratory Accreditation(A2LA) to ISO/IEC 17025: 2005 General Requirements for the Competence of Testing and Calibration Laboratories for the technical competence in the field of Electrical Testing. And the A2LA Certificate No.: 4750.01. FCC Accredited Test Site Number: 854351.

IC Registration No.: (11950A)

The Laboratory has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing. The site registration: Site# 11950A.

2. Test Summary

Test Item	Section in CFR 47	Result
RF Output Power	Part 2.1046 Part 24.232(c) Part 27.50 (b)(10) Part 27.50 (d)(4) Part 27.50 (h)(2)	PASS
Peak-to-Average Ratio	Part 24.232(d) Part 27.50(d)(5)	PASS
99% & -26 dB Occupied Bandwidth	Part 2.1049 Part 24.238(b) Part 27.53(h) Part 27.53(m)	PASS
Spurious Emissions at Antenna Terminal	Part 2.1051 Part 24.238(a) Part 27.53 (h) Part 27.53(m)	PASS
Field Strength of Spurious Radiation	Part 2.1053 Part 24.238(a) Part 27.53 (h) Part 27.53(m)	PASS
Out of band emission, Band Edge	Part 24.238(a) Part 27.53 (h) Part 27.53(m)	PASS
Frequency stability vs. temperature	Part 27.54 Part 24.235 Part 2.1055(a)(1)(b)	PASS
Frequency stability vs. voltage	Part 27.54 Part 24.235 Part 2.1055(d)(2)	PASS

Pass: The EUT complies with the essential requirements in the standard.

3. Test Software

Test Item	Test Software	Manufacturer	Version No.
Radiation Emission	EZ-EMC	EZ	FA-03A2RE

4. Test Equipment

Radiation Emission Test					
Equipment	Manufacturer	Model No.	Serial No.	Last Cal.	Cal. Due Date
Spectrum Analyzer	Agilent	E4407B	MY45106456	Jul. 06, 2020	Jul. 05, 2021
EMI Test Receiver	Rohde & Schwarz	ESPI	100010/007	Jul. 06, 2020	Jul. 05, 2021
Spectrum Analyzer	Rohde & Schwarz	FSV40-N	102197	Jul. 06, 2020	Jul. 05, 2021
Bilog Antenna	ETS-LINDGREN	3142E	00117537	Mar.01, 2020	Feb. 28, 2022
Horn Antenna	ETS-LINDGREN	3117	00143207	Mar.01, 2020	Feb. 28, 2022
Horn Antenna	ETS-LINDGREN	BBHA 9170	BBHA9170582	Mar.01, 2020	Feb. 28, 2022
Loop Antenna	SCHWARZBECK	FMZB 1519 B	1519B-059	Jul. 07, 2020	Jul. 06, 2021
Pre-amplifier	Sonoma	310N	185903	Mar.01, 2020	Feb. 28, 2021
Pre-amplifier	HP	8449B	3008A00849	Mar.01, 2020	Feb. 28, 2021
Pre-amplifier	SKET	LNPA_1840G-50	SK201904032	Mar.01, 2020	Feb. 28, 2021
Cable	HUBER+SUHNER	100	SUCOFLEX	Mar.01, 2020	Feb. 28, 2021
Positioning Controller	ETS-LINDGREN	2090	N/A	N/A	N/A
Antenna Conducted Emission					
Equipment	Manufacturer	Model No.	Serial No.	Last Cal.	Cal. Due Date
Spectrum Analyzer	Agilent	E4407B	MY45106456	Jul. 06, 2020	Jul. 05, 2021
Spectrum Analyzer	Rohde & Schwarz	ESCI	100010/007	Jul. 06, 2020	Jul. 05, 2021
MXA Signal Analyzer	Agilent	N9020A	MY49100060	Sep. 16, 2019	Sep. 15, 2020
Vector Signal Generator	Agilent	N5182A	MY50141294	Sep. 16, 2019	Sep. 15, 2020
Analog Signal Generator	Agilent	N5181A	MY50141953	Sep. 16, 2019	Sep. 15, 2020
RF Power Sensor	DARE!! Instruments	RadiPowerRPR3006W	17100015SNO26	Sep. 16, 2019	Sep. 15, 2020
	DARE!! Instruments	RadiPowerRPR3006W	17100015SNO29	Sep. 16, 2019	Sep. 15, 2020
	DARE!! Instruments	RadiPowerRPR3006W	17100015SNO31	Sep. 16, 2019	Sep. 15, 2020
	DARE!! Instruments	RadiPowerRPR3006W	17100015SNO33	Sep. 16, 2019	Sep. 15, 2020
Wideband Radio Communication Tester	Rohde & Schwarz	CMW500	144382	Sep. 16, 2019	Sep. 15, 2020
Universal Radio Communication Tester	Rohde&Schwarz	CMU200	103903	Jul. 06, 2020	Jul. 05, 2021

5. Conducted RF Output Power

5.1 Test Standard and Limit


5.1.1 Test Standard

FCC part 2.1046, FCC part 24.232(c)
FCC Part 27.50(b)&(d),
FCC Part 27.50 (h)

5.1.2 Test Limit

RF Output Power		
LTE Band 2	LTE Band 4	LTE Band 12
2W(33dBm)	1W(30dBm)	30W(44.77dBm)

5.2 Test Setup



5.3 Test Procedure

- (1) The EUT is coupled to the Base Station with the suitable Attenuator, the path loss is calibrated to correct the reading.
- (2) A call is set up by the Base Station to the generic call set up procedure.
- (3) Set EUT at maximum power level through base station by power level command.
- (4) Then read record the power value from the Base Station in dBm.

5.4 Deviation From Test Standard

No deviation

5.5 EUT Operating Condition

The EUT was continuously connected with the Base station and transmitting in the max power during the test.

5.6 Test Data

Please refer to the Attachment A.

6. Peak-Average Ratio

6.1 Test Standard and Limit

6.1.1 Test Standard

FCC part 24.232(d)


FCC Part 27.50(d), FCC Part 27.50 (h)

6.1.2 Test Limit

Peak-to-Average Ratio

The peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.

6.2 Test Setup



6.3 Test Procedure

According with KDB 971168

- (1) The signal analyzer's CCDF measurement profile is enabled.
- (2) Frequency = carrier center frequency.
- (3) Measurement BW > Emission bandwidth of signal.
- (4) The signal analyzer was set to collect one million samples to generate the CCDF curve.
- (5) Set the EUT working in highest power level, measured and recorded the 0.1% as PAPR level.
- (6) The measurement interval was set depending on the type of signal analyzed. For continuous signals (>98% duty cycle), the measurement interval was set to 1ms. For burst transmissions, the spectrum analyzer is set to use an internal "RF Burst" trigger that is synced with an incoming pulse and the measurement interval is set to less than the duration of the "on time" of one burst to ensure that energy is only captured during a time in which of the transmitter is operating at maximum power.

6.4 Deviation From Test Standard

No deviation

6.5 EUT Operating Condition

The EUT was continuously connected with the Base station and transmitting in the max power during the test.

6.6 Test Data

Please refer to the Attachment B.

7. Occupied Bandwidth

7.1 Test Standard and Limit

7.1.1 Test Standard


FCC Part 2: 2.1049
FCC part 24.238(b)
FCC Part 27.53(h)
FCC Part 27.53(m)

7.1.2 Test Requirement

According to FCC section 2.1049, the occupied bandwidth is the frequency bandwidth such that below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission.

Occupied bandwidth is also known as 99% power and -26dBC occupied bandwidths.

7.2 Test Setup



7.3 Test Procedure

- (1) The EUT was directly connected to the spectrum analyzer and Base station via power splitter as show in the block diagram above.
- (2) The resolution bandwidth of the Spectrum Analyzer is set to at least 1% of the occupied bandwidth. VBW= 3 times RBW.
- (3) The low, middle and the high channels are selected to perform tests respectively.
- (4) Set the frequency range of the Spectrum Analyzer suitably to capture the waveform; search peak; make a line whose value is 26dB lower than the peak; mark two points which the line intersected the waveform at; finally record the delta of the two points as the occupied bandwidth and the plot.
- (5) Set the Spectrum Analyzer Occupied bandwidth function to measure the 99% occupied bandwidth.

7.4 Deviation From Test Standard

No deviation

7.5 EUT Operating Condition

The EUT was continuously connected with the Base station and transmitting in the max power during the test.

7.6 Test Data

Please refer to the Attachment C.

8. Out of Band Emission at Antenna Terminals

8.1 Test Standard and Limit

8.1.1 Test Standard

FCC Part 2: 2.1051, 2.1057


FCC part 24.238(a)

FCC Part 27.53 (h), FCC Part 27.53(m)

8.1.2 Test Limit

Band 7: For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log (P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log (P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log (P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that $43 + 10 \log (P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log (P)$ dB at or below 2490.5 MHz. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power(P) by a factor of at least $43+10\log(P)$ dB. For all power levels +30 dBm to 0 dBm, this becomes a constant specification limit of -13 dBm.

8.2 Test Setup



8.3 Test Procedure

- 1 The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation.
- 2 The resolution bandwidth of the spectrum analyzer was set at 100 kHz when below 1GHz, 1MHz when above 1 GHz; sufficient scans were taken to show the out of band Emissions if any up to 10th harmonic.
- 3 For the out of band: Set the RBW=100 kHz, VBW=300 kHz when below 1 GHz, RBW =1 MHz, VBW=3 MHz when above 1 GHz, Start=30MHz, Stop= 10th harmonic.
- 4 Band Edge Requirements: In the 1 MHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 1 percent of the emission bandwidth of the fundamental emission of the transmitter.

8.4 Deviation From Test Standard

No deviation

8.5 EUT Operating Condition

The EUT was continuously connected with the Base station and transmitting in the max power during the test.

8.6 Test Data

Please refer to the Attachment D.

9. Band Edge Test

9.1 Test Standard and Limit

9.1.1 Test Standard

FCC Part 2: 2.1051, 2.1057


FCC part 24.238(a)

FCC Part 27.53 (h), FCC Part 27.53(m)

9.1.2 Test Limit

Band 7: For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log (P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log (P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log (P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log (P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log (P)$ dB at or below 2490.5 MHz. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log (P)$ dB. For all power levels +30 dBm to 0 dBm, this becomes a constant specification limit of -13 dBm.

9.2 Test Setup



9.3 Test Procedure

- (1) The EUT was directly connected to the spectrum analyzer and Base station via power splitter as show in the block diagram above.
- (2) Band Edge Requirements: In the 1 MHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 1 percent of the emission bandwidth of the fundamental emission of the transmitter.

9.4 Deviation From Test Standard

No deviation

9.5 EUT Operating Condition

The EUT was continuously connected with the Base station and transmitting in the max power during the test.

9.6 Test Data

Please refer to the Attachment E.

10. Radiated Output Power


10.1 Test Standard and Limit

- 10.1.1 Test Standard
 - FCC Part 2.1046
 - FCC part 24.232(c)
 - FCC part 27.50(c), FCC part 27.50(d)


10.1.2 Test Limit

E.I.R.P	E.I.R.P	E.R.P
LTE Band 2	LTE Band 4	LTE Band 12
2W(33 dBm)	1W(30 dBm)	3W(34.77dBm)

10.2 Test Setup



Above 1G



Substituted Method

10.3 Test Procedure

- (1) The EUT was placed on a non-conductive rotating platform with 0.8 meter height in an anechoic chamber. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and a spectrum analyzer with RBW=3 MHz, VBW=3 MHz and peak detector settings.
- (2) During the measurement, the EUT was enforced in maximum power and linked with the Base Station. The highest was recorded from analyzer power level (LVT) from the 360 degrees rotation of the turntable and the test antenna raised and lowered over a range from 1 to 4 meters in both horizontally and vertically polarized orientations.
- (3) Effective Isotropic Radiated Power (EIRP) was measured by substitution method according to C63.26. The EUT was replaced by dipole antenna (for frequency below 1 GHz) or Horn antenna (for frequency above 1 GHz) at same location with same polarize of receiver antenna and then a known power of each measure frequency from S.G. was applied into the dipole antenna or Horn antenna through a TX cable, and then recorded the maximum Analyzer reading through raised and lowered the test antenna.

Note: In test, the S.G Connect the Pre-amplifier(Sonoma 310N Pre-amplifier for frequency below 1 GHz, HP 8449B Pre-amplifier for frequency above 1 GHz)

Then the EUT's EIRP and ERP was calculated with the correction factor:

$ERP = S.G.Level + Antenna\ Gain\ Cord.(dBd) - Cable\ Loss(dB)$

$EIRP = S.G.Level + Antenna\ Gain\ Cord.(dBi) - Cable\ Loss(dB)$

10.4 Deviation From Test Standard

No deviation

10.4 EUT Operating Condition

The EUT was continuously connected with the Base station and transmitting in the max power during the test.

10.5 Test Data

Please refer to the Attachment F.
Measurement Data (worst case)

11. Radiated Out Band of Emissions

11.1 Test Standard and Limit

11.1.1 Test Standard

FCC Part 2: 2.1053


FCC part 24.238(a)

FCC Part 27.53 (h), FCC Part 27.53(m)

11.1.2 Test Limit

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power(P) by a factor of at least $43+10\log(P)$ dB. For all power levels +30 dBm to 0 dBm, this becomes a constant specification limit of -13 dBm.

11.2 Test Setup



11.3 Test Procedure

- (1) The test system setup as show in the block diagram above.
- (2) The EUT was placed on an non-conductive rotating platform in an anechoic chamber. The radiated spurious emissions from 30MHz to 10th harmonious of fundamental frequency were measured at 3 m with a test antenna and a spectrum analyzer with RBW=1 MHz, VBW=1 MHz, peak detector settings.
- (3) During the measurement, the EUT was enforced in maximum power and linked with a base station. All the spurious emissions at 3m were measured by rotation of the turntable and the test antenna raised and lowered over a range from 1 to 4 meters in both horizontally and vertically polarized orientations.
- (4) When found the maximum level of emissions from the EUT. Remove the EUT and replace it with substitution antenna. A signal generator was connected to the substitution antenna by a non-radiating cable. The absolute levels of the spurious emissions were measured by the substitution.

Spurious emissions in dB=10 log(TX power in Watts/0.001)-the absolute level

Spurious attenuation limit in dB=43+10 log(power out in Watts)

11.4 Deviation From Test Standard

No deviation

11.5 EUT Operating Condition

The EUT was continuously connected with the Base station and transmitting in the max power during the test.

11.6 Test Data

Please refer to the Attachment G.
Measurement Data (worst case)

12. Frequency Stability

12.1 Test Standard and Limit


- 12.1.1 Test Standard
FCC Part 2.1055(a)(1)(b)
FCC Part 24.235, Part 27.54

12.1.2 Limit


Limit
±2.5ppm

12.2 Test Setup

For Temperature Test:



For Voltage Test:



12.3 Test Procedure

Test Procedures for Temperature Variation:

- (1) The EUT was set up in the thermal chamber and connected with the base station.
- (2) With power off, the temperature was decreased to -30°C and the EUT was stabilized for three hours. Power was applied and the maximum change in frequency was recorded within one minute.
- (3) With power off, the temperature was raised in 10°C set up to 50°C and the EUT was stabilized for three hours. Power was applied and the maximum change in frequency was recorded within one minute.
- (4) If the EUT cannot be turned on at -30°C , the testing lowest temperature will be raised in 10°C step until the EUT can be turned on.

Test Procedures for Voltage Variation:

- (1) The EUT was placed in a temperature chamber at $25 \pm 5^{\circ}\text{C}$ and connected with the base station.
- (2) Reduce the input voltage to specify extreme voltage variation ($\pm 15\%$) and endpoint, record the maximum frequency change.
- (3) The variation in frequency was measured for the worst case.

11.4 Deviation From Test Standard

No deviation

12.5 EUT Operating Condition

The Equipment Under Test was set to Communication with the Base Station.

12.6 Test Data

Please refer to the Attachment H.

ATTACHMENT A--CONDUCTED RF OUTPUT POWER

FDD-LTE Band 2						
Channel Bandwidth: 1.4 MHz						
Modulation	RB Size	RB Offset	Conducted Power (dBm)			Result
			Low CH	Middle CH	High CH	
QPSK	1	0	21.77	21.87	22.60	PASS
	1	3	21.91	22.08	22.49	PASS
	1	5	21.77	22.09	22.64	PASS
	3	0	21.80	22.21	22.57	PASS
	3	1	21.93	22.24	22.57	PASS
	3	3	21.91	22.18	22.51	PASS
	6	0	20.88	21.36	21.67	PASS
16QAM	1	0	20.82	21.10	21.57	PASS
	1	3	20.78	21.11	21.59	PASS
	1	5	20.65	20.99	21.52	PASS
	3	0	20.68	20.76	21.59	PASS
	3	1	20.81	21.10	21.59	PASS
	3	3	20.82	21.20	21.53	PASS
	6	0	19.81	20.24	20.49	PASS
Channel Bandwidth: 3 MHz						
Modulation	RB Size	RB Offset	Conducted Power (dBm)			Result
			Low CH	Middle CH	High CH	
QPSK	1	0	21.82	22.11	22.31	PASS
	1	8	21.70	21.99	22.56	PASS
	1	14	21.93	22.24	22.61	PASS
	8	0	20.83	21.31	21.75	PASS
	8	4	20.94	21.32	21.65	PASS
	8	7	20.93	21.30	21.67	PASS
	15	0	20.97	21.40	21.73	PASS
16QAM	1	0	20.63	21.12	21.24	PASS
	1	8	20.42	20.82	21.06	PASS
	1	14	20.55	21.11	21.35	PASS
	8	0	19.73	20.31	20.50	PASS
	8	4	19.82	20.25	20.40	PASS
	8	7	19.83	20.29	20.73	PASS
	15	0	19.66	20.06	20.63	PASS

FDD-LTE Band 2						
Channel Bandwidth: 5 MHz						
Modulation	RB Size	RB Offset	Conducted Power (dBm)			Result
			Low CH	Middle CH	High CH	
QPSK	1	0	22.03	22.01	22.39	PASS
	1	12	22.18	22.51	22.80	PASS
	1	24	21.93	22.29	22.68	PASS
	12	0	20.99	21.44	21.68	PASS
	12	7	21.06	21.28	21.61	PASS
	12	13	21.10	21.35	21.63	PASS
	25	0	21.04	21.35	21.49	PASS
16QAM	1	0	20.25	20.81	21.30	PASS
	1	12	20.61	20.82	21.31	PASS
	1	24	20.67	20.88	21.21	PASS
	12	0	19.42	20.25	20.40	PASS
	12	7	19.62	20.27	20.25	PASS
	12	13	19.87	20.35	20.26	PASS
	25	0	19.88	20.28	20.56	PASS
Channel Bandwidth: 10 MHz						
Modulation	RB Size	RB Offset	Conducted Power (dBm)			Result
			Low CH	Middle CH	High CH	
QPSK	1	0	22.14	22.05	22.78	PASS
	1	25	22.31	22.27	22.43	PASS
	1	49	22.22	22.40	22.68	PASS
	25	0	21.03	21.34	21.67	PASS
	25	12	21.12	21.27	21.58	PASS
	25	25	21.21	21.34	21.57	PASS
	50	0	21.08	21.43	21.72	PASS
16QAM	1	0	21.32	21.44	21.90	PASS
	1	25	20.99	21.33	21.59	PASS
	1	49	20.92	21.57	21.77	PASS
	25	0	19.99	20.54	20.61	PASS
	25	12	20.10	20.36	20.47	PASS
	25	25	20.29	20.37	20.57	PASS
	50	0	19.97	20.18	20.66	PASS

FDD-LTE Band 2						
Channel Bandwidth: 15 MHz						
Modulation	RB Size	RB Offset	Conducted Power (dBm)			Result
			Low CH	Middle CH	High CH	
QPSK	1	0	21.95	22.15	22.64	PASS
	1	37	22.24	22.35	23.10	PASS
	1	74	22.08	22.36	22.79	PASS
	36	0	20.98	21.27	21.78	PASS
	36	20	21.14	21.23	21.75	PASS
	36	39	21.09	21.32	21.65	PASS
	75	0	20.98	21.41	21.76	PASS
16QAM	1	0	20.85	20.99	21.50	PASS
	1	37	21.09	21.52	21.82	PASS
	1	74	21.17	21.47	21.71	PASS
	36	0	19.89	20.28	20.51	PASS
	36	20	20.04	20.24	20.53	PASS
	36	39	20.09	20.25	20.47	PASS
	75	0	19.93	20.09	20.60	PASS
Channel Bandwidth: 20 MHz						
Modulation	RB Size	RB Offset	Conducted Power (dBm)			Result
			Low CH	Middle CH	High CH	
QPSK	1	0	21.86	21.95	22.57	PASS
	1	49	22.37	22.00	23.08	PASS
	1	99	21.97	22.33	22.58	PASS
	50	0	21.09	21.23	21.43	PASS
	50	24	21.20	21.23	21.61	PASS
	50	50	21.10	21.28	21.56	PASS
	100	0	21.17	21.26	21.40	PASS
16QAM	1	0	20.89	21.14	20.93	PASS
	1	49	21.03	21.00	21.26	PASS
	1	99	20.86	21.17	20.46	PASS
	50	0	19.86	20.21	20.37	PASS
	50	24	20.18	20.19	20.63	PASS
	50	50	19.99	20.20	20.51	PASS
	100	0	20.08	20.27	20.55	PASS

FDD-LTE Band 4						
Channel Bandwidth: 1.4 MHz						
Modulation	RB Size	RB Offset	Conducted Power (dBm)			Result
			Low CH	Middle CH	High CH	
QPSK	1	0	23.30	23.24	22.90	PASS
	1	3	23.54	23.38	22.91	PASS
	1	5	23.39	23.26	22.98	PASS
	3	0	23.51	23.25	22.91	PASS
	3	1	23.52	23.30	22.92	PASS
	3	3	23.46	23.21	22.91	PASS
	6	0	22.53	22.32	21.98	PASS
16QAM	1	0	22.01	22.08	21.87	PASS
	1	3	22.23	22.22	21.94	PASS
	1	5	22.08	22.10	21.91	PASS
	3	0	22.51	21.98	22.06	PASS
	3	1	22.64	22.02	22.12	PASS
	3	3	22.37	21.94	22.06	PASS
	6	0	21.46	20.95	20.82	PASS
Channel Bandwidth: 3 MHz						
Modulation	RB Size	RB Offset	Conducted Power (dBm)			Result
			Low CH	Middle CH	High CH	
QPSK	1	0	23.41	23.27	22.79	PASS
	1	8	23.34	23.15	22.65	PASS
	1	14	23.37	23.20	22.98	PASS
	8	0	22.55	22.32	21.98	PASS
	8	4	22.41	22.22	21.92	PASS
	8	7	22.35	22.22	21.91	PASS
	15	0	22.46	22.26	22.06	PASS
16QAM	1	0	22.31	21.89	21.66	PASS
	1	8	22.18	21.58	21.66	PASS
	1	14	22.34	21.71	21.78	PASS
	8	0	21.38	21.39	20.88	PASS
	8	4	21.31	21.39	20.81	PASS
	8	7	21.35	21.56	20.71	PASS
	15	0	21.41	21.50	20.91	PASS

FDD-LTE Band 4						
Channel Bandwidth: 5 MHz						
Modulation	RB Size	RB Offset	Conducted Power (dBm)			Result
			Low CH	Middle CH	High CH	
QPSK	1	0	23.41	23.37	22.94	PASS
	1	12	23.47	23.42	23.19	PASS
	1	24	23.53	23.33	23.15	PASS
	12	0	22.47	22.50	22.07	PASS
	12	7	22.53	22.34	21.92	PASS
	12	13	22.47	22.32	22.08	PASS
	25	0	22.41	22.35	22.03	PASS
16QAM	1	0	22.15	21.84	21.68	PASS
	1	12	22.38	21.77	21.69	PASS
	1	24	22.25	21.64	21.80	PASS
	12	0	21.30	21.46	20.85	PASS
	12	7	21.37	21.33	20.72	PASS
	12	13	21.30	21.30	20.75	PASS
	25	0	21.36	21.27	21.00	PASS
Channel Bandwidth: 10 MHz						
Modulation	RB Size	RB Offset	Conducted Power (dBm)			Result
			Low CH	Middle CH	High CH	
QPSK	1	0	23.44	23.26	23.03	PASS
	1	25	23.62	23.30	23.20	PASS
	1	49	23.39	23.05	22.99	PASS
	25	0	22.55	22.42	22.12	PASS
	25	12	22.57	22.31	22.05	PASS
	25	25	22.60	22.40	21.98	PASS
	50	0	22.59	22.46	22.02	PASS
16QAM	1	0	22.86	22.51	22.00	PASS
	1	25	22.45	22.50	21.95	PASS
	1	49	22.05	22.51	21.75	PASS
	25	0	21.53	21.75	21.11	PASS
	25	12	21.55	21.63	21.16	PASS
	25	25	21.51	21.40	21.09	PASS
	50	0	21.49	21.36	20.96	PASS

FDD-LTE Band 4						
Channel Bandwidth: 15 MHz						
Modulation	RB Size	RB Offset	Conducted Power (dBm)			Result
			Low CH	Middle CH	High CH	
QPSK	1	0	23.41	23.54	23.20	PASS
	1	37	23.51	23.31	23.43	PASS
	1	74	23.29	23.43	23.03	PASS
	36	0	22.65	22.45	22.30	PASS
	36	20	22.56	22.39	22.22	PASS
	36	39	22.47	22.44	22.07	PASS
	75	0	22.65	22.41	21.91	PASS
16QAM	1	0	22.70	22.28	22.11	PASS
	1	37	22.70	22.47	22.08	PASS
	1	74	22.23	22.10	21.63	PASS
	36	0	21.66	21.46	21.02	PASS
	36	20	21.56	21.31	21.10	PASS
	36	39	21.50	21.39	21.04	PASS
	75	0	21.62	21.43	20.95	PASS
Channel Bandwidth: 20 MHz						
Modulation	RB Size	RB Offset	Conducted Power (dBm)			Result
			Low CH	Middle CH	High CH	
QPSK	1	0	23.26	23.18	23.27	PASS
	1	49	23.64	22.97	23.08	PASS
	1	99	23.08	22.85	22.78	PASS
	50	0	22.44	22.29	22.05	PASS
	50	24	22.32	22.13	22.03	PASS
	50	50	22.19	22.11	21.89	PASS
	100	0	22.41	22.25	21.90	PASS
16QAM	1	0	22.34	21.77	22.18	PASS
	1	49	22.25	21.26	21.89	PASS
	1	99	21.66	21.47	21.61	PASS
	50	0	21.23	21.29	21.00	PASS
	50	24	21.20	21.06	20.91	PASS
	50	50	21.16	21.01	20.84	PASS
	100	0	21.36	21.16	20.92	PASS


FDD-LTE Band 12						
Channel Bandwidth: 1.4 MHz						
Modulation	RB Size	RB Offset	Conducted Power (dBm)			Result
			Low CH	Middle CH	High CH	
QPSK	1	0	20.14	20.68	20.35	PASS
	1	3	20.24	20.48	20.85	PASS
	1	5	20.25	20.24	20.80	PASS
	3	0	20.30	20.67	20.29	PASS
	3	1	20.23	20.54	20.63	PASS
	3	3	20.26	20.40	20.78	PASS
	6	0	19.33	19.61	19.54	PASS
16QAM	1	0	18.66	19.43	18.96	PASS
	1	3	18.54	19.21	19.39	PASS
	1	5	18.80	19.00	19.40	PASS
	3	0	19.33	19.36	19.08	PASS
	3	1	19.29	19.14	19.67	PASS
	3	3	19.22	19.03	20.18	PASS
	6	0	18.33	18.63	18.97	PASS
Channel Bandwidth: 3 MHz						
Modulation	RB Size	RB Offset	Conducted Power (dBm)			Result
			Low CH	Middle CH	High CH	
QPSK	1	0	20.14	20.74	20.47	PASS
	1	8	20.19	20.47	20.41	PASS
	1	14	20.11	20.34	20.63	PASS
	8	0	19.45	19.74	19.62	PASS
	8	4	19.34	19.55	19.63	PASS
	8	7	19.29	19.52	19.66	PASS
	15	0	19.46	19.80	19.43	PASS
16QAM	1	0	18.93	19.57	19.22	PASS
	1	8	18.73	19.44	19.22	PASS
	1	14	18.87	19.26	19.36	PASS
	8	0	18.57	18.96	18.40	PASS
	8	4	18.43	18.51	18.79	PASS
	8	7	18.38	18.29	18.72	PASS
	15	0	18.24	18.68	18.37	PASS







FDD-LTE Band 12						
Channel Bandwidth: 5 MHz						
Modulation	RB Size	RB Offset	Conducted Power (dBm)			Result
			Low CH	Middle CH	High CH	
QPSK	1	0	20.01	20.41	20.12	PASS
	1	12	20.62	20.51	20.73	PASS
	1	24	20.42	20.11	20.57	PASS
	12	0	19.28	19.55	19.52	PASS
	12	7	19.26	19.60	19.64	PASS
	12	13	19.23	19.50	19.49	PASS
	25	0	19.13	19.59	19.47	PASS
16QAM	1	0	18.82	18.82	18.85	PASS
	1	12	18.77	19.32	19.04	PASS
	1	24	19.03	18.61	19.03	PASS
	12	0	18.02	18.63	18.00	PASS
	12	7	17.85	18.55	18.45	PASS
	12	13	18.16	18.48	18.19	PASS
	25	0	18.12	18.55	18.27	PASS
Channel Bandwidth: 10 MHz						
Modulation	RB Size	RB Offset	Conducted Power (dBm)			Result
			Low CH	Middle CH	High CH	
QPSK	1	0	19.96	20.12	20.39	PASS
	1	25	20.66	21.11	20.21	PASS
	1	49	20.57	20.15	20.57	PASS
	25	0	19.25	19.55	19.67	PASS
	25	12	19.63	19.60	19.50	PASS
	25	25	19.63	19.51	19.45	PASS
	50	0	19.49	19.54	19.48	PASS
16QAM	1	0	19.00	19.40	19.21	PASS
	1	25	19.34	20.10	18.79	PASS
	1	49	19.38	19.22	19.30	PASS
	25	0	18.11	18.79	18.64	PASS
	25	12	18.60	18.84	18.52	PASS
	25	25	18.71	18.44	18.41	PASS
	50	0	18.40	18.55	18.53	PASS







ATTACHMENT B--PEAK-AVERAGE RATIO





Test Mode	Modulation	RB Size	RB Offset	PAPR with 0.1% probability (dB)	Limit (dB)	Result
LTE BAND 2 20MHz (Low Channel)	QPSK	100	0	4.29	≤13	PASS
	16QAM	100	0	5.25	≤13	PASS
LTE BAND 2 20MHz (Middle Channel)	QPSK	100	0	4.78	≤13	PASS
	16QAM	100	0	5.74	≤13	PASS
LTE BAND 2 20MHz (High Channel)	QPSK	100	0	4.61	≤13	PASS
	16QAM	100	0	5.74	≤13	PASS
LTE BAND 4 20MHz (Low Channel)	QPSK	100	0	4.96	≤13	PASS
	16QAM	100	0	5.83	≤13	PASS
LTE BAND 4 20MHz (Middle Channel)	QPSK	100	0	4.96	≤13	PASS
	16QAM	100	0	6.06	≤13	PASS
LTE BAND 4 20MHz (High Channel)	QPSK	100	0	4.70	≤13	PASS
	16QAM	100	0	5.74	≤13	PASS
LTE BAND 12 10MHz (Low Channel)	QPSK	50	0	4.99	≤13	PASS
	16QAM	50	0	5.97	≤13	PASS
LTE BAND 12 10MHz (Middle Channel)	QPSK	50	0	4.99	≤13	PASS
	16QAM	50	0	5.88	≤13	PASS
LTE BAND 12 10MHz (High Channel)	QPSK	50	0	5.57	≤13	PASS
	16QAM	50	0	6.26	≤13	PASS

Note: Only show the worst case data










ATTACHMENT C--OCCUPY BANDWIDTH







LTE Band 2					
Mode	Channel	Frequency (MHz)	Modulation	99% OBW (MHz)	-26dB Bandwidth (MHz)
1.4MHz	18607	1850.70	QPSK	1.1023	1.317
			16QAM	1.0857	1.249
	18900	1880.00	QPSK	1.0994	1.288
			16QAM	1.0952	1.270
	19193	1909.30	QPSK	1.0904	1.301
			16QAM	1.1035	1.303
3MHz	18615	1851.50	QPSK	2.6692	2.892
			16QAM	2.6651	2.913
	18900	1880.00	QPSK	2.6706	2.934
			16QAM	2.6688	2.925
	19185	1908.50	QPSK	2.6720	2.899
			16QAM	2.6772	2.955
5MHz	18625	1852.50	QPSK	4.4878	5.025
			16QAM	4.5152	5.070
	18900	1880.00	QPSK	4.5059	5.012
			16QAM	4.4965	5.016
	19175	1907.50	QPSK	4.5196	4.989
			16QAM	4.4946	4.907
10MHz	18650	1855.00	QPSK	8.9270	9.550
			16QAM	8.9623	9.550
	18900	1880.00	QPSK	8.9448	9.606
			16QAM	8.8971	9.512
	19150	1905.00	QPSK	8.9166	9.568
			16QAM	8.9351	9.674
.907.907	18675	1857.50	QPSK	13.4508	14.687
			16QAM	13.3795	14.716
	18900	1880.00	QPSK	13.4650	14.806
			16QAM	13.4743	14.827
	19125	1902.50	QPSK	13.3614	14.600
			16QAM	13.3567	14.568
20MHz	18700	1860.00	QPSK	17.8061	19.199
			16QAM	17.7925	19.186
	18900	1880.00	QPSK	17.8056	19.208
			16QAM	17.8604	19.413
	19100	1900.00	QPSK	17.7944	19.071
			16QAM	17.7158	19.236







LTE Band 4					
Mode	Channel	Frequency (MHz)	Modulation	99% OBW (MHz)	-26dB Bandwidth (MHz)
1.4MHz	19957	1710.70	QPSK	1.0954	1.276
			16QAM	1.0882	1.274
	20175	1732.50	QPSK	1.0939	1.300
			16QAM	1.0930	1.270
	20393	1754.30	QPSK	1.0928	1.269
			16QAM	1.0988	1.281
3MHz	19965	1711.50	QPSK	2.6742	2.930
			16QAM	2.6864	2.879
	20175	1732.50	QPSK	2.6760	2.928
			16QAM	2.6746	2.893
	20385	1753.50	QPSK	2.6819	2.931
			16QAM	2.6803	2.914
5MHz	19975	1712.50	QPSK	4.5213	5.047
			16QAM	4.4935	5.026
	20175	1732.50	QPSK	4.5045	5.041
			16QAM	4.5082	4.993
	20375	1752.50	QPSK	4.5045	5.022
			16QAM	4.5012	4.970
10MHz	20000	1715.00	QPSK	8.9360	9.573
			16QAM	8.8875	9.535
	20175	1732.50	QPSK	8.9434	9.722
			16QAM	8.9085	9.575
	20350	1750.00	QPSK	8.9403	9.573
			16QAM	8.9047	9.689
15MHz	20025	1717.50	QPSK	13.4780	14.822
			16QAM	13.4442	14.774
	20175	1732.50	QPSK	13.4370	14.841
			16QAM	13.4274	14.607
	20325	1747.50	QPSK	13.4234	14.795
			16QAM	13.4016	14.713
20MHz	20050	1720.00	QPSK	17.8372	19.338
			16QAM	17.8768	19.131
	20175	1732.50	QPSK	17.8630	19.354
			16QAM	17.7739	19.198
	20300	1745.00	QPSK	17.8257	19.280
			16QAM	17.7858	19.116







LTE Band 12					
Mode	Channel	Frequency (MHz)	Modulation	99% OBW (MHz)	-26dB Bandwidth (MHz)
1.4MHz	23017	699.70	QPSK	1.0989	1.290
			16QAM	1.1000	1.258
	23095	707.50	QPSK	1.0990	1.253
			16QAM	1.0940	1.241
	23173	715.30	QPSK	1.0932	1.272
			16QAM	1.0973	1.324
3MHz	23025	700.50	QPSK	2.6724	2.967
			16QAM	2.6955	2.936
	23095	707.50	QPSK	2.6679	2.925
			16QAM	2.6869	2.934
	23165	714.50	QPSK	2.6806	2.947
			16QAM	2.6886	2.923
5MHz	23035	701.50	QPSK	4.5237	4.975
			16QAM	4.5288	4.941
	23095	707.50	QPSK	4.4781	4.977
			16QAM	4.4853	5.032
	23155	713.50	QPSK	4.5237	5.004
			16QAM	4.5201	4.968
10MHz	23060	704.00	QPSK	8.8828	9.682
			16QAM	8.9290	9.457
	23095	707.50	QPSK	8.8440	9.510
			16QAM	8.8513	9.468
	23130	711.00	QPSK	8.9698	9.687
			16QAM	8.9614	9.770







Occupancy Bandwidth Test Plot





















Occupancy Bandwidth Test Plot



LTE BAND 4 (1.4MHz QPSK-Low CH)

LTE BAND 4 (1.4MHz 16QAM-Low CH)





LTE BAND 4 (1.4MHz QPSK-Middle CH)







LTE BAND 4 (1.4MHz 16QAM- Middle CH)















LTE BAND 4 (1.4MHz QPSK-High CH)







LTE BAND 4 (1.4MHz 16QAM-High CH)






































Occupancy Bandwidth Test Plot











ATTACHMENT D--OUT OF BAND EMISSION AT ANTENNA TERMINALS




30MHz-1GHz **1GHz-26.5GHz**


LTE BAND 2 (1.4MHz RB Size 6& RB Offset 0 16QAM-Low CH)



LTE BAND 2 (1.4MHz RB Size 6& RB Offset 0 16QAM-Middle CH)




LTE BAND 2 (1.4MHz RB Size 6& RB Offset 0 16QAM-High CH)




30MHz-1GHz **1GHz-26.5GHz**


LTE BAND 2 (3MHz RB Size 15& RB Offset 0 QPSK-Low CH)



LTE BAND 2 (3MHz RB Size 15& RB Offset 0 QPSK-Middle CH)




LTE BAND 2 (3MHz RB Size 15& RB Offset 0 QPSK-High CH)




30MHz-1GHz	1GHz-26.5GHz
-------------------	---------------------


LTE BAND 2 (3MHz RB Size 15& RB Offset 0 16QAM-Low CH)



LTE BAND 2 (3MHz RB Size 15& RB Offset 0 16QAM-Middle CH)




LTE BAND 2 (3MHz RB Size 15& RB Offset 0 16QAM-High CH)




30MHz-1GHz	1GHz-26.5GHz
-------------------	---------------------


LTE BAND 2 (5MHz RB Size 25& RB Offset 0 QPSK-Low CH)



LTE BAND 2 (5MHz RB Size 25& RB Offset 0 QPSK-Middle CH)




LTE BAND 2 (5MHz RB Size 25& RB Offset 0 QPSK-High CH)




30MHz-1GHz **1GHz-26.5GHz**


LTE BAND 2 (5MHz RB Size 25& RB Offset 0 16QAM-Low CH)



LTE BAND 2 (5MHz RB Size 25& RB Offset 0 16QAM-Middle CH)




LTE BAND 2 (5MHz RB Size 25& RB Offset 0 16QAM-High CH)




30MHz-1GHz	1GHz-26.5GHz
-------------------	---------------------


LTE BAND 2 (10MHz RB Size 50& RB Offset 0 QPSK-Low CH)



LTE BAND 2 (10MHz RB Size 50& RB Offset 0 QPSK-Middle CH)




LTE BAND 2 (10MHz RB Size 50& RB Offset 0 QPSK-High CH)



30MHz-1GHz **1GHz-26.5GHz**


LTE BAND 2 (10MHz RB Size 50& RB Offset 0 16QAM-Low CH)



LTE BAND 2 (10MHz RB Size 50& RB Offset 0 16QAM-Middle CH)




LTE BAND 2 (10MHz RB Size 50& RB Offset 0 16QAM-High CH)




30MHz-1GHz **1GHz-26.5GHz**


LTE BAND 2 (15MHz RB Size 75& RB Offset 0 QPSK-Low CH)



LTE BAND 2 (15MHz RB Size 75& RB Offset 0 QPSK-Middle CH)




LTE BAND 2 (15MHz RB Size 75& RB Offset 0 QPSK-High CH)




30MHz-1GHz **1GHz-26.5GHz**


LTE BAND 2 (15MHz RB Size 75& RB Offset 0 16QAM-Low CH)



LTE BAND 2 (15MHz RB Size 75& RB Offset 0 16QAM-Middle CH)




LTE BAND 2 (15MHz RB Size 75& RB Offset 0 16QAM-High CH)




30MHz-1GHz	1GHz-26.5GHz
-------------------	---------------------


LTE BAND 2 (20MHz RB Size 100& RB Offset 0 QPSK-Low CH)



LTE BAND 2 (20MHz RB Size 100& RB Offset 0 QPSK-Middle CH)




LTE BAND 2 (20MHz RB Size 100& RB Offset 0 QPSK-High CH)




30MHz-1GHz	1GHz-26.5GHz
-------------------	---------------------


LTE BAND 2 (20MHz RB Size 100& RB Offset 0 16QAM-Low CH)



LTE BAND 2 (20MHz RB Size 100& RB Offset 0 16QAM-Middle CH)




LTE BAND 2 (20MHz RB Size 100& RB Offset 0 16QAM-High CH)




30MHz-1GHz	1GHz-26.5GHz
-------------------	---------------------


LTE BAND 4 (1.4MHz RB Size 6& RB Offset 0 QPSK-Low CH)



LTE BAND 4 (1.4MHz RB Size 6& RB Offset 0 QPSK-Middle CH)




LTE BAND 4 (1.4MHz RB Size 6& RB Offset 0 QPSK-High CH)




30MHz-1GHz **1GHz-26.5GHz**


LTE BAND 4 (1.4MHz RB Size 6& RB Offset 0 16QAM-Low CH)



LTE BAND 4 (1.4MHz RB Size 6& RB Offset 0 16QAM-Middle CH)




LTE BAND 4 (1.4MHz RB Size 6& RB Offset 0 16QAM-High CH)




30MHz-1GHz **1GHz-26.5GHz**


LTE BAND 4 (3MHz RB Size 15& RB Offset 0 QPSK-Low CH)



LTE BAND 4 (3MHz RB Size 15& RB Offset 0 QPSK-Middle CH)




LTE BAND 4 (3MHz RB Size 15& RB Offset 0 QPSK-High CH)




30MHz-1GHz **1GHz-26.5GHz**


LTE BAND 4 (3MHz RB Size 15& RB Offset 0 16QAM-Low CH)



LTE BAND 4 (3MHz RB Size 15& RB Offset 0 16QAM-Middle CH)




LTE BAND 4 (3MHz RB Size 15& RB Offset 0 16QAM-High CH)




30MHz-1GHz **1GHz-26.5GHz**


LTE BAND 4 (5MHz RB Size 25& RB Offset 0 QPSK-Low CH)



LTE BAND 4 (5MHz RB Size 25& RB Offset 0 QPSK-Middle CH)




LTE BAND 4 (5MHz RB Size 25& RB Offset 0 QPSK-High CH)




30MHz-1GHz **1GHz-26.5GHz**


LTE BAND 4 (5MHz RB Size 25& RB Offset 0 16QAM-Low CH)



LTE BAND 4 (5MHz RB Size 25& RB Offset 0 16QAM-Middle CH)




LTE BAND 4 (5MHz RB Size 25& RB Offset 0 16QAM-High CH)




30MHz-1GHz **1GHz-26.5GHz**


LTE BAND 4 (10MHz RB Size 50& RB Offset 0 QPSK-Low CH)



LTE BAND 4 (10MHz RB Size 50& RB Offset 0 QPSK-Middle CH)




LTE BAND 4 (10MHz RB Size 50& RB Offset 0 QPSK-High CH)




30MHz-1GHz **1GHz-26.5GHz**


LTE BAND 4 (10MHz RB Size 50& RB Offset 0 16QAM-Low CH)



LTE BAND 4 (10MHz RB Size 50& RB Offset 0 16QAM-Middle CH)




LTE BAND 4 (10MHz RB Size 50& RB Offset 0 16QAM-High CH)




30MHz-1GHz	1GHz-26.5GHz
-------------------	---------------------


LTE BAND 4 (15MHz RB Size 75& RB Offset 0 QPSK-Low CH)



LTE BAND 4 (15MHz RB Size 75& RB Offset 0 QPSK-Middle CH)




LTE BAND 4 (15MHz RB Size 75& RB Offset 0 QPSK-High CH)




30MHz-1GHz **1GHz-26.5GHz**


LTE BAND 4 (15MHz RB Size 75& RB Offset 0 16QAM-Low CH)



LTE BAND 4 (15MHz RB Size 75& RB Offset 0 16QAM-Middle CH)




LTE BAND 4 (15MHz RB Size 75& RB Offset 0 16QAM-High CH)




30MHz-1GHz	1GHz-26.5GHz
-------------------	---------------------


LTE BAND 4 (20MHz RB Size 100& RB Offset 0 QPSK-Low CH)



LTE BAND 4 (20MHz RB Size 100& RB Offset 0 QPSK-Middle CH)




LTE BAND 4 (20MHz RB Size 100& RB Offset 0 QPSK-High CH)




30MHz-1GHz **1GHz-26.5GHz**


LTE BAND 4 (20MHz RB Size 100& RB Offset 0 16QAM-Low CH)



LTE BAND 4 (20MHz RB Size 100& RB Offset 0 16QAM-Middle CH)




LTE BAND 4 (20MHz RB Size 100& RB Offset 0 16QAM-High CH)




30MHz-1GHz **1GHz-26.5GHz**


LTE BAND 12 (1.4MHz RB Size 6& RB Offset 0 QPSK-Low CH)



LTE BAND 12 (1.4MHz RB Size 6& RB Offset 0 QPSK-Middle CH)



LTE BAND 12 (1.4MHz RB Size 6& RB Offset 0 QPSK-High CH)




30MHz-1GHz **1GHz-26.5GHz**


LTE BAND 12 (1.4MHz RB Size 6& RB Offset 0 16QAM-Low CH)



LTE BAND 12 (1.4MHz RB Size 6& RB Offset 0 16QAM-Middle CH)




LTE BAND 12 (1.4MHz RB Size 6& RB Offset 0 16QAM-High CH)




30MHz-1GHz	1GHz-26.5GHz
-------------------	---------------------


LTE BAND 12 (3MHz RB Size 15& RB Offset 0 QPSK-Low CH)



LTE BAND 12 (3MHz RB Size 15& RB Offset 0 QPSK-Middle CH)




LTE BAND 12 (3MHz RB Size 15& RB Offset 0 QPSK-High CH)




30MHz-1GHz **1GHz-26.5GHz**


LTE BAND 12 (3MHz RB Size 15& RB Offset 0 16QAM-Low CH)



LTE BAND 12 (3MHz RB Size 15& RB Offset 0 16QAM-Middle CH)




LTE BAND 12 (3MHz RB Size 15& RB Offset 0 16QAM-High CH)




30MHz-1GHz **1GHz-26.5GHz**


LTE BAND 12 (5MHz RB Size 25& RB Offset 0 QPSK-Low CH)



LTE BAND 12 (5MHz RB Size 25& RB Offset 0 QPSK-Middle CH)




LTE BAND 12 (5MHz RB Size 25& RB Offset 0 QPSK-High CH)




30MHz-1GHz **1GHz-26.5GHz**


LTE BAND 12 (5MHz RB Size 25& RB Offset 0 16QAM-Low CH)



LTE BAND 12 (5MHz RB Size 25& RB Offset 0 16QAM-Middle CH)




LTE BAND 12 (5MHz RB Size 25& RB Offset 0 16QAM-High CH)




30MHz-1GHz	1GHz-26.5GHz
-------------------	---------------------


LTE BAND 12 (10MHz RB Size 50& RB Offset 0 QPSK-Low CH)



LTE BAND 12 (10MHz RB Size 50& RB Offset 0 QPSK-Middle CH)




LTE BAND 12 (10MHz RB Size 50& RB Offset 0 QPSK-High CH)




30MHz-1GHz **1GHz-26.5GHz**


LTE BAND 12 (10MHz RB Size 50& RB Offset 0 16QAM-Low CH)




LTE BAND 12 (10MHz RB Size 50& RB Offset 0 16QAM-Middle CH)



LTE BAND 12 (10MHz RB Size 50& RB Offset 0 16QAM-High CH)





ATTACHMENT E--BAND EDGE TEST





Low Channel

High Channel

LTE BAND 2 (1.4MHz RB Size 1 & RB Offset 0 16QAM)





LTE BAND 2 (1.4MHz RB Size 6 & RB Offset 0 16QAM)





Low Channel

High Channel

LTE BAND 2 (3MHz RB Size 1 & RB Offset 0 QPSK)





LTE BAND 2 (3MHz RB Size 15 & RB Offset 0 QPSK)



Low Channel

High Channel



LTE BAND 2 (3MHz RB Size 1& RB Offset 0 16QAM)



Date: 11.SEP.2020 09:44:30

Date: 11.SEP.2020 09:46:47

LTE BAND 2 (3MHz RB Size 15& RB Offset 0 16QAM)





Date: 11.SEP.2020 09:43:38

Date: 11.SEP.2020 09:48:02



Low Channel

High Channel

LTE BAND 2 (5MHz RB Size 1 & RB Offset 0 QPSK)





LTE BAND 4 (5MHz RB Size 25 & RB Offset 0 QPSK)



Low Channel

High Channel


LTE BAND 2 (5MHz RB Size 1& RB Offset 0 16QAM)




Date: 11.SEP.2020 09:57:32

Date: 11.SEP.2020 09:58:51

LTE BAND 2 (5MHz RB Size 25& RB Offset 0 16QAM)



Date: 11.SEP.2020 09:55:27





Date: 11.SEP.2020 10:00:05



Low Channel

High Channel

LTE BAND 2 (10MHz RB Size 1 & RB Offset 0 QPSK)





LTE BAND 2 (10MHz RB Size 50 & RB Offset 0 QPSK)





Low Channel

High Channel

LTE BAND 2 (10MHz RB Size 1& RB Offset 0 16QAM)





LTE BAND 2 (10MHz RB Size 50& RB Offset 0 16QAM)




Low Channel

High Channel

LTE BAND 2 (15MHz RB Size 1 & RB Offset 0 QPSK)





LTE BAND 2 (15MHz RB Size 75 & RB Offset 0 QPSK)



Low Channel

High Channel

LTE BAND 2 (15MHz RB Size 1& RB Offset 0 16QAM)



LTE BAND 2 (15MHz RB Size 75& RB Offset 0 16QAM)

