




802.11ac(VHT20)_MCH_5200MHz_Ant2_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant2_NTNV




802.11ac(VHT20)_LCH_5260MHz_Ant2_NTNV




802.11ac(VHT20)_MCH_5300MHz_Ant2_NTNV



802.11ac(VHT20)_HCH_5320MHz_Ant2_NTNV




802.11ac(VHT20)_LCH_5500MHz_Ant2_NTNV







802.11ac(VHT20)_MCH_5580MHz_Ant2_NTNV




802.11ac(VHT20)_HCH_5700MHz_Ant2_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant2_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant2_NTNV




802.11ac(VHT40)_LCH_5270MHz_Ant2_NTNV




802.11ac(VHT40)_HCH_5310MHz_Ant2_NTNV




802.11ac(VHT40)_LCH_5510MHz_Ant2_NTNV




802.11ac(VHT40)_MCH_5550MHz_Ant2_NTNV




802.11ac(VHT40)_HCH_5670MHz_Ant2_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant2_NTNV




802.11ac(VHT80)_MCH_5290MHz_Ant2_NTNV




802.11ac(VHT80)_LCH_5530MHz_Ant2_NTNV




802.11ac(VHT80)_HCH_5610MHz_Ant2_NTNV




802.11ac(VHT160)_MCH_5570MHz_Ant2_NTNV




802.11ac(VHT160)_MCH_5250MHz_Ant2_NTNV




802.11ax(HEW20)_LCH_5180MHz_RU242_Left_Ant2_NTNV




802.11ax(HEW20)_MCH_5200MHz_RU242_Left_Ant2_NTNV




802.11ax(HEW20)_HCH_5240MHz_RU242_Left_Ant2_NTNV



802.11ax(HEW20)_LCH_5260MHz_RU242_Left_Ant2_NTNV




802.11ax(HEW20)_MCH_5300MHz_RU242_Left_Ant2_NTNV






802.11ax(HEW20)_HCH_5320MHz_RU242_Left_Ant2_NTNV




802.11ax(HEW20)_LCH_5500MHz_RU242_Left_Ant2_NTNV







802.11ax(HEW20)_MCH_5580MHz_RU242_Left_Ant2_NTNV




802.11ax(HEW20)_HCH_5700MHz_RU242_Left_Ant2_NTNV




802.11ax(HEW40)_LCH_5190MHz_RU484_Left_Ant2_NTNV




802.11ax(HEW40)_HCH_5230MHz_RU484_Left_Ant2_NTNV



802.11ax(HEW40)_LCH_5270MHz_RU484_Left_Ant2_NTNV




802.11ax(HEW40)_HCH_5310MHz_RU484_Left_Ant2_NTNV







802.11ax(HEW40)_LCH_5510MHz_RU484_Left_Ant2_NTNV




802.11ax(HEW40)_MCH_5550MHz_RU484_Left_Ant2_NTNV




802.11ax(HEW40)_HCH_5670MHz_RU484_Left_Ant2_NTNV




802.11ax(HEW80)_MCH_5210MHz_RU996_Left_Ant2_NTNV




802.11ax(HEW80)_MCH_5290MHz_RU996_Left_Ant2_NTNV




802.11ax(HEW80)_LCH_5530MHz_RU996_Left_Ant2_NTNV



802.11ax(HEW80)_HCH_5610MHz_RU996_Left_Ant2_NTNV




802.11ax(HEW160)_MCH_5570MHz_2xRU996_Left_Ant2_NTNV






802.11ax(HEW160)_MCH_5250MHz_2xRU996_Left_Ant2_NTNV




6dB Bandwidth:**Ant1:**

802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV







802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV



802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV







802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV



802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV







802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV




802.11ax(HEW20)_LCH_5745MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW20)_MCH_5785MHz_RU242_Left_Ant1_NTNV



802.11ax(HEW20)_HCH_5825MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW40)_LCH_5755MHz_RU484_Left_Ant1_NTNV






802.11ax(HEW40)_HCH_5795MHz_RU484_Left_Ant1_NTNV




802.11ax(HEW80)_MCH_5775MHz_RU996_Left_Ant1_NTNV







Ant2:




802.11a_HCH_5825MHz_Ant2_NTNV




802.11n(HT20)_LCH_5745MHz_Ant2_NTNV




802.11n(HT20)_MCH_5785MHz_Ant2_NTNV




802.11n(HT20)_HCH_5825MHz_Ant2_NTNV




802.11n(HT40)_LCH_5755MHz_Ant2_NTNV




802.11n(HT40)_HCH_5795MHz_Ant2_NTNV



802.11ac(VHT20)_LCH_5745MHz_Ant2_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant2_NTNV







802.11ac(VHT20)_HCH_5825MHz_Ant2_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant2_NTNV



802.11ac(VHT40)_HCH_5795MHz_Ant2_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant2_NTNV







802.11ax(HEW20)_LCH_5745MHz_RU242_Left_Ant2_NTNV




802.11ax(HEW20)_MCH_5785MHz_RU242_Left_Ant2_NTNV




802.11ax(HEW20)_HCH_5825MHz_RU242_Left_Ant2_NTNV




802.11ax(HEW40)_LCH_5755MHz_RU484_Left_Ant2_NTNV



802.11ax(HEW40)_HCH_5795MHz_RU484_Left_Ant2_NTNV



802.11ax(HEW80)_MCH_5775MHz_RU996_Left_Ant2_NTNV



9.3 Maximum Conducted Output Power

Test Method

According to KDB789033 D02

Test Method

According to C63.10, the EUT was placed on 0.8m height table, the RF output of EUT was connected to the test power meter by RF cable. The path loss was compensated to the results for each measurement.

1. Measurements may be performed using a wideband RF power meter with a thermocouple detector or equivalent if all of the following conditions are satisfied:
The EUT is configured to transmit continuously or to transmit with a consistent duty cycle.
At all times when the EUT is transmitting, it must be transmitting at its maximum power control level. The integration period of the power meter exceeds the repetition period of the transmitted signal by at least a factor of five.
2. If the transmitter does not transmit continuously, measure the duty cycle, x , of the transmitter output signal as described in 12.2 in C63.10-2020.
3. Measure the average power of the transmitter. This measurement is an average over both the on and off periods of the transmitter.
4. Adjust the measurement in dBm by adding $10 \log (1/x)$ where x is the duty cycle (e.g., $10 \log (1/0.25)$ if the duty cycle is 25%).

Limits:

For client devices in the 5.15-5.25 GHz band, the maximum conducted output power over the frequency band of operation shall not exceed 250 mW provided the maximum antenna gain does not exceed 6 dBi.

For the 5.25-5.35 GHz and 5.47-5.725 GHz bands, the maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or $11 \text{ dBm} + 10 \log B$, where B is the 26dB emission bandwidth in megahertz.

For the band 5.725-5.85 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W.

Test result as below table

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)				Verdict
					ANT1	ANT2	MIMO	Limit	
802.11a	SISO	5180	/	/	15.50	14.60	/	<=23.98	Pass
		5200	/	/	15.50	14.50	/	<=23.98	Pass
		5240	/	/	15.40	14.40	/	<=23.98	Pass
		5260	/	/	15.7	14.90	/	<=23.98	Pass
		5300	/	/	15.9	14.90	/	<=23.98	Pass
		5320	/	/	15.4	15.00	/	<=23.98	Pass
		5500	/	/	16.5	15.5	/	<=23.98	Pass
		5580	/	/	16.5	16	/	<=23.98	Pass
		5700	/	/	15.7	16	/	<=23.98	Pass
		5745	/	/	15.90	16.00	/	<=30	Pass
		5785	/	/	16.40	16.10	/	<=30	Pass
802.11n (HT20)	SISO	5825	/	/	16.50	16.20	/	<=30	Pass
		5180	/	/	14.9	14.4	17.67	<=23.98	Pass
		5200	/	/	14.8	14.4	17.61	<=23.98	Pass
		5240	/	/	14.7	14.2	17.47	<=23.98	Pass
		5260	/	/	15.0	14.7	17.86	<=23.98	Pass
		5300	/	/	15.2	14.8	18.01	<=23.98	Pass
		5320	/	/	14.7	14.8	17.76	<=23.98	Pass
		5500	/	/	15.8	15.4	18.61	<=23.98	Pass
		5580	/	/	15.9	15.9	18.91	<=23.98	Pass
		5700	/	/	15.1	15.9	18.53	<=23.98	Pass
		5745	/	/	15.2	15.9	18.57	<=30	Pass
802.11n (HT40)	SISO	5785	/	/	15.8	16.0	18.91	<=30	Pass
		5825	/	/	15.8	16.0	18.91	<=30	Pass
		5190	/	/	14.9	14.5	17.71	<=23.98	Pass
		5230	/	/	15.1	14.6	17.87	<=23.98	Pass
		5270	/	/	15.4	15.1	18.26	<=23.98	Pass
		5310	/	/	14.9	15.0	17.96	<=23.98	Pass
		5510	/	/	15.9	15.5	18.71	<=23.98	Pass
		5550	/	/	15.9	15.6	18.76	<=23.98	Pass
		5670	/	/	15.3	16.1	18.73	<=23.98	Pass
		5755	/	/	15.4	15.8	18.61	<=30	Pass
		5795	/	/	15.8	15.9	18.86	<=30	Pass
802.11ac (VHT20)	SISO	5180	/	/	14.3	13.6	16.97	<=23.98	Pass
		5200	/	/	14.3	13.5	16.93	<=23.98	Pass
		5240	/	/	14.2	13.6	16.92	<=23.98	Pass
		5260	/	/	14.4	13.8	17.12	<=23.98	Pass
		5300	/	/	14.5	13.8	17.17	<=23.98	Pass
		5320	/	/	14.1	14.0	17.06	<=23.98	Pass
		5500	/	/	15.3	14.2	17.80	<=23.98	Pass
		5580	/	/	15.4	14.7	18.07	<=23.98	Pass
		5700	/	/	14.5	14.8	17.66	<=23.98	Pass
		5745	/	/	14.7	14.8	17.76	<=30	Pass
		5785	/	/	15.3	15.0	18.16	<=30	Pass
802.11ac (VHT40)	SISO	5825	/	/	15.4	15.0	18.21	<=30	Pass
		5190	/	/	14.3	13.7	17.02	<=23.98	Pass
		5230	/	/	14.6	14.1	17.37	<=23.98	Pass
		5270	/	/	14.7	14.2	17.47	<=23.98	Pass
		5310	/	/	14.2	14.2	17.21	<=23.98	Pass
		5510	/	/	15.4	14.3	17.90	<=23.98	Pass
		5550	/	/	15.4	14.5	17.98	<=23.98	Pass
		5670	/	/	14.8	15.0	17.91	<=23.98	Pass
		5755	/	/	14.9	14.7	17.81	<=30	Pass
		5795	/	/	15.3	15.0	18.16	<=30	Pass
802.11ac (VHT80)	SISO	5210	/	/	14.5	14.0	17.27	<=23.98	Pass
		5290	/	/	14.6	13.9	17.27	<=23.98	Pass
		5530	/	/	15.2	14.0	17.65	<=23.98	Pass
		5610	/	/	15.0	14.5	17.77	<=23.98	Pass
		5775	/	/	15.1	14.9	18.01	<=30	Pass
802.11ac (VHT160)	SISO	5250	/	/	13.71	13.80	16.77	<=23.98	Pass
		5570	/	/	14.6	14.1	17.37	<=23.98	Pass
802.11ax (HEW20)	SISO	5180	RU242	Left	14.4	13.6	17.03	<=23.98	Pass
		5200	RU242	Left	14.4	13.5	16.98	<=23.98	Pass
		5240	RU242	Left	14.4	13.7	17.07	<=23.98	Pass
		5260	RU242	Left	14.5	13.8	17.17	<=23.98	Pass
		5300	RU242	Left	14.6	13.8	17.23	<=23.98	Pass
		5320	RU242	Left	14.2	14.1	17.16	<=23.98	Pass

		5500	RU242	Left	15.4	14.2	17.85	<=23.98	Pass
		5580	RU242	Left	15.5	14.8	18.17	<=23.98	Pass
		5700	RU242	Left	14.7	14.9	17.81	<=23.98	Pass
		5745	RU242	Left	14.8	14.8	17.81	<=30	Pass
		5785	RU242	Left	15.4	15.1	18.26	<=30	Pass
802.11ax (HEW40)	SISO	5825	RU242	Left	15.5	15.0	18.27	<=30	Pass
		5190	RU484	Left	14.2	13.6	16.92	<=23.98	Pass
		5230	RU484	Left	14.5	14.0	17.27	<=23.98	Pass
		5270	RU484	Left	14.6	14.1	17.37	<=23.98	Pass
		5310	RU484	Left	14.2	14.1	17.16	<=23.98	Pass
		5510	RU484	Left	15.3	14.2	17.80	<=23.98	Pass
		5550	RU484	Left	15.3	14.4	17.88	<=23.98	Pass
		5670	RU484	Left	14.8	14.9	17.86	<=23.98	Pass
		5755	RU484	Left	14.8	14.6	17.71	<=30	Pass
		5795	RU484	Left	15.2	14.9	18.06	<=30	Pass
802.11ax (HEW80)	SISO	5210	RU996	Left	14.7	14.0	17.37	<=23.98	Pass
		5290	RU996	Left	14.8	13.9	17.38	<=23.98	Pass
		5530	RU996	Left	15.4	14.0	17.77	<=23.98	Pass
		5610	RU996	Left	15.2	14.6	17.92	<=23.98	Pass
		5775	RU996	Left	15.2	15.0	18.11	<=30	Pass
802.11ax (HEW160)	SISO	5250	2xRU996	Left	12.65	12.87	15.77	<=23.98	Pass
		5570	2xRU996	Left	13.6	13.0	16.32	<=23.98	Pass

NOTE 1: the 11 dBm + 10 log B is greater than 250mW.

NOTE 2: $\text{Power}^{\text{SUM}} = 10 \cdot \log(10^{(\text{PowerAnt1}/10)} + 10^{(\text{PowerAnt2}/10)})$

9.4 Maximum Power Spectral Density

Test Method (Method SA-2 in C63.10-2020)

The EUT was placed on 0.8m height table, the RF output of EUT was connected to the test receiver by RF cable. The path loss was compensated to the results for each measurement. (trace averaging across on and off times of the EUT transmissions, followed by duty cycle correction).

1. Measure the duty cycle.
2. Set span to encompass the entire emission bandwidth (EBW) of the signal.
3. Set RBW = 1 MHz.
4. Set VBW $\geq$ 3 MHz.
5. Number of points in sweep $\geq$ 2 Span / RBW.
6. Sweep time = auto.
7. Detector = RMS
8. Trace average at least 100 traces in power averaging mode.
9. Add $10 \log(1/x)$, where x is the duty cycle, to the measured power in order to compute the average power during the actual transmission times. For example, add $10 \log(1/0.25) = 6$ dB if the duty cycle is 25 percent.

Limit:


The maximum power spectral density shall not exceed 11dBm for the 5.15-5.25GHz, 5.25-5.35GHz, 5.47-5.725 GHz Band in any 1 megahertz band.

For the band 5.725-5.85 GHz, the maximum power spectral density shall not exceed 30 dBm in any 500kHz band.

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)			Limit	Verdict
					ANT1	ANT2	MIMO		
802.11a	SISO	5180	/	/	3.25	2.20	/	<=11	Pass
		5200	/	/	2.62	1.50	/	<=11	Pass
		5240	/	/	2.46	1.58	/	<=11	Pass
		5260	/	/	2.72	2.23	/	<=11	Pass
		5300	/	/	2.62	1.94	/	<=11	Pass
		5320	/	/	2.39	2.48	/	<=11	Pass
		5500	/	/	3.47	2.61	/	<=11	Pass
		5580	/	/	3.68	3.17	/	<=11	Pass
802.11n (HT20)	SISO	5700	/	/	2.40	3.08	/	<=11	Pass
		5180	/	/	2.21	1.51	4.88	<=11	Pass
		5200	/	/	1.95	1.34	4.67	<=11	Pass
		5240	/	/	1.87	1.01	4.47	<=11	Pass
		5260	/	/	2.36	1.88	5.14	<=11	Pass
		5300	/	/	2.00	1.38	4.71	<=11	Pass
		5320	/	/	2.18	1.91	5.06	<=11	Pass
		5500	/	/	2.92	2.16	5.57	<=11	Pass
802.11n (HT40)	SISO	5580	/	/	3.11	2.74	5.94	<=11	Pass
		5700	/	/	2.09	2.64	5.38	<=11	Pass
		5190	/	/	-0.47	-1.32	2.14	<=11	Pass
		5230	/	/	-1.01	-1.75	1.65	<=11	Pass
		5270	/	/	-0.49	-1.07	2.24	<=11	Pass
		5310	/	/	-0.84	-1.03	2.08	<=11	Pass
		5510	/	/	0.12	-0.71	2.74	<=11	Pass
		5550	/	/	0.09	-0.59	2.77	<=11	Pass
802.11ac (VHT20)	SISO	5670	/	/	-0.72	-0.26	2.53	<=11	Pass
		5180	/	/	1.69	0.70	4.23	<=11	Pass
		5200	/	/	1.52	0.61	4.10	<=11	Pass
		5240	/	/	1.52	0.55	4.07	<=11	Pass
		5260	/	/	1.80	0.97	4.42	<=11	Pass
		5300	/	/	1.23	0.45	3.87	<=11	Pass
		5320	/	/	1.60	1.25	4.44	<=11	Pass
		5500	/	/	2.56	1.12	4.91	<=11	Pass
802.11ac (VHT40)	SISO	5580	/	/	2.51	1.75	5.16	<=11	Pass
		5700	/	/	1.42	1.63	4.54	<=11	Pass
		5190	/	/	-1.30	-2.09	1.33	<=11	Pass
		5230	/	/	-1.63	-2.18	1.11	<=11	Pass
		5270	/	/	-1.31	-1.71	1.50	<=11	Pass
		5310	/	/	-1.74	-1.65	1.32	<=11	Pass
		5510	/	/	-0.69	-2.00	1.71	<=11	Pass
		5550	/	/	-0.92	-1.53	1.80	<=11	Pass
802.11ac (VHT80)	SISO	5670	/	/	-1.74	-1.36	1.46	<=11	Pass
		5210	/	/	-4.70	-5.08	-1.88	<=11	Pass
		5290	/	/	-5.00	-5.45	-2.21	<=11	Pass
		5530	/	/	-4.51	-5.55	-1.99	<=11	Pass
802.11ac (VHT160)	SISO	5610	/	/	-4.80	-4.81	-1.79	<=11	Pass
		5250	/	/	-6.90	-6.64	-3.76	<=11	Pass
		5570	/	/	-6.64	-7.06	-3.83	<=11	Pass
802.11ax (HEW20)	SISO	5180	RU242	Left	1.28	0.50	3.92	<=11	Pass
		5200	RU242	Left	1.13	0.20	3.70	<=11	Pass
		5240	RU242	Left	0.84	0.33	3.60	<=11	Pass
		5260	RU242	Left	1.35	0.60	4.00	<=11	Pass
		5300	RU242	Left	0.67	-0.04	3.34	<=11	Pass
		5320	RU242	Left	1.20	0.95	4.09	<=11	Pass
		5500	RU242	Left	1.70	0.59	4.19	<=11	Pass
		5580	RU242	Left	1.93	1.23	4.60	<=11	Pass
802.11ax (HEW40)	SISO	5700	RU242	Left	0.98	1.13	4.07	<=11	Pass
		5190	RU484	Left	-1.61	-2.69	0.89	<=11	Pass
		5230	RU484	Left	-2.14	-2.82	0.54	<=11	Pass
		5270	RU484	Left	-1.40	-2.28	1.19	<=11	Pass
		5310	RU484	Left	-2.07	-1.97	0.99	<=11	Pass
		5510	RU484	Left	-1.28	-2.01	1.38	<=11	Pass
		5550	RU484	Left	-1.10	-1.82	1.57	<=11	Pass
802.11ax (HEW80)	SISO	5670	RU484	Left	-1.77	-1.42	1.42	<=11	Pass
		5210	RU996	Left	-4.42	-4.99	-1.69	<=11	Pass
		5290	RU996	Left	-4.77	-5.33	-2.03	<=11	Pass
		5530	RU996	Left	-4.12	-5.21	-1.62	<=11	Pass
802.11ax (HEW160)	SISO	5610	RU996	Left	-4.54	-4.68	-1.60	<=11	Pass
		5250	2xRU996	Left	-8.05	-7.67	-4.85	<=11	Pass
		5570	2xRU996	Left	-7.82	-7.88	-4.84	<=11	Pass




Ant1:






802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_LCH_5260MHz_Ant1_NTNV






802.11a_MCH_5300MHz_Ant1_NTNV




802.11a_HCH_5320MHz_Ant1_NTNV






802.11a_LCH_5500MHz_Ant1_NTNV




802.11a_MCH_5580MHz_Ant1_NTNV





802.11a_HCH_5700MHz_Ant1_NTNV



802.11n(HT20)_LCH_5180MHz_Ant1_NTNV

