



GNSS Active Antenna **JCA225-N**



DIMENSIONS



Unit: mm

JIAXING JINCHANG ELECTRONIC TECHNOLOGY CO.,LTD

Add: 398#, Zhenye Road, South Street, Jiaxing, Zhejiang, China

Http:// www.jinchanggps.com

E-mail: jcgps@vip.163.com

Tel: 86-0573-83692157/83692605/83958637 Fax: 86-0573-83958635



Jinchang Electron Global Service

SPECIFICATIONS

Item		Specifications
Antenna	Frequency Range	1561.098~1602MHz
	Polarization	RHCP
	Gain	5dBic@100mm Ground Plane (Zenith)
	V.S.W.R	<1.5
	Impedance	50 Ω
	Axial Ratio	4dB@90° ,6dB@20°
	Dimension	25*25*6mm
LNA	Gain	40dB typ.
	Noise Figure	<2.5dB
	Ex-band Attenuation	50dB@CF $\pm$ 50MHz
	Supply Voltage	2.7~10V DC
	Current Consumption	<25mA
	V.S.W.R	<1.5
Mechanical	Connector	N
	Radome Material	ABS
	Mounting Method	Screw
Environmental	Operating Temperature	-40℃~+85℃
	Relative Humidity	Up to 95%
	Ingress Protection	IP67
	Vibration	3 axis,10 to 200Hz,sweep 15min,3G
	Shock	Vertical axis:50G,other axes:30G
	Environmentally Friendly	ROHS Compliant
	ESD Protection	15KV air discharge

JIAXING JINCHANG ELECTRONIC TECHNOLOGY CO.,LTD


Add: 398#,Zhenye Road, South Street, Jiaxing, Zhejiang, China

Http:// www.jinchanggps.com

E-mail:jcgps@vip.163.com

Tel: 86-0573-83692157/83692605/83958637 Fax:86-0573-83958635

Radiation Pattern




XY PLANE

测试频率: 1561

测试频率: 1575

测试频率: 1602




XZ PLANE

测试频率: 1561

测试频率: 1575

测试频率: 1602



YZ PLANE

测试频率: 1561

测试频率: 1575

测试频率: 1602

JIAXING JINCHANG ELECTRONIC TECHNOLOGY CO.,LTD

Add: 398#, Zhenye Road, South Street, Jiaxing, Zhejiang, China

Http:// www.jinchanggps.com

E-mail: jcgps@vip.163.com

Tel: 86-0573-83692157/83692605/83958637 Fax: 86-0573-83958635