



## Appendix D

### RF Test Data for 5.2GWIFI (Conducted Measurement)

Product Name: Intelligent Link Terminal

Test Model: ST13

#### Environmental Conditions

Temperature:	23.8°C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Taylor Hu
Supervised by:	Nick Peng





### D.1 -26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	19.614	>=0.5	Pass
NVNT	a	5200	Ant1	19.939	>=0.5	Pass
NVNT	a	5240	Ant1	23.26	>=0.5	Pass
NVNT	n20	5180	Ant1	20.125	>=0.5	Pass
NVNT	n20	5200	Ant1	19.936	>=0.5	Pass
NVNT	n20	5240	Ant1	21.794	>=0.5	Pass
NVNT	n40	5190	Ant1	40.004	>=0.5	Pass
NVNT	n40	5230	Ant1	42.357	>=0.5	Pass
NVNT	ac20	5180	Ant1	19.821	>=0.5	Pass
NVNT	ac20	5200	Ant1	20.095	>=0.5	Pass
NVNT	ac20	5240	Ant1	21.614	>=0.5	Pass
NVNT	ac40	5190	Ant1	39.683	>=0.5	Pass
NVNT	ac40	5230	Ant1	40.174	>=0.5	Pass
NVNT	ac80	5210	Ant1	79.909	>=0.5	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant1




-26dB Bandwidth NVNT a 5200MHz Ant1





-26dB Bandwidth NVNT a 5240MHz Ant1




-26dB Bandwidth NVNT n20 5180MHz Ant1





-26dB Bandwidth NVNT n20 5200MHz Ant1




-26dB Bandwidth NVNT n20 5240MHz Ant1






-26dB Bandwidth NVNT n40 5190MHz Ant1




-26dB Bandwidth NVNT n40 5230MHz Ant1





-26dB Bandwidth NVNT ac20 5180MHz Ant1




-26dB Bandwidth NVNT ac20 5200MHz Ant1






-26dB Bandwidth NVNT ac20 5240MHz Ant1




-26dB Bandwidth NVNT ac40 5190MHz Ant1








-26dB Bandwidth NVNT ac40 5230MHz Ant1



-26dB Bandwidth NVNT ac80 5210MHz Ant1





Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant2	19.989	>=0.5	Pass
NVNT	a	5200	Ant2	19.829	>=0.5	Pass
NVNT	a	5240	Ant2	20.855	>=0.5	Pass
NVNT	n20	5180	Ant2	19.969	>=0.5	Pass
NVNT	n20	5200	Ant2	19.853	>=0.5	Pass
NVNT	n20	5240	Ant2	24.445	>=0.5	Pass
NVNT	n40	5190	Ant2	40.08	>=0.5	Pass
NVNT	n40	5230	Ant2	42.16	>=0.5	Pass
NVNT	ac20	5180	Ant2	20.033	>=0.5	Pass
NVNT	ac20	5200	Ant2	20.059	>=0.5	Pass
NVNT	ac20	5240	Ant2	20.574	>=0.5	Pass
NVNT	ac40	5190	Ant2	40.128	>=0.5	Pass
NVNT	ac40	5230	Ant2	39.6	>=0.5	Pass
NVNT	ac80	5210	Ant2	80.094	>=0.5	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant2




-26dB Bandwidth NVNT a 5200MHz Ant2





-26dB Bandwidth NVNT a 5240MHz Ant2




-26dB Bandwidth NVNT n20 5180MHz Ant2






-26dB Bandwidth NVNT n20 5200MHz Ant2




-26dB Bandwidth NVNT n20 5240MHz Ant2






-26dB Bandwidth NVNT n40 5190MHz Ant2



-26dB Bandwidth NVNT n40 5230MHz Ant2





-26dB Bandwidth NVNT ac20 5180MHz Ant2



-26dB Bandwidth NVNT ac20 5200MHz Ant2






-26dB Bandwidth NVNT ac20 5240MHz Ant2




-26dB Bandwidth NVNT ac40 5190MHz Ant2








-26dB Bandwidth NVNT ac40 5230MHz Ant2



-26dB Bandwidth NVNT ac80 5210MHz Ant2





Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant3	19.562	>=0.5	Pass
NVNT	a	5200	Ant3	19.55	>=0.5	Pass
NVNT	a	5240	Ant3	24.046	>=0.5	Pass
NVNT	n20	5180	Ant3	19.892	>=0.5	Pass
NVNT	n20	5200	Ant3	20.139	>=0.5	Pass
NVNT	n20	5240	Ant3	22.816	>=0.5	Pass
NVNT	n40	5190	Ant3	40.296	>=0.5	Pass
NVNT	n40	5230	Ant3	42.013	>=0.5	Pass
NVNT	ac20	5180	Ant3	19.88	>=0.5	Pass
NVNT	ac20	5200	Ant3	20.212	>=0.5	Pass
NVNT	ac20	5240	Ant3	20.784	>=0.5	Pass
NVNT	ac40	5190	Ant3	40.515	>=0.5	Pass
NVNT	ac40	5230	Ant3	49.351	>=0.5	Pass
NVNT	ac80	5210	Ant3	79.9	>=0.5	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant3




-26dB Bandwidth NVNT a 5200MHz Ant3





-26dB Bandwidth NVNT a 5240MHz Ant3



-26dB Bandwidth NVNT n20 5180MHz Ant3






-26dB Bandwidth NVNT n20 5200MHz Ant3




-26dB Bandwidth NVNT n20 5240MHz Ant3






-26dB Bandwidth NVNT n40 5190MHz Ant3



-26dB Bandwidth NVNT n40 5230MHz Ant3





-26dB Bandwidth NVNT ac20 5180MHz Ant3



-26dB Bandwidth NVNT ac20 5200MHz Ant3






-26dB Bandwidth NVNT ac20 5240MHz Ant3




-26dB Bandwidth NVNT ac40 5190MHz Ant3








-26dB Bandwidth NVNT ac40 5230MHz Ant3



-26dB Bandwidth NVNT ac80 5210MHz Ant3





### D.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	12.18	0.13	12.31	24	Pass
NVNT	a	5200	Ant1	12.42	0.13	12.55	24	Pass
NVNT	a	5240	Ant1	12.01	0.13	12.14	24	Pass
NVNT	n20	5180	Ant1	12.04	0.15	12.19	24	Pass
NVNT	n20	5200	Ant1	12.24	0.15	12.39	24	Pass
NVNT	n20	5240	Ant1	12.23	0.15	12.38	24	Pass
NVNT	n40	5190	Ant1	11.56	0.29	11.85	24	Pass
NVNT	n40	5230	Ant1	10.91	0.29	11.2	24	Pass
NVNT	ac20	5180	Ant1	12.59	0.14	12.73	24	Pass
NVNT	ac20	5200	Ant1	12.68	0.14	12.82	24	Pass
NVNT	ac20	5240	Ant1	12	0.15	12.15	24	Pass
NVNT	ac40	5190	Ant1	11.55	0.28	11.83	24	Pass
NVNT	ac40	5230	Ant1	11	0.28	11.28	24	Pass
NVNT	ac80	5210	Ant1	10.09	0.55	10.64	24	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant2	12.35	0.13	12.48	24	Pass
NVNT	a	5200	Ant2	12.51	0.13	12.64	24	Pass
NVNT	a	5240	Ant2	12.63	0.14	12.77	24	Pass
NVNT	n20	5180	Ant2	12.17	0.15	12.32	24	Pass
NVNT	n20	5200	Ant2	12.3	0.15	12.45	24	Pass
NVNT	n20	5240	Ant2	12.55	0.15	12.7	24	Pass
NVNT	n40	5190	Ant2	11.52	0.29	11.81	24	Pass
NVNT	n40	5230	Ant2	10.92	0.29	11.21	24	Pass
NVNT	ac20	5180	Ant2	12.74	0.14	12.88	24	Pass
NVNT	ac20	5200	Ant2	12.72	0.14	12.86	24	Pass
NVNT	ac20	5240	Ant2	12.37	0.14	12.51	24	Pass
NVNT	ac40	5190	Ant2	11.39	0.28	11.67	24	Pass
NVNT	ac40	5230	Ant2	11.08	0.28	11.36	24	Pass
NVNT	ac80	5210	Ant2	9.94	0.55	10.49	24	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity



Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant3	12.42	0.13	12.55	24	Pass
NVNT	a	5200	Ant3	12.44	0.13	12.57	24	Pass
NVNT	a	5240	Ant3	12.78	0.14	12.92	24	Pass
NVNT	n20	5180	Ant3	12.27	0.15	12.42	24	Pass
NVNT	n20	5200	Ant3	12.38	0.15	12.53	24	Pass
NVNT	n20	5240	Ant3	12.51	0.15	12.66	24	Pass
NVNT	n40	5190	Ant3	11.56	0.29	11.85	24	Pass
NVNT	n40	5230	Ant3	11.2	0.29	11.49	24	Pass
NVNT	ac20	5180	Ant3	12.54	0.15	12.69	24	Pass
NVNT	ac20	5200	Ant3	12.74	0.14	12.88	24	Pass
NVNT	ac20	5240	Ant3	12.7	0.14	12.84	24	Pass
NVNT	ac40	5190	Ant3	11.6	0.28	11.88	24	Pass
NVNT	ac40	5230	Ant3	11.4	0.28	11.68	24	Pass
NVNT	ac80	5210	Ant3	10.12	0.55	10.67	24	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity



MIMO

Condition	Mode	Frequency (MHz)	Total Power (dBm)			Limit (dBm)	Verdict
			Ant2	Ant3	Ant2+Ant3		
NVNT	n20	5180	12.32	12.42	15.38	21.42	Pass
NVNT	n20	5200	12.45	12.53	15.50	21.42	Pass
NVNT	n20	5240	12.7	12.66	15.69	21.42	Pass
NVNT	n40	5190	11.81	11.85	14.84	21.42	Pass
NVNT	n40	5230	11.21	11.49	14.36	21.42	Pass
NVNT	ac20	5180	12.88	12.69	15.80	21.42	Pass
NVNT	ac20	5200	12.86	12.88	15.88	21.42	Pass
NVNT	ac20	5240	12.51	12.84	15.69	21.42	Pass
NVNT	ac40	5190	11.67	11.88	14.79	21.42	Pass
NVNT	ac40	5230	11.36	11.68	14.53	21.42	Pass
NVNT	ac80	5210	10.49	10.67	13.59	21.42	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity



### D.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant1	2.39	0.13	2.52	11	Pass
NVNT	a	5200	Ant1	2.87	0.13	3	11	Pass
NVNT	a	5240	Ant1	2.59	0.13	2.72	11	Pass
NVNT	n20	5180	Ant1	2.63	0.15	2.78	11	Pass
NVNT	n20	5200	Ant1	2.29	0.15	2.44	11	Pass
NVNT	n20	5240	Ant1	2.73	0.15	2.88	11	Pass
NVNT	n40	5190	Ant1	-1.2	0.29	-0.91	11	Pass
NVNT	n40	5230	Ant1	-1.87	0.29	-1.58	11	Pass
NVNT	ac20	5180	Ant1	2.75	0.14	2.89	11	Pass
NVNT	ac20	5200	Ant1	3.1	0.14	3.24	11	Pass
NVNT	ac20	5240	Ant1	2.08	0.15	2.23	11	Pass
NVNT	ac40	5190	Ant1	-1.23	0.28	-0.95	11	Pass
NVNT	ac40	5230	Ant1	-1.73	0.28	-1.45	11	Pass
NVNT	ac80	5210	Ant1	-5.17	0.55	-4.62	11	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant2	2.88	0.13	3.01	11	Pass
NVNT	a	5200	Ant2	2.8	0.13	2.93	11	Pass
NVNT	a	5240	Ant2	2.67	0.14	2.81	11	Pass
NVNT	n20	5180	Ant2	2.55	0.15	2.7	11	Pass
NVNT	n20	5200	Ant2	2.82	0.15	2.97	11	Pass
NVNT	n20	5240	Ant2	2.72	0.15	2.87	11	Pass
NVNT	n40	5190	Ant2	-1.01	0.29	-0.72	11	Pass
NVNT	n40	5230	Ant2	-1.42	0.29	-1.13	11	Pass
NVNT	ac20	5180	Ant2	2.78	0.14	2.92	11	Pass
NVNT	ac20	5200	Ant2	3.15	0.14	3.29	11	Pass
NVNT	ac20	5240	Ant2	2.81	0.14	2.95	11	Pass
NVNT	ac40	5190	Ant2	-1.24	0.28	-0.96	11	Pass
NVNT	ac40	5230	Ant2	-1.34	0.28	-1.06	11	Pass
NVNT	ac80	5210	Ant2	-5.48	0.55	-4.93	11	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD(dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant3	3.03	0.13	3.16	11	Pass
NVNT	a	5200	Ant3	2.67	0.13	2.8	11	Pass
NVNT	a	5240	Ant3	3.11	0.14	3.25	11	Pass
NVNT	n20	5180	Ant3	2.23	0.15	2.38	11	Pass
NVNT	n20	5200	Ant3	2.66	0.15	2.81	11	Pass
NVNT	n20	5240	Ant3	2.65	0.15	2.8	11	Pass
NVNT	n40	5190	Ant3	-0.98	0.29	-0.69	11	Pass
NVNT	n40	5230	Ant3	-1.12	0.29	-0.83	11	Pass
NVNT	ac20	5180	Ant3	2.83	0.15	2.98	11	Pass
NVNT	ac20	5200	Ant3	2.92	0.14	3.06	11	Pass
NVNT	ac20	5240	Ant3	3.17	0.14	3.31	11	Pass
NVNT	ac40	5190	Ant3	-1.22	0.28	-0.94	11	Pass
NVNT	ac40	5230	Ant3	-1.45	0.28	-1.17	11	Pass
NVNT	ac80	5210	Ant3	-5.02	0.55	-4.47	11	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity



MIMO

Condition	Mode	Frequency (MHz)	Total PSD (dBm/MHz)			Limit (dBm/MHz)	Verdict
			Ant2	Ant3	Ant2+Ant3		
NVNT	n20	5180	2.7	2.38	5.55	8.42	Pass
NVNT	n20	5200	2.97	2.81	5.90	8.42	Pass
NVNT	n20	5240	2.87	2.8	5.85	8.42	Pass
NVNT	n40	5190	-0.72	-0.69	2.31	8.42	Pass
NVNT	n40	5230	-1.13	-0.83	2.03	8.42	Pass
NVNT	ac20	5180	2.92	2.98	5.96	8.42	Pass
NVNT	ac20	5200	3.29	3.06	6.19	8.42	Pass
NVNT	ac20	5240	2.95	3.31	6.14	8.42	Pass
NVNT	ac40	5190	-0.96	-0.94	2.06	8.42	Pass
NVNT	ac40	5230	-1.06	-1.17	1.90	8.42	Pass
NVNT	ac80	5210	-4.93	-4.47	-1.68	8.42	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




Test Graphs

PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1








PSD NVNT a 5240MHz Ant1




PSD NVNT n20 5180MHz Ant1






PSD NVNT n20 5200MHz Ant1




PSD NVNT n20 5240MHz Ant1






PSD NVNT n40 5190MHz Ant1




PSD NVNT n40 5230MHz Ant1






PSD NVNT ac20 5180MHz Ant1




PSD NVNT ac20 5200MHz Ant1






PSD NVNT ac20 5240MHz Ant1




PSD NVNT ac40 5190MHz Ant1






PSD NVNT ac40 5230MHz Ant1




PSD NVNT ac80 5210MHz Ant1






Test Graphs

PSD NVNT a 5180MHz Ant2




PSD NVNT a 5200MHz Ant2






PSD NVNT a 5240MHz Ant2




PSD NVNT n20 5180MHz Ant2








PSD NVNT n20 5200MHz Ant2




PSD NVNT n20 5240MHz Ant2






PSD NVNT n40 5190MHz Ant2




PSD NVNT n40 5230MHz Ant2






PSD NVNT ac20 5180MHz Ant2




PSD NVNT ac20 5200MHz Ant2






PSD NVNT ac20 5240MHz Ant2




PSD NVNT ac40 5190MHz Ant2






PSD NVNT ac40 5230MHz Ant2




PSD NVNT ac80 5210MHz Ant2






Test Graphs

PSD NVNT a 5180MHz Ant3




PSD NVNT a 5200MHz Ant3






PSD NVNT a 5240MHz Ant3




PSD NVNT n20 5180MHz Ant3






PSD NVNT n20 5200MHz Ant3




PSD NVNT n20 5240MHz Ant3








PSD NVNT n40 5190MHz Ant3




PSD NVNT n40 5230MHz Ant3





PSD NVNT ac20 5180MHz Ant3



PSD NVNT ac20 5200MHz Ant3

