

TEST REPORT

Applicant: E&S International Enterprises, Inc.
Address: 7801 Hayvenhurst Avenue, Van Nuys, CA 91406, USA
Equipment Type: LAPTOP
Model Name: VWNC51529 (refer section 2.4)
Brand Name: VAIO
FCC ID: 2AYPE-VWNC15INCH
Test Standard: 47 CFR Part 15 Subpart E (refer section 3.1)
Test Date: Aug. 26, 2022 - Sep. 08, 2022
Date of Issue: Sep. 15, 2022

ISSUED BY:

Shenzhen BALUN Technology Co., Ltd.



Tested by: Julie zhu

Checked by: Ye Hongji

Approved by: Liao Jianming
(Technical Director)

Julie zhu

Ye Hongji

Liao Jianming

Revision History

Version	Issue Date	Revisions
<u>Rev. 01</u>	<u>Sep. 15, 2022</u>	<u>Initial Issue</u>

TABLE OF CONTENTS

1	GENERAL INFORMATION	4
1.1	Test Laboratory	4
1.2	Test Location	4
2	PRODUCT INFORMATION	5
2.1	Applicant Information	5
2.2	Manufacturer Information	5
2.3	Factory Information	5
2.4	General Description for Equipment under Test (EUT)	5
2.5	Technical Information	6
2.6	Additional Instructions	8
2.7	Channel List	14
3	SUMMARY OF TEST RESULTS	18
3.1	Test Standards	18
3.2	Test Verdict	18
4	GENERAL TEST CONFIGURATIONS	19
4.1	Test Environments	19
4.2	Test Equipment List	19
4.3	Test Software List	20
4.4	Measurement Uncertainty	20
4.5	Description of Test Setup	21
5	TEST ITEMS	24
5.1	RF Output Power	24
5.2	Emission Bandwidth and 6 dB Bandwidth	25
5.3	Power Spectral density (PSD)	26

5.4	Conducted Emission	27
5.5	Radiated Spurious Emissions and Band Edge (Restricted-band).....	28
ANNEX A	TEST RESULT	33
A.1	RF Output Power.....	33
A.2	Emission Bandwidth & 99% Bandwidth.....	54
A.3	6 dB Bandwidth	62
A.4	Power Spectral Density	64
A.5	Conducted Emissions.....	84
A.6	Radiated Spurious Emissions and Band Edge (Restricted-band).....	86
ANNEX B	TEST SETUP PHOTOS	580
ANNEX C	EUT EXTERNAL PHOTOS	580
ANNEX D	EUT INTERNAL PHOTOS	580

1 GENERAL INFORMATION

1.1 Test Laboratory

Name	Shenzhen BALUN Technology Co., Ltd.
Address	Block B, 1/F, Baisha Science and Technology Park, Shahe Xi Road, Nanshan District, Shenzhen, Guangdong Province, P. R. China
Phone Number	+86 755 6685 0100

1.2 Test Location

Name	Shenzhen BALUN Technology Co., Ltd.
Location	☒ Block B, 1/F, Baisha Science and Technology Park, Shahe Xi Road, Nanshan District, Shenzhen, Guangdong Province, P. R. China
	☐ 1/F, Building B, Ganghongji High-tech Intelligent Industrial Park, No. 1008, Songbai Road, Yangguang Community, Xili Sub-district, Nanshan District, Shenzhen, Guangdong Province, P. R. China
Accreditation Certificate	The laboratory is a testing organization accredited by FCC as a accredited testing laboratory. The designation number is CN1196.

2 PRODUCT INFORMATION

2.1 Applicant Information

Applicant	E&S International Enterprises, Inc.
Address	7801 Hayvenhurst Avenue, Van Nuys, CA 91406, USA

2.2 Manufacturer Information

Manufacturer	E&S International Enterprises, Inc.
Address	7801 Hayvenhurst Avenue, Van Nuys, CA 91406, USA

2.3 Factory Information

Factory	Shenzhen Bmorn Technology Co., Ltd
Address	6001, 6th Floor, West Building, Hengfang Veterans Industrial City, No.3012, Xingye Road, Yongfeng Community, Xixiang Street, Baoan District, Shenzhen, 51800 Guangdong, P.R. China

2.4 General Description for Equipment under Test (EUT)

EUT Name	LAPTOP
Model Name Under Test	VWNC51529
Series Model Name	VWNC51527
Description of Model name differentiation	All models are same with electrical parameters and internal circuit structure, but only differ in shell color and model name. (this information provided by the customer)
Hardware Version	EM_IDL_528_3.0
Software Version	21H2
Dimensions (Approx.)	N/A
Weight (Approx.)	N/A

2.5 Technical Information

Network and Wireless connectivity	Bluetooth (BR+EDR+BLE) WIFI 802.11a, 802.11b, 802.11g, 802.11n, 802.11ac and 802.11ax U-NII-1/2A/2C/3

The requirement for the following technical information of the EUT was tested in this report:

Frequency Range	U-NII-1: 5150 MHz to 5250 MHz, U-NII-2A: 5250 MHz to 5350 MHz, U-NII-2C: 5470 MHz to 5725 MHz, U-NII-3: 5725 MHz to 5850 MHz	
Product Type	☐ Mobile ☒ Portable ☐ Fix Location	
Modulation technology	OFDM, OFDMA	
Modulation Type	1024QAM, 256QAM, 64QAM, 16QAM, BPSK, QPSK	
Product Type	Portable for FCC standard	
Transfer Rate (Mbps) (Single RF path)	802.11a: 54/ 48/ 36/ 24/ 18/ 12/ 9/ 6 Mbps 802.11n: up to 150 Mbps 802.11ac: up to VHT-MCS9 802.11ax up to 1021 Mbps	
Channel Bandwidth	802.11a: 20 MHz 802.11n: 20 MHz, 40 MHz 802.11ac: 20 MHz, 40 MHz, 80 MHz, 160MHz 802.11ax: 20 MHz, 40 MHz, 80 MHz, 160MHz	
Maximum Output Power	U-NII-1: 16.86 dBm U-NII-2A: 16.91 dBm U-NII-2C: 16.99 dBm U-NII-3: 16.85 dBm	
Antenna System (eg., MIMO, Smart Antenna)	Cyclic Delay Diversity (CDD) for 802.11a Multi Input Multi Output (MIMO) for 802.11n/ac/ax	
Categorization as Correlated or Completely Uncorrelated	Categorization as Correlated for 802.11a Categorization as Uncorrelated for 802.11n/ac/ax	
Antenna Type	Main Antenna	PIFA Antenna
	Aux. Antenna	
Antenna Gain	Main Antenna	2.0 dBi
	Aux. Antenna	2.28 dBi
Total directional gain	For power spectral density(PSD) measurements	Correlated: 5.15 dBi Formulas: Directional gain = $10 \log[(10^{G1/20} + 10^{G2/20} + \dots + 10^{GN/20})^2 / NANT]$ dBi Uncorrelated: 2.14 dBi

		Formulas: Directional gain = $10 \log[(10^{G1/10} + 10^{G2/10} + \dots + 10^{GN/10})/NANT]$ dBi
	For power measurements	Correlated: 5.15 dBi Formulas: Directional gain = $10 \log[(10^{G1/20} + 10^{G2/20} + \dots + 10^{GN/20})^2 / NANT]$ dBi Uncorrelated: 2.14 dBi Formulas: Directional gain = $10 \log[(10^{G1/10} + 10^{G2/10} + \dots + 10^{GN/10})/NANT]$ dBi
About the Product		The equipment is LAPTOP, intended for used with information technology equipment.

2.6 Additional Instructions

EUT Software Settings:

Mode	☒ Special software is used. The software provided by client to enable the EUT under transmission condition continuously at specific channel frequencies individually.

During testing, Channel and Power Controlling Software provided by the customer was used to control the operating channel as well as the output power level. The RF output power selection is for the setting of RF output power expected by the customer and is going to be fixed on the firmware of the final end product.

Test Software Version	DRTU

U-NII-1 (5150 - 5250 MHz) Power level setup in software						
Mode	Channel	Frequency (MHz)	Soft Set			
			Main Antenna	Aux. Antenna	MIMO-Main Antenna	MIMO-Aux. Antenna
11a	CH36	5180	16.5	15.5	--	--
11a	CH44	5220	16.5	16.0	--	--
11a	CH48	5240	16.5	16.0	--	--
11n (HT20)	CH36	5180	16.5	15.5	14.0	13.0
11n (HT20)	CH44	5220	16.5	16.0	14.0	13.5
11n (HT20)	CH48	5240	16.5	16.0	14.0	13.0
11n (HT40)	CH38	5190	16.5	15.0	13.5	13.0
11n (HT40)	CH46	5230	16.5	15.5	13.5	13.0
11ac (VHT20)	CH36	5180	16.5	15.5	13.5	13.0
11ac (VHT20)	CH44	5220	16.5	16.0	13.5	13.5
11ac (VHT20)	CH48	5240	16.5	15.5	13.5	13.0
11ac (VHT40)	CH38	5190	16.5	15.0	13.5	13.0
11ac (VHT40)	CH46	5230	16.5	15.5	13.5	13.0
11ac (VHT80)	CH42	5210	16.0	15.0	13.0	13.0
11ac (VHT160)	CH50	5250	15.0	14.5	13.0	12.5
11ax (HE20)(SU)	CH36	5180	16.5	15.5	14.0	13.0
11ax (HE20)(SU)	CH44	5220	17.0	15.5	14.0	13.5
11ax (HE20)(SU)	CH48	5240	17.0	15.5	14.0	13.5
11ax (HE40)(SU)	CH38	5190	16.5	15.5	14.0	13.0
11ax (HE40)(SU)	CH46	5230	17.0	15.5	14.0	13.0
11ax (HE80)(SU)	CH42	5210	16.5	15.5	13.5	13.0
11ax (HE160)(SU)	CH50	5250	15.0	15.0	13.0	12.5
11ax (HE20)(RU26)	CH36	5180	12.0	12.0	9.0	8.5
11ax (HE20)(RU26)	CH44	5220	12.5	12.0	9.0	8.0
11ax (HE20)(RU26)	CH48	5240	12.0	12.0	9.0	8.0
11ax (HE40)(RU26)	CH38	5190	11.5	11.5	9.0	8.0
11ax (HE40)(RU26)	CH46	5230	12.0	11.5	9.0	8.0
11ax (HE80)(RU26)	CH42	5210	12.0	12.0	9.0	8.0
11ax (HE160)(RU26)	CH50	5250	12.0	12.0	9.5	8.5

U-NII-2A (5250 - 5350 MHz) Power level setup in software						
Mode	Channel	Frequency (MHz)	Soft Set			
			Main Antenna	Aux. Antenna	MIMO-Main Antenna	MIMO-Aux. Antenna
11a	CH52	5260	17.0	16.0	--	--
11a	CH60	5300	17.0	16.0	--	--
11a	CH64	5320	17.0	16.0	--	--
11n (HT20)	CH52	5260	17.0	15.5	14.0	13.0
11n (HT20)	CH60	5300	17.0	15.5	14.0	13.0
11n (HT20)	CH64	5320	17.0	15.5	14.0	13.0
11n (HT40)	CH54	5270	16.5	15.5	13.5	13.0
11n (HT40)	CH62	5310	16.5	15.5	13.5	13.0
11ac (VHT20)	CH52	5260	17.0	15.5	14.0	13.0
11ac (VHT20)	CH60	5300	17.0	15.5	14.0	13.0
11ac (VHT20)	CH64	5320	17.0	15.5	14.0	13.0
11ac (VHT40)	CH54	5270	16.5	15.5	13.5	13.0
11ac (VHT40)	CH62	5310	16.5	15.5	13.5	13.0
11ac (VHT80)	CH58	5290	16.5	15.5	13.5	12.5
11ax (HE20)(SU)	CH52	5260	17.0	16.0	14.0	13.5
11ax (HE20)(SU)	CH60	5300	17.0	16.0	14.0	13.5
11ax (HE20)(SU)	CH64	5320	17.0	16.0	14.0	13.5
11ax (HE40)(SU)	CH54	5270	17.0	16.0	14.0	13.0
11ax (HE40)(SU)	CH62	5310	17.0	16.0	14.0	13.5
11ax (HE80)(SU)	CH58	5290	16.5	15.5	13.5	13.0
11ax (HE20)(RU26)	CH52	5260	12.5	12.0	9.0	8.0
11ax (HE20)(RU26)	CH60	5300	12.5	12.0	9.0	8.0
11ax (HE20)(RU26)	CH64	5320	12.5	12.0	9.0	8.0
11ax (HE40)(RU26)	CH54	5270	12.0	11.5	9.0	8.0
11ax (HE40)(RU26)	CH62	5310	12.0	11.5	9.0	8.0
11ax (HE80)(RU26)	CH58	5290	12.5	11.5	9.0	8.0

U-NII-2C (5470 - 5725 MHz) Power level setup in software						
Mode	Channel	Frequency (MHz)	Soft Set			
			Main Antenna	Aux. Antenna	MIMO-Main Antenna	MIMO-Aux. Antenna
11a	CH100	5500	17.0	15.5	--	--
11a	CH116	5580	16.5	15.5	--	--
11a	CH140	5700	16.0	15.0	--	--
11n (HT20)	CH100	5500	16.5	15.5	14.0	13.5
11n (HT20)	CH116	5580	16.5	15.5	13.5	13.5
11n (HT20)	CH140	5700	16.5	15.0	13.5	13.5
11n (HT40)	CH102	5510	16.5	15.0	13.5	13.5
11n (HT40)	CH118	5590	16.5	15.0	13.5	13.5
11n (HT40)	CH134	5670	16.5	15.0	13.5	13.0
11ac (VHT20)	CH100	5500	17.0	15.5	13.5	13.5
11ac (VHT20)	CH116	5580	16.5	15.5	13.5	13.5
11ac (VHT20)	CH140	5700	16.5	15.0	13.5	13.5
11ac (VHT40)	CH102	5510	16.0	15.0	13.5	13.5
11ac (VHT40)	CH118	5590	16.5	15.0	13.5	13.5
11ac (VHT40)	CH134	5670	16.5	15.0	13.5	13.0
11ac (VHT80)	CH106	5530	16.0	15.0	13.0	13.0
11ac (VHT80)	CH122	5610	16.0	14.5	13.0	13.0
11ac (VHT160)	CH114	5570	14.0	14.5	12.5	12.5
11ax (HE20)(SU)	CH100	5500	17.0	15.5	14.0	13.5
11ax (HE20)(SU)	CH116	5580	17.0	15.5	13.5	14.0
11ax (HE20)(SU)	CH140	5700	16.5	15.5	13.5	13.5
11ax (HE40)(SU)	CH102	5510	16.5	15.5	14.0	13.5
11ax (HE40)(SU)	CH118	5590	16.5	15.0	14.0	13.5
11ax (HE40)(SU)	CH134	5670	16.5	14.5	13.5	13.5
11ax (HE80)(SU)	CH106	5530	16.5	14.5	13.5	13.5
11ax (HE80)(SU)	CH122	5610	16.5	14.5	13.5	13.5
11ax (HE160)(SU)	CH114	5570	14.5	14.0	13.0	13.0
11ax (HE20)(RU26)	CH100	5500	12.5	12.5	9.0	8.5
11ax (HE20)(RU26)	CH116	5580	12.0	12.5	9.0	8.5
11ax (HE20)(RU26)	CH140	5700	12.0	12.0	8.5	8.5
11ax (HE40)(RU26)	CH102	5510	12.0	12.0	9.0	8.5
11ax (HE40)(RU26)	CH118	5590	12.0	12.0	9.0	8.5
11ax (HE40)(RU26)	CH134	5670	12.0	12.0	9.0	8.5
11ax (HE80)(RU26)	CH106	5530	12.0	12.0	9.0	8.5
11ax (HE80)(RU26)	CH122	5610	12.0	12.5	9.0	9.0
11ax (HE160)(RU26)	CH114	5570	12.5	12.5	9.5	8.5

U-NII-3 (5725 - 5850 MHz) Power level setup in software						
Mode	Channel	Frequency (MHz)	Soft Set			
			Main Antenna	Aux. Antenna	MIMO-Main Antenna	MIMO-Aux. Antenna
11a	CH149	5745	16.5	16.0	--	--
11a	CH157	5785	17.0	16.0	--	--
11a	CH165	5825	17.0	16.0	--	--
11n (HT20)	CH149	5745	16.5	15.5	13.5	13.5
11n (HT20)	CH157	5785	16.5	15.5	13.5	13.5
11n (HT20)	CH165	5825	17.0	16.0	14.0	13.5
11n (HT40)	CH151	5755	16.5	15.5	13.5	13.0
11n (HT40)	CH159	5795	16.5	15.5	13.5	13.0
11ac (VHT20)	CH149	5745	16.5	15.5	13.5	13.5
11ac (VHT20)	CH157	5785	16.5	15.5	13.5	13.5
11ac (VHT20)	CH165	5825	17.0	16.0	13.5	13.5
11ac (VHT40)	CH151	5755	16.5	15.5	13.5	13.0
11ac (VHT40)	CH159	5795	16.5	15.5	13.5	13.0
11ac (VHT80)	CH155	5775	16.0	15.0	13.0	13.0
11ax (HE20)(SU)	CH149	5745	16.5	16.0	13.5	13.5
11ax (HE20)(SU)	CH157	5785	17.0	16.0	13.5	13.5
11ax (HE20)(SU)	CH165	5825	17.0	16.0	14.0	14.0
11ax (HE40)(SU)	CH151	5755	16.5	15.5	13.5	13.0
11ax (HE40)(SU)	CH159	5795	16.5	15.5	14.0	13.0
11ax (HE80)(SU)	CH155	5775	16.5	15.5	13.5	13.0
11ax (HE20)(RU26)	CH149	5745	12.0	12.0	9.0	8.5
11ax (HE20)(RU26)	CH157	5785	11.5	11.5	9.0	8.5
11ax (HE20)(RU26)	CH165	5825	12.5	12.5	9.0	8.5
11ax (HE40)(RU26)	CH151	5755	12.0	12.0	9.0	8.5
11ax (HE40)(RU26)	CH159	5795	12.0	12.0	9.0	8.5
11ax (HE80)(RU26)	CH155	5775	12.0	12.0	9.0	8.5

Run Software:

Frame Settings

Ppdu Type
Legacy

Rate
6 Mbps

Transmission Mode
SISO

Duty Cycle
99 %

Inter Frame Interval
40 μ s

Frame Size
1528 bytes

Power Settings

Power Mode
☒ Power control ☐ Automatic driver settings

Transmit Power
Chain A 16 dBm
Chain B 10.875 dBm

Radio Settings

Chains
☒ A (1) ☐ B (2)

Band
☐ 2.4 GHz ☒ 5 GHz

Bandwidth
20 MHz

Channel
44 / 5220 MHz

2.7 Channel List

20 MHz		40 MHz		80 MHz		160 MHz	
Channel Number	Frequency (MHz)	Channel Number	Frequency (MHz)	Channel Number	Frequency (MHz)	Channel Number	Frequency (MHz)
36	5180	38	5190	42	5210	50	5250
40	5200	46	5230	58	5290	114	5570
44	5220	54	5270	106	5530		
48	5240	62	5310	122	5610		
52	5260	102	5510	155	5775		
56	5280	118	5590				
60	5300	134	5670				
64	5320	151	5755				
100	5500	159	5795				
104	5520						
108	5540						
112	5560						
116	5580						
136	5680						
140	5700						
149	5745						
153	5765						
157	5785						
161	5805						
165	5825						

The Lowest frequency, the middle frequency and the highest frequency of channel were selected to perform the test, and the selected channel see below:

For 802.11a/n(HT20)/ac(VHT20)/ax(HE20)

U-NII-1 (5150 - 5250 MHz)			U-NII-2A (5250 - 5350 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
36	Low	5180	52	Low	5260
44	Mid	5220	60	Mid	5300
48	High	5240	64	High	5320

U-NII-2C (5470 - 5725 MHz)			U-NII-3 (5725 - 5850 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
100	Low	5500	149	Low	5745
116	Mid	5580	157	Mid	5785
140	High	5700	165	High	5825

For 802.11n(HT40)/ac(VHT40)/ax(HE40)

U-NII-1 (5150 - 5250 MHz)			U-NII-2A (5250 - 5350 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
38	Low	5190	54	Low	5270
46	High	5230	62	High	5310

U-NII-2C (5150 - 5250 MHz)			U-NII-3 (5725 - 5850 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
102	Low	5510	151	Low	5755
118	Mid	5590	159	High	5795
134	High	5670			

For 802.11ac(VHT80)/ax(HE80)

U-NII-1 (5150 - 5250 MHz)			U-NII-2A (5250 - 5350 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
42	Mid	5210	58	Mid	5290

U-NII-2C (5470 - 5725 MHz)			U-NII-3 (5725 - 5850 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
106	Low	5530	155	Mid	5775
122	High	5610			

For 802.11ac(VHT160)/ax(HE160)

U-NII-1 (5150 - 5250 MHz)			U-NII-2A (5250 - 5350 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
50	Mid	5250	114	Mid	5570

Note: Preliminary tests were performed in different data rate in above table to find the worst radiated emission. The data rate shown in the table below is the worst-case rate with respect to the specific test item. Investigation has been done on all the possible configurations for searching the worst cases. The following table is a list of the test modes shown in this test report.

Test Items	Mode	Data Rate	Modulation Type	U-NII-1	U-NII-2A	U-NII-2C	U-NII-3
				Channel	Channel	Channel	Channel
RF Output Power	11a	6	BPSK	48/44/36	64/60/52	140/116/100	165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
	11ac(160 MHz)	58.5		50	/	114	/
	11ax(20 MHz)	4		48/44/36	64/60/52	140/116/100	165/157/149
	11ax(40 MHz)	8		46/38	62/54	134/118/102	159/151
	11ax(80 MHz)	17		42	58	122/106	155
	11ax(160 MHz)	34		50	/	114	/
Emission Bandwidth & 99% Occupied Bandwidth	11a	6	BPSK	48/44/36	64/60/52	140/116/100	165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
	11ac(160 MHz)	58.5		50	/	114	/
	11ax(20 MHz)	4		48/44/36	64/60/52	140/116/100	165/157/149
	11ax(40 MHz)	8		46/38	62/54	134/118/102	159/151
	11ax(80 MHz)	17		42	58	122/106	155
	11ax(160 MHz)	34		50	/	114	/
6 dB bandwidth	11a	6	BPSK	N/A	N/A	N/A	165/157/149
	11n(20 MHz)	6.5		N/A	N/A	N/A	165/157/149
	11n(40 MHz)	13.5		N/A	N/A	N/A	159/151
	11ac(20 MHz)	6.5		N/A	N/A	N/A	165/157/149
	11ac(40 MHz)	13.5		N/A	N/A	N/A	159/151
	11ac(80 MHz)	29.3		N/A	N/A	N/A	155
	11ac(160 MHz)	58.5		N/A	N/A	N/A	/
	11ax(20 MHz)	4		N/A	N/A	N/A	165/157/149
	11ax(40 MHz)	8		N/A	N/A	N/A	159/151
	11ax(80 MHz)	17		N/A	N/A	N/A	155
	11ax(160 MHz)	34		N/A	N/A	N/A	/
Power Spectral Density	11a	6	BPSK	48/44/36	64/60/52	140/116/100	165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
	11ac(160 MHz)	58.5		50	/	114	/

	11ax(20 MHz)	4		48/44/36	64/60/52	140/116/100	165/157/149
	11ax(40 MHz)	8		46/38	62/54	134/118/102	159/151
	11ax(80 MHz)	17		42	58	122/106	155
	11ax(160 MHz)	34		50	/	114	/
Radiated Spurious Emissions	11a	6	BPSK	48/44/36	64/60/52	140/116/100	165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
	11ac(160 MHz)	58.5		50	/	114	/
	11ax(20 MHz)	4		48/44/36	64/60/52	140/116/100	165/157/149
	11ax(40 MHz)	8		46/38	62/54	134/118/102	159/151
	11ax(80 MHz)	17		42	58	122/106	155
	11ax(160 MHz)	34		50	/	114	/
Band Edge (Restricted- band)	11a	6	BPSK	48/36	64/52	140/100	165/149
	11n(20 MHz)	6.5		48/36	64/52	140/100	165/149
	11n(40 MHz)	13.5		46/38	62/54	134/102	159/151
	11ac(20 MHz)	6.5		48/36	64/52	140/100	165/149
	11ac(40 MHz)	13.5		46/38	62/54	134/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
	11ac(160 MHz)	58.5		50	/	114	/
	11ax(20 MHz)	4		48/36	64/52	140/100	165/149
	11ax(40 MHz)	8		46/38	62/54	134/102	159/151
	11ax(80 MHz)	17		42	58	122/106	155
	11ax(160 MHz)	34		50	/	114	/

3 SUMMARY OF TEST RESULTS

3.1 Test Standards

No.	Identity	Document Title
1	47 CFR Part 15 Subpart E	Unlicensed National Information Infrastructure Devices
2	KDB Publication 789033 D02v02r01	Guidelines for Compliance Testing of Unlicensed National Information Infrastructure (U-NII) Devices Part 15, Subpart E
3	KDB Publication 662911 D01v02r01	Emissions Testing of Transmitters with Multiple Outputs in the Same Band (e.g., MIMO, Smart Antenna, etc)
4	ANSI C63.10-2013	American National Standard for Testing Unlicensed Wireless Devices

3.2 Test Verdict

No.	Description	FCC Part No.	Test Result	Verdict
1	Antenna Requirement	15.203	--	Pass ^{Note1}
2	RF Output Power	15.407(a)	ANNEX A.1	Pass
3	Emission Bandwidth & 99% Occupied Bandwidth	15.407(a)	ANNEX A.2	Pass
4	6 dB bandwidth	15.407(e)	ANNEX A.3	Pass
5	Power Spectral Density	15.407(a)	ANNEX A.4	Pass
6	Conducted Emission	15.207	ANNEX A.5	Pass
7	Radiated Spurious Emissions and Band Edge (Restricted-band)	15.407(b)	ANNEX A.6	Pass
8	Receiver Spurious Emissions	--	--	N/A ^{Note2}

Note ¹: The EUT has a permanently and irreplaceable attached antenna, which complies with the requirement FCC 15.203.

Note ²: Only radio communication receivers operating in stand-alone mode within the U-NII-30-960 MHz, as well as scanner receivers, are subject to Industry Canada requirements, so this test is not applicable.

Note ³: Under all normal operating conditions specified in the user manual, frequency stability can keep radiation within the operating frequency band.

4 GENERAL TEST CONFIGURATIONS

4.1 Test Environments

During the measurement, the normal environmental conditions were within the listed ranges:

Relative Humidity	51% to 69%	
Atmospheric Pressure	100 kPa to 102 kPa	
Temperature	NT (Normal Temperature)	+21.1°C to +25.0°C
	LT (Low Temperature)	-10°C
	HT (High Temperature)	+40°C
Working Voltage of the EUT	NV (Normal Voltage)	11.55 V
	LV (Low Voltage)	10.80 V
	HV (High Voltage)	13.20 V

4.2 Test Equipment List

Description	Manufacturer	Model	Serial No.	Cal. Date	Cal. Due
Spectrum Analyzer	KEYSIGHT	N9020A	MY46471071	2022.07.26	2023.07.25
Power Sensor	ROHDE&SCHWARZ	NRP18S	102521	2022.03.09	2023.03.08
Spectrum Analyzer	ROHDE&SCHWARZ	FSV-40	101544	2022.01.04	2023.01.03
Spectrum Analyzer	KEYSIGHT	N9020A	MY50531259	2021.09.08	2022.09.07
Spectrum Analyzer	KEYSIGHT	N9020A	MY50531259	2022.09.06	2023.09.05
Signaling Unit	ROHDE&SCHWARZ	CMW500	171150	2022.06.29	2023.06.28
Test Antenna-Horn (1-18 GHz)	SCHWARZBECK	BBHA 9120D	02460	2021.05.19	2024.05.08
Test Antenna-Horn (18-40 GHz)	A-INFO	LB- 180400KF	J211060273	2021.07.02	2024.07.01
Anechoic Chamber	RAINFORD	9m*6m*6m	N/A	2021.08.16	2024.08.15
EMI Receiver	ROHDE&SCHWARZ	ESRP	101036	2021.10.10	2022.10.09
Test Antenna-Bi-Log (30 MHz-1 GHz)	SCHWARZBECK	VULB 9168	00883	2022.04.01	2025.03.31
Test Antenna-Loop (9 kHz-30 MHz)	SCHWARZBECK	FMZB 1519	1519-037	2021.04.16	2024.04.15
Anechoic Chamber	EMC Electronic Co., Ltd	20.10*11.60 *7.35m	N/A	2021.08.15	2024.08.14
EMI Receiver	KEYSIGHT	N9010B	MY57110309	2021.10.10	2022.10.09
LISN	SCHWARZBECK	NSLK 8127	8127-687	2022.06.01	2023.05.31
Shielded Enclosure	YiHeng Electronic Co., Ltd	3.5m*3.1m* 2.8m	N/A	2022.02.19	2025.02.18

4.3 Test Software List

Description	Manufacturer	Software Version	Serial No.	Applicable test Setup
BL410R	BALUN	V2.1.1.488	N/A	The section 4.5.1
BL410E	BALUN	V19.8.28.435	N/A	The section 4.5.2&4.5.3&4.5.4&4.5.5

4.4 Measurement Uncertainty

The following measurement uncertainty levels have been estimated for tests performed on the EUT as specified in CISPR 16-4-2.

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Parameters	Uncertainty
Occupied Channel Bandwidth	2.8%
RF output power, conducted	1.28 dB
Power Spectral Density, conducted	1.30 dB
Unwanted Emissions, conducted	1.84 dB
All emissions, radiated	5.36 dB
Temperature	0.82°C
Humidity	4.1%


4.5 Description of Test Setup

4.5.1 For Antenna Port Test

Conducted value (dBm) = Measurement value (dBm) + cable loss (dB)


For example: the measurement value is 10 dBm and the cable 0.5dBm used, then the final result of EUT:

Conducted value (dBm) = 10 dBm + 0.5 dB = 10.5 dBm




(Diagram 1)

4.5.2 For AC Power Supply Port Test




(Diagram 2)

4.5.3 For Radiated Test (Below 30 MHz)




(Diagram 3)

4.5.4 For Radiated Test (30 MHz-1 GHz)



(Diagram 4)

4.5.5 For Radiated Test (Above 1 GHz)



(Diagram 5)

5 TEST ITEMS

5.1 RF Output Power

5.1.1 Test Limit

FCC §15.407(a)

The maximum conducted output power should not exceed:

Frequency Band (MHz)	Limit
5150-5250	250 mW
5250-5350	250 mW or 11 dBm + 10log B, whichever is less.
5470-5725	250 mW or 11 dBm + 10log B, whichever is less.
5725-5850	1 W
Note: Where “B” is the 26 dB emissions bandwidth in MHz.	

5.1.2 Test Setup

The section 4.5.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.1.3 Test Procedure

The maximum peak conducted output power may be measured using a broadband Average RF power meter. The power meter shall have a video bandwidth that is greater than or equal to the emission bandwidth and utilize a fast-responding diode detector.

The E.I.R.P used radiated test method. At a test site that has been validated using the procedures of ANSI C63.4 or the latest CISPR 16-1-4 for measurements above 1 GHz, so as to simulate a near free-space environment.

5.1.4 Test Result

Please refer to ANNEX A.1.

5.2 Emission Bandwidth and 6 dB Bandwidth

5.2.1 Limit

FCC §15.407(a)

Within the 5.725-5.85 GHz band, the minimum 6 dB bandwidth of U-NII devices shall be at least 500 kHz.

5.2.2 Test Setup

The test setup photo please refer to 4.5.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.2.3 Test Procedure

Emission bandwidth

1. Set RBW = approximately 1% of the emission bandwidth.
2. Set VBW $\geq 3 \times$ RBW,
3. Detector = Peak.
4. Trace mode = Max hold.
5. Measure the maximum width of the emission that is 26 dB down from the peak of the emission.

Occupied Bandwidth

1. Set Span = 1.5 times to 5.0 times the OBW
2. Set RBW = 1% to 5% of the OBW.
3. Set VBW $\geq 3 \times$ RBW, Detector = Peak.
4. Trace mode = Max hold.
5. Use the 99% power bandwidth function of the instrument.

6 dB bandwidth

1. Set RBW = 100 kHz, VBW = 300 kHz.
2. Detector = Peak. Trace mode = Max hold.
3. Allow the trace to stabilize.
4. Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower frequencies) that are attenuated by 6 dB relative to the maximum level measured in the fundamental emission.

5.2.4 Test Result

Please refer to ANNEX A.2 and ANNEX A.3.

5.3 Power Spectral density (PSD)

5.3.1 Limit

FCC §15.407(a)

The maximum power spectral density should not exceed:

Frequency Band (MHz)	Limit
5150-5250	11 dBm/MHz
5250-5350	11 dBm/MHz
5470-5725	11 dBm/MHz
5725-5850	30 dBm/500kHz

5.3.2 Test Setup

The section 4.5.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.3.3 Test Procedure

Set the spectrum analyzer or EMI receiver span to view the entire emission bandwidth.

1. Set RBW = 510 kHz/1 MHz, VBW $\geq 3 \times$ RBW, Sweep time = Auto, Detector = RMS.
2. Allow the sweeps to continue until the trace stabilizes.
3. Use the peak marker function to determine the maximum amplitude level.
4. The E.I.R.P spectral density used radiated test method. At a test site that has been validated using the procedures of ANSI C63.4 or the latest CISPR 16-1-4 for measurements above 1 GHz, so as to simulate a near free-space environment.

5.3.4 Test Result

Please refer to ANNEX A.4.

5.4 Conducted Emission

5.4.1 Limit

FCC §15.207

For an intentional radiator that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency within the U-NII-150 kHz to 30 MHz shall not exceed the limits in the following table, as measured using a 50 μ H/50 Ω line impedance stabilization network (LISN).

Frequency range (MHz)	Conducted Limit (dB μ V)	
	Quai-peak	Average
0.15 - 0.50	66 to 56	56 to 46
0.50 - 5	56	46
0.50 - 30	60	50

5.4.2 Test Setup

The section 4.5.2 (Diagram 2) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.4.3 Test Procedure

The maximum conducted interference is searched using Peak (PK), if the emission levels more than the AV and QP limits, and that have narrow margins from the AV and QP limits will be re-measured with AV and QP detectors. Tests for both L phase and N phase lines of the power mains connected to the EUT are performed. Refer to recorded points and plots below.

5.4.4 Test Result

Please refer to ANNEX A.5.

5.5 Radiated Spurious Emissions and Band Edge (Restricted-band)


5.5.1 Limit

FCC §15.209 & 15.407(b)

Frequency (MHz)	Field Strength ($\mu\text{V/m}$)	Measurement Distance (m)
0.009 - 0.490	2400/F(kHz)	300
0.490 - 1.705	24000/F(kHz)	30
1.705 - 30.0	30	30
30 - 88	100	3
88 - 216	150	3
216 - 960	200	3
Above 960	500	3

Note¹: The Limit for radiated test was performed according to FCC Part 15C

Note²: The tighter limit applies at the band edge.

Un-restricted band emissions	
Out Operating Band (MHz)	Limit
5150 - 5250	e.i.r.p. -27 dBm (68.2 dBuV/m@3m)
5250 - 5350	e.i.r.p. -27 dBm (68.2 dBuV/m@3m)
5470 - 5725	e.i.r.p. -27 dBm (68.2 dBuV/m@3m)
5725 - 5850	All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge. 

Note: The following formula is used to convert the equipment isotropic radiated power (eirp) to field strength.

5.5.2 Test Setup

The section 4.5.3-4.5.5 (Diagram 3 - Diagram 5) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.5.3 Test Procedure

Since the emission limits are specified in terms of radiated field strength levels, measurements performed to demonstrate compliance have traditionally relied on a radiated test configuration. Radiated measurements remain the principal method for demonstrating compliance to the specified limits; however antenna-port conducted measurements are also now acceptable to demonstrate compliance (see below for details). When radiated measurements are utilized, test site requirements and procedures for maximizing and measuring radiated emissions that are described in ANSI C63.10 shall be followed.

Antenna-port conducted measurements may also be used as an alternative to radiated measurements for demonstrating compliance in the restricted frequency bands. If conducted measurements are performed, then proper impedance matching must be ensured and an additional radiated test for cabinet/case spurious emissions is required.

General Procedure for conducted measurements in restricted bands

- a) Measure the conducted output power (in dBm) using the detector specified (see guidance regarding measurement procedures for determining quasi-peak, peak, and average conducted output power, respectively).
- b) Add the appropriate maximum ground reflection factor to the EIRP level (6 dB for frequencies ≤ 30 MHz, 4.7 dB for frequencies between 30 MHz and 1000 MHz, inclusive and 0 dB for frequencies > 1000 MHz).
- c) For devices with multiple antenna-ports, measure the power of each individual chain and sum the EIRP of all chains in linear terms (e.g., Watts, mW).
- d) Convert the resultant EIRP level to an equivalent electric field strength using the following relationship:

$$E = \text{EIRP} - 20\log D + 104.8$$

where:

E = electric field strength in dB μ V/m,

EIRP = equivalent isotropic radiated power in dBm

D = specified measurement distance in meters.

- e) Compare the resultant electric field strength level to the applicable limit.
- f) Perform radiated spurious emission test.

Quasi-Peak measurement procedure

The specifications for measurements using the CISPR quasi-peak detector can be found in Publication 16 of the International Special Committee on Radio Frequency Interference (CISPR) of the International Electrotechnical Commission.

As an alternative to CISPR quasi-peak measurement, compliance can be demonstrated to the applicable

emission limits using a peak detector.

Peak power measurement procedure

Peak emission levels are measured by setting the instrument as follows:

- a) RBW = as specified in Table 1.
- b) VBW $\geq 3 \times$ RBW.
- c) Detector = Peak.
- d) Sweep time = auto.
- e) Trace mode = max hold.
- f) Allow sweeps to continue until the trace stabilizes. (Note that the required measurement time may be longer for low duty cycle applications).

Table 1—RBW as a function of frequency

Frequency	RBW
9-150 kHz	200-300 Hz
0.15-30 MHz	9-10 kHz
30-1000 MHz	100-120 kHz
> 1000 MHz	1 MHz

If the peak-detected amplitude can be shown to comply with the average limit, then it is not necessary to perform a separate average measurement.

Trace averaging across on and off times of the EUT transmissions followed by duty cycle correction

If continuous transmission of the EUT (i.e., duty cycle ≥ 98 percent) cannot be achieved and the duty cycle is constant (i.e., duty cycle variations are less than ± 2 percent), then the following procedure shall be used:

- a) The EUT shall be configured to operate at the maximum achievable duty cycle.
- b) Measure the duty cycle, x , of the transmitter output signal as described in section 6.0.
- c) RBW = 1 MHz (unless otherwise specified).
- d) VBW $\geq 3 \times$ RBW.
- e) Detector = RMS, if $\text{span}/(\# \text{ of points in sweep}) \leq (\text{RBW}/2)$. Satisfying this condition may require increasing the number of points in the sweep or reducing the span. If this condition cannot be satisfied, then the detector mode shall be set to peak.
- f) Averaging type = power (i.e., RMS).
 - 1) As an alternative, the detector and averaging type may be set for linear voltage averaging.
 - 2) Some instruments require linear display mode in order to use linear voltage averaging. Log or dB averaging shall not be used.
- g) Sweep time = auto.

h) Perform a trace average of at least 100 traces.

i) A correction factor shall be added to the measurement results prior to comparing to the emission limit in order to compute the emission level that would have been measured had the test been performed at 100 percent duty cycle. The correction factor is computed as follows:

1) If power averaging (RMS) mode was used in step f), then the applicable correction factor is $10 \log(1/x)$, where x is the duty cycle.

2) If linear voltage averaging mode was used in step f), then the applicable correction factor is $20 \log(1/x)$, where x is the duty cycle.

3) If a specific emission is demonstrated to be continuous (≥ 98 percent duty cycle) rather than turning on and off with the transmit cycle, then no duty cycle correction is required for that emission.

NOTE: Reduction of the measured emission amplitude levels to account for operational duty factor is not permitted. Compliance is based on emission levels occurring during transmission - not on an average across on and off times of the transmitter.

Determining the applicable transmit antenna gain

A conducted power measurement will determine the maximum output power associated with a restricted band emission; however, in order to determine the associated EIRP level, the gain of the transmitting antenna (in dBi) must be added to the measured output power (in dBm).

Since the out-of-band characteristics of the EUT transmit antenna will often be unknown, the use of a conservative antenna gain value is necessary. Thus, when determining the EIRP based on the measured conducted power, the upper bound on antenna gain for a device with a single RF output shall be selected as the maximum in-band gain of the antenna across all operating bands, or 2 dBi, whichever is greater. However, for devices that operate in multiple frequency bands while using the same transmit antenna, the highest gain of the antenna within the operating band nearest in frequency to the restricted band emission being measured may be used in lieu of the overall highest gain when the emission is at a frequency that is within 20 percent of the nearest band edge frequency, but in no case shall a value less than 2 dBi be used.

See KDB 662911 for guidance on calculating the additional array gain term when determining the effective antenna gain for a EUT with multiple outputs occupying the same or overlapping frequency ranges in the same band.

Radiated spurious emission test

An additional consideration when performing conducted measurements of restricted band emissions is that unwanted emissions radiating from the EUT cabinet, control circuits, power leads, or intermediate circuit elements will likely go undetected in a conducted measurement configuration. To address this concern, a radiated test shall be performed to ensure that emissions emanating from the EUT cabinet (rather than the antenna port) also comply with the applicable limits.

For these cabinet radiated spurious emission measurements the EUT transmit antenna may be replaced with a termination matching the nominal impedance of the antenna. Procedures for performing radiated measurements are specified in ANSI C63.10. All detected emissions shall comply with the applicable limits.

The measurement frequency range is from 30 MHz to the 10th harmonic of the fundamental frequency. The Turn Table is actuated to turn from 0° to 360°, and both horizontal and vertical polarizations of the Test Antenna are used to find the maximum radiated power. Mid channels on all channel bandwidth verified. Only the worst RB size/offset presented.

The power of the EUT transmitting frequency should be ignored.

All Spurious Emission tests were performed in X, Y, Z axis direction. And only the worst axis test condition was recorded in this test report.

Use the following spectrum analyzer settings:

Span = wide enough to fully capture the emission being measured

RBW = 1 MHz for $f \geq 1$ GHz, 100 kHz for $f < 1$ GHz

VBW $\geq$ RBW

Sweep = auto

Detector function = peak

Trace = max hold

5.5.4 Test Result

Please refer to ANNEX A.6.

ANNEX A TEST RESULT

A.1 RF Output Power

Note ¹: For FCC standard, if transmitting antennas of directional gain greater than 6 dBi are used, all band maximum conducted output power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Note ²: All the configurations were pre tested, only the worst configuration has been reported in this report.

Duty Cycle

Test Mode	On Time (ms)	On+Off time (ms)	Duty Cycle
11a	2.09	2.14	97.61%
11n (HT20)/11ac (VHT20)	4.01	4.06	98.77%
11n (HT40)/11ac (VHT40)	3.99	4.04	98.74%
11ac (VHT80)	3.95	4.03	98.01%
11ac (VHT160)	3.97	4.01	99.00%
11ax (HE20)	4.00	4.04	99.01%
11ax (HE40)	3.97	4.01	98.95%
11ax (HE80)	3.96	4.01	98.73%
11ax (HE160)	3.95	4.02	98.23%

Test DataConducted PowerMain Antenna

U-NII-1 (5150 - 5250 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH36	16.37	43.40	250	Pass
11a	CH44	16.30	42.71	250	Pass
11a	CH48	16.18	41.54	250	Pass
11n (HT20)	CH36	16.84	48.35	250	Pass
11n (HT20)	CH44	16.47	44.40	250	Pass
11n (HT20)	CH48	16.29	42.60	250	Pass
11n (HT40)	CH38	16.51	44.72	250	Pass
11n (HT40)	CH46	16.66	46.29	250	Pass
11ac (VHT20)	CH36	16.80	47.90	250	Pass
11ac (VHT20)	CH44	16.46	44.30	250	Pass
11ac (VHT20)	CH48	16.35	43.19	250	Pass
11ac (VHT40)	CH38	16.85	48.36	250	Pass
11ac (VHT40)	CH46	16.62	45.87	250	Pass
11ac (VHT80)	CH42	16.60	45.68	250	Pass
11ac (VHT160)	CH50	15.56	36.00	250	Pass
11ax (HE20)(SU)	CH36	16.62	45.95	250	Pass
11ax (HE20)(SU)	CH44	16.69	46.70	250	Pass
11ax (HE20)(SU)	CH48	16.59	45.64	250	Pass
11ax (HE40)(SU)	CH38	16.64	46.09	250	Pass
11ax (HE40)(SU)	CH46	16.86	48.48	250	Pass
11ax (HE80)(SU)	CH42	16.68	46.51	250	Pass
11ax (HE160)(SU)	CH50	15.31	33.94	250	Pass
11ax (HE20)(RU26)	CH36	11.66	14.67	250	Pass
11ax (HE20)(RU26)	CH44	11.83	15.25	250	Pass
11ax (HE20)(RU26)	CH48	11.69	14.77	250	Pass
11ax (HE40)(RU26)	CH38	11.85	15.30	250	Pass
11ax (HE40)(RU26)	CH46	11.66	14.64	250	Pass
11ax (HE80)(RU26)	CH42	11.70	14.78	250	Pass
11ax (HE160)(RU26)	CH50	11.65	14.61	250	Pass

U-NII-2A (5250 - 5350 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH52	16.81	48.03	250	Pass
11a	CH60	16.79	47.81	250	Pass
11a	CH64	16.71	46.93	250	Pass
11n (HT20)	CH52	16.85	48.46	250	Pass
11n (HT20)	CH60	16.85	48.46	250	Pass
11n (HT20)	CH64	16.88	48.80	250	Pass
11n (HT40)	CH54	16.63	45.97	250	Pass
11n (HT40)	CH62	16.62	45.87	250	Pass
11ac (VHT20)	CH52	16.90	49.02	250	Pass
11ac (VHT20)	CH60	16.88	48.80	250	Pass
11ac (VHT20)	CH64	16.78	47.68	250	Pass
11ac (VHT40)	CH54	16.62	45.87	250	Pass
11ac (VHT40)	CH62	16.60	45.66	250	Pass
11ac (VHT80)	CH58	16.81	47.94	250	Pass
11ax (HE20)(SU)	CH52	16.67	46.49	250	Pass
11ax (HE20)(SU)	CH60	16.65	46.27	250	Pass
11ax (HE20)(SU)	CH64	16.64	46.17	250	Pass
11ax (HE40)(SU)	CH54	16.78	47.60	250	Pass
11ax (HE40)(SU)	CH62	16.87	48.59	250	Pass
11ax (HE80)(SU)	CH58	16.50	44.62	250	Pass
11ax (HE20)(RU26)	CH52	11.81	15.18	250	Pass
11ax (HE20)(RU26)	CH60	11.73	14.90	250	Pass
11ax (HE20)(RU26)	CH64	11.71	14.84	250	Pass
11ax (HE40)(RU26)	CH54	11.77	15.02	250	Pass
11ax (HE40)(RU26)	CH62	11.68	14.71	250	Pass
11ax (HE80)(RU26)	CH58	11.55	14.27	250	Pass

U-NII-2C (5470 - 5725 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH100	16.78	47.70	250	Pass
11a	CH116	16.57	45.44	250	Pass
11a	CH140	16.48	44.51	250	Pass
11n (HT20)	CH100	16.54	45.12	250	Pass
11n (HT20)	CH116	16.74	47.25	250	Pass
11n (HT20)	CH140	16.81	48.02	250	Pass
11n (HT40)	CH102	16.80	47.81	250	Pass
11n (HT40)	CH118	16.84	48.25	250	Pass
11n (HT40)	CH134	16.82	48.03	250	Pass
11ac (VHT20)	CH100	16.90	49.02	250	Pass
11ac (VHT20)	CH116	16.74	47.25	250	Pass
11ac (VHT20)	CH140	16.77	47.57	250	Pass
11ac (VHT40)	CH102	16.31	42.71	250	Pass
11ac (VHT40)	CH118	16.83	48.14	250	Pass
11ac (VHT40)	CH134	16.88	48.70	250	Pass
11ac (VHT80)	CH106	16.67	46.42	250	Pass
11ac (VHT80)	CH122	16.51	44.74	250	Pass
11ac (VHT160)	CH114	14.40	27.57	250	Pass
11ax (HE20)(SU)	CH100	16.89	48.90	250	Pass
11ax (HE20)(SU)	CH116	16.99	50.04	250	Pass
11ax (HE20)(SU)	CH140	16.54	45.12	250	Pass
11ax (HE40)(SU)	CH102	16.49	44.52	250	Pass
11ax (HE40)(SU)	CH118	16.53	44.93	250	Pass
11ax (HE40)(SU)	CH134	16.77	47.49	250	Pass
11ax (HE80)(SU)	CH106	16.86	48.48	250	Pass
11ax (HE80)(SU)	CH122	16.71	46.83	250	Pass
11ax (HE160)(SU)	CH114	15.25	33.48	250	Pass
11ax (HE20)(RU26)	CH100	11.80	15.15	250	Pass
11ax (HE20)(RU26)	CH116	11.65	14.63	250	Pass
11ax (HE20)(RU26)	CH140	11.65	14.63	250	Pass
11ax (HE40)(RU26)	CH102	11.68	14.71	250	Pass
11ax (HE40)(RU26)	CH118	11.77	15.02	250	Pass
11ax (HE40)(RU26)	CH134	11.80	15.12	250	Pass
11ax (HE80)(RU26)	CH106	11.63	14.54	250	Pass
11ax (HE80)(RU26)	CH122	11.84	15.26	250	Pass
11ax (HE160)(RU26)	CH114	11.59	14.41	250	Pass

U-NII-3 (5725 - 5850 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH149	16.58	45.55	1000	Pass
11a	CH157	16.66	46.40	1000	Pass
11a	CH165	16.85	48.47	1000	Pass
11n (HT20)	CH149	16.72	47.03	1000	Pass
11n (HT20)	CH157	16.57	45.43	1000	Pass
11n (HT20)	CH165	16.70	46.81	1000	Pass
11n (HT40)	CH151	16.84	48.25	1000	Pass
11n (HT40)	CH159	16.76	47.37	1000	Pass
11ac (VHT20)	CH149	16.67	46.49	1000	Pass
11ac (VHT20)	CH157	16.64	46.17	1000	Pass
11ac (VHT20)	CH165	16.85	48.46	1000	Pass
11ac (VHT40)	CH151	16.65	46.19	1000	Pass
11ac (VHT40)	CH159	16.74	47.15	1000	Pass
11ac (VHT80)	CH155	16.57	45.36	1000	Pass
11ax (HE20)(SU)	CH149	16.46	44.29	1000	Pass
11ax (HE20)(SU)	CH157	16.83	48.23	1000	Pass
11ax (HE20)(SU)	CH165	16.71	46.92	1000	Pass
11ax (HE40)(SU)	CH151	16.68	46.51	1000	Pass
11ax (HE40)(SU)	CH159	16.50	44.62	1000	Pass
11ax (HE80)(SU)	CH155	16.85	48.37	1000	Pass
11ax (HE20)(RU26)	CH149	11.65	14.63	1000	Pass
11ax (HE20)(RU26)	CH157	11.77	15.04	1000	Pass
11ax (HE20)(RU26)	CH165	11.82	15.22	1000	Pass
11ax (HE40)(RU26)	CH151	11.80	15.12	1000	Pass
11ax (HE40)(RU26)	CH159	11.66	14.64	1000	Pass
11ax (HE80)(RU26)	CH155	11.84	15.26	1000	Pass

Aux. Antenna

U-NII-1 (5150 - 5250 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH36	15.85	38.50	250	Pass
11a	CH44	15.87	38.68	250	Pass
11a	CH48	15.76	37.71	250	Pass
11n (HT20)	CH36	15.63	36.59	250	Pass
11n (HT20)	CH44	15.66	36.84	250	Pass
11n (HT20)	CH48	15.80	38.05	250	Pass
11n (HT40)	CH38	15.59	36.18	250	Pass
11n (HT40)	CH46	15.81	38.06	250	Pass
11ac (VHT20)	CH36	15.80	38.05	250	Pass
11ac (VHT20)	CH44	15.74	37.53	250	Pass
11ac (VHT20)	CH48	15.81	38.14	250	Pass
11ac (VHT40)	CH38	15.84	38.33	250	Pass
11ac (VHT40)	CH46	15.87	38.59	250	Pass
11ac (VHT80)	CH42	15.80	37.99	250	Pass
11ac (VHT160)	CH50	15.58	36.17	250	Pass
11ax (HE20)(SU)	CH36	15.86	38.58	250	Pass
11ax (HE20)(SU)	CH44	15.51	35.59	250	Pass
11ax (HE20)(SU)	CH48	15.54	35.84	250	Pass
11ax (HE40)(SU)	CH38	15.81	38.07	250	Pass
11ax (HE40)(SU)	CH46	15.64	36.61	250	Pass
11ax (HE80)(SU)	CH42	15.75	37.55	250	Pass
11ax (HE160)(SU)	CH50	15.82	38.17	250	Pass
11ax (HE20)(RU26)	CH36	11.85	15.32	250	Pass
11ax (HE20)(RU26)	CH44	11.88	15.43	250	Pass
11ax (HE20)(RU26)	CH48	11.72	14.87	250	Pass
11ax (HE40)(RU26)	CH38	11.71	14.81	250	Pass
11ax (HE40)(RU26)	CH46	11.65	14.61	250	Pass
11ax (HE80)(RU26)	CH42	11.80	15.12	250	Pass
11ax (HE160)(RU26)	CH50	11.65	14.61	250	Pass

U-NII-2A (5250 - 5350 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH52	15.88	38.77	250	Pass
11a	CH60	15.91	39.04	250	Pass
11a	CH64	15.85	38.50	250	Pass
11n (HT20)	CH52	15.62	36.51	250	Pass
11n (HT20)	CH60	15.61	36.42	250	Pass
11n (HT20)	CH64	15.56	36.01	250	Pass
11n (HT40)	CH54	15.79	37.89	250	Pass
11n (HT40)	CH62	15.84	38.33	250	Pass
11ac (VHT20)	CH52	15.65	36.76	250	Pass
11ac (VHT20)	CH60	15.59	36.26	250	Pass
11ac (VHT20)	CH64	15.56	36.01	250	Pass
11ac (VHT40)	CH54	15.82	38.15	250	Pass
11ac (VHT40)	CH62	15.86	38.51	250	Pass
11ac (VHT80)	CH58	15.67	36.87	250	Pass
11ax (HE20)(SU)	CH52	15.85	38.49	250	Pass
11ax (HE20)(SU)	CH60	15.84	38.40	250	Pass
11ax (HE20)(SU)	CH64	15.90	38.93	250	Pass
11ax (HE40)(SU)	CH54	15.84	38.33	250	Pass
11ax (HE40)(SU)	CH62	15.78	37.81	250	Pass
11ax (HE80)(SU)	CH58	15.82	38.16	250	Pass
11ax (HE20)(RU26)	CH52	11.88	15.43	250	Pass
11ax (HE20)(RU26)	CH60	11.69	14.77	250	Pass
11ax (HE20)(RU26)	CH64	11.89	15.46	250	Pass
11ax (HE40)(RU26)	CH54	11.67	14.67	250	Pass
11ax (HE40)(RU26)	CH62	11.66	14.64	250	Pass
11ax (HE80)(RU26)	CH58	11.70	14.78	250	Pass

U-NII-2C (5470 - 5725 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH100	14.82	30.37	250	Pass
11a	CH116	14.81	30.30	250	Pass
11a	CH140	14.90	30.94	250	Pass
11n (HT20)	CH100	14.84	30.51	250	Pass
11n (HT20)	CH116	14.82	30.37	250	Pass
11n (HT20)	CH140	14.79	30.16	250	Pass
11n (HT40)	CH102	14.72	29.62	250	Pass
11n (HT40)	CH118	14.64	29.08	250	Pass
11n (HT40)	CH134	14.81	30.24	250	Pass
11ac (VHT20)	CH100	14.90	30.93	250	Pass
11ac (VHT20)	CH116	14.76	29.95	250	Pass
11ac (VHT20)	CH140	14.86	30.65	250	Pass
11ac (VHT40)	CH102	14.74	29.75	250	Pass
11ac (VHT40)	CH118	14.58	28.68	250	Pass
11ac (VHT40)	CH134	14.82	30.31	250	Pass
11ac (VHT80)	CH106	14.79	30.11	250	Pass
11ac (VHT80)	CH122	14.55	28.49	250	Pass
11ac (VHT160)	CH114	14.64	29.13	250	Pass
11ax (HE20)(SU)	CH100	14.50	28.20	250	Pass
11ax (HE20)(SU)	CH116	14.53	28.40	250	Pass
11ax (HE20)(SU)	CH140	14.80	30.22	250	Pass
11ax (HE40)(SU)	CH102	14.73	29.69	250	Pass
11ax (HE40)(SU)	CH118	14.89	30.80	250	Pass
11ax (HE40)(SU)	CH134	14.64	29.08	250	Pass
11ax (HE80)(SU)	CH106	14.60	28.81	250	Pass
11ax (HE80)(SU)	CH122	14.85	30.52	250	Pass
11ax (HE160)(SU)	CH114	14.61	28.89	250	Pass
11ax (HE20)(RU26)	CH100	11.83	15.25	250	Pass
11ax (HE20)(RU26)	CH116	11.79	15.11	250	Pass
11ax (HE20)(RU26)	CH140	11.74	14.94	250	Pass
11ax (HE40)(RU26)	CH102	11.74	14.91	250	Pass
11ax (HE40)(RU26)	CH118	11.67	14.67	250	Pass
11ax (HE40)(RU26)	CH134	11.83	15.23	250	Pass
11ax (HE80)(RU26)	CH106	11.72	14.84	250	Pass
11ax (HE80)(RU26)	CH122	11.68	14.71	250	Pass
11ax (HE160)(RU26)	CH114	11.57	14.35	250	Pass

U-NII-3 (5725 - 5850 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH149	15.84	38.41	1000	Pass
11a	CH157	15.81	38.15	1000	Pass
11a	CH165	15.82	38.24	1000	Pass
11n (HT20)	CH149	15.71	37.27	1000	Pass
11n (HT20)	CH157	15.51	35.59	1000	Pass
11n (HT20)	CH165	15.87	38.67	1000	Pass
11n (HT40)	CH151	15.77	37.72	1000	Pass
11n (HT40)	CH159	15.84	38.33	1000	Pass
11ac (VHT20)	CH149	15.73	37.44	1000	Pass
11ac (VHT20)	CH157	15.50	35.51	1000	Pass
11ac (VHT20)	CH165	15.80	38.05	1000	Pass
11ac (VHT40)	CH151	15.83	38.24	1000	Pass
11ac (VHT40)	CH159	15.84	38.33	1000	Pass
11ac (VHT80)	CH155	15.58	36.12	1000	Pass
11ax (HE20)(SU)	CH149	15.69	37.10	1000	Pass
11ax (HE20)(SU)	CH157	15.85	38.49	1000	Pass
11ax (HE20)(SU)	CH165	15.65	36.76	1000	Pass
11ax (HE40)(SU)	CH151	15.55	35.86	1000	Pass
11ax (HE40)(SU)	CH159	15.47	35.20	1000	Pass
11ax (HE80)(SU)	CH155	15.69	37.03	1000	Pass
11ax (HE20)(RU26)	CH149	11.63	14.57	1000	Pass
11ax (HE20)(RU26)	CH157	11.82	15.22	1000	Pass
11ax (HE20)(RU26)	CH165	11.79	15.11	1000	Pass
11ax (HE40)(RU26)	CH151	11.77	15.02	1000	Pass
11ax (HE40)(RU26)	CH159	11.73	14.88	1000	Pass
11ax (HE80)(RU26)	CH155	11.65	14.61	1000	Pass

MIMO-Main Antenna

U-NII-1 (5150 - 5250 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH36	13.82	24.12	250	Pass
11n (HT20)	CH44	13.70	23.46	250	Pass
11n (HT20)	CH48	13.81	24.06	250	Pass
11n (HT40)	CH38	13.60	22.88	250	Pass
11n (HT40)	CH46	13.64	23.10	250	Pass
11ac (VHT20)	CH36	13.62	23.03	250	Pass
11ac (VHT20)	CH44	13.60	22.93	250	Pass
11ac (VHT20)	CH48	13.54	22.61	250	Pass
11ac (VHT40)	CH38	13.62	22.99	250	Pass
11ac (VHT40)	CH46	13.66	23.20	250	Pass
11ac (VHT80)	CH42	13.55	22.63	250	Pass
11ac (VHT160)	CH50	13.78	23.90	250	Pass
11ax (HE20)(SU)	CH36	13.84	24.23	250	Pass
11ax (HE20)(SU)	CH44	13.66	23.24	250	Pass
11ax (HE20)(SU)	CH48	13.78	23.90	250	Pass
11ax (HE40)(SU)	CH38	13.76	23.75	250	Pass
11ax (HE40)(SU)	CH46	13.68	23.31	250	Pass
11ax (HE80)(SU)	CH42	13.78	23.85	250	Pass
11ax (HE160)(SU)	CH50	13.59	22.84	250	Pass
11ax (HE20)(RU26)	CH36	8.69	7.40	250	Pass
11ax (HE20)(RU26)	CH44	8.66	7.35	250	Pass
11ax (HE20)(RU26)	CH48	8.87	7.71	250	Pass
11ax (HE40)(RU26)	CH38	8.76	7.51	250	Pass
11ax (HE40)(RU26)	CH46	8.80	7.58	250	Pass
11ax (HE80)(RU26)	CH42	8.72	7.44	250	Pass
11ax (HE160)(RU26)	CH50	8.73	7.46	250	Pass

U-NII-2A (5250 - 5350 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH52	13.51	22.46	250	Pass
11n (HT20)	CH60	13.63	23.09	250	Pass
11n (HT20)	CH64	13.85	24.29	250	Pass
11n (HT40)	CH54	13.57	22.73	250	Pass
11n (HT40)	CH62	13.51	22.41	250	Pass
11ac (VHT20)	CH52	13.86	24.34	250	Pass
11ac (VHT20)	CH60	13.77	23.84	250	Pass
11ac (VHT20)	CH64	13.88	24.46	250	Pass
11ac (VHT40)	CH54	13.59	22.83	250	Pass
11ac (VHT40)	CH62	13.60	22.88	250	Pass
11ac (VHT80)	CH58	13.79	23.92	250	Pass
11ax (HE20)(SU)	CH52	13.87	24.40	250	Pass
11ax (HE20)(SU)	CH60	13.81	24.06	250	Pass
11ax (HE20)(SU)	CH64	13.76	23.79	250	Pass
11ax (HE40)(SU)	CH54	13.73	23.58	250	Pass
11ax (HE40)(SU)	CH62	13.77	23.80	250	Pass
11ax (HE80)(SU)	CH58	13.57	22.73	250	Pass
11ax (HE20)(RU26)	CH52	8.62	7.28	250	Pass
11ax (HE20)(RU26)	CH60	8.80	7.59	250	Pass
11ax (HE20)(RU26)	CH64	8.77	7.54	250	Pass
11ax (HE40)(RU26)	CH54	8.76	7.51	250	Pass
11ax (HE40)(RU26)	CH62	8.73	7.46	250	Pass
11ax (HE80)(RU26)	CH58	8.61	7.25	250	Pass

U-NII-2C (5470 - 5725 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH100	13.83	24.18	250	Pass
11n (HT20)	CH116	13.61	22.98	250	Pass
11n (HT20)	CH140	13.79	23.95	250	Pass
11n (HT40)	CH102	13.62	22.99	250	Pass
11n (HT40)	CH118	13.67	23.26	250	Pass
11n (HT40)	CH134	13.83	24.13	250	Pass
11ac (VHT20)	CH100	13.53	22.56	250	Pass
11ac (VHT20)	CH116	13.67	23.30	250	Pass
11ac (VHT20)	CH140	13.76	23.79	250	Pass
11ac (VHT40)	CH102	13.64	23.10	250	Pass
11ac (VHT40)	CH118	13.70	23.42	250	Pass
11ac (VHT40)	CH134	13.73	23.58	250	Pass
11ac (VHT80)	CH106	13.60	22.89	250	Pass
11ac (VHT80)	CH122	13.54	22.58	250	Pass
11ac (VHT160)	CH114	13.51	22.46	250	Pass
11ax (HE20)(SU)	CH100	13.85	24.28	250	Pass
11ax (HE20)(SU)	CH116	13.57	22.77	250	Pass
11ax (HE20)(SU)	CH140	13.63	23.08	250	Pass
11ax (HE40)(SU)	CH102	13.89	24.47	250	Pass
11ax (HE40)(SU)	CH118	13.74	23.64	250	Pass
11ax (HE40)(SU)	CH134	13.62	22.99	250	Pass
11ax (HE80)(SU)	CH106	13.78	23.85	250	Pass
11ax (HE80)(SU)	CH122	13.68	23.31	250	Pass
11ax (HE160)(SU)	CH114	13.80	23.97	250	Pass
11ax (HE20)(RU26)	CH100	8.68	7.38	250	Pass
11ax (HE20)(RU26)	CH116	8.81	7.61	250	Pass
11ax (HE20)(RU26)	CH140	8.78	7.56	250	Pass
11ax (HE40)(RU26)	CH102	8.72	7.44	250	Pass
11ax (HE40)(RU26)	CH118	8.82	7.61	250	Pass
11ax (HE40)(RU26)	CH134	8.67	7.35	250	Pass
11ax (HE80)(RU26)	CH106	8.64	7.30	250	Pass
11ax (HE80)(RU26)	CH122	8.69	7.39	250	Pass
11ax (HE160)(RU26)	CH114	8.54	7.14	250	Pass

U-NII-3 (5725 - 5850 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH149	13.69	23.41	1000	Pass
11n (HT20)	CH157	13.64	23.14	1000	Pass
11n (HT20)	CH165	13.79	23.95	1000	Pass
11n (HT40)	CH151	13.80	23.96	1000	Pass
11n (HT40)	CH159	13.61	22.94	1000	Pass
11ac (VHT20)	CH149	13.70	23.46	1000	Pass
11ac (VHT20)	CH157	13.63	23.09	1000	Pass
11ac (VHT20)	CH165	13.51	22.46	1000	Pass
11ac (VHT40)	CH151	13.85	24.24	1000	Pass
11ac (VHT40)	CH159	13.64	23.10	1000	Pass
11ac (VHT80)	CH155	13.54	22.58	1000	Pass
11ax (HE20)(SU)	CH149	13.67	23.30	1000	Pass
11ax (HE20)(SU)	CH157	13.51	22.46	1000	Pass
11ax (HE20)(SU)	CH165	13.85	24.28	1000	Pass
11ax (HE40)(SU)	CH151	13.58	22.78	1000	Pass
11ax (HE40)(SU)	CH159	13.81	24.02	1000	Pass
11ax (HE80)(SU)	CH155	13.80	23.96	1000	Pass
11ax (HE20)(RU26)	CH149	8.79	7.57	1000	Pass
11ax (HE20)(RU26)	CH157	8.82	7.63	1000	Pass
11ax (HE20)(RU26)	CH165	8.64	7.32	1000	Pass
11ax (HE40)(RU26)	CH151	8.72	7.44	1000	Pass
11ax (HE40)(RU26)	CH159	8.73	7.46	1000	Pass
11ax (HE80)(RU26)	CH155	8.84	7.65	1000	Pass

MIMO-Aux. Antenna

U-NII-1 (5150 - 5250 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH36	13.72	23.57	250	Pass
11n (HT20)	CH44	13.79	23.95	250	Pass
11n (HT20)	CH48	13.74	23.68	250	Pass
11n (HT40)	CH38	13.78	23.85	250	Pass
11n (HT40)	CH46	13.82	24.07	250	Pass
11ac (VHT20)	CH36	13.53	22.56	250	Pass
11ac (VHT20)	CH44	13.73	23.63	250	Pass
11ac (VHT20)	CH48	13.69	23.41	250	Pass
11ac (VHT40)	CH38	13.81	24.02	250	Pass
11ac (VHT40)	CH46	13.83	24.13	250	Pass
11ac (VHT80)	CH42	13.58	22.79	250	Pass
11ac (VHT160)	CH50	13.60	22.93	250	Pass
11ax (HE20)(SU)	CH36	13.62	23.03	250	Pass
11ax (HE20)(SU)	CH44	13.86	24.34	250	Pass
11ax (HE20)(SU)	CH48	13.77	23.84	250	Pass
11ax (HE40)(SU)	CH38	13.65	23.15	250	Pass
11ax (HE40)(SU)	CH46	13.66	23.20	250	Pass
11ax (HE80)(SU)	CH42	13.77	23.80	250	Pass
11ax (HE160)(SU)	CH50	13.85	24.25	250	Pass
11ax (HE20)(RU26)	CH36	8.79	7.57	250	Pass
11ax (HE20)(RU26)	CH44	8.60	7.25	250	Pass
11ax (HE20)(RU26)	CH48	8.60	7.25	250	Pass
11ax (HE40)(RU26)	CH38	8.69	7.39	250	Pass
11ax (HE40)(RU26)	CH46	8.67	7.35	250	Pass
11ax (HE80)(RU26)	CH42	8.60	7.24	250	Pass
11ax (HE160)(RU26)	CH50	8.87	7.70	250	Pass

U-NII-2A (5250 - 5350 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH52	13.65	23.19	250	Pass
11n (HT20)	CH60	13.68	23.35	250	Pass
11n (HT20)	CH64	13.66	23.25	250	Pass
11n (HT40)	CH54	13.68	23.31	250	Pass
11n (HT40)	CH62	13.63	23.04	250	Pass
11ac (VHT20)	CH52	13.62	23.03	250	Pass
11ac (VHT20)	CH60	13.69	23.41	250	Pass
11ac (VHT20)	CH64	13.66	23.25	250	Pass
11ac (VHT40)	CH54	13.85	24.24	250	Pass
11ac (VHT40)	CH62	13.81	24.02	250	Pass
11ac (VHT80)	CH58	13.69	23.37	250	Pass
11ax (HE20)(SU)	CH52	13.92	24.68	250	Pass
11ax (HE20)(SU)	CH60	13.80	24.01	250	Pass
11ax (HE20)(SU)	CH64	13.85	24.28	250	Pass
11ax (HE40)(SU)	CH54	13.62	22.99	250	Pass
11ax (HE40)(SU)	CH62	13.82	24.08	250	Pass
11ax (HE80)(SU)	CH58	13.75	23.69	250	Pass
11ax (HE20)(RU26)	CH52	8.64	7.32	250	Pass
11ax (HE20)(RU26)	CH60	8.62	7.28	250	Pass
11ax (HE20)(RU26)	CH64	8.61	7.27	250	Pass
11ax (HE40)(RU26)	CH54	8.72	7.44	250	Pass
11ax (HE40)(RU26)	CH62	8.70	7.41	250	Pass
11ax (HE80)(RU26)	CH58	8.69	7.39	250	Pass

U-NII-2C (5470 - 5725 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH100	13.80	24.01	250	Pass
11n (HT20)	CH116	13.72	23.57	250	Pass
11n (HT20)	CH140	13.97	24.97	250	Pass
11n (HT40)	CH102	13.83	24.13	250	Pass
11n (HT40)	CH118	13.71	23.47	250	Pass
11n (HT40)	CH134	13.68	23.31	250	Pass
11ac (VHT20)	CH100	13.70	23.46	250	Pass
11ac (VHT20)	CH116	13.69	23.41	250	Pass
11ac (VHT20)	CH140	13.85	24.29	250	Pass
11ac (VHT40)	CH102	13.63	23.04	250	Pass
11ac (VHT40)	CH118	13.68	23.31	250	Pass
11ac (VHT40)	CH134	13.70	23.42	250	Pass
11ac (VHT80)	CH106	13.69	23.37	250	Pass
11ac (VHT80)	CH122	13.84	24.19	250	Pass
11ac (VHT160)	CH114	13.79	23.95	250	Pass
11ax (HE20)(SU)	CH100	13.66	23.24	250	Pass
11ax (HE20)(SU)	CH116	13.75	23.73	250	Pass
11ax (HE20)(SU)	CH140	13.74	23.68	250	Pass
11ax (HE40)(SU)	CH102	13.73	23.58	250	Pass
11ax (HE40)(SU)	CH118	13.67	23.26	250	Pass
11ax (HE40)(SU)	CH134	13.80	23.96	250	Pass
11ax (HE80)(SU)	CH106	13.86	24.30	250	Pass
11ax (HE80)(SU)	CH122	13.78	23.85	250	Pass
11ax (HE160)(SU)	CH114	13.71	23.48	250	Pass
11ax (HE20)(RU26)	CH100	8.69	7.40	250	Pass
11ax (HE20)(RU26)	CH116	8.59	7.23	250	Pass
11ax (HE20)(RU26)	CH140	8.83	7.64	250	Pass
11ax (HE40)(RU26)	CH102	8.85	7.67	250	Pass
11ax (HE40)(RU26)	CH118	8.80	7.58	250	Pass
11ax (HE40)(RU26)	CH134	8.76	7.51	250	Pass
11ax (HE80)(RU26)	CH106	8.84	7.65	250	Pass
11ax (HE80)(RU26)	CH122	8.75	7.49	250	Pass
11ax (HE160)(RU26)	CH114	8.62	7.27	250	Pass

U-NII-3 (5725 - 5850 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH149	13.85	24.29	1000	Pass
11n (HT20)	CH157	13.86	24.34	1000	Pass
11n (HT20)	CH165	13.78	23.90	1000	Pass
11n (HT40)	CH151	13.80	23.96	1000	Pass
11n (HT40)	CH159	13.78	23.85	1000	Pass
11ac (VHT20)	CH149	13.77	23.84	1000	Pass
11ac (VHT20)	CH157	13.74	23.68	1000	Pass
11ac (VHT20)	CH165	13.71	23.52	1000	Pass
11ac (VHT40)	CH151	13.72	23.52	1000	Pass
11ac (VHT40)	CH159	13.78	23.85	1000	Pass
11ac (VHT80)	CH155	13.74	23.64	1000	Pass
11ax (HE20)(SU)	CH149	13.83	24.17	1000	Pass
11ax (HE20)(SU)	CH157	13.79	23.95	1000	Pass
11ax (HE20)(SU)	CH165	13.62	23.03	1000	Pass
11ax (HE40)(SU)	CH151	13.80	23.96	1000	Pass
11ax (HE40)(SU)	CH159	13.79	23.91	1000	Pass
11ax (HE80)(SU)	CH155	13.68	23.31	1000	Pass
11ax (HE20)(RU26)	CH149	8.61	7.27	1000	Pass
11ax (HE20)(RU26)	CH157	8.73	7.47	1000	Pass
11ax (HE20)(RU26)	CH165	8.66	7.35	1000	Pass
11ax (HE40)(RU26)	CH151	8.77	7.53	1000	Pass
11ax (HE40)(RU26)	CH159	8.79	7.56	1000	Pass
11ax (HE80)(RU26)	CH155	8.74	7.47	1000	Pass

MIMO

U-NII-1 (5150 - 5250 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH36	16.78	47.69	250	Pass
11n (HT20)	CH44	16.76	47.42	250	Pass
11n (HT20)	CH48	16.79	47.74	250	Pass
11n (HT40)	CH38	16.70	46.74	250	Pass
11n (HT40)	CH46	16.74	47.17	250	Pass
11ac (VHT20)	CH36	16.59	45.60	250	Pass
11ac (VHT20)	CH44	16.68	46.55	250	Pass
11ac (VHT20)	CH48	16.63	46.02	250	Pass
11ac (VHT40)	CH38	16.72	47.01	250	Pass
11ac (VHT40)	CH46	16.75	47.33	250	Pass
11ac (VHT80)	CH42	16.57	45.42	250	Pass
11ac (VHT160)	CH50	16.70	46.83	250	Pass
11ax (HE20)(SU)	CH36	16.74	47.26	250	Pass
11ax (HE20)(SU)	CH44	16.77	47.58	250	Pass
11ax (HE20)(SU)	CH48	16.79	47.74	250	Pass
11ax (HE40)(SU)	CH38	16.71	46.90	250	Pass
11ax (HE40)(SU)	CH46	16.68	46.52	250	Pass
11ax (HE80)(SU)	CH42	16.78	47.65	250	Pass
11ax (HE160)(SU)	CH50	16.73	47.09	250	Pass
11ax (HE20)(RU26)	CH36	11.75	14.98	250	Pass
11ax (HE20)(RU26)	CH44	11.64	14.60	250	Pass
11ax (HE20)(RU26)	CH48	11.75	14.96	250	Pass
11ax (HE40)(RU26)	CH38	11.73	14.90	250	Pass
11ax (HE40)(RU26)	CH46	11.74	14.93	250	Pass
11ax (HE80)(RU26)	CH42	11.67	14.68	250	Pass
11ax (HE160)(RU26)	CH50	11.81	15.16	250	Pass

U-NII-2A (5250 - 5350 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH52	16.59	45.65	250	Pass
11n (HT20)	CH60	16.67	46.44	250	Pass
11n (HT20)	CH64	16.77	47.53	250	Pass
11n (HT40)	CH54	16.63	46.03	250	Pass
11n (HT40)	CH62	16.58	45.46	250	Pass
11ac (VHT20)	CH52	16.76	47.38	250	Pass
11ac (VHT20)	CH60	16.74	47.25	250	Pass
11ac (VHT20)	CH64	16.79	47.70	250	Pass
11ac (VHT40)	CH54	16.73	47.07	250	Pass
11ac (VHT40)	CH62	16.71	46.90	250	Pass
11ac (VHT80)	CH58	16.75	47.29	250	Pass
11ax (HE20)(SU)	CH52	16.91	49.08	250	Pass
11ax (HE20)(SU)	CH60	16.82	48.07	250	Pass
11ax (HE20)(SU)	CH64	16.82	48.07	250	Pass
11ax (HE40)(SU)	CH54	16.68	46.57	250	Pass
11ax (HE40)(SU)	CH62	16.80	47.88	250	Pass
11ax (HE80)(SU)	CH58	16.67	46.42	250	Pass
11ax (HE20)(RU26)	CH52	11.64	14.60	250	Pass
11ax (HE20)(RU26)	CH60	11.72	14.87	250	Pass
11ax (HE20)(RU26)	CH64	11.70	14.81	250	Pass
11ax (HE40)(RU26)	CH54	11.75	14.95	250	Pass
11ax (HE40)(RU26)	CH62	11.72	14.86	250	Pass
11ax (HE80)(RU26)	CH58	11.66	14.64	250	Pass

U-NII-2C (5470 - 5725 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH100	16.83	48.18	250	Pass
11n (HT20)	CH116	16.68	46.55	250	Pass
11n (HT20)	CH140	16.90	48.92	250	Pass
11n (HT40)	CH102	16.73	47.12	250	Pass
11n (HT40)	CH118	16.70	46.73	250	Pass
11n (HT40)	CH134	16.76	47.44	250	Pass
11ac (VHT20)	CH100	16.63	46.02	250	Pass
11ac (VHT20)	CH116	16.69	46.71	250	Pass
11ac (VHT20)	CH140	16.82	48.08	250	Pass
11ac (VHT40)	CH102	16.64	46.14	250	Pass
11ac (VHT40)	CH118	16.70	46.73	250	Pass
11ac (VHT40)	CH134	16.72	47.00	250	Pass
11ac (VHT80)	CH106	16.65	46.27	250	Pass
11ac (VHT80)	CH122	16.70	46.77	250	Pass
11ac (VHT160)	CH114	16.67	46.41	250	Pass
11ax (HE20)(SU)	CH100	16.77	47.53	250	Pass
11ax (HE20)(SU)	CH116	16.67	46.50	250	Pass
11ax (HE20)(SU)	CH140	16.70	46.76	250	Pass
11ax (HE40)(SU)	CH102	16.82	48.05	250	Pass
11ax (HE40)(SU)	CH118	16.71	46.89	250	Pass
11ax (HE40)(SU)	CH134	16.72	46.96	250	Pass
11ax (HE80)(SU)	CH106	16.83	48.15	250	Pass
11ax (HE80)(SU)	CH122	16.74	47.17	250	Pass
11ax (HE160)(SU)	CH114	16.76	47.46	250	Pass
11ax (HE20)(RU26)	CH100	11.70	14.79	250	Pass
11ax (HE20)(RU26)	CH116	11.71	14.84	250	Pass
11ax (HE20)(RU26)	CH140	11.82	15.20	250	Pass
11ax (HE40)(RU26)	CH102	11.79	15.11	250	Pass
11ax (HE40)(RU26)	CH118	11.82	15.19	250	Pass
11ax (HE40)(RU26)	CH134	11.72	14.86	250	Pass
11ax (HE80)(RU26)	CH106	11.75	14.95	250	Pass
11ax (HE80)(RU26)	CH122	11.73	14.88	250	Pass
11ax (HE160)(RU26)	CH114	11.59	14.41	250	Pass

U-NII-3 (5725 - 5850 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH149	16.78	47.70	1000	Pass
11n (HT20)	CH157	16.77	47.48	1000	Pass
11n (HT20)	CH165	16.80	47.85	1000	Pass
11n (HT40)	CH151	16.81	47.92	1000	Pass
11n (HT40)	CH159	16.70	46.79	1000	Pass
11ac (VHT20)	CH149	16.75	47.31	1000	Pass
11ac (VHT20)	CH157	16.70	46.77	1000	Pass
11ac (VHT20)	CH165	16.63	45.98	1000	Pass
11ac (VHT40)	CH151	16.79	47.76	1000	Pass
11ac (VHT40)	CH159	16.72	46.95	1000	Pass
11ac (VHT80)	CH155	16.65	46.22	1000	Pass
11ax (HE20)(SU)	CH149	16.76	47.47	1000	Pass
11ax (HE20)(SU)	CH157	16.67	46.41	1000	Pass
11ax (HE20)(SU)	CH165	16.75	47.32	1000	Pass
11ax (HE40)(SU)	CH151	16.70	46.75	1000	Pass
11ax (HE40)(SU)	CH159	16.81	47.93	1000	Pass
11ax (HE80)(SU)	CH155	16.75	47.28	1000	Pass
11ax (HE20)(RU26)	CH149	11.71	14.84	1000	Pass
11ax (HE20)(RU26)	CH157	11.79	15.10	1000	Pass
11ax (HE20)(RU26)	CH165	11.66	14.67	1000	Pass
11ax (HE40)(RU26)	CH151	11.75	14.97	1000	Pass
11ax (HE40)(RU26)	CH159	11.77	15.02	1000	Pass
11ax (HE80)(RU26)	CH155	11.80	15.12	1000	Pass

A.2 Emission Bandwidth & 99% Bandwidth

Note ¹: Test plots please refer to the document “Annex No.: BL-SZ2280937-604 Data Part 1.pdf”.

Note ²: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data

Main Antenna

U-NII-1 (5150 - 5250 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH36	24.38	18.92
11a	CH44	24.40	18.93
11a	CH48	23.85	18.94
11n (HT20)	CH36	24.09	17.75
11n (HT20)	CH44	23.88	17.76
11n (HT20)	CH48	24.15	17.75
11n (HT40)	CH38	43.52	36.08
11n (HT40)	CH46	43.72	36.08
11ac (VHT20)	CH36	23.53	17.77
11ac (VHT20)	CH44	24.00	17.77
11ac (VHT20)	CH48	23.91	17.77
11ac (VHT40)	CH38	43.97	36.08
11ac (VHT40)	CH46	43.66	36.08
11ac (VHT80)	CH42	87.36	75.24
11ac (VHT160)	CH50	165.50	153.45
11ax (HE20)(SU)	CH36	23.94	18.95
11ax (HE20)(SU)	CH44	24.07	18.91
11ax (HE20)(SU)	CH48	23.82	18.91
11ax (HE40)(SU)	CH38	42.82	37.48
11ax (HE40)(SU)	CH46	43.66	37.54
11ax (HE80)(SU)	CH42	83.16	76.67
11ax (HE160)(SU)	CH50	164.80	155.26

U-NII-2A (5250 - 5350 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH52	23.62	18.92
11a	CH60	23.61	18.92
11a	CH64	23.59	18.91
11n (HT20)	CH52	24.01	17.75
11n (HT20)	CH60	23.83	17.76
11n (HT20)	CH64	23.73	17.76
11n (HT40)	CH54	44.17	36.09
11n (HT40)	CH62	43.72	36.11
11ac (VHT20)	CH52	24.17	17.76
11ac (VHT20)	CH60	23.87	17.75
11ac (VHT20)	CH64	23.86	17.75
11ac (VHT40)	CH54	44.31	36.12
11ac (VHT40)	CH62	43.86	36.10
11ac (VHT80)	CH58	84.02	76.78
11ax (HE20)(SU)	CH52	24.33	18.93
11ax (HE20)(SU)	CH60	24.00	18.90
11ax (HE20)(SU)	CH64	23.58	18.92
11ax (HE40)(SU)	CH54	43.00	37.56
11ax (HE40)(SU)	CH62	43.03	37.49
11ax (HE80)(SU)	CH58	83.32	76.79

U-NII-2C (5470 - 5725 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH100	24.29	18.91
11a	CH116	24.21	18.91
11a	CH140	24.26	18.91
11n (HT20)	CH100	23.92	17.75
11n (HT20)	CH116	23.65	17.75
11n (HT20)	CH140	23.64	17.74
11n (HT40)	CH102	43.53	36.07
11n (HT40)	CH118	44.03	36.10
11n (HT40)	CH134	44.02	36.07
11ac (VHT20)	CH100	23.76	17.74
11ac (VHT20)	CH116	23.82	17.75
11ac (VHT20)	CH140	23.81	17.77
11ac (VHT40)	CH102	43.62	36.07
11ac (VHT40)	CH118	44.12	36.04
11ac (VHT40)	CH134	43.79	36.09
11ac (VHT80)	CH106	86.81	75.16
11ac (VHT80)	CH122	88.04	75.29
11ac (VHT160)	CH114	165.00	153.40
11ax (HE20)(SU)	CH100	23.73	18.90
11ax (HE20)(SU)	CH116	23.50	18.91
11ax (HE20)(SU)	CH140	24.57	18.90
11ax (HE40)(SU)	CH102	42.46	37.53
11ax (HE40)(SU)	CH118	42.52	37.52
11ax (HE40)(SU)	CH134	43.46	37.50
11ax (HE80)(SU)	CH106	83.62	76.70
11ax (HE80)(SU)	CH122	84.08	76.76
11ax (HE160)(SU)	CH114	165.50	155.14

U-NII-3 (5725 - 5850 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH149	24.06	18.93
11a	CH157	23.86	18.90
11a	CH165	23.22	18.91
11n (HT20)	CH149	24.19	17.77
11n (HT20)	CH157	23.68	17.75
11n (HT20)	CH165	23.76	17.74
11n (HT40)	CH151	43.84	36.11
11n (HT40)	CH159	43.53	36.08
11ac (VHT20)	CH149	23.67	17.76
11ac (VHT20)	CH157	24.03	17.78
11ac (VHT20)	CH165	23.84	17.75
11ac (VHT40)	CH151	44.05	36.10
11ac (VHT40)	CH159	43.74	36.10
11ac (VHT80)	CH155	87.92	75.25
11ax (HE20)(SU)	CH149	24.06	18.92
11ax (HE20)(SU)	CH157	24.26	18.91
11ax (HE20)(SU)	CH165	24.21	18.91
11ax (HE40)(SU)	CH151	43.27	37.57
11ax (HE40)(SU)	CH159	42.61	37.49
11ax (HE80)(SU)	CH155	83.43	76.68

Aux. Antenna

U-NII-1 (5150 - 5250 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH36	23.71	18.89
11a	CH44	23.55	18.90
11a	CH48	23.67	18.90
11n (HT20)	CH36	23.93	17.76
11n (HT20)	CH44	23.94	17.75
11n (HT20)	CH48	24.38	17.75
11n (HT40)	CH38	43.51	36.09
11n (HT40)	CH46	44.04	36.08
11ac (VHT20)	CH36	23.78	17.76
11ac (VHT20)	CH44	23.60	17.72
11ac (VHT20)	CH48	24.03	17.74
11ac (VHT40)	CH38	43.77	36.07
11ac (VHT40)	CH46	43.81	36.09
11ac (VHT80)	CH42	87.39	75.23
11ac (VHT160)	CH50	164.90	153.63
11ax (HE20)(SU)	CH36	23.86	18.94
11ax (HE20)(SU)	CH44	24.10	18.91
11ax (HE20)(SU)	CH48	23.90	18.90
11ax (HE40)(SU)	CH38	42.95	37.51
11ax (HE40)(SU)	CH46	43.05	37.54
11ax (HE80)(SU)	CH42	83.87	76.79
11ax (HE160)(SU)	CH50	164.40	155.52

U-NII-2A (5250 - 5350 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH52	23.78	18.91
11a	CH60	23.91	18.92
11a	CH64	23.81	18.91
11n (HT20)	CH52	24.03	17.74
11n (HT20)	CH60	23.89	17.76
11n (HT20)	CH64	24.03	17.74
11n (HT40)	CH54	43.87	36.09
11n (HT40)	CH62	44.04	36.08
11ac (VHT20)	CH52	23.75	17.76
11ac (VHT20)	CH60	23.87	17.75
11ac (VHT20)	CH64	23.77	17.75
11ac (VHT40)	CH54	43.85	36.09
11ac (VHT40)	CH62	43.39	36.08
11ac (VHT80)	CH58	90.12	75.33
11ax (HE20)(SU)	CH52	23.79	18.92
11ax (HE20)(SU)	CH60	23.83	18.92
11ax (HE20)(SU)	CH64	23.97	18.91
11ax (HE40)(SU)	CH54	42.71	37.52
11ax (HE40)(SU)	CH62	42.86	37.51
11ax (HE80)(SU)	CH58	84.11	76.80

U-NII-2C (5470 - 5725 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH100	23.88	18.91
11a	CH116	23.85	18.92
11a	CH140	23.79	18.89
11n (HT20)	CH100	24.47	17.76
11n (HT20)	CH116	23.88	17.75
11n (HT20)	CH140	23.85	17.75
11n (HT40)	CH102	43.37	36.10
11n (HT40)	CH118	43.50	36.08
11n (HT40)	CH134	43.27	36.10
11ac (VHT20)	CH100	24.20	17.74
11ac (VHT20)	CH116	23.96	17.74
11ac (VHT20)	CH140	24.09	17.75
11ac (VHT40)	CH102	43.36	36.09
11ac (VHT40)	CH118	43.80	36.10
11ac (VHT40)	CH134	43.39	36.06
11ac (VHT80)	CH106	88.14	75.22
11ac (VHT80)	CH122	88.11	75.24
11ac (VHT160)	CH114	164.80	153.35
11ax (HE20)(SU)	CH100	24.36	18.92
11ax (HE20)(SU)	CH116	23.86	18.93
11ax (HE20)(SU)	CH140	23.63	18.92
11ax (HE40)(SU)	CH102	43.50	37.54
11ax (HE40)(SU)	CH118	42.50	37.50
11ax (HE40)(SU)	CH134	44.05	37.52
11ax (HE80)(SU)	CH106	83.19	76.72
11ax (HE80)(SU)	CH122	83.41	76.83
11ax (HE160)(SU)	CH114	164.30	154.92

U-NII-3 (5725 - 5850 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH149	24.34	18.93
11a	CH157	23.73	18.95
11a	CH165	24.01	18.92
11n (HT20)	CH149	23.95	17.74
11n (HT20)	CH157	23.59	17.76
11n (HT20)	CH165	24.26	17.75
11n (HT40)	CH151	43.76	36.07
11n (HT40)	CH159	43.54	36.09
11ac (VHT20)	CH149	23.71	17.75
11ac (VHT20)	CH157	23.64	17.75
11ac (VHT20)	CH165	23.91	17.76
11ac (VHT40)	CH151	43.79	36.07
11ac (VHT40)	CH159	43.71	36.09
11ac (VHT80)	CH155	87.65	75.32
11ax (HE20)(SU)	CH149	23.79	18.92
11ax (HE20)(SU)	CH157	24.18	18.92
11ax (HE20)(SU)	CH165	23.92	18.91
11ax (HE40)(SU)	CH151	43.08	37.52
11ax (HE40)(SU)	CH159	42.80	37.53
11ax (HE80)(SU)	CH155	84.22	76.77

A.3 6 dB Bandwidth

Note ¹: Test plots please refer to the document “Annex No.: BL-SZ2280937-604 Data Part 2.pdf”.

Note ²: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data

Main Antenna

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	6 dB Bandwidth (MHz)	Limit (kHz)	Verdict
11a	CH149	17.60	500.00	Pass
11a	CH157	18.10	500.00	Pass
11a	CH165	17.65	500.00	Pass
11n (HT20)	CH149	15.15	500.00	Pass
11n (HT20)	CH157	15.20	500.00	Pass
11n (HT20)	CH165	15.45	500.00	Pass
11n (HT40)	CH151	35.15	500.00	Pass
11n (HT40)	CH159	35.20	500.00	Pass
11ac (VHT20)	CH149	15.20	500.00	Pass
11ac (VHT20)	CH157	15.80	500.00	Pass
11ac (VHT20)	CH165	15.15	500.00	Pass
11ac (VHT40)	CH151	35.20	500.00	Pass
11ac (VHT40)	CH159	35.20	500.00	Pass
11ac (VHT80)	CH155	75.20	500.00	Pass
11ax (HE20)(SU)	CH149	17.45	500.00	Pass
11ax (HE20)(SU)	CH157	16.70	500.00	Pass
11ax (HE20)(SU)	CH165	17.50	500.00	Pass
11ax (HE40)(SU)	CH151	35.50	500.00	Pass
11ax (HE40)(SU)	CH159	35.20	500.00	Pass
11ax (HE80)(SU)	CH155	75.10	500.00	Pass

Aux. Antenna

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	6 dB Bandwidth (MHz)	Limit (kHz)	Verdict
11a	CH149	17.80	500.00	Pass
11a	CH157	17.75	500.00	Pass
11a	CH165	17.00	500.00	Pass
11n (HT20)	CH149	15.20	500.00	Pass
11n (HT20)	CH157	15.15	500.00	Pass
11n (HT20)	CH165	15.20	500.00	Pass
11n (HT40)	CH151	35.20	500.00	Pass
11n (HT40)	CH159	35.20	500.00	Pass
11ac (VHT20)	CH149	15.20	500.00	Pass
11ac (VHT20)	CH157	15.20	500.00	Pass
11ac (VHT20)	CH165	15.15	500.00	Pass
11ac (VHT40)	CH151	33.95	500.00	Pass
11ac (VHT40)	CH159	35.15	500.00	Pass
11ac (VHT80)	CH155	75.15	500.00	Pass
11ax (HE20)(SU)	CH149	18.05	500.00	Pass
11ax (HE20)(SU)	CH157	18.70	500.00	Pass
11ax (HE20)(SU)	CH165	17.65	500.00	Pass
11ax (HE40)(SU)	CH151	35.50	500.00	Pass
11ax (HE40)(SU)	CH159	36.15	500.00	Pass
11ax (HE80)(SU)	CH155	73.95	500.00	Pass

A.4 Power Spectral Density

Note¹: Test plots please refer to the document “Annex No.: BL-SZ2280937-604 Data Part 3.pdf”.

Note²: The RBW used in U-NII-3 is 1 MHz, and the PSD factor is: $10 \cdot \log(500 \text{ kHz/RBW}) = -3 \text{ dBm}$.

Note³: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data

Main Antenna

U-NII-1 (5150 - 5250 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH36	4.39	11.00	Pass
11a	CH44	4.72	11.00	Pass
11a	CH48	4.68	11.00	Pass
11n (HT20)	CH36	5.49	11.00	Pass
11n (HT20)	CH44	5.17	11.00	Pass
11n (HT20)	CH48	5.00	11.00	Pass
11n (HT40)	CH38	2.23	11.00	Pass
11n (HT40)	CH46	1.89	11.00	Pass
11ac (VHT20)	CH36	5.50	11.00	Pass
11ac (VHT20)	CH44	5.14	11.00	Pass
11ac (VHT20)	CH48	5.02	11.00	Pass
11ac (VHT40)	CH38	2.21	11.00	Pass
11ac (VHT40)	CH46	1.89	11.00	Pass
11ac (VHT80)	CH42	-1.22	11.00	Pass
11ac (VHT160)	CH50	-5.18	11.00	Pass
11ax (HE20)(SU)	CH36	5.06	11.00	Pass
11ax (HE20)(SU)	CH44	5.29	11.00	Pass
11ax (HE20)(SU)	CH48	5.10	11.00	Pass
11ax (HE40)(SU)	CH38	1.74	11.00	Pass
11ax (HE40)(SU)	CH46	1.86	11.00	Pass
11ax (HE80)(SU)	CH42	-1.09	11.00	Pass
11ax (HE160)(SU)	CH50	-5.39	11.00	Pass
11ax (HE20)(RU26)	CH36	8.40	11.00	Pass
11ax (HE20)(RU26)	CH44	8.65	11.00	Pass
11ax (HE20)(RU26)	CH48	8.15	11.00	Pass
11ax (HE40)(RU26)	CH38	8.12	11.00	Pass
11ax (HE40)(RU26)	CH46	8.29	11.00	Pass
11ax (HE80)(RU26)	CH42	8.39	11.00	Pass
11ax (HE160)(RU26)	CH50	7.93	11.00	Pass

U-NII-2A (5250 - 5350 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH52	5.51	11.00	Pass
11a	CH60	5.57	11.00	Pass
11a	CH64	5.54	11.00	Pass
11n (HT20)	CH52	5.17	11.00	Pass
11n (HT20)	CH60	5.14	11.00	Pass
11n (HT20)	CH64	5.28	11.00	Pass
11n (HT40)	CH54	1.38	11.00	Pass
11n (HT40)	CH62	1.59	11.00	Pass
11ac (VHT20)	CH52	5.11	11.00	Pass
11ac (VHT20)	CH60	5.15	11.00	Pass
11ac (VHT20)	CH64	5.28	11.00	Pass
11ac (VHT40)	CH54	1.57	11.00	Pass
11ac (VHT40)	CH62	1.72	11.00	Pass
11ac (VHT80)	CH58	-1.68	11.00	Pass
11ax (HE20)(SU)	CH52	4.97	11.00	Pass
11ax (HE20)(SU)	CH60	4.87	11.00	Pass
11ax (HE20)(SU)	CH64	4.87	11.00	Pass
11ax (HE40)(SU)	CH54	1.60	11.00	Pass
11ax (HE40)(SU)	CH62	1.66	11.00	Pass
11ax (HE80)(SU)	CH58	-1.72	11.00	Pass
11ax (HE20)(RU26)	CH52	8.30	11.00	Pass
11ax (HE20)(RU26)	CH60	8.22	11.00	Pass
11ax (HE20)(RU26)	CH64	8.56	11.00	Pass
11ax (HE40)(RU26)	CH54	8.02	11.00	Pass
11ax (HE40)(RU26)	CH62	8.05	11.00	Pass
11ax (HE80)(RU26)	CH58	8.33	11.00	Pass

U-NII-2C (5470 - 5725 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH100	5.57	11.00	Pass
11a	CH116	5.28	11.00	Pass
11a	CH140	4.76	11.00	Pass
11n (HT20)	CH100	5.43	11.00	Pass
11n (HT20)	CH116	5.65	11.00	Pass
11n (HT20)	CH140	5.73	11.00	Pass
11n (HT40)	CH102	2.37	11.00	Pass
11n (HT40)	CH118	2.39	11.00	Pass
11n (HT40)	CH134	2.38	11.00	Pass
11ac (VHT20)	CH100	5.96	11.00	Pass
11ac (VHT20)	CH116	5.59	11.00	Pass
11ac (VHT20)	CH140	5.59	11.00	Pass
11ac (VHT40)	CH102	1.88	11.00	Pass
11ac (VHT40)	CH118	2.39	11.00	Pass
11ac (VHT40)	CH134	2.50	11.00	Pass
11ac (VHT80)	CH106	-0.84	11.00	Pass
11ac (VHT80)	CH122	-1.12	11.00	Pass
11ac (VHT160)	CH114	-5.06	11.00	Pass
11ax (HE20)(SU)	CH100	5.62	11.00	Pass
11ax (HE20)(SU)	CH116	5.77	11.00	Pass
11ax (HE20)(SU)	CH140	5.22	11.00	Pass
11ax (HE40)(SU)	CH102	1.82	11.00	Pass
11ax (HE40)(SU)	CH118	1.76	11.00	Pass
11ax (HE40)(SU)	CH134	1.99	11.00	Pass
11ax (HE80)(SU)	CH106	-0.86	11.00	Pass
11ax (HE80)(SU)	CH122	-1.01	11.00	Pass
11ax (HE160)(SU)	CH114	-5.11	11.00	Pass
11ax (HE20)(RU26)	CH100	9.14	11.00	Pass
11ax (HE20)(RU26)	CH116	8.86	11.00	Pass
11ax (HE20)(RU26)	CH140	8.86	11.00	Pass
11ax (HE40)(RU26)	CH102	8.88	11.00	Pass
11ax (HE40)(RU26)	CH118	8.95	11.00	Pass
11ax (HE40)(RU26)	CH134	8.94	11.00	Pass
11ax (HE80)(RU26)	CH106	8.51	11.00	Pass
11ax (HE80)(RU26)	CH122	8.74	11.00	Pass
11ax (HE160)(RU26)	CH114	9.17	11.00	Pass

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
11a	CH149	1.94	30.00	Pass
11a	CH157	2.27	30.00	Pass
11a	CH165	1.99	30.00	Pass
11n (HT20)	CH149	2.21	30.00	Pass
11n (HT20)	CH157	2.09	30.00	Pass
11n (HT20)	CH165	2.50	30.00	Pass
11n (HT40)	CH151	-0.96	30.00	Pass
11n (HT40)	CH159	-1.20	30.00	Pass
11ac (VHT20)	CH149	2.28	30.00	Pass
11ac (VHT20)	CH157	2.10	30.00	Pass
11ac (VHT20)	CH165	2.39	30.00	Pass
11ac (VHT40)	CH151	-0.88	30.00	Pass
11ac (VHT40)	CH159	-1.09	30.00	Pass
11ac (VHT80)	CH155	-4.43	30.00	Pass
11ax (HE20)(SU)	CH149	1.84	30.00	Pass
11ax (HE20)(SU)	CH157	2.21	30.00	Pass
11ax (HE20)(SU)	CH165	2.05	30.00	Pass
11ax (HE40)(SU)	CH151	-1.46	30.00	Pass
11ax (HE40)(SU)	CH159	-1.58	30.00	Pass
11ax (HE80)(SU)	CH155	-4.14	30.00	Pass
11ax (HE20)(RU26)	CH149	5.78	30.00	Pass
11ax (HE20)(RU26)	CH157	5.73	30.00	Pass
11ax (HE20)(RU26)	CH165	5.88	30.00	Pass
11ax (HE40)(RU26)	CH151	5.86	30.00	Pass
11ax (HE40)(RU26)	CH159	5.50	30.00	Pass
11ax (HE80)(RU26)	CH155	5.67	30.00	Pass

Aux. Antenna

U-NII-1 (5150 - 5250 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH36	4.80	11.00	Pass
11a	CH44	4.39	11.00	Pass
11a	CH48	4.64	11.00	Pass
11n (HT20)	CH36	4.14	11.00	Pass
11n (HT20)	CH44	4.42	11.00	Pass
11n (HT20)	CH48	4.66	11.00	Pass
11n (HT40)	CH38	0.88	11.00	Pass
11n (HT40)	CH46	1.00	11.00	Pass
11ac (VHT20)	CH36	4.30	11.00	Pass
11ac (VHT20)	CH44	4.94	11.00	Pass
11ac (VHT20)	CH48	4.39	11.00	Pass
11ac (VHT40)	CH38	1.13	11.00	Pass
11ac (VHT40)	CH46	1.29	11.00	Pass
11ac (VHT80)	CH42	-1.82	11.00	Pass
11ac (VHT160)	CH50	-5.01	11.00	Pass
11ax (HE20)(SU)	CH36	4.40	11.00	Pass
11ax (HE20)(SU)	CH44	4.10	11.00	Pass
11ax (HE20)(SU)	CH48	4.01	11.00	Pass
11ax (HE40)(SU)	CH38	1.09	11.00	Pass
11ax (HE40)(SU)	CH46	0.75	11.00	Pass
11ax (HE80)(SU)	CH42	-1.80	11.00	Pass
11ax (HE160)(SU)	CH50	-4.87	11.00	Pass
11ax (HE20)(RU26)	CH36	8.29	11.00	Pass
11ax (HE20)(RU26)	CH44	8.30	11.00	Pass
11ax (HE20)(RU26)	CH48	8.01	11.00	Pass
11ax (HE40)(RU26)	CH38	8.15	11.00	Pass
11ax (HE40)(RU26)	CH46	7.46	11.00	Pass
11ax (HE80)(RU26)	CH42	8.36	11.00	Pass
11ax (HE160)(RU26)	CH50	7.83	11.00	Pass

U-NII-2A (5250 - 5350 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH52	4.43	11.00	Pass
11a	CH60	4.46	11.00	Pass
11a	CH64	4.40	11.00	Pass
11n (HT20)	CH52	4.25	11.00	Pass
11n (HT20)	CH60	4.24	11.00	Pass
11n (HT20)	CH64	4.25	11.00	Pass
11n (HT40)	CH54	1.12	11.00	Pass
11n (HT40)	CH62	1.12	11.00	Pass
11ac (VHT20)	CH52	4.24	11.00	Pass
11ac (VHT20)	CH60	4.30	11.00	Pass
11ac (VHT20)	CH64	4.26	11.00	Pass
11ac (VHT40)	CH54	1.08	11.00	Pass
11ac (VHT40)	CH62	1.10	11.00	Pass
11ac (VHT80)	CH58	-2.27	11.00	Pass
11ax (HE20)(SU)	CH52	4.43	11.00	Pass
11ax (HE20)(SU)	CH60	4.47	11.00	Pass
11ax (HE20)(SU)	CH64	4.38	11.00	Pass
11ax (HE40)(SU)	CH54	1.08	11.00	Pass
11ax (HE40)(SU)	CH62	1.17	11.00	Pass
11ax (HE80)(SU)	CH58	-2.11	11.00	Pass
11ax (HE20)(RU26)	CH52	8.19	11.00	Pass
11ax (HE20)(RU26)	CH60	8.11	11.00	Pass
11ax (HE20)(RU26)	CH64	8.15	11.00	Pass
11ax (HE40)(RU26)	CH54	7.68	11.00	Pass
11ax (HE40)(RU26)	CH62	7.84	11.00	Pass
11ax (HE80)(RU26)	CH58	7.57	11.00	Pass

U-NII-2C (5470 - 5725 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH100	3.97	11.00	Pass
11a	CH116	4.14	11.00	Pass
11a	CH140	3.71	11.00	Pass
11n (HT20)	CH100	4.03	11.00	Pass
11n (HT20)	CH116	4.06	11.00	Pass
11n (HT20)	CH140	3.66	11.00	Pass
11n (HT40)	CH102	0.38	11.00	Pass
11n (HT40)	CH118	0.24	11.00	Pass
11n (HT40)	CH134	0.56	11.00	Pass
11ac (VHT20)	CH100	3.97	11.00	Pass
11ac (VHT20)	CH116	3.80	11.00	Pass
11ac (VHT20)	CH140	3.76	11.00	Pass
11ac (VHT40)	CH102	0.31	11.00	Pass
11ac (VHT40)	CH118	0.30	11.00	Pass
11ac (VHT40)	CH134	0.35	11.00	Pass
11ac (VHT80)	CH106	-2.48	11.00	Pass
11ac (VHT80)	CH122	-2.93	11.00	Pass
11ac (VHT160)	CH114	-5.43	11.00	Pass
11ax (HE20)(SU)	CH100	3.50	11.00	Pass
11ax (HE20)(SU)	CH116	3.44	11.00	Pass
11ax (HE20)(SU)	CH140	3.57	11.00	Pass
11ax (HE40)(SU)	CH102	0.92	11.00	Pass
11ax (HE40)(SU)	CH118	0.41	11.00	Pass
11ax (HE40)(SU)	CH134	0.14	11.00	Pass
11ax (HE80)(SU)	CH106	-2.76	11.00	Pass
11ax (HE80)(SU)	CH122	-2.71	11.00	Pass
11ax (HE160)(SU)	CH114	-5.61	11.00	Pass
11ax (HE20)(RU26)	CH100	8.84	11.00	Pass
11ax (HE20)(RU26)	CH116	8.60	11.00	Pass
11ax (HE20)(RU26)	CH140	8.66	11.00	Pass
11ax (HE40)(RU26)	CH102	8.47	11.00	Pass
11ax (HE40)(RU26)	CH118	8.56	11.00	Pass
11ax (HE40)(RU26)	CH134	8.76	11.00	Pass
11ax (HE80)(RU26)	CH106	8.34	11.00	Pass
11ax (HE80)(RU26)	CH122	8.79	11.00	Pass
11ax (HE160)(RU26)	CH114	8.95	11.00	Pass

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
11a	CH149	1.86	30.00	Pass
11a	CH157	1.60	30.00	Pass
11a	CH165	1.50	30.00	Pass
11n (HT20)	CH149	1.72	30.00	Pass
11n (HT20)	CH157	1.44	30.00	Pass
11n (HT20)	CH165	1.76	30.00	Pass
11n (HT40)	CH151	-1.48	30.00	Pass
11n (HT40)	CH159	-1.66	30.00	Pass
11ac (VHT20)	CH149	1.67	30.00	Pass
11ac (VHT20)	CH157	1.47	30.00	Pass
11ac (VHT20)	CH165	1.80	30.00	Pass
11ac (VHT40)	CH151	-1.54	30.00	Pass
11ac (VHT40)	CH159	-1.70	30.00	Pass
11ac (VHT80)	CH155	-5.00	30.00	Pass
11ax (HE20)(SU)	CH149	1.85	30.00	Pass
11ax (HE20)(SU)	CH157	1.58	30.00	Pass
11ax (HE20)(SU)	CH165	1.34	30.00	Pass
11ax (HE40)(SU)	CH151	-1.96	30.00	Pass
11ax (HE40)(SU)	CH159	-2.24	30.00	Pass
11ax (HE80)(SU)	CH155	-4.97	30.00	Pass
11ax (HE20)(RU26)	CH149	5.79	30.00	Pass
11ax (HE20)(RU26)	CH157	5.58	30.00	Pass
11ax (HE20)(RU26)	CH165	5.81	30.00	Pass
11ax (HE40)(RU26)	CH151	6.17	30.00	Pass
11ax (HE40)(RU26)	CH159	5.53	30.00	Pass
11ax (HE80)(RU26)	CH155	5.83	30.00	Pass

MIMO-Main Antenna

U-NII-1 (5150 - 5250 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n (HT20)	CH36	2.49	11.00	Pass
11n (HT20)	CH44	2.16	11.00	Pass
11n (HT20)	CH48	2.04	11.00	Pass
11n (HT40)	CH38	-1.57	11.00	Pass
11n (HT40)	CH46	-1.82	11.00	Pass
11ac (VHT20)	CH36	1.97	11.00	Pass
11ac (VHT20)	CH44	1.91	11.00	Pass
11ac (VHT20)	CH48	1.75	11.00	Pass
11ac (VHT40)	CH38	-1.20	11.00	Pass
11ac (VHT40)	CH46	-1.56	11.00	Pass
11ac (VHT80)	CH42	-4.52	11.00	Pass
11ac (VHT160)	CH50	-7.50	11.00	Pass
11ax (HE20)(SU)	CH36	2.39	11.00	Pass
11ax (HE20)(SU)	CH44	2.08	11.00	Pass
11ax (HE20)(SU)	CH48	1.96	11.00	Pass
11ax (HE40)(SU)	CH38	-1.18	11.00	Pass
11ax (HE40)(SU)	CH46	-1.52	11.00	Pass
11ax (HE80)(SU)	CH42	-4.40	11.00	Pass
11ax (HE160)(SU)	CH50	-7.90	11.00	Pass
11ax (HE20)(RU26)	CH36	5.72	11.00	Pass
11ax (HE20)(RU26)	CH44	5.45	11.00	Pass
11ax (HE20)(RU26)	CH48	5.50	11.00	Pass
11ax (HE40)(RU26)	CH38	5.64	11.00	Pass
11ax (HE40)(RU26)	CH46	5.35	11.00	Pass
11ax (HE80)(RU26)	CH42	5.59	11.00	Pass
11ax (HE160)(RU26)	CH50	5.37	11.00	Pass

U-NII-2A (5250 - 5350 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n (HT20)	CH52	2.22	11.00	Pass
11n (HT20)	CH60	2.25	11.00	Pass
11n (HT20)	CH64	2.18	11.00	Pass
11n (HT40)	CH54	-1.78	11.00	Pass
11n (HT40)	CH62	-1.70	11.00	Pass
11ac (VHT20)	CH52	2.25	11.00	Pass
11ac (VHT20)	CH60	2.27	11.00	Pass
11ac (VHT20)	CH64	2.20	11.00	Pass
11ac (VHT40)	CH54	-1.69	11.00	Pass
11ac (VHT40)	CH62	-1.62	11.00	Pass
11ac (VHT80)	CH58	-4.49	11.00	Pass
11ax (HE20)(SU)	CH52	1.89	11.00	Pass
11ax (HE20)(SU)	CH60	2.05	11.00	Pass
11ax (HE20)(SU)	CH64	2.02	11.00	Pass
11ax (HE40)(SU)	CH54	-1.55	11.00	Pass
11ax (HE40)(SU)	CH62	-1.55	11.00	Pass
11ax (HE80)(SU)	CH58	-4.69	11.00	Pass
11ax (HE20)(RU26)	CH52	5.11	11.00	Pass
11ax (HE20)(RU26)	CH60	5.01	11.00	Pass
11ax (HE20)(RU26)	CH64	5.56	11.00	Pass
11ax (HE40)(RU26)	CH54	5.28	11.00	Pass
11ax (HE40)(RU26)	CH62	5.38	11.00	Pass
11ax (HE80)(RU26)	CH58	5.05	11.00	Pass

U-NII-2C (5470 - 5725 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n (HT20)	CH100	3.01	11.00	Pass
11n (HT20)	CH116	2.70	11.00	Pass
11n (HT20)	CH140	2.76	11.00	Pass
11n (HT40)	CH102	-0.74	11.00	Pass
11n (HT40)	CH118	-0.74	11.00	Pass
11n (HT40)	CH134	-0.54	11.00	Pass
11ac (VHT20)	CH100	2.50	11.00	Pass
11ac (VHT20)	CH116	2.68	11.00	Pass
11ac (VHT20)	CH140	2.86	11.00	Pass
11ac (VHT40)	CH102	-0.67	11.00	Pass
11ac (VHT40)	CH118	-0.71	11.00	Pass
11ac (VHT40)	CH134	-0.56	11.00	Pass
11ac (VHT80)	CH106	-3.81	11.00	Pass
11ac (VHT80)	CH122	-4.03	11.00	Pass
11ac (VHT160)	CH114	-6.51	11.00	Pass
11ax (HE20)(SU)	CH100	2.67	11.00	Pass
11ax (HE20)(SU)	CH116	2.30	11.00	Pass
11ax (HE20)(SU)	CH140	2.39	11.00	Pass
11ax (HE40)(SU)	CH102	-0.66	11.00	Pass
11ax (HE40)(SU)	CH118	-0.73	11.00	Pass
11ax (HE40)(SU)	CH134	-1.13	11.00	Pass
11ax (HE80)(SU)	CH106	-3.73	11.00	Pass
11ax (HE80)(SU)	CH122	-3.94	11.00	Pass
11ax (HE160)(SU)	CH114	-6.43	11.00	Pass
11ax (HE20)(RU26)	CH100	5.85	11.00	Pass
11ax (HE20)(RU26)	CH116	6.24	11.00	Pass
11ax (HE20)(RU26)	CH140	5.59	11.00	Pass
11ax (HE40)(RU26)	CH102	5.75	11.00	Pass
11ax (HE40)(RU26)	CH118	5.99	11.00	Pass
11ax (HE40)(RU26)	CH134	6.00	11.00	Pass
11ax (HE80)(RU26)	CH106	5.75	11.00	Pass
11ax (HE80)(RU26)	CH122	5.78	11.00	Pass
11ax (HE160)(RU26)	CH114	6.33	11.00	Pass

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
11n (HT20)	CH149	-0.76	30.00	Pass
11n (HT20)	CH157	-0.94	30.00	Pass
11n (HT20)	CH165	-0.57	30.00	Pass
11n (HT40)	CH151	-4.23	30.00	Pass
11n (HT40)	CH159	-4.56	30.00	Pass
11ac (VHT20)	CH149	-0.45	30.00	Pass
11ac (VHT20)	CH157	-0.68	30.00	Pass
11ac (VHT20)	CH165	-0.70	30.00	Pass
11ac (VHT40)	CH151	-3.78	30.00	Pass
11ac (VHT40)	CH159	-4.10	30.00	Pass
11ac (VHT80)	CH155	-7.21	30.00	Pass
11ax (HE20)(SU)	CH149	-0.81	30.00	Pass
11ax (HE20)(SU)	CH157	-1.11	30.00	Pass
11ax (HE20)(SU)	CH165	-0.68	30.00	Pass
11ax (HE40)(SU)	CH151	-4.31	30.00	Pass
11ax (HE40)(SU)	CH159	-4.09	30.00	Pass
11ax (HE80)(SU)	CH155	-7.09	30.00	Pass
11ax (HE20)(RU26)	CH149	3.10	30.00	Pass
11ax (HE20)(RU26)	CH157	2.81	30.00	Pass
11ax (HE20)(RU26)	CH165	2.33	30.00	Pass
11ax (HE40)(RU26)	CH151	3.04	30.00	Pass
11ax (HE40)(RU26)	CH159	2.64	30.00	Pass
11ax (HE80)(RU26)	CH155	3.07	30.00	Pass

MIMO-Aux. Antenna

U-NII-1 (5150 - 5250 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n (HT20)	CH36	2.44	11.00	Pass
11n (HT20)	CH44	2.57	11.00	Pass
11n (HT20)	CH48	2.11	11.00	Pass
11n (HT40)	CH38	-0.74	11.00	Pass
11n (HT40)	CH46	-1.10	11.00	Pass
11ac (VHT20)	CH36	2.38	11.00	Pass
11ac (VHT20)	CH44	2.61	11.00	Pass
11ac (VHT20)	CH48	2.06	11.00	Pass
11ac (VHT40)	CH38	-0.77	11.00	Pass
11ac (VHT40)	CH46	-1.11	11.00	Pass
11ac (VHT80)	CH42	-3.73	11.00	Pass
11ac (VHT160)	CH50	-6.88	11.00	Pass
11ax (HE20)(SU)	CH36	2.00	11.00	Pass
11ax (HE20)(SU)	CH44	2.11	11.00	Pass
11ax (HE20)(SU)	CH48	2.22	11.00	Pass
11ax (HE40)(SU)	CH38	-1.20	11.00	Pass
11ax (HE40)(SU)	CH46	-1.60	11.00	Pass
11ax (HE80)(SU)	CH42	-4.11	11.00	Pass
11ax (HE160)(SU)	CH50	-7.25	11.00	Pass
11ax (HE20)(RU26)	CH36	5.82	11.00	Pass
11ax (HE20)(RU26)	CH44	5.04	11.00	Pass
11ax (HE20)(RU26)	CH48	5.11	11.00	Pass
11ax (HE40)(RU26)	CH38	5.44	11.00	Pass
11ax (HE40)(RU26)	CH46	4.81	11.00	Pass
11ax (HE80)(RU26)	CH42	5.10	11.00	Pass
11ax (HE160)(RU26)	CH50	5.04	11.00	Pass

U-NII-2A (5250 - 5350 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n (HT20)	CH52	1.94	11.00	Pass
11n (HT20)	CH60	1.97	11.00	Pass
11n (HT20)	CH64	1.97	11.00	Pass
11n (HT40)	CH54	-1.24	11.00	Pass
11n (HT40)	CH62	-1.20	11.00	Pass
11ac (VHT20)	CH52	1.97	11.00	Pass
11ac (VHT20)	CH60	1.96	11.00	Pass
11ac (VHT20)	CH64	1.93	11.00	Pass
11ac (VHT40)	CH54	-1.21	11.00	Pass
11ac (VHT40)	CH62	-1.19	11.00	Pass
11ac (VHT80)	CH58	-4.57	11.00	Pass
11ax (HE20)(SU)	CH52	2.13	11.00	Pass
11ax (HE20)(SU)	CH60	2.08	11.00	Pass
11ax (HE20)(SU)	CH64	2.07	11.00	Pass
11ax (HE40)(SU)	CH54	-1.63	11.00	Pass
11ax (HE40)(SU)	CH62	-1.13	11.00	Pass
11ax (HE80)(SU)	CH58	-4.39	11.00	Pass
11ax (HE20)(RU26)	CH52	4.88	11.00	Pass
11ax (HE20)(RU26)	CH60	4.96	11.00	Pass
11ax (HE20)(RU26)	CH64	5.04	11.00	Pass
11ax (HE40)(RU26)	CH54	4.82	11.00	Pass
11ax (HE40)(RU26)	CH62	4.93	11.00	Pass
11ax (HE80)(RU26)	CH58	4.68	11.00	Pass

U-NII-2C (5470 - 5725 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n (HT20)	CH100	2.69	11.00	Pass
11n (HT20)	CH116	2.62	11.00	Pass
11n (HT20)	CH140	2.88	11.00	Pass
11n (HT40)	CH102	-0.54	11.00	Pass
11n (HT40)	CH118	-0.47	11.00	Pass
11n (HT40)	CH134	-0.83	11.00	Pass
11ac (VHT20)	CH100	2.77	11.00	Pass
11ac (VHT20)	CH116	2.60	11.00	Pass
11ac (VHT20)	CH140	2.85	11.00	Pass
11ac (VHT40)	CH102	-0.37	11.00	Pass
11ac (VHT40)	CH118	-0.47	11.00	Pass
11ac (VHT40)	CH134	-0.84	11.00	Pass
11ac (VHT80)	CH106	-3.77	11.00	Pass
11ac (VHT80)	CH122	-3.72	11.00	Pass
11ac (VHT160)	CH114	-6.66	11.00	Pass
11ax (HE20)(SU)	CH100	2.36	11.00	Pass
11ax (HE20)(SU)	CH116	2.79	11.00	Pass
11ax (HE20)(SU)	CH140	2.54	11.00	Pass
11ax (HE40)(SU)	CH102	-0.84	11.00	Pass
11ax (HE40)(SU)	CH118	-0.93	11.00	Pass
11ax (HE40)(SU)	CH134	-0.69	11.00	Pass
11ax (HE80)(SU)	CH106	-3.51	11.00	Pass
11ax (HE80)(SU)	CH122	-3.52	11.00	Pass
11ax (HE160)(SU)	CH114	-6.42	11.00	Pass
11ax (HE20)(RU26)	CH100	5.75	11.00	Pass
11ax (HE20)(RU26)	CH116	5.49	11.00	Pass
11ax (HE20)(RU26)	CH140	5.82	11.00	Pass
11ax (HE40)(RU26)	CH102	5.85	11.00	Pass
11ax (HE40)(RU26)	CH118	5.72	11.00	Pass
11ax (HE40)(RU26)	CH134	5.90	11.00	Pass
11ax (HE80)(RU26)	CH106	5.47	11.00	Pass
11ax (HE80)(RU26)	CH122	5.82	11.00	Pass
11ax (HE160)(RU26)	CH114	5.68	11.00	Pass

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
11n (HT20)	CH149	-0.09	30.00	Pass
11n (HT20)	CH157	-0.31	30.00	Pass
11n (HT20)	CH165	-0.57	30.00	Pass
11n (HT40)	CH151	-3.88	30.00	Pass
11n (HT40)	CH159	-4.00	30.00	Pass
11ac (VHT20)	CH149	-0.11	30.00	Pass
11ac (VHT20)	CH157	-0.28	30.00	Pass
11ac (VHT20)	CH165	-0.56	30.00	Pass
11ac (VHT40)	CH151	-3.87	30.00	Pass
11ac (VHT40)	CH159	-4.02	30.00	Pass
11ac (VHT80)	CH155	-6.83	30.00	Pass
11ax (HE20)(SU)	CH149	-0.49	30.00	Pass
11ax (HE20)(SU)	CH157	-0.71	30.00	Pass
11ax (HE20)(SU)	CH165	-0.44	30.00	Pass
11ax (HE40)(SU)	CH151	-4.33	30.00	Pass
11ax (HE40)(SU)	CH159	-4.40	30.00	Pass
11ax (HE80)(SU)	CH155	-7.12	30.00	Pass
11ax (HE20)(RU26)	CH149	3.00	30.00	Pass
11ax (HE20)(RU26)	CH157	2.89	30.00	Pass
11ax (HE20)(RU26)	CH165	2.51	30.00	Pass
11ax (HE40)(RU26)	CH151	2.85	30.00	Pass
11ax (HE40)(RU26)	CH159	2.70	30.00	Pass
11ax (HE80)(RU26)	CH155	2.81	30.00	Pass

MIMO

U-NII-1 (5150 - 5250 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n (HT20)	CH36	5.47	11.00	Pass
11n (HT20)	CH44	5.38	11.00	Pass
11n (HT20)	CH48	5.08	11.00	Pass
11n (HT40)	CH38	1.87	11.00	Pass
11n (HT40)	CH46	1.56	11.00	Pass
11ac (VHT20)	CH36	5.19	11.00	Pass
11ac (VHT20)	CH44	5.28	11.00	Pass
11ac (VHT20)	CH48	4.92	11.00	Pass
11ac (VHT40)	CH38	2.03	11.00	Pass
11ac (VHT40)	CH46	1.68	11.00	Pass
11ac (VHT80)	CH42	-1.09	11.00	Pass
11ac (VHT160)	CH50	-4.17	11.00	Pass
11ax (HE20)(SU)	CH36	5.21	11.00	Pass
11ax (HE20)(SU)	CH44	5.10	11.00	Pass
11ax (HE20)(SU)	CH48	5.10	11.00	Pass
11ax (HE40)(SU)	CH38	1.82	11.00	Pass
11ax (HE40)(SU)	CH46	1.45	11.00	Pass
11ax (HE80)(SU)	CH42	-1.24	11.00	Pass
11ax (HE160)(SU)	CH50	-4.55	11.00	Pass
11ax (HE20)(RU26)	CH36	8.78	11.00	Pass
11ax (HE20)(RU26)	CH44	8.26	11.00	Pass
11ax (HE20)(RU26)	CH48	8.32	11.00	Pass
11ax (HE40)(RU26)	CH38	8.55	11.00	Pass
11ax (HE40)(RU26)	CH46	8.10	11.00	Pass
11ax (HE80)(RU26)	CH42	8.36	11.00	Pass
11ax (HE160)(RU26)	CH50	8.22	11.00	Pass

U-NII-2A (5250 - 5350 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n (HT20)	CH52	5.09	11.00	Pass
11n (HT20)	CH60	5.12	11.00	Pass
11n (HT20)	CH64	5.08	11.00	Pass
11n (HT40)	CH54	1.51	11.00	Pass
11n (HT40)	CH62	1.57	11.00	Pass
11ac (VHT20)	CH52	5.12	11.00	Pass
11ac (VHT20)	CH60	5.13	11.00	Pass
11ac (VHT20)	CH64	5.08	11.00	Pass
11ac (VHT40)	CH54	1.57	11.00	Pass
11ac (VHT40)	CH62	1.61	11.00	Pass
11ac (VHT80)	CH58	-1.52	11.00	Pass
11ax (HE20)(SU)	CH52	5.02	11.00	Pass
11ax (HE20)(SU)	CH60	5.07	11.00	Pass
11ax (HE20)(SU)	CH64	5.06	11.00	Pass
11ax (HE40)(SU)	CH54	1.42	11.00	Pass
11ax (HE40)(SU)	CH62	1.67	11.00	Pass
11ax (HE80)(SU)	CH58	-1.53	11.00	Pass
11ax (HE20)(RU26)	CH52	8.00	11.00	Pass
11ax (HE20)(RU26)	CH60	7.99	11.00	Pass
11ax (HE20)(RU26)	CH64	8.32	11.00	Pass
11ax (HE40)(RU26)	CH54	8.07	11.00	Pass
11ax (HE40)(RU26)	CH62	8.17	11.00	Pass
11ax (HE80)(RU26)	CH58	7.88	11.00	Pass

U-NII-2C (5470 - 5725 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n (HT20)	CH100	5.86	11.00	Pass
11n (HT20)	CH116	5.67	11.00	Pass
11n (HT20)	CH140	5.83	11.00	Pass
11n (HT40)	CH102	2.37	11.00	Pass
11n (HT40)	CH118	2.41	11.00	Pass
11n (HT40)	CH134	2.32	11.00	Pass
11ac (VHT20)	CH100	5.65	11.00	Pass
11ac (VHT20)	CH116	5.65	11.00	Pass
11ac (VHT20)	CH140	5.87	11.00	Pass
11ac (VHT40)	CH102	2.50	11.00	Pass
11ac (VHT40)	CH118	2.43	11.00	Pass
11ac (VHT40)	CH134	2.31	11.00	Pass
11ac (VHT80)	CH106	-0.78	11.00	Pass
11ac (VHT80)	CH122	-0.86	11.00	Pass
11ac (VHT160)	CH114	-3.58	11.00	Pass
11ax (HE20)(SU)	CH100	5.53	11.00	Pass
11ax (HE20)(SU)	CH116	5.56	11.00	Pass
11ax (HE20)(SU)	CH140	5.48	11.00	Pass
11ax (HE40)(SU)	CH102	2.26	11.00	Pass
11ax (HE40)(SU)	CH118	2.18	11.00	Pass
11ax (HE40)(SU)	CH134	2.11	11.00	Pass
11ax (HE80)(SU)	CH106	-0.61	11.00	Pass
11ax (HE80)(SU)	CH122	-0.72	11.00	Pass
11ax (HE160)(SU)	CH114	-3.41	11.00	Pass
11ax (HE20)(RU26)	CH100	8.81	11.00	Pass
11ax (HE20)(RU26)	CH116	8.89	11.00	Pass
11ax (HE20)(RU26)	CH140	8.72	11.00	Pass
11ax (HE40)(RU26)	CH102	8.81	11.00	Pass
11ax (HE40)(RU26)	CH118	8.87	11.00	Pass
11ax (HE40)(RU26)	CH134	8.96	11.00	Pass
11ax (HE80)(RU26)	CH106	8.62	11.00	Pass
11ax (HE80)(RU26)	CH122	8.81	11.00	Pass
11ax (HE160)(RU26)	CH114	9.03	11.00	Pass

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
11n (HT20)	CH149	2.60	30.00	Pass
11n (HT20)	CH157	2.40	30.00	Pass
11n (HT20)	CH165	2.44	30.00	Pass
11n (HT40)	CH151	-1.04	30.00	Pass
11n (HT40)	CH159	-1.26	30.00	Pass
11ac (VHT20)	CH149	2.73	30.00	Pass
11ac (VHT20)	CH157	2.54	30.00	Pass
11ac (VHT20)	CH165	2.38	30.00	Pass
11ac (VHT40)	CH151	-0.81	30.00	Pass
11ac (VHT40)	CH159	-1.05	30.00	Pass
11ac (VHT80)	CH155	-4.00	30.00	Pass
11ax (HE20)(SU)	CH149	2.36	30.00	Pass
11ax (HE20)(SU)	CH157	2.10	30.00	Pass
11ax (HE20)(SU)	CH165	2.45	30.00	Pass
11ax (HE40)(SU)	CH151	-1.31	30.00	Pass
11ax (HE40)(SU)	CH159	-1.23	30.00	Pass
11ax (HE80)(SU)	CH155	-4.09	30.00	Pass
11ax (HE20)(RU26)	CH149	6.06	30.00	Pass
11ax (HE20)(RU26)	CH157	5.86	30.00	Pass
11ax (HE20)(RU26)	CH165	5.43	30.00	Pass
11ax (HE40)(RU26)	CH151	5.95	30.00	Pass
11ax (HE40)(RU26)	CH159	5.68	30.00	Pass
11ax (HE80)(RU26)	CH155	5.95	30.00	Pass

A.5 Conducted Emissions


Note ¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note ²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Test Data and Plots

PHASE L


CE Test case_FCC_CE_FCC PART 15B_Class B



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.168	45.65	10.08	65.06	-19.41	Peak	L	Pass
1**	0.168	30.69	10.08	55.06	-24.37	AV	L	Pass
2	0.184	44.20	10.07	64.30	-20.10	Peak	L	Pass
2**	0.184	28.20	10.07	54.30	-26.10	AV	L	Pass
3	0.458	38.82	10.22	56.73	-17.91	Peak	L	Pass
3**	0.458	28.24	10.22	46.73	-18.49	AV	L	Pass
4	1.460	35.64	10.20	56.00	-20.36	Peak	L	Pass
4**	1.460	24.89	10.20	46.00	-21.11	AV	L	Pass
5	4.840	36.00	10.27	56.00	-20.00	Peak	L	Pass
5**	4.840	23.88	10.27	46.00	-22.12	AV	L	Pass
6	11.524	36.21	10.56	60.00	-23.79	Peak	L	Pass
6**	11.524	24.70	10.56	50.00	-25.30	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15B_Class B



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.154	47.44	10.09	65.78	-18.34	Peak	N	Pass
1**	0.154	27.08	10.09	55.78	-28.70	AV	N	Pass
2	0.180	44.74	10.07	64.49	-19.75	Peak	N	Pass
2**	0.180	31.75	10.07	54.49	-22.74	AV	N	Pass
3	0.458	39.83	10.22	56.73	-16.90	Peak	N	Pass
3**	0.458	27.39	10.22	46.73	-19.34	AV	N	Pass
4	1.888	35.56	10.72	56.00	-20.44	Peak	N	Pass
4**	1.888	25.19	10.72	46.00	-20.81	AV	N	Pass
5	3.740	36.53	10.50	56.00	-19.47	Peak	N	Pass
5**	3.740	24.20	10.50	46.00	-21.80	AV	N	Pass
6	7.430	36.26	10.39	60.00	-23.74	Peak	N	Pass
6**	7.430	24.89	10.39	50.00	-25.11	AV	N	Pass

A.6 Radiated Spurious Emissions and Band Edge (Restricted-band)

Note¹: The symbol of "--" in the table which means not application.

Note²: For the test data above 1 GHz, According the ANSI C63.4, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Note³: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note⁴: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.

Note⁵: For Multiple transmitter output, the quantity $10 \log(NANT)$ dB is added to each spectrum value before comparing to the emission limit. When testing out-of-band and spurious emissions against relative emission limits, tests may be performed on each output individually without summing or adding $10 \log(NANT)$ if the measurements are made relative to the in-band emissions on the individual outputs.

Test Data and Plots


30 MHz to 1 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	105.641	23.65	-27.83	33.5	-9.85	Peak	202.00	200	Horizontal	Pass
2	235.589	25.18	-26.76	36.0	-10.82	Peak	137.00	200	Horizontal	Pass
3	392.689	25.18	-22.78	36.0	-10.82	Peak	34.00	200	Horizontal	Pass
4	514.151	30.13	-20.23	36.0	-5.87	Peak	267.00	200	Horizontal	Pass
5	653.554	32.75	-17.03	36.0	-3.25	Peak	249.00	100	Horizontal	Pass
6	939.633	29.05	-11.93	36.0	-6.95	Peak	308.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V

10m RE Test Case_FCC Certification_FCC 15B ClassB 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	43.819	23.75	-26.38	30.0	-6.25	Peak	169.00	100	Vertical	Pass
2	102.974	24.96	-27.95	33.5	-8.54	Peak	116.00	100	Vertical	Pass
3	117.278	22.59	-29.32	33.5	-10.91	Peak	203.00	100	Vertical	Pass
4	222.982	23.97	-27.56	36.0	-12.03	Peak	11.00	100	Vertical	Pass
5	235.589	27.12	-26.76	36.0	-8.88	Peak	357.00	100	Vertical	Pass
6	254.256	25.43	-26.20	36.0	-10.57	Peak	252.00	100	Vertical	Pass

Note ¹: The spurious above 18G is noise only, do not show on the report.

Note ²: All the configurations were pre tested, only the worst configuration has been reported in this report.

Main Antenna

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.700	58.45	-21.02	74.0	-15.55	Peak	147.00	100	Horizontal	Pass
1**	1066.700	50.52	-21.02	54.0	-3.48	AV	147.00	100	Horizontal	Pass
2	1328.000	53.18	-19.47	74.0	-20.82	Peak	122.00	300	Horizontal	Pass
2**	1328.000	47.09	-19.47	54.0	-6.91	AV	122.00	300	Horizontal	Pass
3	1460.800	52.61	-20.06	74.0	-21.39	Peak	272.00	400	Horizontal	Pass
3**	1460.800	46.09	-20.06	54.0	-7.91	AV	272.00	400	Horizontal	Pass
4	5177.250	96.37	-4.33	--	--	Peak	128.00	150	Horizontal	N/A
4**	5177.250	88.34	-4.33	--	--	AV	128.00	150	Horizontal	N/A
5	7583.500	53.51	-0.18	74.0	-20.49	Peak	146.00	100	Horizontal	Pass
5**	7583.500	44.49	-0.18	54.0	-9.51	AV	146.00	100	Horizontal	Pass
6	12610.350	53.26	1.06	74.0	-20.74	Peak	38.00	300	Horizontal	Pass
6**	12610.350	43.98	1.06	54.0	-10.02	AV	38.00	300	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.200	49.96	-19.91	74.0	-24.04	Peak	214.00	300	Vertical	Pass
1**	1332.200	46.08	-19.91	54.0	-7.92	AV	214.00	300	Vertical	Pass
2	1598.900	51.62	-19.36	74.0	-22.38	Peak	6.00	200	Vertical	Pass
2**	1598.900	45.53	-19.36	54.0	-8.47	AV	6.00	200	Vertical	Pass
3	3721.500	51.41	-8.83	74.0	-22.59	Peak	170.00	100	Vertical	Pass
3**	3721.500	41.96	-8.83	54.0	-12.04	AV	170.00	100	Vertical	Pass
4	5184.250	107.45	-4.20	--	--	Peak	170.00	300	Vertical	N/A
4**	5184.250	98.59	-4.20	--	--	AV	170.00	300	Vertical	N/A
5	7582.750	53.09	0.29	74.0	-20.91	Peak	0.00	150	Vertical	Pass
5**	7582.750	44.69	0.29	54.0	-9.31	AV	0.00	150	Vertical	Pass
6	12422.963	53.82	0.57	74.0	-20.18	Peak	22.00	200	Vertical	Pass
6**	12422.963	43.58	0.57	54.0	-10.42	AV	22.00	200	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.300	57.52	-20.49	74.0	-16.48	Peak	243.00	300	Horizontal	Pass
1**	1065.300	51.34	-20.49	54.0	-2.66	AV	243.00	300	Horizontal	Pass
2	1329.300	49.63	-19.44	74.0	-24.37	Peak	126.00	200	Horizontal	Pass
2**	1329.300	45.62	-19.44	54.0	-8.38	AV	126.00	200	Horizontal	Pass
3	2335.000	48.80	-14.94	74.0	-25.20	Peak	327.00	400	Horizontal	Pass
3**	2335.000	45.61	-14.94	54.0	-8.39	AV	327.00	400	Horizontal	Pass
4	5217.500	98.90	-4.66	--	--	Peak	154.00	100	Horizontal	N/A
4**	5217.500	89.38	-4.66	--	--	AV	154.00	100	Horizontal	N/A
5	7583.750	53.26	-0.21	74.0	-20.74	Peak	172.00	200	Horizontal	Pass
5**	7583.750	44.04	-0.21	54.0	-9.96	AV	172.00	200	Horizontal	Pass
6	12452.412	52.16	0.87	74.0	-21.84	Peak	106.00	400	Horizontal	Pass
6**	12452.412	43.02	0.87	54.0	-10.98	AV	106.00	400	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.300	51.78	-20.50	74.0	-22.22	Peak	182.00	200	Vertical	Pass
1**	1066.300	46.75	-20.50	54.0	-7.25	AV	182.00	200	Vertical	Pass
2	1330.400	53.49	-19.23	74.0	-20.51	Peak	345.00	100	Vertical	Pass
2**	1330.400	46.19	-19.23	54.0	-7.81	AV	345.00	100	Vertical	Pass
3	1593.500	53.11	-19.87	74.0	-20.89	Peak	208.00	300	Vertical	Pass
3**	1593.500	45.60	-19.87	54.0	-8.40	AV	208.00	300	Vertical	Pass
4	5219.000	106.20	-4.96	--	--	Peak	171.00	150	Vertical	N/A
4**	5219.000	98.38	-4.96	--	--	AV	171.00	150	Vertical	N/A
5	7585.250	52.76	-0.41	74.0	-21.24	Peak	360.00	300	Vertical	Pass
5**	7585.250	43.75	-0.41	54.0	-10.25	AV	360.00	300	Vertical	Pass
6	12368.338	52.68	0.58	74.0	-21.32	Peak	236.00	200	Vertical	Pass
6**	12368.338	42.84	0.58	54.0	-11.16	AV	236.00	200	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.300	57.61	-20.50	74.0	-16.39	Peak	127.00	100	Horizontal	Pass
1**	1066.300	47.17	-20.50	54.0	-6.83	AV	127.00	100	Horizontal	Pass
2	1327.700	54.20	-19.34	74.0	-19.80	Peak	271.00	400	Horizontal	Pass
2**	1327.700	48.06	-19.34	54.0	-5.94	AV	271.00	400	Horizontal	Pass
3	1465.800	57.83	-19.49	74.0	-16.17	Peak	271.00	200	Horizontal	Pass
3**	1465.800	50.52	-19.49	54.0	-3.48	AV	271.00	200	Horizontal	Pass
4	5238.750	95.94	-5.16	--	--	Peak	155.00	100	Horizontal	N/A
4**	5238.750	89.58	-5.16	--	--	AV	155.00	100	Horizontal	N/A
5	7609.000	53.03	-0.63	74.0	-20.97	Peak	85.00	300	Horizontal	Pass
5**	7609.000	43.64	-0.63	54.0	-10.36	AV	85.00	300	Horizontal	Pass
6	12417.738	53.02	0.51	74.0	-20.98	Peak	251.00	200	Horizontal	Pass
6**	12417.738	43.26	0.51	54.0	-10.74	AV	251.00	200	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.600	54.06	-19.45	74.0	-19.94	Peak	295.00	100	Vertical	Pass
1**	1328.600	48.56	-19.45	54.0	-5.44	AV	295.00	100	Vertical	Pass
2	1463.900	54.01	-19.58	74.0	-19.99	Peak	60.00	100	Vertical	Pass
2**	1463.900	48.53	-19.58	54.0	-5.47	AV	60.00	100	Vertical	Pass
3	1598.800	51.70	-19.24	74.0	-22.30	Peak	169.00	300	Vertical	Pass
3**	1598.800	48.21	-19.24	54.0	-5.79	AV	169.00	300	Vertical	Pass
4	5237.000	105.22	-5.64	--	--	Peak	182.00	200	Vertical	N/A
4**	5237.000	97.28	-5.64	--	--	AV	182.00	200	Vertical	N/A
5	7550.750	53.52	-1.51	74.0	-20.48	Peak	146.00	400	Vertical	Pass
5**	7550.750	43.69	-1.51	54.0	-10.31	AV	146.00	400	Vertical	Pass
6	12554.299	53.12	1.57	74.0	-20.88	Peak	331.00	100	Vertical	Pass
6**	12554.299	44.15	1.57	54.0	-9.85	AV	331.00	100	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.400	58.28	-20.46	74.0	-15.72	Peak	141.00	150	Horizontal	Pass
1**	1063.400	50.06	-20.46	54.0	-3.94	AV	141.00	150	Horizontal	Pass
2	1330.400	52.36	-19.23	74.0	-21.64	Peak	278.00	200	Horizontal	Pass
2**	1330.400	44.03	-19.23	54.0	-9.97	AV	278.00	200	Horizontal	Pass
3	4870.000	50.39	-6.12	74.0	-23.61	Peak	82.00	300	Horizontal	Pass
3**	4870.000	39.90	-6.12	54.0	-14.10	AV	82.00	300	Horizontal	Pass
4	5181.500	95.86	-4.33	--	--	Peak	152.00	200	Horizontal	N/A
4**	5181.500	87.92	-4.33	--	--	AV	152.00	200	Horizontal	N/A
5	7589.000	54.41	-0.48	74.0	-19.59	Peak	308.00	200	Horizontal	Pass
5**	7589.000	45.99	-0.48	54.0	-8.01	AV	308.00	200	Horizontal	Pass
6	12583.513	52.81	1.30	74.0	-21.19	Peak	124.00	400	Horizontal	Pass
6**	12583.513	44.51	1.30	54.0	-9.49	AV	124.00	400	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.200	52.43	-20.32	74.0	-21.57	Peak	321.00	200	Vertical	Pass
1**	1066.200	45.77	-20.32	54.0	-8.23	AV	321.00	200	Vertical	Pass
2	1461.900	55.99	-19.33	74.0	-18.01	Peak	360.00	300	Vertical	Pass
2**	1461.900	50.12	-19.33	54.0	-3.88	AV	360.00	300	Vertical	Pass
3	1592.800	53.84	-19.61	74.0	-20.16	Peak	162.00	100	Vertical	Pass
3**	1592.800	47.14	-19.61	54.0	-6.86	AV	162.00	100	Vertical	Pass
4	5175.750	107.11	-4.20	--	--	Peak	189.00	100	Vertical	N/A
4**	5175.750	99.48	-4.20	--	--	AV	189.00	100	Vertical	N/A
5	7551.000	54.98	-1.53	74.0	-19.02	Peak	0.00	200	Vertical	Pass
5**	7551.000	45.42	-1.53	54.0	-8.58	AV	0.00	200	Vertical	Pass
6	12333.662	52.54	0.71	74.0	-21.46	Peak	77.00	150	Vertical	Pass
6**	12333.662	43.47	0.71	54.0	-10.53	AV	77.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.900	55.88	-20.53	74.0	-18.12	Peak	102.00	300	Horizontal	Pass
1**	1064.900	50.60	-20.53	54.0	-3.40	AV	102.00	300	Horizontal	Pass
2	1331.200	51.87	-19.53	74.0	-22.13	Peak	277.00	400	Horizontal	Pass
2**	1331.200	46.44	-19.53	54.0	-7.56	AV	277.00	400	Horizontal	Pass
3	4804.750	50.67	-5.70	74.0	-23.33	Peak	293.00	100	Horizontal	Pass
3**	4804.750	40.19	-5.70	54.0	-13.81	AV	293.00	100	Horizontal	Pass
4	5218.750	96.35	-4.96	--	--	Peak	153.00	200	Horizontal	N/A
4**	5218.750	88.82	-4.96	--	--	AV	153.00	200	Horizontal	N/A
5	7496.250	54.50	-0.25	74.0	-19.50	Peak	135.00	100	Horizontal	Pass
5**	7496.250	44.80	-0.25	54.0	-9.20	AV	135.00	100	Horizontal	Pass
6	12553.113	52.61	1.58	74.0	-21.39	Peak	228.00	300	Horizontal	Pass
6**	12553.113	44.01	1.58	54.0	-9.99	AV	228.00	300	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.200	52.92	-19.45	74.0	-21.07	Peak	173.00	100	Vertical	Pass
1**	1327.200	45.69	-19.45	54.0	-8.31	AV	173.00	100	Vertical	Pass
2	1595.000	54.14	-19.83	74.0	-19.96	Peak	157.00	200	Vertical	Pass
2**	1595.000	50.04	-19.83	54.0	-3.96	AV	157.00	200	Vertical	Pass
3	3730.000	54.25	-8.91	74.0	-19.75	Peak	206.00	150	Vertical	Pass
3**	3730.000	44.45	-8.91	54.0	-9.55	AV	206.00	150	Vertical	Pass
4	5221.750	107.29	-5.05	--	--	Peak	188.00	300	Vertical	N/A
4**	5221.750	99.65	-5.05	--	--	AV	188.00	300	Vertical	N/A
5	7356.250	55.34	-1.00	74.0	-18.66	Peak	188.00	400	Vertical	Pass
5**	7356.250	44.32	-1.00	54.0	-9.68	AV	188.00	400	Vertical	Pass
6	12571.400	52.13	1.41	74.0	-21.87	Peak	280.00	200	Vertical	Pass
6**	12571.400	44.01	1.41	54.0	-9.99	AV	280.00	200	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1061.900	54.89	-20.91	74.0	-19.11	Peak	105.00	100	Horizontal	Pass
1**	1061.900	48.91	-20.91	54.0	-5.09	AV	105.00	100	Horizontal	Pass
2	1329.900	54.20	-19.41	74.0	-19.80	Peak	271.00	200	Horizontal	Pass
2**	1329.900	46.51	-19.41	54.0	-7.49	AV	271.00	200	Horizontal	Pass
3	1463.800	51.88	-19.61	74.0	-22.12	Peak	261.00	400	Horizontal	Pass
3**	1463.800	48.30	-19.61	54.0	-5.70	AV	261.00	400	Horizontal	Pass
4	5236.750	96.69	-5.48	--	--	Peak	154.00	150	Horizontal	N/A
4**	5236.750	89.32	-5.48	--	--	AV	154.00	150	Horizontal	N/A
5	7571.250	55.14	-0.79	74.0	-18.86	Peak	119.00	200	Horizontal	Pass
5**	7571.250	45.32	-0.79	54.0	-8.68	AV	119.00	200	Horizontal	Pass
6	12592.775	52.30	1.22	74.0	-21.70	Peak	165.00	300	Horizontal	Pass
6**	12592.775	43.83	1.22	54.0	-10.17	AV	165.00	300	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.800	54.08	-19.45	74.0	-19.92	Peak	326.00	400	Vertical	Pass
1**	1330.800	47.46	-19.45	54.0	-6.54	AV	326.00	400	Vertical	Pass
2	1464.800	54.27	-20.02	74.0	-19.73	Peak	243.00	200	Vertical	Pass
2**	1464.800	43.16	-20.02	54.0	-10.84	AV	243.00	200	Vertical	Pass
3	1599.800	53.82	-19.25	74.0	-20.18	Peak	344.00	100	Vertical	Pass
3**	1599.800	47.02	-19.25	54.0	-6.98	AV	344.00	100	Vertical	Pass
4	5238.750	106.20	-5.16	--	--	Peak	187.00	300	Vertical	N/A
4**	5238.750	99.02	-5.16	--	--	AV	187.00	300	Vertical	N/A
5	7586.000	55.16	-0.09	74.0	-18.84	Peak	45.00	100	Vertical	Pass
5**	7586.000	46.41	-0.09	54.0	-7.59	AV	45.00	100	Vertical	Pass
6	12557.625	52.88	1.54	74.0	-21.12	Peak	138.00	200	Vertical	Pass
6**	12557.625	43.31	1.54	54.0	-10.69	AV	138.00	200	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.400	57.60	-20.47	74.0	-16.40	Peak	138.00	300	Horizontal	Pass
1**	1065.400	51.10	-20.47	54.0	-2.90	AV	138.00	300	Horizontal	Pass
2	1460.300	50.90	-19.67	74.0	-23.10	Peak	138.00	200	Horizontal	Pass
2**	1460.300	44.24	-19.67	54.0	-9.76	AV	138.00	200	Horizontal	Pass
3	4979.000	50.27	-3.68	74.0	-23.73	Peak	243.00	100	Horizontal	Pass
3**	4979.000	41.04	-3.68	54.0	-12.96	AV	243.00	100	Horizontal	Pass
4	5198.750	93.78	-4.34	--	--	Peak	155.00	100	Horizontal	N/A
4**	5198.750	85.50	-4.34	--	--	AV	155.00	100	Horizontal	N/A
5	7349.250	54.25	-1.23	74.0	-19.75	Peak	226.00	200	Horizontal	Pass
5**	7349.250	44.15	-1.23	54.0	-9.85	AV	226.00	200	Horizontal	Pass
6	12372.850	52.38	0.54	74.0	-21.62	Peak	311.00	400	Horizontal	Pass
6**	12372.850	42.86	0.54	54.0	-11.14	AV	311.00	400	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.600	53.04	-20.44	74.0	-20.96	Peak	115.00	200	Vertical	Pass
1**	1065.600	44.99	-20.44	54.0	-9.01	AV	115.00	200	Vertical	Pass
2	1332.000	53.91	-19.92	74.0	-20.09	Peak	65.00	100	Vertical	Pass
2**	1332.000	47.00	-19.92	54.0	-7.00	AV	65.00	100	Vertical	Pass
3	1593.300	54.10	-20.10	74.0	-19.90	Peak	360.00	200	Vertical	Pass
3**	1593.300	49.85	-20.10	54.0	-4.15	AV	360.00	200	Vertical	Pass
4	5186.750	104.88	-4.44	--	--	Peak	191.00	100	Vertical	N/A
4**	5186.750	97.22	-4.44	--	--	AV	191.00	100	Vertical	N/A
5	7372.000	53.91	-1.03	74.0	-20.09	Peak	135.00	300	Vertical	Pass
5**	7372.000	44.87	-1.03	54.0	-9.13	AV	135.00	300	Vertical	Pass
6	12609.637	52.17	1.07	74.0	-21.83	Peak	165.00	400	Vertical	Pass
6**	12609.637	43.19	1.07	54.0	-10.81	AV	165.00	400	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.300	50.85	-20.49	74.0	-23.15	Peak	120.00	100	Horizontal	Pass
1**	1065.300	48.90	-20.49	54.0	-5.10	AV	120.00	100	Horizontal	Pass
2	1465.100	54.11	-19.82	74.0	-19.89	Peak	145.00	400	Horizontal	Pass
2**	1465.100	50.39	-19.82	54.0	-3.61	AV	145.00	400	Horizontal	Pass
3	2338.800	53.78	-14.34	74.0	-20.22	Peak	58.00	300	Horizontal	Pass
3**	2338.800	51.85	-14.34	54.0	-2.15	AV	58.00	300	Horizontal	Pass
4	5220.750	95.00	-4.80	--	--	Peak	139.00	100	Horizontal	N/A
4**	5220.750	87.30	-4.80	--	--	AV	139.00	100	Horizontal	N/A
5	7583.000	54.48	0.28	74.0	-19.52	Peak	156.00	300	Horizontal	Pass
5**	7583.000	46.16	0.28	54.0	-7.84	AV	156.00	300	Horizontal	Pass
6	12574.725	52.38	1.38	74.0	-21.62	Peak	70.00	200	Horizontal	Pass
6**	12574.725	43.78	1.38	54.0	-10.22	AV	70.00	200	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.200	49.49	-20.50	74.0	-24.51	Peak	360.00	400	Vertical	Pass
1**	1065.200	45.62	-20.50	54.0	-8.38	AV	360.00	400	Vertical	Pass
2	1330.600	48.86	-19.33	74.0	-25.14	Peak	130.00	100	Vertical	Pass
2**	1330.600	47.25	-19.33	54.0	-6.75	AV	130.00	100	Vertical	Pass
3	1595.700	49.17	-19.50	74.0	-24.83	Peak	39.00	300	Vertical	Pass
3**	1595.700	47.03	-19.50	54.0	-6.97	AV	39.00	300	Vertical	Pass
4	5221.250	103.61	-4.90	--	--	Peak	192.00	200	Vertical	N/A
4**	5221.250	97.36	-4.90	--	--	AV	192.00	200	Vertical	N/A
5	7362.500	54.11	-0.79	74.0	-19.89	Peak	351.00	200	Vertical	Pass
5**	7362.500	45.83	-0.79	54.0	-8.17	AV	351.00	200	Vertical	Pass
6	12373.800	52.32	0.53	74.0	-21.68	Peak	20.00	100	Vertical	Pass
6**	12373.800	42.40	0.53	54.0	-11.60	AV	20.00	100	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.300	48.22	-21.26	74.0	-25.78	Peak	96.00	150	Horizontal	Pass
1**	1064.300	44.78	-21.26	54.0	-9.22	AV	96.00	150	Horizontal	Pass
2	1330.500	46.82	-19.28	74.0	-27.18	Peak	4.00	200	Horizontal	Pass
2**	1330.500	46.23	-19.28	54.0	-7.77	AV	4.00	200	Horizontal	Pass
3	1463.800	48.25	-19.61	74.0	-25.75	Peak	246.00	300	Horizontal	Pass
3**	1463.800	47.00	-19.61	54.0	-7.00	AV	246.00	300	Horizontal	Pass
4	5177.250	96.27	-4.33	--	--	Peak	143.00	200	Horizontal	N/A
4**	5177.250	89.14	-4.33	--	--	AV	143.00	200	Horizontal	N/A
5	7498.500	54.52	0.04	74.0	-19.48	Peak	332.00	200	Horizontal	Pass
5**	7498.500	45.20	0.04	54.0	-8.80	AV	332.00	200	Horizontal	Pass
6	12452.412	52.17	0.87	74.0	-21.83	Peak	350.00	400	Horizontal	Pass
6**	12452.412	43.16	0.87	54.0	-10.84	AV	350.00	400	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.300	51.14	-19.59	74.0	-22.86	Peak	311.00	200	Vertical	Pass
1**	1328.300	47.90	-19.59	54.0	-6.10	AV	311.00	200	Vertical	Pass
2	1466.500	50.19	-19.76	74.0	-23.81	Peak	287.00	300	Vertical	Pass
2**	1466.500	54.13	-19.76	54.0	-4.87	AV	287.00	300	Vertical	Pass
3	1598.900	53.11	-19.36	74.0	-19.87	Peak	161.00	100	Vertical	Pass
3**	1598.900	48.73	-19.36	54.0	-5.27	AV	161.00	100	Vertical	Pass
4	5177.750	106.75	-4.41	--	--	Peak	190.00	100	Vertical	N/A
4**	5177.750	98.75	-4.41	--	--	AV	190.00	100	Vertical	N/A
5	7535.750	54.19	-1.08	74.0	-19.81	Peak	119.00	200	Vertical	Pass
5**	7535.750	45.11	-1.08	54.0	-8.89	AV	119.00	200	Vertical	Pass
6	12575.674	52.74	1.37	74.0	-21.26	Peak	204.00	150	Vertical	Pass
6**	12575.674	43.59	1.37	54.0	-10.41	AV	204.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.500	52.13	-20.46	74.0	-21.87	Peak	122.00	300	Horizontal	Pass
1**	1065.500	51.93	-20.46	54.0	-2.07	AV	122.00	300	Horizontal	Pass
2	1329.700	48.86	-19.80	74.0	-25.14	Peak	276.00	400	Horizontal	Pass
2**	1329.700	44.54	-19.80	54.0	-9.46	AV	276.00	400	Horizontal	Pass
3	1465.100	49.14	-19.82	74.0	-24.86	Peak	285.00	300	Horizontal	Pass
3**	1465.100	48.21	-19.82	54.0	-5.79	AV	285.00	300	Horizontal	Pass
4	5219.000	96.10	-4.96	--	--	Peak	139.00	200	Horizontal	N/A
4**	5219.000	88.60	-4.96	--	--	AV	139.00	200	Horizontal	N/A
5	7368.750	54.16	-0.60	74.0	-19.84	Peak	121.00	100	Horizontal	Pass
5**	7368.750	46.17	-0.60	54.0	-7.83	AV	121.00	100	Horizontal	Pass
6	12333.901	52.57	0.71	74.0	-21.43	Peak	328.00	200	Horizontal	Pass
6**	12333.901	43.66	0.71	54.0	-10.34	AV	328.00	200	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.800	49.08	-20.39	74.0	-24.92	Peak	101.00	400	Vertical	Pass
1**	1065.800	46.83	-20.39	54.0	-7.17	AV	101.00	400	Vertical	Pass
2	1332.300	50.28	-19.90	74.0	-23.72	Peak	355.00	200	Vertical	Pass
2**	1332.300	46.53	-19.90	54.0	-7.47	AV	355.00	200	Vertical	Pass
3	1594.300	51.60	-19.57	74.0	-22.40	Peak	347.00	150	Vertical	Pass
3**	1594.300	48.02	-19.57	54.0	-5.98	AV	347.00	150	Vertical	Pass
4	5222.250	106.83	-4.99	--	--	Peak	194.00	300	Vertical	N/A
4**	5222.250	99.30	-4.99	--	--	AV	194.00	300	Vertical	N/A
5	7372.250	54.47	-1.11	74.0	-19.53	Peak	263.00	400	Vertical	Pass
5**	7372.250	44.44	-1.11	54.0	-9.56	AV	263.00	400	Vertical	Pass
6	12579.713	53.52	1.34	74.0	-20.48	Peak	19.00	100	Vertical	Pass
6**	12579.713	43.75	1.34	54.0	-10.25	AV	19.00	100	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.100	53.82	-20.51	74.0	-20.18	Peak	122.00	150	Horizontal	Pass
1**	1065.100	50.52	-20.51	54.0	-3.48	AV	122.00	150	Horizontal	Pass
2	1333.100	49.69	-19.59	74.0	-24.31	Peak	275.00	200	Horizontal	Pass
2**	1333.100	47.79	-19.59	54.0	-6.21	AV	275.00	200	Horizontal	Pass
3	1466.500	57.33	-19.76	74.0	-16.67	Peak	300.00	300	Horizontal	Pass
3**	1466.500	49.21	-19.76	54.0	-4.79	AV	300.00	300	Horizontal	Pass
4	5238.750	96.79	-5.16	--	--	Peak	138.00	100	Horizontal	N/A
4**	5238.750	88.86	-5.16	--	--	AV	138.00	100	Horizontal	N/A
5	7572.250	54.72	-0.55	74.0	-19.28	Peak	32.00	300	Horizontal	Pass
5**	7572.250	45.82	-0.55	54.0	-8.18	AV	32.00	300	Horizontal	Pass
6	12386.625	52.59	0.42	74.0	-21.41	Peak	173.00	400	Horizontal	Pass
6**	12386.625	42.77	0.42	54.0	-11.23	AV	173.00	400	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.100	48.10	-19.52	74.0	-25.90	Peak	0.00	200	Vertical	Pass
1**	1331.100	45.66	-19.52	54.0	-8.34	AV	0.00	200	Vertical	Pass
2	1465.700	53.99	-19.53	74.0	-20.01	Peak	269.00	100	Vertical	Pass
2**	1465.700	46.98	-19.53	54.0	-7.02	AV	269.00	100	Vertical	Pass
3	1599.800	50.80	-19.25	74.0	-23.20	Peak	45.00	150	Vertical	Pass
3**	1599.800	47.01	-19.25	54.0	-6.99	AV	45.00	150	Vertical	Pass
4	5236.250	106.35	-5.28	--	--	Peak	191.00	400	Vertical	N/A
4**	5236.250	98.15	-5.28	--	--	AV	191.00	400	Vertical	N/A
5	7581.250	54.17	0.07	74.0	-19.83	Peak	156.00	200	Vertical	Pass
5**	7581.250	46.33	0.07	54.0	-7.67	AV	156.00	200	Vertical	Pass
6	12421.063	52.31	0.55	74.0	-21.69	Peak	214.00	100	Vertical	Pass
6**	12421.063	43.82	0.55	54.0	-10.18	AV	214.00	100	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.500	53.15	-20.85	74.0	-20.85	Peak	138.00	200	Horizontal	Pass
1**	1066.500	51.45	-20.85	54.0	-2.55	AV	138.00	200	Horizontal	Pass
2	1332.000	46.39	-19.92	74.0	-27.61	Peak	279.00	200	Horizontal	Pass
2**	1332.000	45.63	-19.92	54.0	-8.37	AV	279.00	200	Horizontal	Pass
3	1464.300	51.52	-19.58	74.0	-22.48	Peak	138.00	100	Horizontal	Pass
3**	1464.300	51.43	-19.58	54.0	-2.57	AV	138.00	100	Horizontal	Pass
4	5181.750	93.62	-4.18	--	--	Peak	156.00	150	Horizontal	N/A
4**	5181.750	85.72	-4.18	--	--	AV	156.00	150	Horizontal	N/A
5	7581.250	54.57	0.07	74.0	-19.43	Peak	315.00	200	Horizontal	Pass
5**	7581.250	45.57	0.07	54.0	-8.43	AV	315.00	200	Horizontal	Pass
6	12591.350	53.23	1.23	74.0	-20.77	Peak	186.00	400	Horizontal	Pass
6**	12591.350	43.52	1.23	54.0	-10.48	AV	186.00	400	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.500	49.14	-19.53	74.0	-24.86	Peak	360.00	200	Vertical	Pass
1**	1328.500	45.19	-19.53	54.0	-8.81	AV	360.00	200	Vertical	Pass
2	1463.200	48.89	-19.92	74.0	-25.11	Peak	221.00	100	Vertical	Pass
2**	1463.200	45.76	-19.92	54.0	-8.24	AV	221.00	100	Vertical	Pass
3	1596.400	49.28	-20.05	74.0	-24.72	Peak	47.00	300	Vertical	Pass
3**	1596.400	46.23	-20.05	54.0	-7.77	AV	47.00	300	Vertical	Pass
4	5184.750	103.96	-4.32	--	--	Peak	194.00	200	Vertical	N/A
4**	5184.750	96.32	-4.32	--	--	AV	194.00	200	Vertical	N/A
5	7645.250	54.48	-1.36	74.0	-19.52	Peak	283.00	300	Vertical	Pass
5**	7645.250	44.93	-1.36	54.0	-9.07	AV	283.00	300	Vertical	Pass
6	12339.599	52.65	0.72	74.0	-21.35	Peak	321.00	400	Vertical	Pass
6**	12339.599	42.78	0.72	54.0	-11.22	AV	321.00	400	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.200	55.35	-21.16	74.0	-18.65	Peak	132.00	150	Horizontal	Pass
1**	1064.200	48.12	-21.16	54.0	-5.88	AV	132.00	150	Horizontal	Pass
2	1328.200	49.04	-19.55	74.0	-24.96	Peak	252.00	200	Horizontal	Pass
2**	1328.200	47.62	-19.55	54.0	-6.38	AV	252.00	200	Horizontal	Pass
3	1459.900	52.80	-19.56	74.0	-21.20	Peak	261.00	300	Horizontal	Pass
3**	1459.900	45.94	-19.56	54.0	-8.06	AV	261.00	300	Horizontal	Pass
4	5237.250	93.23	-5.21	--	--	Peak	147.00	100	Horizontal	N/A
4**	5237.250	85.94	-5.21	--	--	AV	147.00	100	Horizontal	N/A
5	7585.500	54.17	-0.18	74.0	-19.83	Peak	33.00	400	Horizontal	Pass
5**	7585.500	46.24	-0.18	54.0	-7.76	AV	33.00	400	Horizontal	Pass
6	12369.526	51.92	0.57	74.0	-22.08	Peak	192.00	200	Horizontal	Pass
6**	12369.526	42.98	0.57	54.0	-11.02	AV	192.00	200	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.900	50.79	-19.70	74.0	-23.21	Peak	303.00	400	Vertical	Pass
1**	1332.900	46.51	-19.70	54.0	-7.49	AV	303.00	400	Vertical	Pass
2	1460.300	47.66	-19.67	74.0	-26.34	Peak	179.00	100	Vertical	Pass
2**	1460.300	46.65	-19.67	54.0	-7.35	AV	179.00	100	Vertical	Pass
3	1598.500	51.89	-19.43	74.0	-22.11	Peak	360.00	300	Vertical	Pass
3**	1598.500	47.41	-19.43	54.0	-6.59	AV	360.00	300	Vertical	Pass
4	5219.750	104.92	-5.09	--	--	Peak	189.00	200	Vertical	N/A
4**	5219.750	96.55	-5.09	--	--	AV	189.00	200	Vertical	N/A
5	7582.000	55.58	-0.07	74.0	-18.42	Peak	30.00	200	Vertical	Pass
5**	7582.000	45.30	-0.07	54.0	-8.70	AV	30.00	200	Vertical	Pass
6	12602.988	52.13	1.13	74.0	-21.87	Peak	155.00	300	Vertical	Pass
6**	12602.988	42.44	1.13	54.0	-11.56	AV	155.00	300	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.300	49.95	-19.18	74.0	-24.05	Peak	0.00	150	Horizontal	Pass
1**	1330.300	48.43	-19.18	54.0	-5.57	AV	0.00	150	Horizontal	Pass
2	1464.400	49.25	-19.61	74.0	-24.75	Peak	360.00	200	Horizontal	Pass
2**	1464.400	47.01	-19.61	54.0	-6.99	AV	360.00	200	Horizontal	Pass
3	1599.000	49.17	-19.49	74.0	-24.83	Peak	137.00	400	Horizontal	Pass
3**	1599.000	46.98	-19.49	54.0	-7.02	AV	137.00	400	Horizontal	Pass
4	5187.500	101.41	-4.29	--	--	Peak	189.00	200	Horizontal	N/A
4**	5187.500	93.24	-4.29	--	--	AV	189.00	200	Horizontal	N/A
5	7578.750	54.95	0.13	74.0	-19.05	Peak	49.00	200	Horizontal	Pass
5**	7578.750	46.29	0.13	54.0	-7.71	AV	49.00	200	Horizontal	Pass
6	12578.525	52.81	1.35	74.0	-21.19	Peak	358.00	300	Horizontal	Pass
6**	12578.525	44.33	1.35	54.0	-9.67	AV	358.00	300	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.300	49.95	-19.18	74.0	-24.05	Peak	0.00	200	Vertical	Pass
1**	1330.300	48.43	-19.18	54.0	-5.57	AV	0.00	200	Vertical	Pass
2	1464.400	49.25	-19.61	74.0	-24.75	Peak	360.00	400	Vertical	Pass
2**	1464.400	47.01	-19.61	54.0	-6.99	AV	360.00	400	Vertical	Pass
3	1599.000	49.17	-19.49	74.0	-24.83	Peak	137.00	100	Vertical	Pass
3**	1599.000	46.98	-19.49	54.0	-7.02	AV	137.00	100	Vertical	Pass
4	5187.500	101.41	-4.29	--	--	Peak	189.00	100	Vertical	N/A
4**	5187.500	93.24	-4.29	--	--	AV	189.00	100	Vertical	N/A
5	7578.750	54.95	0.13	74.0	-19.05	Peak	49.00	300	Vertical	Pass
5**	7578.750	46.29	0.13	54.0	-7.71	AV	49.00	300	Vertical	Pass
6	12578.525	52.81	1.35	74.0	-21.19	Peak	358.00	200	Vertical	Pass
6**	12578.525	44.33	1.35	54.0	-9.67	AV	358.00	200	Vertical	Pass

11ac160, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.600	52.59	-21.13	74.0	-21.41	Peak	269.00	150	Horizontal	Pass
1**	1064.600	37.48	-21.13	54.0	-16.52	AV	269.00	150	Horizontal	Pass
2	1330.900	53.61	-19.50	74.0	-20.39	Peak	269.00	400	Horizontal	Pass
2**	1330.900	44.75	-19.50	54.0	-9.25	AV	269.00	400	Horizontal	Pass
3	4757.000	50.04	-4.98	74.0	-23.96	Peak	31.00	200	Horizontal	Pass
3**	4757.000	40.40	-4.98	54.0	-13.60	AV	31.00	200	Horizontal	Pass
4	5301.750	88.95	-5.24	--	--	Peak	135.00	200	Horizontal	N/A
4**	5301.750	80.71	-5.24	--	--	AV	135.00	200	Horizontal	N/A
5	7582.750	54.95	0.29	74.0	-19.05	Peak	274.00	100	Horizontal	Pass
5**	7582.750	45.63	0.29	54.0	-8.37	AV	274.00	100	Horizontal	Pass
6	12243.651	52.60	0.26	74.0	-21.40	Peak	82.00	300	Horizontal	Pass
6**	12243.651	42.96	0.26	54.0	-11.04	AV	82.00	300	Horizontal	Pass

11ac160, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.900	51.20	-20.83	74.0	-22.80	Peak	100.00	300	Vertical	Pass
1**	1063.900	34.52	-20.83	54.0	-19.48	AV	100.00	300	Vertical	Pass
2	1328.800	52.90	-19.30	74.0	-21.10	Peak	299.00	200	Vertical	Pass
2**	1328.800	35.21	-19.30	54.0	-18.79	AV	299.00	200	Vertical	Pass
3	1599.200	48.02	-19.60	74.0	-25.98	Peak	344.00	100	Vertical	Pass
3**	1599.200	47.53	-19.60	54.0	-6.47	AV	344.00	100	Vertical	Pass
4	5224.250	98.71	-5.02	--	--	Peak	191.00	400	Vertical	N/A
4**	5224.250	90.58	-5.02	--	--	AV	191.00	400	Vertical	N/A
5	7597.000	54.17	-0.85	74.0	-19.83	Peak	15.00	200	Vertical	Pass
5**	7597.000	44.92	-0.85	54.0	-9.08	AV	15.00	200	Vertical	Pass
6	12388.763	52.76	0.40	74.0	-21.24	Peak	34.00	100	Vertical	Pass
6**	12388.763	42.04	0.40	54.0	-11.96	AV	34.00	100	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.600	58.66	-21.01	74.0	-15.34	Peak	280.00	400	Horizontal	Pass
1**	1066.600	51.26	-21.01	54.0	-2.74	AV	280.00	400	Horizontal	Pass
2	1330.300	49.58	-19.18	74.0	-24.42	Peak	214.00	100	Horizontal	Pass
2**	1330.300	46.70	-19.18	54.0	-7.30	AV	214.00	100	Horizontal	Pass
3	1464.100	49.21	-19.57	74.0	-24.79	Peak	263.00	300	Horizontal	Pass
3**	1464.100	47.75	-19.57	54.0	-6.25	AV	263.00	300	Horizontal	Pass
4	5177.250	98.03	-4.33	--	--	Peak	146.00	200	Horizontal	N/A
4**	5177.250	89.97	-4.33	--	--	AV	146.00	200	Horizontal	N/A
5	7498.750	55.10	0.09	74.0	-18.90	Peak	298.00	200	Horizontal	Pass
5**	7498.750	45.95	0.09	54.0	-8.05	AV	298.00	200	Horizontal	Pass
6	12554.776	52.69	1.57	74.0	-21.31	Peak	159.00	100	Horizontal	Pass
6**	12554.776	43.44	1.57	54.0	-10.56	AV	159.00	100	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.200	48.73	-20.50	74.0	-25.27	Peak	103.00	200	Vertical	Pass
1**	1065.200	46.54	-20.50	54.0	-7.46	AV	103.00	200	Vertical	Pass
2	1329.200	53.61	-19.34	74.0	-20.39	Peak	304.00	100	Vertical	Pass
2**	1329.200	48.77	-19.34	54.0	-5.23	AV	304.00	100	Vertical	Pass
3	1592.800	47.09	-19.61	74.0	-26.91	Peak	345.00	200	Vertical	Pass
3**	1592.800	47.56	-19.61	54.0	-6.44	AV	345.00	200	Vertical	Pass
4	5182.000	107.43	-4.28	--	--	Peak	172.00	100	Vertical	N/A
4**	5182.000	99.09	-4.28	--	--	AV	172.00	100	Vertical	N/A
5	7581.000	55.52	-0.16	74.0	-18.48	Peak	294.00	300	Vertical	Pass
5**	7581.000	46.28	-0.16	54.0	-7.72	AV	294.00	300	Vertical	Pass
6	12578.050	52.67	1.35	74.0	-21.33	Peak	69.00	400	Vertical	Pass
6**	12578.050	43.57	1.35	54.0	-10.43	AV	69.00	400	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.200	50.29	-21.16	74.0	-23.71	Peak	137.00	100	Horizontal	Pass
1**	1064.200	49.49	-21.16	54.0	-4.51	AV	137.00	100	Horizontal	Pass
2	1330.800	49.85	-19.45	74.0	-24.15	Peak	271.00	200	Horizontal	Pass
2**	1330.800	44.99	-19.45	54.0	-9.01	AV	271.00	200	Horizontal	Pass
3	1459.900	48.91	-19.56	74.0	-25.09	Peak	264.00	400	Horizontal	Pass
3**	1459.900	46.96	-19.56	54.0	-7.04	AV	264.00	400	Horizontal	Pass
4	5222.250	96.62	-4.99	--	--	Peak	144.00	150	Horizontal	N/A
4**	5222.250	89.45	-4.99	--	--	AV	144.00	150	Horizontal	N/A
5	7497.250	54.38	-0.51	74.0	-19.62	Peak	54.00	200	Horizontal	Pass
5**	7497.250	45.26	-0.51	54.0	-8.74	AV	54.00	200	Horizontal	Pass
6	12582.325	52.88	1.31	74.0	-21.12	Peak	301.00	300	Horizontal	Pass
6**	12582.325	44.38	1.31	54.0	-9.62	AV	301.00	300	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.300	50.10	-19.53	74.0	-23.90	Peak	250.00	400	Vertical	Pass
1**	1331.300	47.26	-19.53	54.0	-6.74	AV	250.00	400	Vertical	Pass
2	1464.200	53.60	-19.57	74.0	-20.40	Peak	302.00	200	Vertical	Pass
2**	1464.200	48.13	-19.57	54.0	-5.87	AV	302.00	200	Vertical	Pass
3	1594.000	50.37	-19.26	74.0	-23.63	Peak	159.00	100	Vertical	Pass
3**	1594.000	48.37	-19.26	54.0	-5.63	AV	159.00	100	Vertical	Pass
4	5223.250	107.68	-5.28	--	--	Peak	181.00	300	Vertical	N/A
4**	5223.250	100.03	-5.28	--	--	AV	181.00	300	Vertical	N/A
5	7499.000	53.90	-0.07	74.0	-20.10	Peak	269.00	100	Vertical	Pass
5**	7499.000	45.45	-0.07	54.0	-8.55	AV	269.00	100	Vertical	Pass
6	12573.062	52.48	1.40	74.0	-21.52	Peak	139.00	200	Vertical	Pass
6**	12573.062	43.37	1.40	54.0	-10.63	AV	139.00	200	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.600	51.02	-20.46	74.0	-22.98	Peak	164.00	300	Horizontal	Pass
1**	1063.600	47.61	-20.46	54.0	-6.39	AV	164.00	300	Horizontal	Pass
2	1464.700	52.14	-19.92	74.0	-21.86	Peak	256.00	400	Horizontal	Pass
2**	1464.700	50.30	-19.92	54.0	-3.70	AV	256.00	400	Horizontal	Pass
3	4031.500	46.65	-6.37	74.0	-27.35	Peak	360.00	100	Horizontal	Pass
3**	4031.500	37.97	-6.37	54.0	-16.03	AV	360.00	100	Horizontal	Pass
4	5244.000	95.06	-5.25	--	--	Peak	137.00	200	Horizontal	N/A
4**	5244.000	86.61	-5.25	--	--	AV	137.00	200	Horizontal	N/A
5	12402.300	52.07	0.33	74.0	-21.93	Peak	211.00	100	Horizontal	Pass
5**	12402.300	42.85	0.33	54.0	-11.15	AV	211.00	100	Horizontal	Pass
6	17799.188	47.31	6.50	74.0	-26.69	Peak	297.00	300	Horizontal	Pass
6**	17799.188	40.87	6.50	54.0	-13.13	AV	297.00	300	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.700	47.09	-20.42	74.0	-26.91	Peak	0.00	100	Vertical	Pass
1**	1065.700	45.95	-20.42	54.0	-8.05	AV	0.00	100	Vertical	Pass
2	1594.200	50.40	-19.47	74.0	-23.60	Peak	148.00	200	Vertical	Pass
2**	1594.200	46.49	-19.47	54.0	-7.51	AV	148.00	200	Vertical	Pass
3	3718.500	50.72	-8.44	74.0	-23.28	Peak	241.00	150	Vertical	Pass
3**	3718.500	37.12	-8.44	54.0	-16.88	AV	241.00	150	Vertical	Pass
4	5236.500	106.63	-5.26	--	--	Peak	171.00	300	Vertical	N/A
4**	5236.500	97.57	-5.26	--	--	AV	171.00	300	Vertical	N/A
5	12277.850	52.07	0.53	74.0	-21.93	Peak	360.00	400	Vertical	Pass
5**	12277.850	42.75	0.53	54.0	-11.25	AV	360.00	400	Vertical	Pass
6	17796.563	47.07	6.42	74.0	-26.93	Peak	107.00	200	Vertical	Pass
6**	17796.563	40.08	6.42	54.0	-13.92	AV	107.00	200	Vertical	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.400	54.25	-20.47	74.0	-19.75	Peak	112.00	300	Horizontal	Pass
1**	1065.400	50.99	-20.47	54.0	-3.01	AV	112.00	300	Horizontal	Pass
2	1462.300	49.92	-19.43	74.0	-24.08	Peak	338.00	200	Horizontal	Pass
2**	1462.300	46.63	-19.43	54.0	-7.37	AV	338.00	200	Horizontal	Pass
3	4341.000	47.23	-5.65	74.0	-26.77	Peak	343.00	100	Horizontal	Pass
3**	4341.000	39.21	-5.65	54.0	-14.79	AV	343.00	100	Horizontal	Pass
4	5187.500	92.93	-4.29	--	--	Peak	152.00	300	Horizontal	N/A
4**	5187.500	84.96	-4.29	--	--	AV	152.00	300	Horizontal	N/A
5	12582.799	52.36	1.31	74.0	-21.64	Peak	305.00	150	Horizontal	Pass
5**	12582.799	43.41	1.31	54.0	-10.59	AV	305.00	150	Horizontal	Pass
6	17799.188	47.02	6.50	74.0	-26.98	Peak	340.00	200	Horizontal	Pass
6**	17799.188	39.59	6.50	54.0	-14.41	AV	340.00	200	Horizontal	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.000	45.96	-20.52	74.0	-28.04	Peak	93.00	150	Vertical	Pass
1**	1065.000	45.93	-20.52	54.0	-8.07	AV	93.00	150	Vertical	Pass
2	1327.500	50.90	-19.28	74.0	-23.10	Peak	315.00	200	Vertical	Pass
2**	1327.500	48.37	-19.28	54.0	-5.63	AV	315.00	200	Vertical	Pass
3	3730.250	51.27	-8.71	74.0	-22.73	Peak	226.00	300	Vertical	Pass
3**	3730.250	36.31	-8.71	54.0	-17.69	AV	226.00	300	Vertical	Pass
4	5184.000	104.13	-4.16	--	--	Peak	190.00	100	Vertical	N/A
4**	5184.000	95.93	-4.16	--	--	AV	190.00	100	Vertical	N/A
5	12357.650	51.74	0.67	74.0	-22.26	Peak	93.00	400	Vertical	Pass
5**	12357.650	42.39	0.67	54.0	-11.61	AV	93.00	400	Vertical	Pass
6	17789.999	46.55	6.22	74.0	-27.45	Peak	293.00	200	Vertical	Pass
6**	17789.999	40.04	6.22	54.0	-13.96	AV	293.00	200	Vertical	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.700	54.78	-20.57	74.0	-19.22	Peak	133.00	200	Horizontal	Pass
1**	1063.700	51.47	-20.57	54.0	-2.53	AV	133.00	200	Horizontal	Pass
2	1329.900	45.43	-19.41	74.0	-28.57	Peak	334.00	100	Horizontal	Pass
2**	1329.900	45.28	-19.41	54.0	-8.72	AV	334.00	100	Horizontal	Pass
3	4342.000	48.17	-5.56	74.0	-25.83	Peak	196.00	300	Horizontal	Pass
3**	4342.000	38.52	-5.56	54.0	-15.48	AV	196.00	300	Horizontal	Pass
4	5219.250	94.03	-4.96	--	--	Peak	107.00	200	Horizontal	N/A
4**	5219.250	84.90	-4.96	--	--	AV	107.00	200	Horizontal	N/A
5	12547.888	52.25	1.56	74.0	-21.75	Peak	0.00	300	Horizontal	Pass
5**	12547.888	43.03	1.56	54.0	-10.97	AV	0.00	300	Horizontal	Pass
6	17799.188	46.95	6.50	74.0	-27.05	Peak	1.00	400	Horizontal	Pass
6**	17799.188	39.18	6.50	54.0	-14.82	AV	1.00	400	Horizontal	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1465.800	49.98	-19.49	74.0	-24.02	Peak	49.00	200	Vertical	Pass
1**	1465.800	47.24	-19.49	54.0	-6.76	AV	49.00	200	Vertical	Pass
2	1595.800	50.84	-19.50	74.0	-23.16	Peak	151.00	200	Vertical	Pass
2**	1595.800	47.11	-19.50	54.0	-6.89	AV	151.00	200	Vertical	Pass
3	3723.250	51.77	-8.71	74.0	-22.23	Peak	171.00	100	Vertical	Pass
3**	3723.250	35.56	-8.71	54.0	-18.44	AV	171.00	100	Vertical	Pass
4	5223.750	103.87	-5.10	--	--	Peak	171.00	150	Vertical	N/A
4**	5223.750	95.17	-5.10	--	--	AV	171.00	150	Vertical	N/A
5	12403.488	52.14	0.35	74.0	-21.86	Peak	0.00	200	Vertical	Pass
5**	12403.488	42.15	0.35	54.0	-11.85	AV	0.00	200	Vertical	Pass
6	17808.376	46.71	6.30	74.0	-27.29	Peak	121.00	400	Vertical	Pass
6**	17808.376	38.44	6.30	54.0	-15.56	AV	121.00	400	Vertical	Pass

11ax80 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.500	56.73	-20.85	74.0	-17.27	Peak	117.00	200	Horizontal	Pass
1**	1066.500	50.69	-20.85	54.0	-3.31	AV	117.00	200	Horizontal	Pass
2	1331.700	46.54	-19.86	74.0	-27.46	Peak	304.00	100	Horizontal	Pass
2**	1331.700	42.64	-19.86	54.0	-11.36	AV	304.00	100	Horizontal	Pass
3	4308.000	47.23	-6.08	74.0	-26.77	Peak	170.00	150	Horizontal	Pass
3**	4308.000	37.97	-6.08	54.0	-16.03	AV	170.00	150	Horizontal	Pass
4	5190.250	91.16	-4.69	--	--	Peak	118.00	400	Horizontal	N/A
4**	5190.250	81.63	-4.69	--	--	AV	118.00	400	Horizontal	N/A
5	12337.700	52.12	0.72	74.0	-21.88	Peak	301.00	200	Horizontal	Pass
5**	12337.700	43.51	0.72	54.0	-10.49	AV	301.00	200	Horizontal	Pass
6	17799.188	47.01	6.50	74.0	-26.99	Peak	262.00	100	Horizontal	Pass
6**	17799.188	38.44	6.50	54.0	-15.56	AV	262.00	100	Horizontal	Pass

11ax80 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1464.400	46.45	-19.61	74.0	-27.55	Peak	195.00	150	Vertical	Pass
1**	1464.400	46.80	-19.61	54.0	-7.20	AV	195.00	150	Vertical	Pass
2	1593.700	46.91	-19.63	74.0	-27.09	Peak	271.00	200	Vertical	Pass
2**	1593.700	46.67	-19.63	54.0	-7.33	AV	271.00	200	Vertical	Pass
3	3721.750	51.00	-8.73	74.0	-23.00	Peak	188.00	300	Vertical	Pass
3**	3721.750	36.30	-8.73	54.0	-17.70	AV	188.00	300	Vertical	Pass
4	5191.000	101.56	-4.88	--	--	Peak	170.00	100	Vertical	N/A
4**	5191.000	91.91	-4.88	--	--	AV	170.00	100	Vertical	N/A
5	12397.787	52.05	0.33	74.0	-21.95	Peak	167.00	300	Vertical	Pass
5**	12397.787	42.67	0.33	54.0	-11.33	AV	167.00	300	Vertical	Pass
6	17800.499	48.49	6.51	74.0	-25.51	Peak	95.00	400	Vertical	Pass
6**	17800.499	39.90	6.51	54.0	-14.10	AV	95.00	400	Vertical	Pass

11ax160 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.500	49.51	-20.85	74.0	-24.49	Peak	127.00	200	Horizontal	Pass
1**	1066.500	47.04	-20.85	54.0	-6.96	AV	127.00	200	Horizontal	Pass
2	1460.000	49.25	-19.52	74.0	-24.75	Peak	281.00	100	Horizontal	Pass
2**	1460.000	47.17	-19.52	54.0	-6.83	AV	281.00	100	Horizontal	Pass
3	4347.500	47.36	-5.62	74.0	-26.64	Peak	345.00	300	Horizontal	Pass
3**	4347.500	38.33	-5.62	54.0	-15.67	AV	345.00	300	Horizontal	Pass
4	5284.250	88.79	-4.71	--	--	Peak	108.00	150	Horizontal	N/A
4**	5284.250	78.89	-4.71	--	--	AV	108.00	150	Horizontal	N/A
5	12580.425	52.46	1.33	74.0	-21.54	Peak	29.00	300	Horizontal	Pass
5**	12580.425	42.96	1.33	54.0	-11.04	AV	29.00	300	Horizontal	Pass
6	17810.999	46.25	6.23	74.0	-27.75	Peak	145.00	200	Horizontal	Pass
6**	17810.999	38.78	6.23	54.0	-15.22	AV	145.00	200	Horizontal	Pass

11ax160 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1465.000	55.20	-19.89	74.0	-18.80	Peak	179.00	150	Vertical	Pass
1**	1465.000	48.20	-19.89	54.0	-5.80	AV	179.00	150	Vertical	Pass
2	1599.000	52.40	-19.49	74.0	-21.60	Peak	155.00	400	Vertical	Pass
2**	1599.000	47.85	-19.49	54.0	-6.15	AV	155.00	400	Vertical	Pass
3	3722.500	52.83	-8.82	74.0	-21.17	Peak	167.00	200	Vertical	Pass
3**	3722.500	35.90	-8.82	54.0	-18.10	AV	167.00	200	Vertical	Pass
4	5274.750	98.50	-4.35	--	--	Peak	167.00	200	Vertical	N/A
4**	5274.750	89.73	-4.35	--	--	AV	167.00	200	Vertical	N/A
5	12274.525	51.96	0.51	74.0	-22.04	Peak	310.00	100	Vertical	Pass
5**	12274.525	42.58	0.51	54.0	-11.42	AV	310.00	100	Vertical	Pass
6	17808.376	46.99	6.30	74.0	-27.01	Peak	345.00	300	Vertical	Pass
6**	17808.376	39.50	6.30	54.0	-14.50	AV	345.00	300	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.600	55.14	-21.01	74.0	-18.86	Peak	286.00	100	Horizontal	Pass
1**	1066.600	47.72	-21.01	54.0	-6.28	AV	286.00	100	Horizontal	Pass
2	1328.000	49.39	-19.47	74.0	-24.61	Peak	121.00	400	Horizontal	Pass
2**	1328.000	45.05	-19.47	54.0	-8.95	AV	121.00	400	Horizontal	Pass
3	1462.800	52.70	-19.59	74.0	-21.30	Peak	225.00	200	Horizontal	Pass
3**	1462.800	44.99	-19.59	54.0	-9.01	AV	225.00	200	Horizontal	Pass
4	5262.500	96.19	-4.92	--	--	Peak	138.00	200	Horizontal	N/A
4**	5262.500	87.31	-4.92	--	--	AV	138.00	200	Horizontal	N/A
5	12582.799	52.90	1.31	74.0	-21.10	Peak	40.00	200	Horizontal	Pass
5**	12582.799	44.34	1.31	54.0	-9.66	AV	40.00	200	Horizontal	Pass
6	17800.499	46.55	6.51	74.0	-27.45	Peak	295.00	100	Horizontal	Pass
6**	17800.499	39.88	6.51	54.0	-14.12	AV	295.00	100	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.900	46.81	-20.35	74.0	-27.19	Peak	240.00	400	Vertical	Pass
1**	1065.900	43.04	-20.35	54.0	-10.96	AV	240.00	400	Vertical	Pass
2	1462.600	54.97	-19.42	74.0	-19.03	Peak	164.00	400	Vertical	Pass
2**	1462.600	46.18	-19.42	54.0	-7.82	AV	164.00	400	Vertical	Pass
3	1594.400	51.49	-19.67	74.0	-22.51	Peak	360.00	150	Vertical	Pass
3**	1594.400	47.64	-19.67	54.0	-6.36	AV	360.00	150	Vertical	Pass
4	5263.250	108.30	-5.13	--	--	Peak	172.00	200	Vertical	N/A
4**	5263.250	99.01	-5.13	--	--	AV	172.00	200	Vertical	N/A
5	12399.925	52.85	0.31	74.0	-21.15	Peak	227.00	150	Vertical	Pass
5**	12399.925	43.10	0.31	54.0	-10.90	AV	227.00	150	Vertical	Pass
6	17825.438	47.97	5.83	74.0	-26.03	Peak	53.00	300	Vertical	Pass
6**	17825.438	39.09	5.83	54.0	-14.91	AV	53.00	300	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.500	51.84	-20.85	74.0	-22.16	Peak	360.00	300	Horizontal	Pass
1**	1066.500	45.85	-20.85	54.0	-8.15	AV	360.00	300	Horizontal	Pass
2	1332.000	51.38	-19.92	74.0	-22.62	Peak	243.00	200	Horizontal	Pass
2**	1332.000	45.40	-19.92	54.0	-8.60	AV	243.00	200	Horizontal	Pass
3	1466.200	50.97	-19.49	74.0	-23.03	Peak	252.00	400	Horizontal	Pass
3**	1466.200	46.51	-19.49	54.0	-7.49	AV	252.00	400	Horizontal	Pass
4	5295.500	96.93	-5.09	--	--	Peak	137.00	200	Horizontal	N/A
4**	5295.500	87.98	-5.09	--	--	AV	137.00	200	Horizontal	N/A
5	12411.800	52.30	0.44	74.0	-21.70	Peak	353.00	200	Horizontal	Pass
5**	12411.800	43.16	0.44	54.0	-10.84	AV	353.00	200	Horizontal	Pass
6	17793.937	48.39	6.34	74.0	-25.61	Peak	230.00	200	Horizontal	Pass
6**	17793.937	39.56	6.34	54.0	-14.44	AV	230.00	200	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.600	48.57	-20.44	74.0	-25.43	Peak	232.00	300	Vertical	Pass
1**	1065.600	44.01	-20.44	54.0	-9.99	AV	232.00	300	Vertical	Pass
2	1465.600	53.09	-19.58	74.0	-20.91	Peak	160.00	100	Vertical	Pass
2**	1465.600	44.94	-19.58	54.0	-9.06	AV	160.00	100	Vertical	Pass
3	1598.500	48.91	-19.43	74.0	-25.09	Peak	143.00	100	Vertical	Pass
3**	1598.500	47.64	-19.43	54.0	-6.36	AV	143.00	100	Vertical	Pass
4	5296.750	107.53	-5.26	--	--	Peak	189.00	100	Vertical	N/A
4**	5296.750	98.23	-5.26	--	--	AV	189.00	100	Vertical	N/A
5	12581.375	52.73	1.32	74.0	-21.27	Peak	351.00	100	Vertical	Pass
5**	12581.375	43.81	1.32	54.0	-10.19	AV	351.00	100	Vertical	Pass
6	17796.563	47.75	6.42	74.0	-26.25	Peak	174.00	100	Vertical	Pass
6**	17796.563	39.95	6.42	54.0	-14.05	AV	174.00	100	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.600	56.20	-20.46	74.0	-17.80	Peak	305.00	100	Horizontal	Pass
1**	1063.600	49.73	-20.46	54.0	-4.27	AV	305.00	100	Horizontal	Pass
2	1328.500	52.40	-19.53	74.0	-21.60	Peak	258.00	100	Horizontal	Pass
2**	1328.500	44.96	-19.53	54.0	-9.04	AV	258.00	100	Horizontal	Pass
3	1462.100	48.06	-19.39	74.0	-25.94	Peak	277.00	200	Horizontal	Pass
3**	1462.100	43.56	-19.39	54.0	-10.44	AV	277.00	200	Horizontal	Pass
4	5317.000	97.53	-4.97	--	--	Peak	128.00	300	Horizontal	N/A
4**	5317.000	88.94	-4.97	--	--	AV	128.00	300	Horizontal	N/A
5	12327.487	52.15	0.70	74.0	-21.85	Peak	285.00	100	Horizontal	Pass
5**	12327.487	43.02	0.70	54.0	-10.98	AV	285.00	100	Horizontal	Pass
6	17800.499	47.02	6.51	74.0	-26.98	Peak	328.00	200	Horizontal	Pass
6**	17800.499	40.61	6.51	54.0	-13.39	AV	328.00	200	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.100	46.98	-20.73	74.0	-27.02	Peak	101.00	100	Vertical	Pass
1**	1062.100	44.85	-20.73	54.0	-9.15	AV	101.00	100	Vertical	Pass
2	1466.600	52.50	-19.85	74.0	-21.50	Peak	160.00	100	Vertical	Pass
2**	1466.600	44.42	-19.85	54.0	-9.58	AV	160.00	100	Vertical	Pass
3	1599.600	52.90	-19.46	74.0	-21.10	Peak	193.00	200	Vertical	Pass
3**	1599.600	46.67	-19.46	54.0	-7.33	AV	193.00	200	Vertical	Pass
4	5324.500	105.12	-4.93	--	--	Peak	162.00	300	Vertical	N/A
4**	5324.500	97.32	-4.93	--	--	AV	162.00	300	Vertical	N/A
5	12339.125	52.39	0.72	74.0	-21.61	Peak	360.00	150	Vertical	Pass
5**	12339.125	43.16	0.72	54.0	-10.84	AV	360.00	150	Vertical	Pass
6	17784.750	47.24	6.07	74.0	-26.76	Peak	322.00	100	Vertical	Pass
6**	17784.750	38.70	6.07	54.0	-15.30	AV	322.00	100	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.300	52.53	-20.52	74.0	-21.47	Peak	112.00	100	Horizontal	Pass
1**	1062.300	50.31	-20.52	54.0	-3.69	AV	112.00	100	Horizontal	Pass
2	1327.900	49.69	-19.42	74.0	-24.31	Peak	189.00	400	Horizontal	Pass
2**	1327.900	44.91	-19.42	54.0	-9.09	AV	189.00	400	Horizontal	Pass
3	1460.400	52.57	-19.79	74.0	-21.43	Peak	267.00	100	Horizontal	Pass
3**	1460.400	46.09	-19.79	54.0	-7.91	AV	267.00	100	Horizontal	Pass
4	5258.500	95.88	-5.14	--	--	Peak	120.00	200	Horizontal	N/A
4**	5258.500	88.54	-5.14	--	--	AV	120.00	200	Horizontal	N/A
5	12362.637	52.14	0.63	74.0	-21.86	Peak	6.00	200	Horizontal	Pass
5**	12362.637	43.83	0.63	54.0	-10.17	AV	6.00	200	Horizontal	Pass
6	17797.876	49.17	6.46	74.0	-24.83	Peak	82.00	200	Horizontal	Pass
6**	17797.876	40.47	6.46	54.0	-13.53	AV	82.00	200	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.100	52.12	-20.27	74.0	-21.88	Peak	353.00	100	Vertical	Pass
1**	1066.100	45.06	-20.27	54.0	-8.94	AV	353.00	100	Vertical	Pass
2	1464.500	48.58	-19.71	74.0	-25.42	Peak	200.00	100	Vertical	Pass
2**	1464.500	44.65	-19.71	54.0	-9.35	AV	200.00	100	Vertical	Pass
3	1598.300	51.12	-19.85	74.0	-22.88	Peak	353.00	150	Vertical	Pass
3**	1598.300	47.78	-19.85	54.0	-6.22	AV	353.00	150	Vertical	Pass
4	5265.000	107.06	-4.73	--	--	Peak	174.00	300	Vertical	N/A
4**	5265.000	99.63	-4.73	--	--	AV	174.00	300	Vertical	N/A
5	12335.088	52.40	0.71	74.0	-21.60	Peak	27.00	200	Vertical	Pass
5**	12335.088	43.08	0.71	54.0	-10.92	AV	27.00	200	Vertical	Pass
6	17818.876	47.15	6.01	74.0	-26.85	Peak	52.00	400	Vertical	Pass
6**	17818.876	38.80	6.01	54.0	-15.20	AV	52.00	400	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.000	49.25	-20.52	74.0	-24.75	Peak	319.00	200	Horizontal	Pass
1**	1065.000	47.97	-20.52	54.0	-6.03	AV	319.00	200	Horizontal	Pass
2	1332.800	48.31	-19.76	74.0	-25.69	Peak	37.00	200	Horizontal	Pass
2**	1332.800	44.45	-19.76	54.0	-9.55	AV	37.00	200	Horizontal	Pass
3	1465.700	43.05	-19.53	74.0	-30.95	Peak	46.00	150	Horizontal	Pass
3**	1465.700	42.93	-19.53	54.0	-11.07	AV	46.00	150	Horizontal	Pass
4	5296.000	97.72	-4.96	--	--	Peak	128.00	300	Horizontal	N/A
4**	5296.000	89.81	-4.96	--	--	AV	128.00	300	Horizontal	N/A
5	12581.375	53.59	1.32	74.0	-20.41	Peak	160.00	200	Horizontal	Pass
5**	12581.375	43.63	1.32	54.0	-10.37	AV	160.00	200	Horizontal	Pass
6	17796.563	47.26	6.42	74.0	-26.74	Peak	251.00	400	Horizontal	Pass
6**	17796.563	39.86	6.42	54.0	-14.14	AV	251.00	400	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.000	51.66	-20.52	74.0	-22.34	Peak	119.00	300	Vertical	Pass
1**	1065.000	44.29	-20.52	54.0	-9.71	AV	119.00	300	Vertical	Pass
2	1466.000	49.31	-19.41	74.0	-24.69	Peak	1.00	400	Vertical	Pass
2**	1466.000	45.61	-19.41	54.0	-8.39	AV	1.00	400	Vertical	Pass
3	1597.900	53.10	-19.65	74.0	-20.90	Peak	354.00	100	Vertical	Pass
3**	1597.900	48.33	-19.65	54.0	-5.67	AV	354.00	100	Vertical	Pass
4	5302.750	106.46	-5.17	--	--	Peak	175.00	300	Vertical	N/A
4**	5302.750	98.15	-5.17	--	--	AV	175.00	300	Vertical	N/A
5	12418.213	52.12	0.52	74.0	-21.88	Peak	350.00	200	Vertical	Pass
5**	12418.213	43.07	0.52	54.0	-10.93	AV	350.00	200	Vertical	Pass
6	17793.937	47.07	6.34	74.0	-26.93	Peak	88.00	200	Vertical	Pass
6**	17793.937	38.80	6.34	54.0	-15.20	AV	88.00	200	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.500	54.22	-20.46	74.0	-19.78	Peak	346.00	400	Horizontal	Pass
1**	1065.500	47.05	-20.46	54.0	-6.95	AV	346.00	400	Horizontal	Pass
2	1331.600	53.20	-19.77	74.0	-20.80	Peak	36.00	200	Horizontal	Pass
2**	1331.600	46.27	-19.77	54.0	-7.73	AV	36.00	200	Horizontal	Pass
3	1460.400	52.12	-19.79	74.0	-21.88	Peak	277.00	150	Horizontal	Pass
3**	1460.400	48.63	-19.79	54.0	-5.37	AV	277.00	150	Horizontal	Pass
4	5324.000	96.02	-5.08	--	--	Peak	122.00	400	Horizontal	N/A
4**	5324.000	89.39	-5.08	--	--	AV	122.00	400	Horizontal	N/A
5	12584.937	52.71	1.29	74.0	-21.29	Peak	290.00	100	Horizontal	Pass
5**	12584.937	43.04	1.29	54.0	-10.96	AV	290.00	100	Horizontal	Pass
6	17824.125	46.66	5.87	74.0	-27.34	Peak	28.00	300	Horizontal	Pass
6**	17824.125	40.52	5.87	54.0	-13.48	AV	28.00	300	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.900	48.64	-19.41	74.0	-25.36	Peak	316.00	300	Vertical	Pass
1**	1329.900	47.13	-19.41	54.0	-6.87	AV	316.00	300	Vertical	Pass
2	1465.600	49.04	-19.58	74.0	-24.96	Peak	141.00	300	Vertical	Pass
2**	1465.600	46.61	-19.58	54.0	-7.39	AV	141.00	300	Vertical	Pass
3	1593.900	52.39	-19.37	74.0	-21.61	Peak	360.00	200	Vertical	Pass
3**	1593.900	47.75	-19.37	54.0	-6.25	AV	360.00	200	Vertical	Pass
4	5317.250	105.52	-4.58	--	--	Peak	185.00	100	Vertical	N/A
4**	5317.250	99.46	-4.58	--	--	AV	185.00	100	Vertical	N/A
5	12549.787	52.32	1.61	74.0	-21.68	Peak	196.00	150	Vertical	Pass
5**	12549.787	42.87	1.61	54.0	-11.13	AV	196.00	150	Vertical	Pass
6	17803.125	47.40	6.44	74.0	-26.60	Peak	152.00	200	Vertical	Pass
6**	17803.125	39.87	6.44	54.0	-14.13	AV	152.00	200	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.000	53.65	-20.52	74.0	-20.35	Peak	157.00	200	Horizontal	Pass
1**	1065.000	49.80	-20.52	54.0	-4.20	AV	157.00	200	Horizontal	Pass
2	1331.100	49.72	-19.52	74.0	-24.28	Peak	205.00	100	Horizontal	Pass
2**	1331.100	44.70	-19.52	54.0	-9.30	AV	205.00	100	Horizontal	Pass
3	4348.000	47.98	-5.86	74.0	-26.02	Peak	66.00	150	Horizontal	Pass
3**	4348.000	39.10	-5.86	54.0	-14.90	AV	66.00	150	Horizontal	Pass
4	5281.750	92.30	-4.68	--	--	Peak	121.00	200	Horizontal	N/A
4**	5281.750	84.49	-4.68	--	--	AV	121.00	200	Horizontal	N/A
5	12548.362	52.46	1.57	74.0	-21.54	Peak	172.00	150	Horizontal	Pass
5**	12548.362	44.34	1.57	54.0	-9.66	AV	172.00	150	Horizontal	Pass
6	17788.688	47.08	6.19	74.0	-26.92	Peak	237.00	200	Horizontal	Pass
6**	17788.688	39.39	6.19	54.0	-14.61	AV	237.00	200	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.400	46.21	-19.89	74.0	-27.79	Peak	200.00	400	Vertical	Pass
1**	1332.400	45.87	-19.89	54.0	-8.13	AV	200.00	400	Vertical	Pass
2	1461.700	48.94	-19.30	74.0	-25.06	Peak	63.00	100	Vertical	Pass
2**	1461.700	45.40	-19.30	54.0	-8.60	AV	63.00	100	Vertical	Pass
3	1599.400	53.91	-19.57	74.0	-20.09	Peak	235.00	200	Vertical	Pass
3**	1599.400	46.87	-19.57	54.0	-7.13	AV	235.00	200	Vertical	Pass
4	5279.000	104.37	-4.24	--	--	Peak	184.00	100	Vertical	N/A
4**	5279.000	96.06	-4.24	--	--	AV	184.00	100	Vertical	N/A
5	12431.988	52.34	0.68	74.0	-21.66	Peak	183.00	100	Vertical	Pass
5**	12431.988	43.28	0.68	54.0	-10.72	AV	183.00	100	Vertical	Pass
6	17788.688	47.38	6.19	74.0	-26.62	Peak	74.00	200	Vertical	Pass
6**	17788.688	39.78	6.19	54.0	-14.22	AV	74.00	200	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.800	50.74	-20.39	74.0	-23.26	Peak	257.00	400	Horizontal	Pass
1**	1065.800	47.36	-20.39	54.0	-6.64	AV	257.00	400	Horizontal	Pass
2	1461.300	50.92	-19.47	74.0	-23.08	Peak	278.00	100	Horizontal	Pass
2**	1461.300	44.13	-19.47	54.0	-9.87	AV	278.00	100	Horizontal	Pass
3	4202.750	47.60	-7.74	74.0	-26.40	Peak	15.00	100	Horizontal	Pass
3**	4202.750	37.86	-7.74	54.0	-16.14	AV	15.00	100	Horizontal	Pass
4	5300.500	93.55	-5.60	--	--	Peak	122.00	100	Horizontal	N/A
4**	5300.500	84.81	-5.60	--	--	AV	122.00	100	Horizontal	N/A
5	12584.700	52.99	1.29	74.0	-21.01	Peak	195.00	100	Horizontal	Pass
5**	12584.700	43.41	1.29	54.0	-10.59	AV	195.00	100	Horizontal	Pass
6	17791.312	47.56	6.26	74.0	-26.44	Peak	66.00	100	Horizontal	Pass
6**	17791.312	39.29	6.26	54.0	-14.71	AV	66.00	100	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.700	52.87	-19.80	74.0	-21.13	Peak	71.00	400	Vertical	Pass
1**	1329.700	45.93	-19.80	54.0	-8.07	AV	71.00	400	Vertical	Pass
2	1465.900	52.36	-19.45	74.0	-21.64	Peak	157.00	300	Vertical	Pass
2**	1465.900	46.65	-19.45	54.0	-7.35	AV	157.00	300	Vertical	Pass
3	1594.200	53.29	-19.47	74.0	-20.71	Peak	0.00	150	Vertical	Pass
3**	1594.200	47.75	-19.47	54.0	-6.25	AV	0.00	150	Vertical	Pass
4	5299.250	103.28	-5.38	--	--	Peak	169.00	200	Vertical	N/A
4**	5299.250	94.66	-5.38	--	--	AV	169.00	200	Vertical	N/A
5	12333.425	52.08	0.71	74.0	-21.92	Peak	162.00	200	Vertical	Pass
5**	12333.425	42.79	0.71	54.0	-11.21	AV	162.00	200	Vertical	Pass
6	17837.251	46.49	5.51	74.0	-27.51	Peak	167.00	100	Vertical	Pass
6**	17837.251	38.81	5.51	54.0	-15.19	AV	167.00	100	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.100	51.58	-20.50	74.0	-22.42	Peak	268.00	100	Horizontal	Pass
1**	1063.100	46.88	-20.50	54.0	-7.12	AV	268.00	100	Horizontal	Pass
2	1463.900	53.41	-19.58	74.0	-20.59	Peak	268.00	200	Horizontal	Pass
2**	1463.900	46.08	-19.58	54.0	-7.92	AV	268.00	200	Horizontal	Pass
3	3926.750	47.90	-7.66	74.0	-26.10	Peak	126.00	100	Horizontal	Pass
3**	3926.750	37.68	-7.66	54.0	-16.32	AV	126.00	100	Horizontal	Pass
4	5257.500	96.11	-5.26	--	--	Peak	126.00	400	Horizontal	N/A
4**	5257.500	87.76	-5.26	--	--	AV	126.00	400	Horizontal	N/A
5	12519.625	52.34	0.94	74.0	-21.66	Peak	245.00	150	Horizontal	Pass
5**	12519.625	42.95	0.94	54.0	-11.05	AV	245.00	150	Horizontal	Pass
6	17801.812	47.72	6.48	74.0	-26.28	Peak	106.00	400	Horizontal	Pass
6**	17801.812	39.55	6.48	54.0	-14.45	AV	106.00	400	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.900	49.07	-20.53	74.0	-24.93	Peak	113.00	300	Vertical	Pass
1**	1064.900	46.59	-20.53	54.0	-7.41	AV	113.00	300	Vertical	Pass
2	1331.700	48.73	-19.86	74.0	-25.27	Peak	315.00	100	Vertical	Pass
2**	1331.700	45.43	-19.86	54.0	-8.57	AV	315.00	100	Vertical	Pass
3	1598.700	52.52	-19.11	74.0	-21.48	Peak	360.00	100	Vertical	Pass
3**	1598.700	47.65	-19.11	54.0	-6.35	AV	360.00	100	Vertical	Pass
4	5262.750	107.13	-5.05	--	--	Peak	186.00	200	Vertical	N/A
4**	5262.750	99.86	-5.05	--	--	AV	186.00	200	Vertical	N/A
5	12580.662	52.14	1.33	74.0	-21.86	Peak	127.00	150	Vertical	Pass
5**	12580.662	44.01	1.33	54.0	-9.99	AV	127.00	150	Vertical	Pass
6	17799.188	47.78	6.50	74.0	-26.22	Peak	5.00	100	Vertical	Pass
6**	17799.188	41.01	6.50	54.0	-12.99	AV	5.00	100	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.300	55.25	-20.50	74.0	-18.75	Peak	288.00	200	Horizontal	Pass
1**	1066.300	49.46	-20.50	54.0	-4.54	AV	288.00	200	Horizontal	Pass
2	1329.500	44.17	-19.69	74.0	-29.83	Peak	154.00	300	Horizontal	Pass
2**	1329.500	43.52	-19.69	54.0	-10.48	AV	154.00	300	Horizontal	Pass
3	4358.250	48.55	-6.41	74.0	-25.45	Peak	142.00	150	Horizontal	Pass
3**	4358.250	38.30	-6.41	54.0	-15.70	AV	142.00	150	Horizontal	Pass
4	5298.250	97.09	-4.88	--	--	Peak	123.00	200	Horizontal	N/A
4**	5298.250	90.00	-4.88	--	--	AV	123.00	200	Horizontal	N/A
5	12583.750	53.26	1.30	74.0	-20.74	Peak	282.00	100	Horizontal	Pass
5**	12583.750	43.28	1.30	54.0	-10.72	AV	282.00	100	Horizontal	Pass
6	17796.563	46.97	6.42	74.0	-27.03	Peak	0.00	400	Horizontal	Pass
6**	17796.563	40.19	6.42	54.0	-13.81	AV	0.00	400	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.000	52.81	-20.31	74.0	-21.19	Peak	325.00	400	Vertical	Pass
1**	1066.000	46.65	-20.31	54.0	-7.35	AV	325.00	400	Vertical	Pass
2	1464.300	52.87	-19.58	74.0	-21.13	Peak	45.00	300	Vertical	Pass
2**	1464.300	44.29	-19.58	54.0	-9.71	AV	45.00	300	Vertical	Pass
3	1598.800	52.43	-19.24	74.0	-21.57	Peak	343.00	150	Vertical	Pass
3**	1598.800	47.04	-19.24	54.0	-6.96	AV	343.00	150	Vertical	Pass
4	5298.000	106.04	-5.00	--	--	Peak	204.00	100	Vertical	N/A
4**	5298.000	99.30	-5.00	--	--	AV	204.00	100	Vertical	N/A
5	12397.312	52.78	0.33	74.0	-21.22	Peak	198.00	100	Vertical	Pass
5**	12397.312	43.13	0.33	54.0	-10.87	AV	198.00	100	Vertical	Pass
6	17839.874	47.04	5.44	74.0	-26.96	Peak	138.00	100	Vertical	Pass
6**	17839.874	39.00	5.44	54.0	-15.00	AV	138.00	100	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.300	53.08	-20.45	74.0	-20.92	Peak	287.00	400	Horizontal	Pass
1**	1063.300	48.54	-20.45	54.0	-5.46	AV	287.00	400	Horizontal	Pass
2	1328.400	52.99	-19.60	74.0	-21.01	Peak	46.00	300	Horizontal	Pass
2**	1328.400	46.39	-19.60	54.0	-7.61	AV	46.00	300	Horizontal	Pass
3	1465.700	53.07	-19.53	74.0	-20.93	Peak	261.00	150	Horizontal	Pass
3**	1465.700	50.01	-19.53	54.0	-3.99	AV	261.00	150	Horizontal	Pass
4	5318.250	96.11	-5.09	--	--	Peak	142.00	300	Horizontal	N/A
4**	5318.250	88.17	-5.09	--	--	AV	142.00	300	Horizontal	N/A
5	12578.050	53.21	1.35	74.0	-20.79	Peak	360.00	100	Horizontal	Pass
5**	12578.050	43.71	1.35	54.0	-10.29	AV	360.00	100	Horizontal	Pass
6	17801.812	46.74	6.48	74.0	-27.26	Peak	83.00	100	Horizontal	Pass
6**	17801.812	40.99	6.48	54.0	-13.01	AV	83.00	100	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.100	52.63	-19.51	74.0	-21.37	Peak	122.00	100	Vertical	Pass
1**	1328.100	45.81	-19.51	54.0	-8.19	AV	122.00	100	Vertical	Pass
2	1599.400	52.86	-19.57	74.0	-21.14	Peak	355.00	100	Vertical	Pass
2**	1599.400	47.32	-19.57	54.0	-6.68	AV	355.00	100	Vertical	Pass
3	2257.100	51.64	-13.87	74.0	-22.36	Peak	183.00	200	Vertical	Pass
3**	2257.100	46.23	-13.87	54.0	-7.77	AV	183.00	200	Vertical	Pass
4	5317.250	105.65	-4.58	--	--	Peak	175.00	100	Vertical	N/A
4**	5317.250	99.83	-4.58	--	--	AV	175.00	100	Vertical	N/A
5	12581.850	51.97	1.32	74.0	-22.03	Peak	217.00	200	Vertical	Pass
5**	12581.850	44.09	1.32	54.0	-9.91	AV	217.00	200	Vertical	Pass
6	17800.499	47.12	6.51	74.0	-26.88	Peak	355.00	400	Vertical	Pass
6**	17800.499	40.26	6.51	54.0	-13.74	AV	355.00	400	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.600	54.23	-20.44	74.0	-19.77	Peak	103.00	200	Horizontal	Pass
1**	1065.600	48.22	-20.44	54.0	-5.78	AV	103.00	200	Horizontal	Pass
2	1328.500	51.90	-19.53	74.0	-22.10	Peak	286.00	200	Horizontal	Pass
2**	1328.500	46.57	-19.53	54.0	-7.43	AV	286.00	200	Horizontal	Pass
3	1460.100	56.75	-19.47	74.0	-17.25	Peak	247.00	100	Horizontal	Pass
3**	1460.100	51.67	-19.47	54.0	-2.33	AV	247.00	100	Horizontal	Pass
4	5279.750	92.91	-4.43	--	--	Peak	122.00	400	Horizontal	N/A
4**	5279.750	85.17	-4.43	--	--	AV	122.00	400	Horizontal	N/A
5	12607.500	52.95	1.09	74.0	-21.05	Peak	353.00	150	Horizontal	Pass
5**	12607.500	43.42	1.09	54.0	-10.58	AV	353.00	150	Horizontal	Pass
6	17817.563	46.96	6.05	74.0	-27.04	Peak	146.00	200	Horizontal	Pass
6**	17817.563	39.68	6.05	54.0	-14.32	AV	146.00	200	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.500	50.98	-19.28	74.0	-23.02	Peak	0.00	100	Vertical	Pass
1**	1330.500	46.88	-19.28	54.0	-7.12	AV	0.00	100	Vertical	Pass
2	1465.300	53.85	-19.71	74.0	-20.15	Peak	163.00	200	Vertical	Pass
2**	1465.300	46.88	-19.71	54.0	-7.12	AV	163.00	200	Vertical	Pass
3	1595.100	52.92	-19.83	74.0	-21.08	Peak	354.00	100	Vertical	Pass
3**	1595.100	47.04	-19.83	54.0	-6.96	AV	354.00	100	Vertical	Pass
4	5266.000	104.73	-4.83	--	--	Peak	175.00	300	Vertical	N/A
4**	5266.000	96.36	-4.83	--	--	AV	175.00	300	Vertical	N/A
5	12577.100	52.72	1.36	74.0	-21.28	Peak	52.00	150	Vertical	Pass
5**	12577.100	44.50	1.36	54.0	-9.50	AV	52.00	150	Vertical	Pass
6	17838.563	47.02	5.48	74.0	-26.98	Peak	0.00	100	Vertical	Pass
6**	17838.563	37.95	5.48	54.0	-16.05	AV	0.00	100	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.100	49.34	-20.27	74.0	-24.66	Peak	0.00	400	Horizontal	Pass
1**	1066.100	43.89	-20.27	54.0	-10.11	AV	0.00	400	Horizontal	Pass
2	1330.600	50.13	-19.33	74.0	-23.87	Peak	285.00	400	Horizontal	Pass
2**	1330.600	46.74	-19.33	54.0	-7.26	AV	285.00	400	Horizontal	Pass
3	1465.200	57.00	-19.76	74.0	-17.00	Peak	171.00	150	Horizontal	Pass
3**	1465.200	50.69	-19.76	54.0	-3.31	AV	171.00	150	Horizontal	Pass
4	5301.250	93.36	-5.25	--	--	Peak	122.00	400	Horizontal	N/A
4**	5301.250	85.56	-5.25	--	--	AV	122.00	400	Horizontal	N/A
5	12400.400	52.41	0.31	74.0	-21.59	Peak	259.00	100	Horizontal	Pass
5**	12400.400	43.37	0.31	54.0	-10.63	AV	259.00	100	Horizontal	Pass
6	17800.499	46.72	6.51	74.0	-27.28	Peak	142.00	200	Horizontal	Pass
6**	17800.499	39.87	6.51	54.0	-14.13	AV	142.00	200	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.100	50.41	-19.52	74.0	-23.59	Peak	232.00	100	Vertical	Pass
1**	1331.100	46.33	-19.52	54.0	-7.67	AV	232.00	100	Vertical	Pass
2	1465.900	50.33	-19.45	74.0	-23.67	Peak	302.00	400	Vertical	Pass
2**	1465.900	46.64	-19.45	54.0	-7.36	AV	302.00	400	Vertical	Pass
3	1593.700	55.18	-19.63	74.0	-18.82	Peak	155.00	100	Vertical	Pass
3**	1593.700	49.01	-19.63	54.0	-4.99	AV	155.00	100	Vertical	Pass
4	5312.500	103.15	-5.08	--	--	Peak	173.00	400	Vertical	N/A
4**	5312.500	95.85	-5.08	--	--	AV	173.00	400	Vertical	N/A
5	12455.262	52.52	0.85	74.0	-21.48	Peak	94.00	200	Vertical	Pass
5**	12455.262	42.92	0.85	54.0	-11.08	AV	94.00	200	Vertical	Pass
6	17850.374	46.84	5.15	74.0	-27.16	Peak	131.00	100	Vertical	Pass
6**	17850.374	37.89	5.15	54.0	-16.11	AV	131.00	100	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.400	55.66	-20.46	74.0	-18.34	Peak	225.00	300	Horizontal	Pass
1**	1063.400	48.76	-20.46	54.0	-5.24	AV	225.00	300	Horizontal	Pass
2	1329.800	52.36	-19.60	74.0	-21.64	Peak	360.00	200	Horizontal	Pass
2**	1329.800	46.35	-19.60	54.0	-7.65	AV	360.00	200	Horizontal	Pass
3	1461.200	51.73	-19.67	74.0	-22.27	Peak	182.00	200	Horizontal	Pass
3**	1461.200	45.08	-19.67	54.0	-8.92	AV	182.00	200	Horizontal	Pass
4	5291.750	91.07	-4.79	--	--	Peak	130.00	300	Horizontal	N/A
4**	5291.750	82.92	-4.79	--	--	AV	130.00	300	Horizontal	N/A
5	12430.088	52.67	0.66	74.0	-21.33	Peak	269.00	150	Horizontal	Pass
5**	12430.088	44.16	0.66	54.0	-9.84	AV	269.00	150	Horizontal	Pass
6	17789.999	47.22	6.22	74.0	-26.78	Peak	262.00	400	Horizontal	Pass
6**	17789.999	40.30	6.22	54.0	-13.70	AV	262.00	400	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.400	49.89	-20.47	74.0	-24.11	Peak	335.00	300	Vertical	Pass
1**	1065.400	43.81	-20.47	54.0	-10.19	AV	335.00	300	Vertical	Pass
2	1331.400	48.66	-19.57	74.0	-25.34	Peak	208.00	100	Vertical	Pass
2**	1331.400	44.76	-19.57	54.0	-9.24	AV	208.00	100	Vertical	Pass
3	1598.500	50.26	-19.43	74.0	-23.74	Peak	360.00	200	Vertical	Pass
3**	1598.500	45.64	-19.43	54.0	-8.36	AV	360.00	200	Vertical	Pass
4	5276.250	101.17	-4.19	--	--	Peak	175.00	400	Vertical	N/A
4**	5276.250	93.47	-4.19	--	--	AV	175.00	400	Vertical	N/A
5	12584.937	52.73	1.29	74.0	-21.27	Peak	272.00	400	Vertical	Pass
5**	12584.937	44.40	1.29	54.0	-9.60	AV	272.00	400	Vertical	Pass
6	17820.187	47.42	5.98	74.0	-26.58	Peak	187.00	400	Vertical	Pass
6**	17820.187	38.76	5.98	54.0	-15.24	AV	187.00	400	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.200	51.06	-20.50	74.0	-22.94	Peak	130.00	400	Horizontal	Pass
1**	1065.200	49.70	-20.50	54.0	-4.30	AV	130.00	400	Horizontal	Pass
2	1332.200	50.58	-19.91	74.0	-23.42	Peak	273.00	150	Horizontal	Pass
2**	1332.200	47.21	-19.91	54.0	-6.79	AV	273.00	150	Horizontal	Pass
3	1464.400	51.19	-19.61	74.0	-22.81	Peak	291.00	400	Horizontal	Pass
3**	1464.400	49.35	-19.61	54.0	-4.65	AV	291.00	400	Horizontal	Pass
4	5262.500	98.56	-4.92	--	--	Peak	112.00	100	Horizontal	N/A
4**	5262.500	87.94	-4.92	--	--	AV	112.00	100	Horizontal	N/A
5	12550.737	52.37	1.60	74.0	-21.63	Peak	157.00	100	Horizontal	Pass
5**	12550.737	43.59	1.60	54.0	-10.41	AV	157.00	100	Horizontal	Pass
6	17803.125	47.66	6.44	74.0	-26.34	Peak	351.00	100	Horizontal	Pass
6**	17803.125	39.66	6.44	54.0	-14.34	AV	351.00	100	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.900	50.63	-19.93	74.0	-23.37	Peak	228.00	300	Vertical	Pass
1**	1331.900	45.03	-19.93	54.0	-8.97	AV	228.00	300	Vertical	Pass
2	1464.800	52.48	-20.02	74.0	-21.52	Peak	296.00	100	Vertical	Pass
2**	1464.800	48.37	-20.02	54.0	-5.63	AV	296.00	100	Vertical	Pass
3	1597.500	53.64	-20.29	74.0	-20.36	Peak	149.00	100	Vertical	Pass
3**	1597.500	48.45	-20.29	54.0	-5.55	AV	149.00	100	Vertical	Pass
4	5263.500	106.19	-5.20	--	--	Peak	176.00	200	Vertical	N/A
4**	5263.500	99.17	-5.20	--	--	AV	176.00	200	Vertical	N/A
5	12434.838	52.90	0.71	74.0	-21.10	Peak	286.00	200	Vertical	Pass
5**	12434.838	41.93	0.71	54.0	-12.07	AV	286.00	200	Vertical	Pass
6	17778.188	46.50	5.87	74.0	-27.50	Peak	14.00	100	Vertical	Pass
6**	17778.188	38.85	5.87	54.0	-15.15	AV	14.00	100	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.600	54.60	-20.62	74.0	-19.40	Peak	311.00	100	Horizontal	Pass
1**	1062.600	51.01	-20.62	54.0	-2.99	AV	311.00	100	Horizontal	Pass
2	1464.600	54.80	-19.81	74.0	-19.20	Peak	276.00	200	Horizontal	Pass
2**	1464.600	48.31	-19.81	54.0	-5.69	AV	276.00	200	Horizontal	Pass
3	4231.250	47.41	-7.55	74.0	-26.59	Peak	293.00	150	Horizontal	Pass
3**	4231.250	38.22	-7.55	54.0	-15.78	AV	293.00	150	Horizontal	Pass
4	5295.500	97.52	-5.09	--	--	Peak	114.00	300	Horizontal	N/A
4**	5295.500	89.42	-5.09	--	--	AV	114.00	300	Horizontal	N/A
5	12641.700	53.17	0.79	74.0	-20.83	Peak	359.00	100	Horizontal	Pass
5**	12641.700	42.45	0.79	54.0	-11.55	AV	359.00	100	Horizontal	Pass
6	17807.063	46.88	6.33	74.0	-27.12	Peak	314.00	200	Horizontal	Pass
6**	17807.063	38.89	6.33	54.0	-15.11	AV	314.00	200	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.700	52.25	-19.39	74.0	-21.75	Peak	205.00	100	Vertical	Pass
1**	1330.700	45.85	-19.39	54.0	-8.15	AV	205.00	100	Vertical	Pass
2	1465.700	50.96	-19.53	74.0	-23.04	Peak	0.00	400	Vertical	Pass
2**	1465.700	47.59	-19.53	54.0	-6.41	AV	0.00	400	Vertical	Pass
3	1598.000	52.19	-19.74	74.0	-21.81	Peak	231.00	150	Vertical	Pass
3**	1598.000	47.07	-19.74	54.0	-6.93	AV	231.00	150	Vertical	Pass
4	5303.750	107.28	-5.18	--	--	Peak	163.00	200	Vertical	N/A
4**	5303.750	98.05	-5.18	--	--	AV	163.00	200	Vertical	N/A
5	12456.925	52.28	0.84	74.0	-21.72	Peak	105.00	200	Vertical	Pass
5**	12456.925	44.02	0.84	54.0	-9.98	AV	105.00	200	Vertical	Pass
6	17816.250	46.99	6.08	74.0	-27.01	Peak	243.00	300	Vertical	Pass
6**	17816.250	39.52	6.08	54.0	-14.48	AV	243.00	300	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.600	55.69	-21.01	74.0	-18.31	Peak	97.00	300	Horizontal	Pass
1**	1066.600	48.61	-21.01	54.0	-5.39	AV	97.00	300	Horizontal	Pass
2	1333.000	52.85	-19.63	74.0	-21.15	Peak	294.00	100	Horizontal	Pass
2**	1333.000	45.41	-19.63	54.0	-8.59	AV	294.00	100	Horizontal	Pass
3	1466.300	54.38	-19.58	74.0	-19.62	Peak	337.00	150	Horizontal	Pass
3**	1466.300	44.77	-19.58	54.0	-9.23	AV	337.00	150	Horizontal	Pass
4	5324.250	97.12	-5.01	--	--	Peak	124.00	300	Horizontal	N/A
4**	5324.250	89.58	-5.01	--	--	AV	124.00	300	Horizontal	N/A
5	12367.625	52.50	0.58	74.0	-21.50	Peak	73.00	100	Horizontal	Pass
5**	12367.625	43.51	0.58	54.0	-10.49	AV	73.00	100	Horizontal	Pass
6	17814.938	47.47	6.12	74.0	-26.53	Peak	159.00	100	Horizontal	Pass
6**	17814.938	39.34	6.12	54.0	-14.66	AV	159.00	100	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.500	48.69	-20.85	74.0	-25.31	Peak	121.00	100	Vertical	Pass
1**	1066.500	45.41	-20.85	54.0	-8.59	AV	121.00	100	Vertical	Pass
2	1466.000	52.49	-19.41	74.0	-21.51	Peak	6.00	200	Vertical	Pass
2**	1466.000	47.10	-19.41	54.0	-6.90	AV	6.00	200	Vertical	Pass
3	1594.100	52.27	-19.36	74.0	-21.73	Peak	0.00	200	Vertical	Pass
3**	1594.100	48.65	-19.36	54.0	-5.35	AV	0.00	200	Vertical	Pass
4	5315.500	105.29	-5.42	--	--	Peak	180.00	300	Vertical	N/A
4**	5315.500	97.57	-5.42	--	--	AV	180.00	300	Vertical	N/A
5	12551.213	52.68	1.60	74.0	-21.32	Peak	316.00	100	Vertical	Pass
5**	12551.213	43.41	1.60	54.0	-10.59	AV	316.00	100	Vertical	Pass
6	17800.499	47.50	6.51	74.0	-26.50	Peak	61.00	100	Vertical	Pass
6**	17800.499	40.61	6.51	54.0	-13.39	AV	61.00	100	Vertical	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.700	51.13	-20.67	74.0	-22.87	Peak	307.00	400	Horizontal	Pass
1**	1062.700	48.79	-20.67	54.0	-5.21	AV	307.00	400	Horizontal	Pass
2	1462.200	53.33	-19.42	74.0	-20.67	Peak	256.00	150	Horizontal	Pass
2**	1462.200	47.55	-19.42	54.0	-6.45	AV	256.00	150	Horizontal	Pass
3	4355.500	48.54	-5.92	74.0	-25.46	Peak	249.00	200	Horizontal	Pass
3**	4355.500	39.30	-5.92	54.0	-14.70	AV	249.00	200	Horizontal	Pass
4	5278.750	94.19	-4.27	--	--	Peak	118.00	300	Horizontal	N/A
4**	5278.750	86.07	-4.27	--	--	AV	118.00	300	Horizontal	N/A
5	12255.762	52.87	0.40	74.0	-21.13	Peak	250.00	100	Horizontal	Pass
5**	12255.762	42.98	0.40	54.0	-11.02	AV	250.00	100	Horizontal	Pass
6	17792.625	47.68	6.30	74.0	-26.32	Peak	162.00	200	Horizontal	Pass
6**	17792.625	40.12	6.30	54.0	-13.88	AV	162.00	200	Horizontal	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.700	52.91	-19.82	74.0	-21.09	Peak	16.00	100	Vertical	Pass
1**	1332.700	46.07	-19.82	54.0	-7.93	AV	16.00	100	Vertical	Pass
2	1463.500	49.54	-19.73	74.0	-24.46	Peak	228.00	200	Vertical	Pass
2**	1463.500	45.06	-19.73	54.0	-8.94	AV	228.00	200	Vertical	Pass
3	1599.700	50.03	-19.36	74.0	-23.97	Peak	348.00	100	Vertical	Pass
3**	1599.700	48.62	-19.36	54.0	-5.38	AV	348.00	100	Vertical	Pass
4	5280.750	105.83	-4.53	--	--	Peak	163.00	400	Vertical	N/A
4**	5280.750	96.03	-4.53	--	--	AV	163.00	400	Vertical	N/A
5	12579.000	53.72	1.34	74.0	-20.28	Peak	25.00	150	Vertical	Pass
5**	12579.000	44.43	1.34	54.0	-9.57	AV	25.00	150	Vertical	Pass
6	17803.125	47.79	6.44	74.0	-26.21	Peak	224.00	300	Vertical	Pass
6**	17803.125	39.36	6.44	54.0	-14.64	AV	224.00	300	Vertical	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.400	54.32	-20.68	74.0	-19.68	Peak	45.00	100	Horizontal	Pass
1**	1066.400	49.81	-20.68	54.0	-4.19	AV	45.00	100	Horizontal	Pass
2	1460.900	55.02	-20.09	74.0	-18.98	Peak	269.00	200	Horizontal	Pass
2**	1460.900	49.51	-20.09	54.0	-4.49	AV	269.00	200	Horizontal	Pass
3	4353.000	48.82	-5.64	74.0	-25.18	Peak	129.00	100	Horizontal	Pass
3**	4353.000	38.83	-5.64	54.0	-15.17	AV	129.00	100	Horizontal	Pass
4	5304.000	95.96	-5.08	--	--	Peak	111.00	300	Horizontal	N/A
4**	5304.000	85.71	-5.08	--	--	AV	111.00	300	Horizontal	N/A
5	12306.825	52.45	0.67	74.0	-21.55	Peak	27.00	150	Horizontal	Pass
5**	12306.825	42.46	0.67	54.0	-11.54	AV	27.00	150	Horizontal	Pass
6	17808.376	47.25	6.30	74.0	-26.75	Peak	144.00	100	Horizontal	Pass
6**	17808.376	39.63	6.30	54.0	-14.37	AV	144.00	100	Horizontal	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.100	50.59	-19.92	74.0	-23.41	Peak	330.00	100	Vertical	Pass
1**	1332.100	47.24	-19.92	54.0	-6.76	AV	330.00	100	Vertical	Pass
2	1466.600	52.49	-19.85	74.0	-21.51	Peak	192.00	100	Vertical	Pass
2**	1466.600	46.21	-19.85	54.0	-7.79	AV	192.00	100	Vertical	Pass
3	1596.400	48.75	-20.05	74.0	-25.25	Peak	360.00	200	Vertical	Pass
3**	1596.400	47.68	-20.05	54.0	-6.32	AV	360.00	200	Vertical	Pass
4	5313.000	104.84	-5.08	--	--	Peak	173.00	100	Vertical	N/A
4**	5313.000	94.84	-5.08	--	--	AV	173.00	100	Vertical	N/A
5	12610.350	52.15	1.06	74.0	-21.85	Peak	247.00	400	Vertical	Pass
5**	12610.350	43.64	1.06	54.0	-10.36	AV	247.00	400	Vertical	Pass
6	17792.625	47.27	6.30	74.0	-26.73	Peak	332.00	200	Vertical	Pass
6**	17792.625	39.61	6.30	54.0	-14.39	AV	332.00	200	Vertical	Pass

11ax80 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.900	52.88	-20.62	74.0	-21.12	Peak	353.00	400	Horizontal	Pass
1**	1062.900	48.65	-20.62	54.0	-5.35	AV	353.00	400	Horizontal	Pass
2	1330.900	47.68	-19.50	74.0	-26.32	Peak	153.00	400	Horizontal	Pass
2**	1330.900	46.39	-19.50	54.0	-7.61	AV	153.00	400	Horizontal	Pass
3	4119.500	47.21	-6.81	74.0	-26.79	Peak	21.00	150	Horizontal	Pass
3**	4119.500	38.79	-6.81	54.0	-15.21	AV	21.00	150	Horizontal	Pass
4	5298.250	92.54	-4.88	--	--	Peak	111.00	200	Horizontal	N/A
4**	5298.250	83.25	-4.88	--	--	AV	111.00	200	Horizontal	N/A
5	12547.888	52.20	1.56	74.0	-21.80	Peak	15.00	150	Horizontal	Pass
5**	12547.888	44.06	1.56	54.0	-9.94	AV	15.00	150	Horizontal	Pass
6	17797.876	47.32	6.46	74.0	-26.68	Peak	288.00	300	Horizontal	Pass
6**	17797.876	39.74	6.46	54.0	-14.26	AV	288.00	300	Horizontal	Pass

11ax80 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.600	47.23	-19.45	74.0	-26.77	Peak	0.00	400	Vertical	Pass
1**	1328.600	46.36	-19.45	54.0	-7.64	AV	0.00	400	Vertical	Pass
2	1465.000	52.33	-19.89	74.0	-21.67	Peak	352.00	100	Vertical	Pass
2**	1465.000	46.75	-19.89	54.0	-7.25	AV	352.00	100	Vertical	Pass
3	1595.800	52.74	-19.50	74.0	-21.26	Peak	343.00	200	Vertical	Pass
3**	1595.800	47.36	-19.50	54.0	-6.64	AV	343.00	200	Vertical	Pass
4	5266.250	101.84	-5.05	--	--	Peak	173.00	400	Vertical	N/A
4**	5266.250	93.70	-5.05	--	--	AV	173.00	400	Vertical	N/A
5	12312.526	52.65	0.68	74.0	-21.35	Peak	195.00	100	Vertical	Pass
5**	12312.526	42.92	0.68	54.0	-11.08	AV	195.00	100	Vertical	Pass
6	17796.563	47.31	6.42	74.0	-26.69	Peak	360.00	100	Vertical	Pass
6**	17796.563	41.14	6.42	54.0	-12.86	AV	360.00	100	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.500	56.46	-21.34	74.0	-17.54	Peak	304.00	100	Horizontal	Pass
1**	1064.500	48.27	-21.34	54.0	-5.73	AV	304.00	100	Horizontal	Pass
2	1327.800	50.32	-19.38	74.0	-23.68	Peak	304.00	200	Horizontal	Pass
2**	1327.800	44.93	-19.38	54.0	-9.07	AV	304.00	200	Horizontal	Pass
3	1465.300	54.33	-19.71	74.0	-19.67	Peak	287.00	100	Horizontal	Pass
3**	1465.300	52.23	-19.71	54.0	-1.77	AV	287.00	100	Horizontal	Pass
4	5496.000	98.28	-3.56	--	--	Peak	234.00	400	Horizontal	N/A
4**	5496.000	89.82	-3.56	--	--	AV	234.00	400	Horizontal	N/A
5	12445.050	52.70	0.83	74.0	-21.30	Peak	169.00	200	Horizontal	Pass
5**	12445.050	43.36	0.83	54.0	-10.64	AV	169.00	200	Horizontal	Pass
6	17784.750	47.52	6.07	74.0	-26.48	Peak	185.00	300	Horizontal	Pass
6**	17784.750	39.28	6.07	54.0	-14.72	AV	185.00	300	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.800	48.52	-19.38	74.0	-25.48	Peak	261.00	200	Vertical	Pass
1**	1327.800	44.56	-19.38	54.0	-9.44	AV	261.00	200	Vertical	Pass
2	1464.800	53.40	-20.02	74.0	-20.60	Peak	205.00	400	Vertical	Pass
2**	1464.800	46.43	-20.02	54.0	-7.57	AV	205.00	400	Vertical	Pass
3	1598.400	51.84	-19.64	74.0	-22.16	Peak	0.00	150	Vertical	Pass
3**	1598.400	48.21	-19.64	54.0	-5.79	AV	0.00	150	Vertical	Pass
4	5497.500	108.79	-3.33	--	--	Peak	214.00	400	Vertical	N/A
4**	5497.500	99.77	-3.33	--	--	AV	214.00	400	Vertical	N/A
5	12580.187	53.02	1.33	74.0	-20.98	Peak	131.00	150	Vertical	Pass
5**	12580.187	44.04	1.33	54.0	-9.96	AV	131.00	150	Vertical	Pass
6	17830.687	47.68	5.69	74.0	-26.32	Peak	346.00	200	Vertical	Pass
6**	17830.687	39.83	5.69	54.0	-14.17	AV	346.00	200	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.600	51.15	-20.46	74.0	-22.85	Peak	297.00	400	Horizontal	Pass
1**	1063.600	47.61	-20.46	54.0	-6.39	AV	297.00	400	Horizontal	Pass
2	1461.900	54.75	-19.33	74.0	-19.25	Peak	268.00	200	Horizontal	Pass
2**	1461.900	50.99	-19.33	54.0	-3.01	AV	268.00	200	Horizontal	Pass
3	4354.250	48.72	-6.20	74.0	-25.28	Peak	235.00	200	Horizontal	Pass
3**	4354.250	39.10	-6.20	54.0	-14.90	AV	235.00	200	Horizontal	Pass
4	5583.750	96.67	-4.77	--	--	Peak	345.00	400	Horizontal	N/A
4**	5583.750	89.59	-4.77	--	--	AV	345.00	400	Horizontal	N/A
5	12400.400	53.59	0.31	74.0	-20.41	Peak	307.00	100	Horizontal	Pass
5**	12400.400	42.97	0.31	54.0	-11.03	AV	307.00	100	Horizontal	Pass
6	17792.625	47.34	6.30	74.0	-26.66	Peak	290.00	300	Horizontal	Pass
6**	17792.625	39.45	6.30	54.0	-14.55	AV	290.00	300	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.100	51.44	-19.51	74.0	-22.56	Peak	349.00	300	Vertical	Pass
1**	1328.100	47.27	-19.51	54.0	-6.73	AV	349.00	300	Vertical	Pass
2	1465.200	54.61	-19.76	74.0	-19.39	Peak	5.00	200	Vertical	Pass
2**	1465.200	48.61	-19.76	54.0	-5.39	AV	5.00	200	Vertical	Pass
3	1596.300	53.66	-19.85	74.0	-20.34	Peak	151.00	200	Vertical	Pass
3**	1596.300	47.84	-19.85	54.0	-6.16	AV	151.00	200	Vertical	Pass
4	5579.250	106.86	-4.79	--	--	Peak	145.00	300	Vertical	N/A
4**	5579.250	99.18	-4.79	--	--	AV	145.00	300	Vertical	N/A
5	12568.787	52.30	1.44	74.0	-21.70	Peak	107.00	150	Vertical	Pass
5**	12568.787	42.89	1.44	54.0	-11.11	AV	107.00	150	Vertical	Pass
6	17856.938	47.14	4.96	74.0	-26.86	Peak	261.00	400	Vertical	Pass
6**	17856.938	38.55	4.96	54.0	-15.45	AV	261.00	400	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.000	52.80	-20.95	74.0	-21.20	Peak	276.00	300	Horizontal	Pass
1**	1064.000	47.57	-20.95	54.0	-6.43	AV	276.00	300	Horizontal	Pass
2	1331.000	48.01	-19.52	74.0	-23.99	Peak	159.00	100	Horizontal	Pass
2**	1331.000	45.16	-19.52	54.0	-8.84	AV	159.00	100	Horizontal	Pass
3	1460.600	57.26	-19.99	74.0	-16.74	Peak	178.00	200	Horizontal	Pass
3**	1460.600	51.65	-19.99	54.0	-2.35	AV	178.00	200	Horizontal	Pass
4	5703.500	95.67	-5.41	--	--	Peak	122.00	400	Horizontal	N/A
4**	5703.500	88.10	-5.41	--	--	AV	122.00	400	Horizontal	N/A
5	12454.313	52.04	0.86	74.0	-21.96	Peak	167.00	400	Horizontal	Pass
5**	12454.313	44.08	0.86	54.0	-9.92	AV	167.00	400	Horizontal	Pass
6	17795.250	47.22	6.38	74.0	-26.78	Peak	127.00	400	Horizontal	Pass
6**	17795.250	40.06	6.38	54.0	-13.94	AV	127.00	400	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.400	53.52	-19.60	74.0	-20.48	Peak	311.00	400	Vertical	Pass
1**	1328.400	48.24	-19.60	54.0	-5.76	AV	311.00	400	Vertical	Pass
2	1465.500	55.65	-19.62	74.0	-18.35	Peak	311.00	150	Vertical	Pass
2**	1465.500	48.41	-19.62	54.0	-5.59	AV	311.00	150	Vertical	Pass
3	1599.900	54.81	-19.15	74.0	-19.19	Peak	169.00	400	Vertical	Pass
3**	1599.900	49.60	-19.15	54.0	-4.40	AV	169.00	400	Vertical	Pass
4	5696.500	105.99	-5.22	--	--	Peak	154.00	100	Vertical	N/A
4**	5696.500	98.17	-5.22	--	--	AV	154.00	100	Vertical	N/A
5	12598.000	52.71	1.17	74.0	-21.29	Peak	215.00	100	Vertical	Pass
5**	12598.000	42.50	1.17	54.0	-11.50	AV	215.00	100	Vertical	Pass
6	17793.937	46.99	6.34	74.0	-27.01	Peak	124.00	100	Vertical	Pass
6**	17793.937	38.99	6.34	54.0	-15.01	AV	124.00	100	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.600	54.92	-20.44	74.0	-19.08	Peak	45.00	300	Horizontal	Pass
1**	1065.600	47.91	-20.44	54.0	-6.09	AV	45.00	300	Horizontal	Pass
2	1328.400	54.89	-19.60	74.0	-19.11	Peak	275.00	100	Horizontal	Pass
2**	1328.400	46.56	-19.60	54.0	-7.44	AV	275.00	100	Horizontal	Pass
3	1464.300	54.32	-19.58	74.0	-19.68	Peak	275.00	100	Horizontal	Pass
3**	1464.300	46.00	-19.58	54.0	-8.00	AV	275.00	100	Horizontal	Pass
4	5498.250	97.14	-3.57	--	--	Peak	229.00	200	Horizontal	N/A
4**	5498.250	90.19	-3.57	--	--	AV	229.00	200	Horizontal	N/A
5	12571.638	52.95	1.41	74.0	-21.05	Peak	133.00	200	Horizontal	Pass
5**	12571.638	43.39	1.41	54.0	-10.61	AV	133.00	200	Horizontal	Pass
6	17791.312	46.85	6.26	74.0	-27.15	Peak	92.00	100	Horizontal	Pass
6**	17791.312	39.51	6.26	54.0	-14.49	AV	92.00	100	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.900	49.26	-19.50	74.0	-24.74	Peak	204.00	100	Vertical	Pass
1**	1330.900	45.76	-19.50	54.0	-8.24	AV	204.00	100	Vertical	Pass
2	1461.300	49.80	-19.47	74.0	-24.20	Peak	169.00	200	Vertical	Pass
2**	1461.300	47.90	-19.47	54.0	-6.10	AV	169.00	200	Vertical	Pass
3	1599.100	52.04	-19.61	74.0	-21.96	Peak	360.00	150	Vertical	Pass
3**	1599.100	48.59	-19.61	54.0	-5.41	AV	360.00	150	Vertical	Pass
4	5496.250	106.49	-3.48	--	--	Peak	213.00	300	Vertical	N/A
4**	5496.250	99.01	-3.48	--	--	AV	213.00	300	Vertical	N/A
5	12466.187	52.60	0.77	74.0	-21.40	Peak	191.00	100	Vertical	Pass
5**	12466.187	42.00	0.77	54.0	-12.00	AV	191.00	100	Vertical	Pass
6	17834.625	46.30	5.58	74.0	-27.70	Peak	176.00	200	Vertical	Pass
6**	17834.625	38.62	5.58	54.0	-15.38	AV	176.00	200	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.600	50.98	-21.01	74.0	-23.02	Peak	308.00	100	Horizontal	Pass
1**	1066.600	48.16	-21.01	54.0	-5.84	AV	308.00	100	Horizontal	Pass
2	1330.000	51.49	-19.22	74.0	-22.51	Peak	282.00	400	Horizontal	Pass
2**	1330.000	43.77	-19.22	54.0	-10.23	AV	282.00	400	Horizontal	Pass
3	1460.100	53.21	-19.47	74.0	-20.79	Peak	0.00	150	Horizontal	Pass
3**	1460.100	45.42	-19.47	54.0	-8.58	AV	0.00	150	Horizontal	Pass
4	5581.000	96.58	-4.53	--	--	Peak	238.00	200	Horizontal	N/A
4**	5581.000	89.20	-4.53	--	--	AV	238.00	200	Horizontal	N/A
5	12516.775	52.36	0.88	74.0	-21.64	Peak	238.00	200	Horizontal	Pass
5**	12516.775	43.34	0.88	54.0	-10.66	AV	238.00	200	Horizontal	Pass
6	17826.750	47.22	5.80	74.0	-26.78	Peak	350.00	300	Horizontal	Pass
6**	17826.750	38.97	5.80	54.0	-15.03	AV	350.00	300	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.800	51.52	-19.76	74.0	-22.48	Peak	360.00	100	Vertical	Pass
1**	1332.800	44.77	-19.76	54.0	-9.23	AV	360.00	100	Vertical	Pass
2	1465.700	48.52	-19.53	74.0	-25.48	Peak	311.00	300	Vertical	Pass
2**	1465.700	46.93	-19.53	54.0	-7.07	AV	311.00	300	Vertical	Pass
3	1593.300	51.90	-20.10	74.0	-22.10	Peak	224.00	200	Vertical	Pass
3**	1593.300	47.10	-20.10	54.0	-6.90	AV	224.00	200	Vertical	Pass
4	5584.250	105.82	-4.60	--	--	Peak	219.00	100	Vertical	N/A
4**	5584.250	98.26	-4.60	--	--	AV	219.00	100	Vertical	N/A
5	12583.513	52.66	1.30	74.0	-21.34	Peak	208.00	200	Vertical	Pass
5**	12583.513	43.26	1.30	54.0	-10.74	AV	208.00	200	Vertical	Pass
6	17797.876	47.37	6.46	74.0	-26.63	Peak	336.00	200	Vertical	Pass
6**	17797.876	40.14	6.46	54.0	-13.86	AV	336.00	200	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.900	49.60	-20.62	74.0	-24.40	Peak	0.00	300	Horizontal	Pass
1**	1062.900	46.51	-20.62	54.0	-7.49	AV	0.00	300	Horizontal	Pass
2	1330.200	50.34	-19.13	74.0	-23.66	Peak	0.00	100	Horizontal	Pass
2**	1330.200	45.32	-19.13	54.0	-8.68	AV	0.00	100	Horizontal	Pass
3	1465.400	55.45	-19.67	74.0	-18.55	Peak	297.00	150	Horizontal	Pass
3**	1465.400	48.29	-19.67	54.0	-5.71	AV	297.00	150	Horizontal	Pass
4	5696.750	94.31	-5.13	--	--	Peak	345.00	300	Horizontal	N/A
4**	5696.750	87.08	-5.13	--	--	AV	345.00	300	Horizontal	N/A
5	12588.262	52.30	1.26	74.0	-21.70	Peak	238.00	150	Horizontal	Pass
5**	12588.262	44.08	1.26	54.0	-9.92	AV	238.00	150	Horizontal	Pass
6	17797.876	47.16	6.46	74.0	-26.84	Peak	360.00	200	Horizontal	Pass
6**	17797.876	39.48	6.46	54.0	-14.52	AV	360.00	200	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.100	52.04	-19.52	74.0	-21.96	Peak	354.00	400	Vertical	Pass
1**	1331.100	45.64	-19.52	54.0	-8.36	AV	354.00	400	Vertical	Pass
2	1599.100	56.22	-19.61	74.0	-17.78	Peak	35.00	200	Vertical	Pass
2**	1599.100	48.07	-19.61	54.0	-5.93	AV	35.00	200	Vertical	Pass
3	3772.750	52.37	-8.21	74.0	-21.63	Peak	195.00	150	Vertical	Pass
3**	3772.750	40.08	-8.21	54.0	-13.92	AV	195.00	150	Vertical	Pass
4	5698.250	106.36	-5.02	--	--	Peak	157.00	100	Vertical	N/A
4**	5698.250	98.91	-5.02	--	--	AV	157.00	100	Vertical	N/A
5	12583.750	52.57	1.30	74.0	-21.43	Peak	0.00	200	Vertical	Pass
5**	12583.750	43.11	1.30	54.0	-10.89	AV	0.00	200	Vertical	Pass
6	17804.438	48.06	6.40	74.0	-25.94	Peak	233.00	400	Vertical	Pass
6**	17804.438	39.00	6.40	54.0	-15.00	AV	233.00	400	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.000	52.01	-20.31	74.0	-21.99	Peak	154.00	300	Horizontal	Pass
1**	1066.000	50.27	-20.31	54.0	-3.73	AV	154.00	300	Horizontal	Pass
2	1330.500	52.74	-19.28	74.0	-21.26	Peak	283.00	300	Horizontal	Pass
2**	1330.500	47.99	-19.28	54.0	-6.01	AV	283.00	300	Horizontal	Pass
3	4340.000	47.67	-5.68	74.0	-26.33	Peak	110.00	200	Horizontal	Pass
3**	4340.000	38.98	-5.68	54.0	-15.02	AV	110.00	200	Horizontal	Pass
4	5498.250	94.23	-3.57	--	--	Peak	236.00	300	Horizontal	N/A
4**	5498.250	86.31	-3.57	--	--	AV	236.00	300	Horizontal	N/A
5	12584.700	52.37	1.29	74.0	-21.63	Peak	90.00	100	Horizontal	Pass
5**	12584.700	43.94	1.29	54.0	-10.06	AV	90.00	100	Horizontal	Pass
6	17820.187	46.67	5.98	74.0	-27.33	Peak	360.00	100	Horizontal	Pass
6**	17820.187	39.46	5.98	54.0	-14.54	AV	360.00	100	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.200	52.89	-19.13	74.0	-21.11	Peak	326.00	200	Vertical	Pass
1**	1330.200	47.41	-19.13	54.0	-6.59	AV	326.00	200	Vertical	Pass
2	1461.400	49.94	-19.28	74.0	-24.06	Peak	162.00	300	Vertical	Pass
2**	1461.400	45.61	-19.28	54.0	-8.39	AV	162.00	300	Vertical	Pass
3	1593.700	50.86	-19.63	74.0	-23.14	Peak	15.00	150	Vertical	Pass
3**	1593.700	48.60	-19.63	54.0	-5.40	AV	15.00	150	Vertical	Pass
4	5519.000	103.73	-4.55	--	--	Peak	168.00	400	Vertical	N/A
4**	5519.000	97.04	-4.55	--	--	AV	168.00	400	Vertical	N/A
5	12588.026	53.08	1.26	74.0	-20.92	Peak	15.00	150	Vertical	Pass
5**	12588.026	43.66	1.26	54.0	-10.34	AV	15.00	150	Vertical	Pass
6	17788.688	47.36	6.19	74.0	-26.64	Peak	46.00	400	Vertical	Pass
6**	17788.688	40.35	6.19	54.0	-13.65	AV	46.00	400	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.300	50.98	-20.50	74.0	-23.02	Peak	142.00	100	Horizontal	Pass
1**	1066.300	49.80	-20.50	54.0	-4.20	AV	142.00	100	Horizontal	Pass
2	1460.000	51.90	-19.52	74.0	-22.10	Peak	294.00	200	Horizontal	Pass
2**	1460.000	44.40	-19.52	54.0	-9.60	AV	294.00	200	Horizontal	Pass
3	3786.000	46.75	-7.82	74.0	-27.25	Peak	329.00	200	Horizontal	Pass
3**	3786.000	36.38	-7.82	54.0	-17.62	AV	329.00	200	Horizontal	Pass
4	5581.000	92.90	-4.53	--	--	Peak	241.00	400	Horizontal	N/A
4**	5581.000	85.68	-4.53	--	--	AV	241.00	400	Horizontal	N/A
5	8127.775	48.73	-3.59	74.0	-25.27	Peak	312.00	200	Horizontal	Pass
5**	8127.775	39.40	-3.59	54.0	-14.60	AV	312.00	200	Horizontal	Pass
6	12366.913	52.38	0.59	74.0	-21.62	Peak	22.00	300	Horizontal	Pass
6**	12366.913	43.43	0.59	54.0	-10.57	AV	22.00	300	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.200	48.04	-19.55	74.0	-25.96	Peak	218.00	300	Vertical	Pass
1**	1328.200	46.55	-19.55	54.0	-7.45	AV	218.00	300	Vertical	Pass
2	1464.400	48.66	-19.61	74.0	-25.34	Peak	277.00	300	Vertical	Pass
2**	1464.400	47.38	-19.61	54.0	-6.62	AV	277.00	300	Vertical	Pass
3	1598.900	50.85	-19.36	74.0	-23.15	Peak	236.00	100	Vertical	Pass
3**	1598.900	46.16	-19.36	54.0	-7.84	AV	236.00	100	Vertical	Pass
4	5579.250	103.27	-4.79	--	--	Peak	148.00	200	Vertical	N/A
4**	5579.250	94.88	-4.79	--	--	AV	148.00	200	Vertical	N/A
5	8249.138	48.62	-3.87	74.0	-25.38	Peak	245.00	200	Vertical	Pass
5**	8249.138	38.31	-3.87	54.0	-15.69	AV	245.00	200	Vertical	Pass
6	12340.312	53.67	0.72	74.0	-20.33	Peak	188.00	100	Vertical	Pass
6**	12340.312	43.32	0.72	54.0	-10.68	AV	188.00	100	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.000	54.19	-20.31	74.0	-19.81	Peak	140.00	300	Horizontal	Pass
1**	1066.000	51.19	-20.31	54.0	-2.81	AV	140.00	300	Horizontal	Pass
2	1330.300	50.01	-19.18	74.0	-23.99	Peak	298.00	100	Horizontal	Pass
2**	1330.300	48.21	-19.18	54.0	-5.79	AV	298.00	100	Horizontal	Pass
3	1459.700	49.50	-19.66	74.0	-24.50	Peak	64.00	150	Horizontal	Pass
3**	1459.700	47.25	-19.66	54.0	-6.75	AV	64.00	150	Horizontal	Pass
4	5671.500	92.57	-5.17	--	--	Peak	241.00	400	Horizontal	N/A
4**	5671.500	85.10	-5.17	--	--	AV	241.00	400	Horizontal	N/A
5	8166.013	47.62	-3.70	74.0	-26.38	Peak	53.00	100	Horizontal	Pass
5**	8166.013	38.30	-3.70	54.0	-15.70	AV	53.00	100	Horizontal	Pass
6	12580.187	53.17	1.33	74.0	-20.83	Peak	93.00	100	Horizontal	Pass
6**	12580.187	43.53	1.33	54.0	-10.47	AV	93.00	100	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.000	50.52	-19.63	74.0	-23.48	Peak	320.00	400	Vertical	Pass
1**	1333.000	39.69	-19.63	54.0	-14.31	AV	320.00	400	Vertical	Pass
2	1460.200	53.28	-19.55	74.0	-20.72	Peak	168.00	300	Vertical	Pass
2**	1460.200	43.46	-19.55	54.0	-10.54	AV	168.00	300	Vertical	Pass
3	1596.000	52.56	-19.49	74.0	-21.44	Peak	218.00	150	Vertical	Pass
3**	1596.000	40.50	-19.49	54.0	-13.50	AV	218.00	150	Vertical	Pass
4	5681.500	104.06	-4.73	--	--	Peak	153.00	200	Vertical	N/A
4**	5681.500	96.25	-4.73	--	--	AV	153.00	200	Vertical	N/A
5	8281.675	47.54	-4.16	74.0	-26.46	Peak	270.00	200	Vertical	Pass
5**	8281.675	39.10	-4.16	54.0	-14.90	AV	270.00	200	Vertical	Pass
6	12581.613	53.01	1.32	74.0	-20.99	Peak	167.00	100	Vertical	Pass
6**	12581.613	43.74	1.32	54.0	-10.26	AV	167.00	100	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.000	54.93	-20.83	74.0	-19.07	Peak	141.00	100	Horizontal	Pass
1**	1062.000	32.98	-20.83	54.0	-21.02	AV	141.00	100	Horizontal	Pass
2	1328.300	51.36	-19.59	74.0	-22.64	Peak	277.00	200	Horizontal	Pass
2**	1328.300	49.08	-19.59	54.0	-4.92	AV	277.00	200	Horizontal	Pass
3	1462.300	52.82	-19.43	74.0	-21.18	Peak	268.00	100	Horizontal	Pass
3**	1462.300	36.39	-19.43	54.0	-17.61	AV	268.00	100	Horizontal	Pass
4	5503.750	97.60	-3.64	--	--	Peak	236.00	400	Horizontal	N/A
4**	5503.750	89.58	-3.64	--	--	AV	236.00	400	Horizontal	N/A
5	8254.838	47.97	-3.91	74.0	-26.03	Peak	188.00	150	Horizontal	Pass
5**	8254.838	39.64	-3.91	54.0	-14.36	AV	188.00	150	Horizontal	Pass
6	12612.013	52.35	1.05	74.0	-21.65	Peak	70.00	400	Horizontal	Pass
6**	12612.013	43.54	1.05	54.0	-10.46	AV	70.00	400	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.800	51.61	-20.70	74.0	-22.39	Peak	348.00	300	Vertical	Pass
1**	1063.800	29.49	-20.70	54.0	-24.51	AV	348.00	300	Vertical	Pass
2	1465.100	53.09	-19.82	74.0	-20.91	Peak	164.00	100	Vertical	Pass
2**	1465.100	29.97	-19.82	54.0	-24.03	AV	164.00	100	Vertical	Pass
3	1594.100	50.15	-19.36	74.0	-23.85	Peak	5.00	100	Vertical	Pass
3**	1594.100	49.71	-19.36	54.0	-4.29	AV	5.00	100	Vertical	Pass
4	5497.000	106.89	-3.70	--	--	Peak	208.00	200	Vertical	N/A
4**	5497.000	99.64	-3.70	--	--	AV	208.00	200	Vertical	N/A
5	12396.599	52.41	0.34	74.0	-21.59	Peak	0.00	150	Vertical	Pass
5**	12396.599	43.29	0.34	54.0	-10.71	AV	0.00	150	Vertical	Pass
6	17825.438	48.19	5.83	74.0	-25.81	Peak	102.00	100	Vertical	Pass
6**	17825.438	39.99	5.83	54.0	-14.01	AV	102.00	100	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.800	56.60	-20.71	74.0	-17.40	Peak	136.00	200	Horizontal	Pass
1**	1064.800	49.48	-20.71	54.0	-4.52	AV	136.00	200	Horizontal	Pass
2	1331.800	53.97	-19.94	74.0	-20.03	Peak	294.00	300	Horizontal	Pass
2**	1331.800	40.47	-19.94	54.0	-13.53	AV	294.00	300	Horizontal	Pass
3	1459.500	54.70	-19.77	74.0	-19.30	Peak	258.00	150	Horizontal	Pass
3**	1459.500	42.41	-19.77	54.0	-11.59	AV	258.00	150	Horizontal	Pass
4	5576.250	96.49	-5.04	--	--	Peak	240.00	200	Horizontal	N/A
4**	5576.250	88.12	-5.04	--	--	AV	240.00	200	Horizontal	N/A
5	8397.813	47.66	-4.15	74.0	-26.34	Peak	74.00	100	Horizontal	Pass
5**	8397.813	38.11	-4.15	54.0	-15.89	AV	74.00	100	Horizontal	Pass
6	12343.162	52.92	0.72	74.0	-21.08	Peak	303.00	400	Horizontal	Pass
6**	12343.162	43.06	0.72	54.0	-10.94	AV	303.00	400	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.200	52.65	-19.91	74.0	-21.35	Peak	334.00	400	Vertical	Pass
1**	1332.200	45.63	-19.91	54.0	-8.37	AV	334.00	400	Vertical	Pass
2	1465.500	55.68	-19.62	74.0	-18.32	Peak	173.00	300	Vertical	Pass
2**	1465.500	36.87	-19.62	54.0	-17.13	AV	173.00	300	Vertical	Pass
3	1597.400	53.78	-20.52	74.0	-20.22	Peak	157.00	150	Vertical	Pass
3**	1597.400	44.01	-20.52	54.0	-9.99	AV	157.00	150	Vertical	Pass
4	5578.750	106.08	-4.67	--	--	Peak	153.00	100	Vertical	N/A
4**	5578.750	99.04	-4.67	--	--	AV	153.00	100	Vertical	N/A
5	8228.713	47.80	-4.00	74.0	-26.20	Peak	200.00	100	Vertical	Pass
5**	8228.713	38.31	-4.00	54.0	-15.69	AV	200.00	100	Vertical	Pass
6	12526.037	52.36	1.08	74.0	-21.64	Peak	0.00	100	Vertical	Pass
6**	12526.037	42.64	1.08	54.0	-11.36	AV	0.00	100	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.400	54.93	-20.68	74.0	-19.07	Peak	139.00	400	Horizontal	Pass
1**	1066.400	49.71	-20.68	54.0	-4.29	AV	139.00	400	Horizontal	Pass
2	1330.900	53.93	-19.50	74.0	-20.07	Peak	291.00	300	Horizontal	Pass
2**	1330.900	31.84	-19.50	54.0	-22.16	AV	291.00	300	Horizontal	Pass
3	1466.400	51.33	-19.67	74.0	-22.67	Peak	249.00	150	Horizontal	Pass
3**	1466.400	37.54	-19.67	54.0	-16.46	AV	249.00	150	Horizontal	Pass
4	5698.500	95.46	-4.86	--	--	Peak	242.00	300	Horizontal	N/A
4**	5698.500	87.48	-4.86	--	--	AV	242.00	300	Horizontal	N/A
5	12408.475	52.21	0.41	74.0	-21.79	Peak	359.00	100	Horizontal	Pass
5**	12408.475	42.63	0.41	54.0	-11.37	AV	359.00	100	Horizontal	Pass
6	17789.999	47.48	6.22	74.0	-26.52	Peak	323.00	100	Horizontal	Pass
6**	17789.999	39.71	6.22	54.0	-14.29	AV	323.00	100	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.300	51.00	-20.49	74.0	-23.00	Peak	130.00	100	Vertical	Pass
1**	1065.300	41.39	-20.49	54.0	-12.61	AV	130.00	100	Vertical	Pass
2	1466.100	53.33	-19.40	74.0	-20.67	Peak	173.00	100	Vertical	Pass
2**	1466.100	32.06	-19.40	54.0	-21.94	AV	173.00	100	Vertical	Pass
3	1593.700	52.99	-19.63	74.0	-21.01	Peak	225.00	200	Vertical	Pass
3**	1593.700	38.61	-19.63	54.0	-15.39	AV	225.00	200	Vertical	Pass
4	5697.250	106.67	-5.48	--	--	Peak	146.00	100	Vertical	N/A
4**	5697.250	98.44	-5.48	--	--	AV	146.00	100	Vertical	N/A
5	12541.000	52.52	1.41	74.0	-21.48	Peak	354.00	200	Vertical	Pass
5**	12541.000	42.41	1.41	54.0	-11.59	AV	354.00	200	Vertical	Pass
6	17793.937	47.62	6.34	74.0	-26.38	Peak	360.00	400	Vertical	Pass
6**	17793.937	40.06	6.34	54.0	-13.94	AV	360.00	400	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.900	52.29	-20.62	74.0	-21.71	Peak	262.00	200	Horizontal	Pass
1**	1062.900	49.77	-20.62	54.0	-4.23	AV	262.00	200	Horizontal	Pass
2	1327.900	53.25	-19.42	74.0	-20.75	Peak	294.00	200	Horizontal	Pass
2**	1327.900	37.63	-19.42	54.0	-16.37	AV	294.00	200	Horizontal	Pass
3	1465.700	50.15	-19.53	74.0	-23.85	Peak	302.00	100	Horizontal	Pass
3**	1465.700	31.33	-19.53	54.0	-22.67	AV	302.00	100	Horizontal	Pass
4	5517.000	94.69	-4.61	--	--	Peak	242.00	400	Horizontal	N/A
4**	5517.000	86.36	-4.61	--	--	AV	242.00	400	Horizontal	N/A
5	12433.887	53.28	0.70	74.0	-20.72	Peak	128.00	150	Horizontal	Pass
5**	12433.887	43.08	0.70	54.0	-10.92	AV	128.00	150	Horizontal	Pass
6	17822.812	47.14	5.90	74.0	-26.86	Peak	194.00	200	Horizontal	Pass
6**	17822.812	39.73	5.90	54.0	-14.27	AV	194.00	200	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.100	50.24	-20.27	74.0	-23.76	Peak	259.00	100	Vertical	Pass
1**	1066.100	48.03	-20.27	54.0	-5.97	AV	259.00	100	Vertical	Pass
2	1463.300	52.57	-19.86	74.0	-21.43	Peak	156.00	200	Vertical	Pass
2**	1463.300	34.70	-19.86	54.0	-19.30	AV	156.00	200	Vertical	Pass
3	1598.500	53.32	-19.43	74.0	-20.68	Peak	360.00	100	Vertical	Pass
3**	1598.500	44.53	-19.43	54.0	-9.47	AV	360.00	100	Vertical	Pass
4	5500.500	104.30	-3.72	--	--	Peak	171.00	300	Vertical	N/A
4**	5500.500	95.50	-3.72	--	--	AV	171.00	300	Vertical	N/A
5	8439.849	48.03	-4.11	74.0	-25.97	Peak	53.00	150	Vertical	Pass
5**	8439.849	38.78	-4.11	54.0	-15.22	AV	53.00	150	Vertical	Pass
6	12241.037	52.32	0.22	74.0	-21.68	Peak	237.00	100	Vertical	Pass
6**	12241.037	43.26	0.22	54.0	-10.74	AV	237.00	100	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.700	55.43	-20.67	74.0	-18.57	Peak	123.00	400	Horizontal	Pass
1**	1062.700	45.09	-20.67	54.0	-8.91	AV	123.00	400	Horizontal	Pass
2	1328.000	52.95	-19.47	74.0	-21.05	Peak	267.00	400	Horizontal	Pass
2**	1328.000	49.84	-19.47	54.0	-4.16	AV	267.00	400	Horizontal	Pass
3	1464.800	51.75	-20.02	74.0	-22.25	Peak	277.00	150	Horizontal	Pass
3**	1464.800	49.95	-20.02	54.0	-4.05	AV	277.00	150	Horizontal	Pass
4	5580.000	93.28	-4.63	--	--	Peak	244.00	400	Horizontal	N/A
4**	5580.000	85.21	-4.63	--	--	AV	244.00	400	Horizontal	N/A
5	12613.437	52.49	1.04	74.0	-21.51	Peak	153.00	100	Horizontal	Pass
5**	12613.437	43.54	1.04	54.0	-10.46	AV	153.00	100	Horizontal	Pass
6	17795.250	46.84	6.38	74.0	-27.16	Peak	143.00	200	Horizontal	Pass
6**	17795.250	40.07	6.38	54.0	-13.93	AV	143.00	200	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.100	52.32	-20.51	74.0	-21.68	Peak	136.00	100	Vertical	Pass
1**	1065.100	39.89	-20.51	54.0	-14.11	AV	136.00	100	Vertical	Pass
2	1461.600	52.89	-19.29	74.0	-21.11	Peak	166.00	400	Vertical	Pass
2**	1461.600	41.00	-19.29	54.0	-13.00	AV	166.00	400	Vertical	Pass
3	1600.100	53.22	-19.24	74.0	-20.78	Peak	0.00	100	Vertical	Pass
3**	1600.100	40.73	-19.24	54.0	-13.27	AV	0.00	100	Vertical	Pass
4	5595.500	103.36	-4.26	--	--	Peak	154.00	400	Vertical	N/A
4**	5595.500	96.17	-4.26	--	--	AV	154.00	400	Vertical	N/A
5	12404.200	52.40	0.36	74.0	-21.60	Peak	87.00	200	Vertical	Pass
5**	12404.200	43.23	0.36	54.0	-10.77	AV	87.00	200	Vertical	Pass
6	17818.876	47.55	6.01	74.0	-26.45	Peak	337.00	100	Vertical	Pass
6**	17818.876	39.68	6.01	54.0	-14.32	AV	337.00	100	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.500	51.61	-20.57	74.0	-22.39	Peak	143.00	100	Horizontal	Pass
1**	1062.500	50.49	-20.57	54.0	-3.51	AV	143.00	100	Horizontal	Pass
2	1331.000	52.61	-19.52	74.0	-21.39	Peak	286.00	100	Horizontal	Pass
2**	1331.000	36.56	-19.52	54.0	-17.44	AV	286.00	100	Horizontal	Pass
3	1462.300	51.36	-19.43	74.0	-22.64	Peak	303.00	200	Horizontal	Pass
3**	1462.300	32.76	-19.43	54.0	-21.24	AV	303.00	200	Horizontal	Pass
4	5680.000	92.98	-4.79	--	--	Peak	240.00	300	Horizontal	N/A
4**	5680.000	84.67	-4.79	--	--	AV	240.00	300	Horizontal	N/A
5	12431.750	52.60	0.68	74.0	-21.40	Peak	195.00	150	Horizontal	Pass
5**	12431.750	43.27	0.68	54.0	-10.73	AV	195.00	150	Horizontal	Pass
6	17818.876	47.39	6.01	74.0	-26.61	Peak	12.00	100	Horizontal	Pass
6**	17818.876	38.90	6.01	54.0	-15.10	AV	12.00	100	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.800	53.98	-19.30	74.0	-20.02	Peak	335.00	300	Vertical	Pass
1**	1328.800	38.43	-19.30	54.0	-15.57	AV	335.00	300	Vertical	Pass
2	1462.400	51.80	-19.43	74.0	-22.20	Peak	160.00	100	Vertical	Pass
2**	1462.400	32.46	-19.43	54.0	-21.54	AV	160.00	100	Vertical	Pass
3	1595.800	54.38	-19.50	74.0	-19.62	Peak	0.00	100	Vertical	Pass
3**	1595.800	43.73	-19.50	54.0	-10.27	AV	0.00	100	Vertical	Pass
4	5678.750	103.71	-4.71	--	--	Peak	140.00	100	Vertical	N/A
4**	5678.750	95.37	-4.71	--	--	AV	140.00	100	Vertical	N/A
5	12455.026	52.60	0.85	74.0	-21.40	Peak	230.00	100	Vertical	Pass
5**	12455.026	43.28	0.85	54.0	-10.72	AV	230.00	100	Vertical	Pass
6	17807.063	47.48	6.33	74.0	-26.52	Peak	227.00	100	Vertical	Pass
6**	17807.063	40.44	6.33	54.0	-13.56	AV	227.00	100	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.400	55.45	-20.46	74.0	-18.55	Peak	150.00	400	Horizontal	Pass
1**	1063.400	46.64	-20.46	54.0	-7.36	AV	150.00	400	Horizontal	Pass
2	1330.200	52.23	-19.13	74.0	-21.77	Peak	276.00	400	Horizontal	Pass
2**	1330.200	40.35	-19.13	54.0	-13.65	AV	276.00	400	Horizontal	Pass
3	1464.000	50.69	-19.56	74.0	-23.31	Peak	41.00	150	Horizontal	Pass
3**	1464.000	49.30	-19.56	54.0	-4.70	AV	41.00	150	Horizontal	Pass
4	5517.500	90.81	-4.71	--	--	Peak	224.00	200	Horizontal	N/A
4**	5517.500	82.41	-4.71	--	--	AV	224.00	200	Horizontal	N/A
5	12578.050	52.45	1.35	74.0	-21.55	Peak	86.00	150	Horizontal	Pass
5**	12578.050	43.75	1.35	54.0	-10.25	AV	86.00	150	Horizontal	Pass
6	17793.937	46.88	6.34	74.0	-27.12	Peak	213.00	300	Horizontal	Pass
6**	17793.937	40.08	6.34	54.0	-13.92	AV	213.00	300	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.600	51.48	-20.62	74.0	-22.52	Peak	121.00	100	Vertical	Pass
1**	1062.600	43.59	-20.62	54.0	-10.41	AV	121.00	100	Vertical	Pass
2	1328.500	50.97	-19.53	74.0	-23.03	Peak	240.00	300	Vertical	Pass
2**	1328.500	32.58	-19.53	54.0	-21.42	AV	240.00	300	Vertical	Pass
3	1598.400	52.85	-19.64	74.0	-21.15	Peak	8.00	200	Vertical	Pass
3**	1598.400	42.78	-19.64	54.0	-11.22	AV	8.00	200	Vertical	Pass
4	5505.250	100.68	-3.72	--	--	Peak	207.00	100	Vertical	N/A
4**	5505.250	91.83	-3.72	--	--	AV	207.00	100	Vertical	N/A
5	12453.599	53.08	0.86	74.0	-20.92	Peak	18.00	200	Vertical	Pass
5**	12453.599	42.77	0.86	54.0	-11.23	AV	18.00	200	Vertical	Pass
6	17809.687	48.91	6.26	74.0	-25.09	Peak	268.00	200	Vertical	Pass
6**	17809.687	39.88	6.26	54.0	-14.12	AV	268.00	200	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.000	52.47	-20.95	74.0	-21.53	Peak	126.00	100	Horizontal	Pass
1**	1064.000	50.92	-20.95	54.0	-3.08	AV	126.00	100	Horizontal	Pass
2	1329.900	52.73	-19.41	74.0	-21.27	Peak	287.00	200	Horizontal	Pass
2**	1329.900	38.21	-19.41	54.0	-15.79	AV	287.00	200	Horizontal	Pass
3	1460.900	53.90	-20.09	74.0	-20.10	Peak	278.00	100	Horizontal	Pass
3**	1460.900	34.66	-20.09	54.0	-19.34	AV	278.00	100	Horizontal	Pass
4	5583.750	89.75	-4.77	--	--	Peak	235.00	400	Horizontal	N/A
4**	5583.750	80.07	-4.77	--	--	AV	235.00	400	Horizontal	N/A
5	12303.737	52.75	0.66	74.0	-21.25	Peak	146.00	150	Horizontal	Pass
5**	12303.737	43.02	0.66	54.0	-10.98	AV	146.00	150	Horizontal	Pass
6	17803.125	47.41	6.44	74.0	-26.59	Peak	325.00	400	Horizontal	Pass
6**	17803.125	39.74	6.44	54.0	-14.26	AV	325.00	400	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.800	53.35	-19.30	74.0	-20.65	Peak	331.00	400	Vertical	Pass
1**	1328.800	32.99	-19.30	54.0	-21.01	AV	331.00	400	Vertical	Pass
2	1466.000	54.18	-19.41	74.0	-19.82	Peak	287.00	300	Vertical	Pass
2**	1466.000	42.13	-19.41	54.0	-11.87	AV	287.00	300	Vertical	Pass
3	1594.200	53.95	-19.47	74.0	-20.05	Peak	159.00	150	Vertical	Pass
3**	1594.200	40.06	-19.47	54.0	-13.94	AV	159.00	150	Vertical	Pass
4	5606.750	99.99	-4.10	--	--	Peak	143.00	200	Vertical	N/A
4**	5606.750	92.21	-4.10	--	--	AV	143.00	200	Vertical	N/A
5	12272.625	52.79	0.50	74.0	-21.21	Peak	270.00	200	Vertical	Pass
5**	12272.625	42.81	0.50	54.0	-11.19	AV	270.00	200	Vertical	Pass
6	17821.499	47.53	5.94	74.0	-26.47	Peak	360.00	100	Vertical	Pass
6**	17821.499	39.61	5.94	54.0	-14.39	AV	360.00	100	Vertical	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.200	52.66	-20.45	74.0	-21.34	Peak	151.00	300	Horizontal	Pass
1**	1063.200	51.34	-20.45	54.0	-2.66	AV	151.00	300	Horizontal	Pass
2	1332.300	50.96	-19.90	74.0	-23.04	Peak	286.00	300	Horizontal	Pass
2**	1332.300	31.95	-19.90	54.0	-22.05	AV	286.00	300	Horizontal	Pass
3	1465.200	48.42	-19.76	74.0	-25.58	Peak	7.00	100	Horizontal	Pass
3**	1465.200	29.76	-19.76	54.0	-24.24	AV	7.00	100	Horizontal	Pass
4	5617.250	87.79	-4.34	--	--	Peak	240.00	200	Horizontal	N/A
4**	5617.250	80.06	-4.34	--	--	AV	240.00	200	Horizontal	N/A
5	12454.787	53.01	0.85	74.0	-20.99	Peak	262.00	100	Horizontal	Pass
5**	12454.787	43.70	0.85	54.0	-10.30	AV	262.00	100	Horizontal	Pass
6	17818.876	46.88	6.01	74.0	-27.12	Peak	173.00	100	Horizontal	Pass
6**	17818.876	38.44	6.01	54.0	-15.56	AV	173.00	100	Horizontal	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.800	53.39	-19.45	74.0	-20.61	Peak	241.00	100	Vertical	Pass
1**	1330.800	36.67	-19.45	54.0	-17.33	AV	241.00	100	Vertical	Pass
2	1464.100	51.40	-19.57	74.0	-22.60	Peak	241.00	400	Vertical	Pass
2**	1464.100	50.24	-19.57	54.0	-3.76	AV	241.00	400	Vertical	Pass
3	1592.500	54.79	-19.73	74.0	-19.21	Peak	164.00	200	Vertical	Pass
3**	1592.500	39.27	-19.73	54.0	-14.73	AV	164.00	200	Vertical	Pass
4	5518.250	98.84	-4.46	--	--	Peak	207.00	200	Vertical	N/A
4**	5518.250	92.12	-4.46	--	--	AV	207.00	200	Vertical	N/A
5	8158.650	48.76	-3.60	74.0	-25.24	Peak	187.00	100	Vertical	Pass
5**	8158.650	38.26	-3.60	54.0	-15.74	AV	187.00	100	Vertical	Pass
6	12548.125	52.44	1.57	74.0	-21.56	Peak	243.00	300	Vertical	Pass
6**	12548.125	43.91	1.57	54.0	-10.09	AV	243.00	300	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.400	55.01	-21.36	74.0	-18.99	Peak	122.00	400	Horizontal	Pass
1**	1064.400	40.04	-21.36	54.0	-13.96	AV	122.00	400	Horizontal	Pass
2	1330.600	51.27	-19.33	74.0	-22.73	Peak	290.00	200	Horizontal	Pass
2**	1330.600	34.58	-19.33	54.0	-19.42	AV	290.00	200	Horizontal	Pass
3	1461.700	52.00	-19.30	74.0	-22.00	Peak	274.00	200	Horizontal	Pass
3**	1461.700	36.00	-19.30	54.0	-18.00	AV	274.00	200	Horizontal	Pass
4	5498.250	97.00	-3.57	--	--	Peak	260.00	400	Horizontal	N/A
4**	5498.250	89.41	-3.57	--	--	AV	260.00	400	Horizontal	N/A
5	12402.062	52.44	0.33	74.0	-21.56	Peak	119.00	100	Horizontal	Pass
5**	12402.062	43.82	0.33	54.0	-10.18	AV	119.00	100	Horizontal	Pass
6	17814.938	47.36	6.12	74.0	-26.64	Peak	345.00	300	Horizontal	Pass
6**	17814.938	39.44	6.12	54.0	-14.56	AV	345.00	300	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.300	51.55	-20.50	74.0	-22.45	Peak	140.00	300	Vertical	Pass
1**	1066.300	41.38	-20.50	54.0	-12.62	AV	140.00	300	Vertical	Pass
2	1331.500	51.83	-19.67	74.0	-22.17	Peak	345.00	100	Vertical	Pass
2**	1331.500	41.87	-19.67	54.0	-12.13	AV	345.00	100	Vertical	Pass
3	1598.100	53.82	-19.84	74.0	-20.18	Peak	0.00	200	Vertical	Pass
3**	1598.100	42.35	-19.84	54.0	-11.65	AV	0.00	200	Vertical	Pass
4	5502.500	107.84	-3.86	--	--	Peak	204.00	400	Vertical	N/A
4**	5502.500	99.36	-3.86	--	--	AV	204.00	400	Vertical	N/A
5	12334.850	52.60	0.71	74.0	-21.40	Peak	155.00	400	Vertical	Pass
5**	12334.850	42.82	0.71	54.0	-11.18	AV	155.00	400	Vertical	Pass
6	15695.250	46.01	2.63	74.0	-27.99	Peak	70.00	400	Vertical	Pass
6**	15695.250	36.74	2.63	54.0	-17.26	AV	70.00	400	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.600	50.61	-20.62	74.0	-23.39	Peak	131.00	100	Horizontal	Pass
1**	1062.600	49.39	-20.62	54.0	-4.61	AV	131.00	100	Horizontal	Pass
2	1331.300	50.19	-19.53	74.0	-23.81	Peak	268.00	400	Horizontal	Pass
2**	1331.300	37.74	-19.53	54.0	-16.26	AV	268.00	400	Horizontal	Pass
3	1464.000	52.69	-19.56	74.0	-21.31	Peak	294.00	150	Horizontal	Pass
3**	1464.000	33.13	-19.56	54.0	-20.87	AV	294.00	150	Horizontal	Pass
4	5577.750	96.77	-4.78	--	--	Peak	240.00	200	Horizontal	N/A
4**	5577.750	88.60	-4.78	--	--	AV	240.00	200	Horizontal	N/A
5	12362.401	52.74	0.63	74.0	-21.26	Peak	164.00	200	Horizontal	Pass
5**	12362.401	42.92	0.63	54.0	-11.08	AV	164.00	200	Horizontal	Pass
6	17795.250	46.68	6.38	74.0	-27.32	Peak	85.00	300	Horizontal	Pass
6**	17795.250	40.02	6.38	54.0	-13.98	AV	85.00	300	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.500	54.58	-19.67	74.0	-19.42	Peak	324.00	300	Vertical	Pass
1**	1331.500	32.20	-19.67	54.0	-21.80	AV	324.00	300	Vertical	Pass
2	1464.600	51.41	-19.81	74.0	-22.59	Peak	167.00	100	Vertical	Pass
2**	1464.600	33.47	-19.81	54.0	-20.53	AV	167.00	100	Vertical	Pass
3	1595.800	53.22	-19.50	74.0	-20.78	Peak	158.00	150	Vertical	Pass
3**	1595.800	41.10	-19.50	54.0	-12.90	AV	158.00	150	Vertical	Pass
4	5576.750	109.15	-4.82	--	--	Peak	152.00	300	Vertical	N/A
4**	5576.750	100.38	-4.82	--	--	AV	152.00	300	Vertical	N/A
5	12238.425	52.80	0.18	74.0	-21.20	Peak	158.00	150	Vertical	Pass
5**	12238.425	42.37	0.18	54.0	-11.63	AV	158.00	150	Vertical	Pass
6	17797.876	47.26	6.46	74.0	-26.74	Peak	117.00	200	Vertical	Pass
6**	17797.876	40.32	6.46	54.0	-13.68	AV	117.00	200	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.200	53.82	-20.63	74.0	-20.18	Peak	132.00	400	Horizontal	Pass
1**	1062.200	35.72	-20.63	54.0	-18.28	AV	132.00	400	Horizontal	Pass
2	1328.100	49.62	-19.51	74.0	-24.38	Peak	99.00	200	Horizontal	Pass
2**	1328.100	34.24	-19.51	54.0	-19.76	AV	99.00	200	Horizontal	Pass
3	1461.900	54.80	-19.33	74.0	-19.20	Peak	302.00	150	Horizontal	Pass
3**	1461.900	42.73	-19.33	54.0	-11.27	AV	302.00	150	Horizontal	Pass
4	5700.000	95.77	-5.45	--	--	Peak	241.00	100	Horizontal	N/A
4**	5700.000	86.18	-5.45	--	--	AV	241.00	100	Horizontal	N/A
5	8162.925	48.27	-3.66	74.0	-25.73	Peak	246.00	200	Horizontal	Pass
5**	8162.925	38.60	-3.66	54.0	-15.40	AV	246.00	200	Horizontal	Pass
6	12408.713	53.04	0.41	74.0	-20.96	Peak	257.00	400	Horizontal	Pass
6**	12408.713	42.42	0.41	54.0	-11.58	AV	257.00	400	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1326.700	53.60	-19.09	74.0	-20.40	Peak	327.00	300	Vertical	Pass
1**	1326.700	30.64	-19.09	54.0	-23.36	AV	327.00	300	Vertical	Pass
2	1466.100	51.36	-19.40	74.0	-22.64	Peak	174.00	300	Vertical	Pass
2**	1466.100	41.55	-19.40	54.0	-12.45	AV	174.00	300	Vertical	Pass
3	1592.400	53.32	-19.86	74.0	-20.68	Peak	164.00	200	Vertical	Pass
3**	1592.400	42.22	-19.86	54.0	-11.78	AV	164.00	200	Vertical	Pass
4	5701.000	107.55	-5.85	--	--	Peak	148.00	300	Vertical	N/A
4**	5701.000	97.74	-5.85	--	--	AV	148.00	300	Vertical	N/A
5	8156.750	48.28	-3.57	74.0	-25.72	Peak	116.00	100	Vertical	Pass
5**	8156.750	37.99	-3.57	54.0	-16.01	AV	116.00	100	Vertical	Pass
6	12432.224	52.86	0.68	74.0	-21.14	Peak	233.00	100	Vertical	Pass
6**	12432.224	43.75	0.68	54.0	-10.25	AV	233.00	100	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.400	51.89	-20.51	74.0	-22.11	Peak	111.00	100	Horizontal	Pass
1**	1062.400	50.23	-20.51	54.0	-3.77	AV	111.00	100	Horizontal	Pass
2	1330.600	53.18	-19.33	74.0	-20.82	Peak	282.00	200	Horizontal	Pass
2**	1330.600	39.46	-19.33	54.0	-14.54	AV	282.00	200	Horizontal	Pass
3	1461.200	50.69	-19.67	74.0	-23.31	Peak	290.00	200	Horizontal	Pass
3**	1461.200	31.33	-19.67	54.0	-22.67	AV	290.00	200	Horizontal	Pass
4	5502.500	94.13	-3.86	--	--	Peak	258.00	400	Horizontal	N/A
4**	5502.500	85.11	-3.86	--	--	AV	258.00	400	Horizontal	N/A
5	12452.888	52.31	0.87	74.0	-21.69	Peak	37.00	200	Horizontal	Pass
5**	12452.888	42.94	0.87	54.0	-11.06	AV	37.00	200	Horizontal	Pass
6	17792.625	46.99	6.30	74.0	-27.01	Peak	298.00	300	Horizontal	Pass
6**	17792.625	40.30	6.30	54.0	-13.70	AV	298.00	300	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.800	51.58	-20.71	74.0	-22.42	Peak	195.00	100	Vertical	Pass
1**	1064.800	43.77	-20.71	54.0	-10.23	AV	195.00	100	Vertical	Pass
2	1329.200	51.26	-19.34	74.0	-22.74	Peak	338.00	100	Vertical	Pass
2**	1329.200	33.07	-19.34	54.0	-20.93	AV	338.00	100	Vertical	Pass
3	1596.100	52.78	-19.48	74.0	-21.22	Peak	220.00	200	Vertical	Pass
3**	1596.100	40.67	-19.48	54.0	-13.33	AV	220.00	200	Vertical	Pass
4	5504.000	106.20	-3.53	--	--	Peak	204.00	300	Vertical	N/A
4**	5504.000	96.75	-3.53	--	--	AV	204.00	300	Vertical	N/A
5	12549.550	52.47	1.60	74.0	-21.53	Peak	327.00	150	Vertical	Pass
5**	12549.550	44.21	1.60	54.0	-9.79	AV	327.00	150	Vertical	Pass
6	17797.876	47.16	6.46	74.0	-26.84	Peak	79.00	100	Vertical	Pass
6**	17797.876	40.22	6.46	54.0	-13.78	AV	79.00	100	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.400	54.67	-20.51	74.0	-19.33	Peak	297.00	400	Horizontal	Pass
1**	1062.400	47.50	-20.51	54.0	-6.50	AV	297.00	400	Horizontal	Pass
2	1331.300	51.44	-19.53	74.0	-22.56	Peak	271.00	200	Horizontal	Pass
2**	1331.300	29.04	-19.53	54.0	-24.96	AV	271.00	200	Horizontal	Pass
3	1462.000	52.53	-19.36	74.0	-21.47	Peak	305.00	200	Horizontal	Pass
3**	1462.000	45.30	-19.36	54.0	-8.70	AV	305.00	200	Horizontal	Pass
4	5586.500	93.62	-4.70	--	--	Peak	238.00	400	Horizontal	N/A
4**	5586.500	84.71	-4.70	--	--	AV	238.00	400	Horizontal	N/A
5	12271.200	52.44	0.49	74.0	-21.56	Peak	27.00	100	Horizontal	Pass
5**	12271.200	42.75	0.49	54.0	-11.25	AV	27.00	100	Horizontal	Pass
6	17796.563	47.27	6.42	74.0	-26.73	Peak	114.00	300	Horizontal	Pass
6**	17796.563	39.76	6.42	54.0	-14.24	AV	114.00	300	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.000	53.13	-19.22	74.0	-20.87	Peak	325.00	300	Vertical	Pass
1**	1330.000	33.50	-19.22	54.0	-20.50	AV	325.00	300	Vertical	Pass
2	1460.500	52.28	-19.91	74.0	-21.72	Peak	157.00	100	Vertical	Pass
2**	1460.500	31.95	-19.91	54.0	-22.05	AV	157.00	100	Vertical	Pass
3	1600.200	52.78	-19.33	74.0	-21.22	Peak	351.00	200	Vertical	Pass
3**	1600.200	40.62	-19.33	54.0	-13.38	AV	351.00	200	Vertical	Pass
4	5577.250	105.36	-4.70	--	--	Peak	151.00	400	Vertical	N/A
4**	5577.250	95.84	-4.70	--	--	AV	151.00	400	Vertical	N/A
5	12433.887	52.55	0.70	74.0	-21.45	Peak	31.00	400	Vertical	Pass
5**	12433.887	43.30	0.70	54.0	-10.70	AV	31.00	400	Vertical	Pass
6	17796.563	46.70	6.42	74.0	-27.30	Peak	168.00	400	Vertical	Pass
6**	17796.563	40.43	6.42	54.0	-13.57	AV	168.00	400	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.400	55.44	-20.68	74.0	-18.56	Peak	128.00	400	Horizontal	Pass
1**	1066.400	44.17	-20.68	54.0	-9.83	AV	128.00	400	Horizontal	Pass
2	1327.900	51.88	-19.42	74.0	-22.12	Peak	291.00	300	Horizontal	Pass
2**	1327.900	31.74	-19.42	54.0	-22.26	AV	291.00	300	Horizontal	Pass
3	1465.600	53.16	-19.58	74.0	-20.84	Peak	291.00	150	Horizontal	Pass
3**	1465.600	44.91	-19.58	54.0	-9.09	AV	291.00	150	Horizontal	Pass
4	5676.750	92.67	-5.20	--	--	Peak	234.00	300	Horizontal	N/A
4**	5676.750	84.15	-5.20	--	--	AV	234.00	300	Horizontal	N/A
5	12389.000	52.72	0.40	74.0	-21.28	Peak	360.00	100	Horizontal	Pass
5**	12389.000	42.82	0.40	54.0	-11.18	AV	360.00	100	Horizontal	Pass
6	17807.063	47.08	6.33	74.0	-26.92	Peak	323.00	100	Horizontal	Pass
6**	17807.063	40.30	6.33	54.0	-13.70	AV	323.00	100	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.900	53.54	-19.42	74.0	-20.46	Peak	318.00	100	Vertical	Pass
1**	1327.900	46.75	-19.42	54.0	-7.25	AV	318.00	100	Vertical	Pass
2	1463.800	52.82	-19.61	74.0	-21.18	Peak	167.00	200	Vertical	Pass
2**	1463.800	36.40	-19.61	54.0	-17.60	AV	167.00	200	Vertical	Pass
3	1596.100	53.43	-19.48	74.0	-20.57	Peak	0.00	100	Vertical	Pass
3**	1596.100	41.84	-19.48	54.0	-12.16	AV	0.00	100	Vertical	Pass
4	5673.500	103.12	-5.09	--	--	Peak	153.00	300	Vertical	N/A
4**	5673.500	95.27	-5.09	--	--	AV	153.00	300	Vertical	N/A
5	12359.075	52.62	0.66	74.0	-21.38	Peak	107.00	150	Vertical	Pass
5**	12359.075	44.08	0.66	54.0	-9.92	AV	107.00	150	Vertical	Pass
6	17801.812	47.40	6.48	74.0	-26.60	Peak	36.00	100	Vertical	Pass
6**	17801.812	39.64	6.48	54.0	-14.36	AV	36.00	100	Vertical	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.700	51.44	-20.67	74.0	-22.56	Peak	168.00	400	Horizontal	Pass
1**	1062.700	40.60	-20.67	54.0	-13.40	AV	168.00	400	Horizontal	Pass
2	1328.100	52.00	-19.51	74.0	-22.00	Peak	295.00	400	Horizontal	Pass
2**	1328.100	35.39	-19.51	54.0	-18.61	AV	295.00	400	Horizontal	Pass
3	1464.300	50.21	-19.58	74.0	-23.79	Peak	303.00	150	Horizontal	Pass
3**	1464.300	33.33	-19.58	54.0	-20.67	AV	303.00	150	Horizontal	Pass
4	5515.750	92.57	-4.56	--	--	Peak	240.00	200	Horizontal	N/A
4**	5515.750	82.52	-4.56	--	--	AV	240.00	200	Horizontal	N/A
5	12460.963	52.32	0.80	74.0	-21.68	Peak	199.00	150	Horizontal	Pass
5**	12460.963	43.07	0.80	54.0	-10.93	AV	199.00	150	Horizontal	Pass
6	17797.876	47.94	6.46	74.0	-26.06	Peak	304.00	300	Horizontal	Pass
6**	17797.876	40.74	6.46	54.0	-13.26	AV	304.00	300	Horizontal	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.000	51.50	-20.52	74.0	-22.50	Peak	336.00	300	Vertical	Pass
1**	1065.000	38.65	-20.52	54.0	-15.35	AV	336.00	300	Vertical	Pass
2	1329.800	51.47	-19.60	74.0	-22.53	Peak	344.00	200	Vertical	Pass
2**	1329.800	31.37	-19.60	54.0	-22.63	AV	344.00	200	Vertical	Pass
3	1596.000	52.52	-19.49	74.0	-21.48	Peak	225.00	400	Vertical	Pass
3**	1596.000	43.58	-19.49	54.0	-10.42	AV	225.00	400	Vertical	Pass
4	5515.500	102.26	-4.49	--	--	Peak	205.00	200	Vertical	N/A
4**	5515.500	93.13	-4.49	--	--	AV	205.00	200	Vertical	N/A
5	12248.401	52.33	0.34	74.0	-21.67	Peak	335.00	200	Vertical	Pass
5**	12248.401	42.50	0.34	54.0	-11.50	AV	335.00	200	Vertical	Pass
6	17818.876	47.21	6.01	74.0	-26.79	Peak	106.00	200	Vertical	Pass
6**	17818.876	39.87	6.01	54.0	-14.13	AV	106.00	200	Vertical	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.500	52.45	-21.34	74.0	-21.55	Peak	257.00	300	Horizontal	Pass
1**	1064.500	30.49	-21.34	54.0	-23.51	AV	257.00	300	Horizontal	Pass
2	1331.000	54.13	-19.52	74.0	-19.87	Peak	290.00	100	Horizontal	Pass
2**	1331.000	28.03	-19.52	54.0	-25.97	AV	290.00	100	Horizontal	Pass
3	1464.600	52.45	-19.81	74.0	-21.55	Peak	281.00	100	Horizontal	Pass
3**	1464.600	43.00	-19.81	54.0	-11.00	AV	281.00	100	Horizontal	Pass
4	5615.500	91.29	-4.35	--	--	Peak	241.00	100	Horizontal	N/A
4**	5615.500	81.83	-4.35	--	--	AV	241.00	100	Horizontal	N/A
5	12406.338	53.46	0.38	74.0	-20.54	Peak	109.00	100	Horizontal	Pass
5**	12406.338	43.53	0.38	54.0	-10.47	AV	109.00	100	Horizontal	Pass
6	17829.376	47.44	5.73	74.0	-26.56	Peak	302.00	100	Horizontal	Pass
6**	17829.376	39.29	5.73	54.0	-14.71	AV	302.00	100	Horizontal	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.800	52.74	-20.68	74.0	-21.26	Peak	252.00	100	Vertical	Pass
1**	1062.800	44.31	-20.68	54.0	-9.69	AV	252.00	100	Vertical	Pass
2	1462.600	53.87	-19.42	74.0	-20.13	Peak	169.00	100	Vertical	Pass
2**	1462.600	37.38	-19.42	54.0	-16.62	AV	169.00	100	Vertical	Pass
3	1595.600	55.08	-19.58	74.0	-18.92	Peak	6.00	200	Vertical	Pass
3**	1595.600	43.48	-19.58	54.0	-10.52	AV	6.00	200	Vertical	Pass
4	5614.000	101.49	-4.17	--	--	Peak	150.00	300	Vertical	N/A
4**	5614.000	92.64	-4.17	--	--	AV	150.00	300	Vertical	N/A
5	12275.237	52.49	0.51	74.0	-21.51	Peak	246.00	150	Vertical	Pass
5**	12275.237	43.27	0.51	54.0	-10.73	AV	246.00	150	Vertical	Pass
6	17783.437	46.79	6.03	74.0	-27.21	Peak	308.00	100	Vertical	Pass
6**	17783.437	39.11	6.03	54.0	-14.89	AV	308.00	100	Vertical	Pass

11ax160 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.300	54.50	-20.50	74.0	-19.50	Peak	278.00	100	Horizontal	Pass
1**	1066.300	35.11	-20.50	54.0	-18.89	AV	278.00	100	Horizontal	Pass
2	1330.100	52.56	-19.08	74.0	-21.44	Peak	270.00	400	Horizontal	Pass
2**	1330.100	37.87	-19.08	54.0	-16.13	AV	270.00	400	Horizontal	Pass
3	1465.700	51.48	-19.53	74.0	-22.52	Peak	287.00	100	Horizontal	Pass
3**	1465.700	31.68	-19.53	54.0	-22.32	AV	287.00	100	Horizontal	Pass
4	5566.250	88.05	-4.82	--	--	Peak	249.00	200	Horizontal	N/A
4**	5566.250	78.36	-4.82	--	--	AV	249.00	200	Horizontal	N/A
5	12458.112	52.36	0.83	74.0	-21.64	Peak	180.00	200	Horizontal	Pass
5**	12458.112	43.89	0.83	54.0	-10.11	AV	180.00	200	Horizontal	Pass
6	17801.812	46.76	6.48	74.0	-27.24	Peak	302.00	200	Horizontal	Pass
6**	17801.812	39.36	6.48	54.0	-14.64	AV	302.00	200	Horizontal	Pass

11ax160 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.500	54.14	-19.28	74.0	-19.86	Peak	337.00	300	Vertical	Pass
1**	1327.500	43.73	-19.28	54.0	-10.27	AV	337.00	300	Vertical	Pass
2	1461.800	53.44	-19.30	74.0	-20.56	Peak	156.00	100	Vertical	Pass
2**	1461.800	40.41	-19.30	54.0	-13.59	AV	156.00	100	Vertical	Pass
3	1594.900	55.05	-19.83	74.0	-18.95	Peak	224.00	100	Vertical	Pass
3**	1594.900	41.08	-19.83	54.0	-12.92	AV	224.00	100	Vertical	Pass
4	5594.000	100.58	-4.52	--	--	Peak	138.00	200	Vertical	N/A
4**	5594.000	89.78	-4.52	--	--	AV	138.00	200	Vertical	N/A
5	12575.912	52.30	1.37	74.0	-21.70	Peak	347.00	200	Vertical	Pass
5**	12575.912	44.37	1.37	54.0	-9.63	AV	347.00	200	Vertical	Pass
6	17786.063	47.27	6.11	74.0	-26.73	Peak	225.00	100	Vertical	Pass
6**	17786.063	38.91	6.11	54.0	-15.09	AV	225.00	100	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1061.800	54.20	-20.85	74.0	-19.80	Peak	266.00	300	Horizontal	Pass
1**	1061.800	42.40	-20.85	54.0	-11.60	AV	266.00	300	Horizontal	Pass
2	1330.000	53.51	-19.22	74.0	-20.49	Peak	285.00	200	Horizontal	Pass
2**	1330.000	39.47	-19.22	54.0	-14.53	AV	285.00	200	Horizontal	Pass
3	1462.400	51.98	-19.43	74.0	-22.02	Peak	295.00	400	Horizontal	Pass
3**	1462.400	42.70	-19.43	54.0	-11.30	AV	295.00	400	Horizontal	Pass
4	5743.000	94.61	-5.95	--	--	Peak	236.00	200	Horizontal	N/A
4**	5743.000	86.39	-5.95	--	--	AV	236.00	200	Horizontal	N/A
5	12425.099	52.88	0.60	74.0	-21.12	Peak	164.00	200	Horizontal	Pass
5**	12425.099	43.44	0.60	54.0	-10.56	AV	164.00	200	Horizontal	Pass
6	17796.563	47.77	6.42	74.0	-26.23	Peak	296.00	200	Horizontal	Pass
6**	17796.563	39.96	6.42	54.0	-14.04	AV	296.00	200	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.200	53.03	-19.13	74.0	-20.97	Peak	351.00	300	Vertical	Pass
1**	1330.200	41.05	-19.13	54.0	-12.95	AV	351.00	300	Vertical	Pass
2	1463.800	52.92	-19.61	74.0	-21.08	Peak	160.00	100	Vertical	Pass
2**	1463.800	39.96	-19.61	54.0	-14.04	AV	160.00	100	Vertical	Pass
3	1594.100	55.38	-19.36	74.0	-18.62	Peak	221.00	100	Vertical	Pass
3**	1594.100	43.39	-19.36	54.0	-10.61	AV	221.00	100	Vertical	Pass
4	5744.500	105.76	-5.85	--	--	Peak	155.00	100	Vertical	N/A
4**	5744.500	98.18	-5.85	--	--	AV	155.00	100	Vertical	N/A
5	12396.363	52.86	0.34	74.0	-21.14	Peak	336.00	100	Vertical	Pass
5**	12396.363	43.29	0.34	54.0	-10.71	AV	336.00	100	Vertical	Pass
6	17800.499	47.85	6.51	74.0	-26.15	Peak	32.00	100	Vertical	Pass
6**	17800.499	41.15	6.51	54.0	-12.85	AV	32.00	100	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.300	55.04	-20.45	74.0	-18.96	Peak	303.00	100	Horizontal	Pass
1**	1063.300	39.98	-20.45	54.0	-14.02	AV	303.00	100	Horizontal	Pass
2	1330.300	48.41	-19.18	74.0	-25.59	Peak	336.00	100	Horizontal	Pass
2**	1330.300	32.23	-19.18	54.0	-21.77	AV	336.00	100	Horizontal	Pass
3	1463.900	53.08	-19.58	74.0	-20.92	Peak	276.00	200	Horizontal	Pass
3**	1463.900	31.72	-19.58	54.0	-22.28	AV	276.00	200	Horizontal	Pass
4	5789.000	96.80	-4.55	--	--	Peak	108.00	300	Horizontal	N/A
4**	5789.000	89.13	-4.55	--	--	AV	108.00	300	Horizontal	N/A
5	12311.576	52.57	0.67	74.0	-21.43	Peak	0.00	100	Horizontal	Pass
5**	12311.576	43.13	0.67	54.0	-10.87	AV	0.00	100	Horizontal	Pass
6	17789.999	47.32	6.22	74.0	-26.68	Peak	64.00	200	Horizontal	Pass
6**	17789.999	39.50	6.22	54.0	-14.50	AV	64.00	200	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.400	52.53	-19.34	74.0	-21.47	Peak	251.00	100	Vertical	Pass
1**	1327.400	36.15	-19.34	54.0	-17.85	AV	251.00	100	Vertical	Pass
2	1460.700	53.47	-20.02	74.0	-20.53	Peak	165.00	100	Vertical	Pass
2**	1460.700	36.51	-20.02	54.0	-17.49	AV	165.00	100	Vertical	Pass
3	1597.900	53.32	-19.65	74.0	-20.68	Peak	165.00	200	Vertical	Pass
3**	1597.900	42.77	-19.65	54.0	-11.23	AV	165.00	200	Vertical	Pass
4	5783.250	108.72	-4.86	--	--	Peak	157.00	300	Vertical	N/A
4**	5783.250	99.61	-4.86	--	--	AV	157.00	300	Vertical	N/A
5	12523.900	52.37	1.04	74.0	-21.63	Peak	296.00	150	Vertical	Pass
5**	12523.900	42.48	1.04	54.0	-11.52	AV	296.00	150	Vertical	Pass
6	17796.563	48.22	6.42	74.0	-25.78	Peak	50.00	100	Vertical	Pass
6**	17796.563	40.11	6.42	54.0	-13.89	AV	50.00	100	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.700	54.36	-21.02	74.0	-19.64	Peak	131.00	100	Horizontal	Pass
1**	1066.700	34.78	-21.02	54.0	-19.22	AV	131.00	100	Horizontal	Pass
2	1327.100	51.79	-19.50	74.0	-22.21	Peak	272.00	400	Horizontal	Pass
2**	1327.100	37.28	-19.50	54.0	-16.72	AV	272.00	400	Horizontal	Pass
3	1466.100	53.19	-19.40	74.0	-20.81	Peak	281.00	100	Horizontal	Pass
3**	1466.100	41.35	-19.40	54.0	-12.65	AV	281.00	100	Horizontal	Pass
4	5825.750	100.04	-4.26	--	--	Peak	120.00	200	Horizontal	N/A
4**	5825.750	89.78	-4.26	--	--	AV	120.00	200	Horizontal	N/A
5	12330.575	52.62	0.70	74.0	-21.38	Peak	244.00	200	Horizontal	Pass
5**	12330.575	43.46	0.70	54.0	-10.54	AV	244.00	200	Horizontal	Pass
6	17793.937	48.50	6.34	74.0	-25.50	Peak	223.00	200	Horizontal	Pass
6**	17793.937	39.19	6.34	54.0	-14.81	AV	223.00	200	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.100	53.94	-19.08	74.0	-20.06	Peak	335.00	100	Vertical	Pass
1**	1330.100	37.76	-19.08	54.0	-16.24	AV	335.00	100	Vertical	Pass
2	1462.100	53.12	-19.39	74.0	-20.88	Peak	167.00	100	Vertical	Pass
2**	1462.100	41.66	-19.39	54.0	-12.34	AV	167.00	100	Vertical	Pass
3	1599.400	53.92	-19.57	74.0	-20.08	Peak	352.00	150	Vertical	Pass
3**	1599.400	39.89	-19.57	54.0	-14.11	AV	352.00	150	Vertical	Pass
4	5823.750	108.56	-4.37	--	--	Peak	154.00	300	Vertical	N/A
4**	5823.750	100.94	-4.37	--	--	AV	154.00	300	Vertical	N/A
5	12366.200	52.31	0.60	74.0	-21.69	Peak	221.00	200	Vertical	Pass
5**	12366.200	42.89	0.60	54.0	-11.11	AV	221.00	200	Vertical	Pass
6	17792.625	47.93	6.30	74.0	-26.07	Peak	269.00	400	Vertical	Pass
6**	17792.625	40.27	6.30	54.0	-13.73	AV	269.00	400	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.800	55.09	-20.70	74.0	-18.91	Peak	128.00	200	Horizontal	Pass
1**	1063.800	33.20	-20.70	54.0	-20.80	AV	128.00	200	Horizontal	Pass
2	1328.300	53.43	-19.59	74.0	-20.57	Peak	290.00	200	Horizontal	Pass
2**	1328.300	30.84	-19.59	54.0	-23.16	AV	290.00	200	Horizontal	Pass
3	1464.500	54.19	-19.71	74.0	-19.81	Peak	281.00	150	Horizontal	Pass
3**	1464.500	46.39	-19.71	54.0	-7.61	AV	281.00	150	Horizontal	Pass
4	5747.250	95.94	-5.63	--	--	Peak	241.00	300	Horizontal	N/A
4**	5747.250	88.28	-5.63	--	--	AV	241.00	300	Horizontal	N/A
5	12545.988	52.62	1.52	74.0	-21.38	Peak	173.00	200	Horizontal	Pass
5**	12545.988	43.01	1.52	54.0	-10.99	AV	173.00	200	Horizontal	Pass
6	17795.250	47.68	6.38	74.0	-26.32	Peak	150.00	400	Horizontal	Pass
6**	17795.250	40.75	6.38	54.0	-13.25	AV	150.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.500	47.52	-20.46	74.0	-26.48	Peak	187.00	300	Vertical	Pass
1**	1065.500	46.63	-20.46	54.0	-7.37	AV	187.00	300	Vertical	Pass
2	1329.500	50.62	-19.69	74.0	-23.38	Peak	308.00	400	Vertical	Pass
2**	1329.500	46.79	-19.69	54.0	-7.21	AV	308.00	400	Vertical	Pass
3	1594.000	52.36	-19.26	74.0	-21.64	Peak	159.00	100	Vertical	Pass
3**	1594.000	47.68	-19.26	54.0	-6.32	AV	159.00	100	Vertical	Pass
4	5746.750	105.67	-5.92	--	--	Peak	154.00	300	Vertical	N/A
4**	5746.750	98.62	-5.92	--	--	AV	154.00	300	Vertical	N/A
5	12545.750	52.41	1.52	74.0	-21.59	Peak	219.00	200	Vertical	Pass
5**	12545.750	43.10	1.52	54.0	-10.90	AV	219.00	200	Vertical	Pass
6	17788.688	47.17	6.19	74.0	-26.83	Peak	48.00	200	Vertical	Pass
6**	17788.688	40.47	6.19	54.0	-13.53	AV	48.00	200	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.100	51.85	-20.51	74.0	-22.15	Peak	111.00	400	Horizontal	Pass
1**	1065.100	49.55	-20.51	54.0	-4.45	AV	111.00	400	Horizontal	Pass
2	1330.300	49.27	-19.18	74.0	-24.73	Peak	15.00	200	Horizontal	Pass
2**	1330.300	30.43	-19.18	54.0	-23.57	AV	15.00	200	Horizontal	Pass
3	1462.200	51.90	-19.42	74.0	-22.10	Peak	307.00	150	Horizontal	Pass
3**	1462.200	36.82	-19.42	54.0	-17.18	AV	307.00	150	Horizontal	Pass
4	5787.250	96.37	-4.60	--	--	Peak	105.00	400	Horizontal	N/A
4**	5787.250	89.09	-4.60	--	--	AV	105.00	400	Horizontal	N/A
5	12521.763	52.43	0.99	74.0	-21.57	Peak	178.00	100	Horizontal	Pass
5**	12521.763	43.16	0.99	54.0	-10.84	AV	178.00	100	Horizontal	Pass
6	17825.438	46.86	5.83	74.0	-27.14	Peak	153.00	300	Horizontal	Pass
6**	17825.438	40.59	5.83	54.0	-13.41	AV	153.00	300	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.600	52.36	-19.87	74.0	-21.64	Peak	325.00	300	Vertical	Pass
1**	1332.600	34.01	-19.87	54.0	-19.99	AV	325.00	300	Vertical	Pass
2	1461.900	54.48	-19.33	74.0	-19.52	Peak	166.00	300	Vertical	Pass
2**	1461.900	45.75	-19.33	54.0	-8.25	AV	166.00	300	Vertical	Pass
3	1596.300	52.97	-19.85	74.0	-21.03	Peak	350.00	200	Vertical	Pass
3**	1596.300	40.75	-19.85	54.0	-13.25	AV	350.00	200	Vertical	Pass
4	5787.500	107.15	-4.35	--	--	Peak	156.00	100	Vertical	N/A
4**	5787.500	100.41	-4.35	--	--	AV	156.00	100	Vertical	N/A
5	12404.675	52.40	0.36	74.0	-21.60	Peak	307.00	150	Vertical	Pass
5**	12404.675	43.04	0.36	54.0	-10.96	AV	307.00	150	Vertical	Pass
6	17824.125	47.62	5.87	74.0	-26.38	Peak	1.00	200	Vertical	Pass
6**	17824.125	39.40	5.87	54.0	-14.60	AV	1.00	200	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.900	51.67	-20.62	74.0	-22.33	Peak	144.00	200	Horizontal	Pass
1**	1062.900	48.31	-20.62	54.0	-5.69	AV	144.00	200	Horizontal	Pass
2	1329.000	49.01	-19.32	74.0	-24.99	Peak	360.00	100	Horizontal	Pass
2**	1329.000	47.65	-19.32	54.0	-6.35	AV	360.00	100	Horizontal	Pass
3	1463.600	49.83	-19.68	74.0	-24.17	Peak	255.00	150	Horizontal	Pass
3**	1463.600	46.95	-19.68	54.0	-7.05	AV	255.00	150	Horizontal	Pass
4	5827.250	98.81	-4.58	--	--	Peak	118.00	200	Horizontal	N/A
4**	5827.250	89.84	-4.58	--	--	AV	118.00	200	Horizontal	N/A
5	12575.438	52.49	1.38	74.0	-21.51	Peak	14.00	150	Horizontal	Pass
5**	12575.438	44.05	1.38	54.0	-9.95	AV	14.00	150	Horizontal	Pass
6	17843.812	47.18	5.33	74.0	-26.82	Peak	136.00	200	Horizontal	Pass
6**	17843.812	38.78	5.33	54.0	-15.22	AV	136.00	200	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.400	52.97	-19.34	74.0	-21.03	Peak	331.00	400	Vertical	Pass
1**	1327.400	44.27	-19.34	54.0	-9.73	AV	331.00	400	Vertical	Pass
2	1465.800	52.71	-19.49	74.0	-21.29	Peak	155.00	100	Vertical	Pass
2**	1465.800	42.69	-19.49	54.0	-11.31	AV	155.00	100	Vertical	Pass
3	1592.900	51.18	-19.81	74.0	-22.82	Peak	207.00	200	Vertical	Pass
3**	1592.900	47.82	-19.81	54.0	-6.18	AV	207.00	200	Vertical	Pass
4	5821.500	108.62	-4.11	--	--	Peak	154.00	100	Vertical	N/A
4**	5821.500	100.71	-4.11	--	--	AV	154.00	100	Vertical	N/A
5	12438.400	52.39	0.75	74.0	-21.61	Peak	67.00	100	Vertical	Pass
5**	12438.400	42.63	0.75	54.0	-11.37	AV	67.00	100	Vertical	Pass
6	17795.250	47.30	6.38	74.0	-26.70	Peak	217.00	200	Vertical	Pass
6**	17795.250	40.06	6.38	54.0	-13.94	AV	217.00	200	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.400	50.79	-20.46	74.0	-23.21	Peak	114.00	400	Horizontal	Pass
1**	1063.400	47.56	-20.46	54.0	-6.44	AV	114.00	400	Horizontal	Pass
2	1332.100	50.72	-19.92	74.0	-23.28	Peak	266.00	100	Horizontal	Pass
2**	1332.100	36.02	-19.92	54.0	-17.98	AV	266.00	100	Horizontal	Pass
3	1461.900	51.80	-19.33	74.0	-22.20	Peak	292.00	100	Horizontal	Pass
3**	1461.900	39.20	-19.33	54.0	-14.80	AV	292.00	100	Horizontal	Pass
4	5761.500	92.07	-5.69	--	--	Peak	242.00	100	Horizontal	N/A
4**	5761.500	84.48	-5.69	--	--	AV	242.00	100	Horizontal	N/A
5	12579.713	52.30	1.34	74.0	-21.70	Peak	242.00	100	Horizontal	Pass
5**	12579.713	43.71	1.34	54.0	-10.29	AV	242.00	100	Horizontal	Pass
6	17784.750	46.94	6.07	74.0	-27.06	Peak	160.00	100	Horizontal	Pass
6**	17784.750	38.66	6.07	54.0	-15.34	AV	160.00	100	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.800	52.88	-19.45	74.0	-21.12	Peak	332.00	100	Vertical	Pass
1**	1330.800	32.08	-19.45	54.0	-21.92	AV	332.00	100	Vertical	Pass
2	1461.600	51.78	-19.29	74.0	-22.22	Peak	190.00	400	Vertical	Pass
2**	1461.600	32.93	-19.29	54.0	-21.07	AV	190.00	400	Vertical	Pass
3	1594.200	50.86	-19.47	74.0	-23.14	Peak	232.00	100	Vertical	Pass
3**	1594.200	47.65	-19.47	54.0	-6.35	AV	232.00	100	Vertical	Pass
4	5762.000	103.10	-5.67	--	--	Peak	152.00	400	Vertical	N/A
4**	5762.000	95.76	-5.67	--	--	AV	152.00	400	Vertical	N/A
5	12583.750	52.30	1.30	74.0	-21.70	Peak	288.00	200	Vertical	Pass
5**	12583.750	43.27	1.30	54.0	-10.73	AV	288.00	200	Vertical	Pass
6	17804.438	47.73	6.40	74.0	-26.27	Peak	257.00	100	Vertical	Pass
6**	17804.438	39.45	6.40	54.0	-14.55	AV	257.00	100	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.400	53.22	-21.36	74.0	-20.78	Peak	139.00	200	Horizontal	Pass
1**	1064.400	48.44	-21.36	54.0	-5.56	AV	139.00	200	Horizontal	Pass
2	1332.300	50.06	-19.90	74.0	-23.94	Peak	281.00	200	Horizontal	Pass
2**	1332.300	48.26	-19.90	54.0	-5.74	AV	281.00	200	Horizontal	Pass
3	1463.400	51.78	-19.79	74.0	-22.22	Peak	339.00	100	Horizontal	Pass
3**	1463.400	34.38	-19.79	54.0	-19.62	AV	339.00	100	Horizontal	Pass
4	5796.250	93.97	-3.76	--	--	Peak	117.00	400	Horizontal	N/A
4**	5796.250	86.47	-3.76	--	--	AV	117.00	400	Horizontal	N/A
5	12612.013	52.51	1.05	74.0	-21.49	Peak	346.00	150	Horizontal	Pass
5**	12612.013	43.58	1.05	54.0	-10.42	AV	346.00	150	Horizontal	Pass
6	17812.312	46.91	6.19	74.0	-27.09	Peak	50.00	200	Horizontal	Pass
6**	17812.312	40.62	6.19	54.0	-13.38	AV	50.00	200	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.800	50.83	-20.39	74.0	-23.17	Peak	345.00	400	Vertical	Pass
1**	1065.800	36.79	-20.39	54.0	-17.21	AV	345.00	400	Vertical	Pass
2	1461.100	48.73	-19.86	74.0	-25.27	Peak	319.00	400	Vertical	Pass
2**	1461.100	46.62	-19.86	54.0	-7.38	AV	319.00	400	Vertical	Pass
3	1599.700	50.56	-19.36	74.0	-23.44	Peak	226.00	150	Vertical	Pass
3**	1599.700	46.58	-19.36	54.0	-7.42	AV	226.00	150	Vertical	Pass
4	5801.500	105.07	-3.37	--	--	Peak	153.00	400	Vertical	N/A
4**	5801.500	97.83	-3.37	--	--	AV	153.00	400	Vertical	N/A
5	12577.338	52.68	1.36	74.0	-21.32	Peak	180.00	100	Vertical	Pass
5**	12577.338	43.32	1.36	54.0	-10.68	AV	180.00	100	Vertical	Pass
6	17810.999	47.06	6.23	74.0	-26.94	Peak	0.00	200	Vertical	Pass
6**	17810.999	40.62	6.23	54.0	-13.38	AV	0.00	200	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.900	52.87	-20.53	74.0	-21.13	Peak	291.00	200	Horizontal	Pass
1**	1064.900	48.52	-20.53	54.0	-5.48	AV	291.00	200	Horizontal	Pass
2	1328.200	51.96	-19.55	74.0	-22.04	Peak	274.00	300	Horizontal	Pass
2**	1328.200	37.60	-19.55	54.0	-16.40	AV	274.00	300	Horizontal	Pass
3	1466.200	49.83	-19.49	74.0	-24.17	Peak	7.00	100	Horizontal	Pass
3**	1466.200	36.32	-19.49	54.0	-17.68	AV	7.00	100	Horizontal	Pass
4	5748.250	95.88	-5.77	--	--	Peak	241.00	100	Horizontal	N/A
4**	5748.250	86.76	-5.77	--	--	AV	241.00	100	Horizontal	N/A
5	12360.974	53.68	0.64	74.0	-20.32	Peak	170.00	400	Horizontal	Pass
5**	12360.974	42.57	0.64	54.0	-11.43	AV	170.00	400	Horizontal	Pass
6	17800.499	47.08	6.51	74.0	-26.92	Peak	118.00	200	Horizontal	Pass
6**	17800.499	39.91	6.51	54.0	-14.09	AV	118.00	200	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.600	51.08	-19.33	74.0	-22.92	Peak	225.00	100	Vertical	Pass
1**	1330.600	32.26	-19.33	54.0	-21.74	AV	225.00	100	Vertical	Pass
2	1466.000	51.48	-19.41	74.0	-22.52	Peak	151.00	300	Vertical	Pass
2**	1466.000	36.63	-19.41	54.0	-17.37	AV	151.00	300	Vertical	Pass
3	1599.400	50.97	-19.57	74.0	-23.03	Peak	360.00	200	Vertical	Pass
3**	1599.400	46.76	-19.57	54.0	-7.24	AV	360.00	200	Vertical	Pass
4	5742.750	105.35	-5.71	--	--	Peak	154.00	100	Vertical	N/A
4**	5742.750	98.47	-5.71	--	--	AV	154.00	100	Vertical	N/A
5	12367.150	52.50	0.59	74.0	-21.50	Peak	0.00	400	Vertical	Pass
5**	12367.150	43.43	0.59	54.0	-10.57	AV	0.00	400	Vertical	Pass
6	17986.875	47.16	5.06	74.0	-26.84	Peak	294.00	100	Vertical	Pass
6**	17986.875	37.73	5.06	54.0	-16.27	AV	294.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.700	51.80	-20.42	74.0	-22.20	Peak	98.00	300	Horizontal	Pass
1**	1065.700	48.68	-20.42	54.0	-5.32	AV	98.00	300	Horizontal	Pass
2	1330.700	53.12	-19.39	74.0	-20.88	Peak	282.00	400	Horizontal	Pass
2**	1330.700	43.87	-19.39	54.0	-10.13	AV	282.00	400	Horizontal	Pass
3	1464.500	52.26	-19.71	74.0	-21.74	Peak	299.00	100	Horizontal	Pass
3**	1464.500	32.79	-19.71	54.0	-21.21	AV	299.00	100	Horizontal	Pass
4	5788.750	95.96	-4.45	--	--	Peak	119.00	200	Horizontal	N/A
4**	5788.750	89.50	-4.45	--	--	AV	119.00	200	Horizontal	N/A
5	12337.937	52.12	0.72	74.0	-21.88	Peak	248.00	400	Horizontal	Pass
5**	12337.937	44.03	0.72	54.0	-9.97	AV	248.00	400	Horizontal	Pass
6	17803.125	47.23	6.44	74.0	-26.77	Peak	360.00	100	Horizontal	Pass
6**	17803.125	40.03	6.44	54.0	-13.97	AV	360.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.200	51.97	-19.13	74.0	-22.03	Peak	360.00	100	Vertical	Pass
1**	1330.200	32.62	-19.13	54.0	-21.38	AV	360.00	100	Vertical	Pass
2	1461.400	51.65	-19.28	74.0	-22.35	Peak	178.00	400	Vertical	Pass
2**	1461.400	47.00	-19.28	54.0	-7.00	AV	178.00	400	Vertical	Pass
3	1593.100	48.46	-20.20	74.0	-25.54	Peak	161.00	200	Vertical	Pass
3**	1593.100	46.52	-20.20	54.0	-7.48	AV	161.00	200	Vertical	Pass
4	5788.500	107.22	-4.43	--	--	Peak	154.00	100	Vertical	N/A
4**	5788.500	100.17	-4.43	--	--	AV	154.00	100	Vertical	N/A
5	12578.525	52.46	1.35	74.0	-21.54	Peak	37.00	400	Vertical	Pass
5**	12578.525	43.78	1.35	54.0	-10.22	AV	37.00	400	Vertical	Pass
6	17803.125	46.86	6.44	74.0	-27.14	Peak	138.00	300	Vertical	Pass
6**	17803.125	39.80	6.44	54.0	-14.20	AV	138.00	300	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.300	51.40	-20.45	74.0	-22.60	Peak	267.00	200	Horizontal	Pass
1**	1063.300	40.46	-20.45	54.0	-13.54	AV	267.00	200	Horizontal	Pass
2	1330.200	54.01	-19.13	74.0	-19.99	Peak	104.00	100	Horizontal	Pass
2**	1330.200	46.95	-19.13	54.0	-7.05	AV	104.00	100	Horizontal	Pass
3	1465.500	53.00	-19.62	74.0	-21.00	Peak	310.00	300	Horizontal	Pass
3**	1465.500	51.79	-19.62	54.0	-2.21	AV	310.00	300	Horizontal	Pass
4	5821.000	97.44	-4.10	--	--	Peak	113.00	100	Horizontal	N/A
4**	5821.000	89.26	-4.10	--	--	AV	113.00	100	Horizontal	N/A
5	12607.737	52.19	1.08	74.0	-21.81	Peak	281.00	300	Horizontal	Pass
5**	12607.737	43.28	1.08	54.0	-10.72	AV	281.00	300	Horizontal	Pass
6	17803.125	47.55	6.44	74.0	-26.45	Peak	288.00	100	Horizontal	Pass
6**	17803.125	40.24	6.44	54.0	-13.76	AV	288.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.500	51.30	-19.69	74.0	-22.70	Peak	348.00	300	Vertical	Pass
1**	1329.500	33.62	-19.69	54.0	-20.38	AV	348.00	300	Vertical	Pass
2	1466.200	52.63	-19.49	74.0	-21.37	Peak	289.00	100	Vertical	Pass
2**	1466.200	34.08	-19.49	54.0	-19.92	AV	289.00	100	Vertical	Pass
3	1594.000	52.25	-19.26	74.0	-21.75	Peak	170.00	200	Vertical	Pass
3**	1594.000	48.12	-19.26	54.0	-5.88	AV	170.00	200	Vertical	Pass
4	5826.500	109.31	-4.41	--	--	Peak	153.00	200	Vertical	N/A
4**	5826.500	101.51	-4.41	--	--	AV	153.00	200	Vertical	N/A
5	12372.850	52.92	0.54	74.0	-21.08	Peak	289.00	400	Vertical	Pass
5**	12372.850	43.03	0.54	54.0	-10.97	AV	289.00	400	Vertical	Pass
6	17787.376	47.40	6.15	74.0	-26.60	Peak	0.00	100	Vertical	Pass
6**	17787.376	39.27	6.15	54.0	-14.73	AV	0.00	100	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.800	53.98	-20.70	74.0	-20.02	Peak	126.00	100	Horizontal	Pass
1**	1063.800	49.69	-20.70	54.0	-4.31	AV	126.00	100	Horizontal	Pass
2	1331.500	51.89	-19.67	74.0	-22.11	Peak	278.00	300	Horizontal	Pass
2**	1331.500	33.11	-19.67	54.0	-20.89	AV	278.00	300	Horizontal	Pass
3	1466.000	49.92	-19.41	74.0	-24.08	Peak	278.00	200	Horizontal	Pass
3**	1466.000	48.88	-19.41	54.0	-5.12	AV	278.00	200	Horizontal	Pass
4	5750.500	92.35	-5.66	--	--	Peak	240.00	100	Horizontal	N/A
4**	5750.500	85.14	-5.66	--	--	AV	240.00	100	Horizontal	N/A
5	12273.575	52.11	0.50	74.0	-21.89	Peak	76.00	400	Horizontal	Pass
5**	12273.575	42.93	0.50	54.0	-11.07	AV	76.00	400	Horizontal	Pass
6	17803.125	47.12	6.44	74.0	-26.88	Peak	292.00	200	Horizontal	Pass
6**	17803.125	39.67	6.44	54.0	-14.33	AV	292.00	200	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.000	53.11	-19.32	74.0	-20.89	Peak	327.00	300	Vertical	Pass
1**	1329.000	34.36	-19.32	54.0	-19.64	AV	327.00	300	Vertical	Pass
2	1465.100	49.84	-19.82	74.0	-24.16	Peak	167.00	200	Vertical	Pass
2**	1465.100	46.48	-19.82	54.0	-7.52	AV	167.00	200	Vertical	Pass
3	1599.700	51.71	-19.36	74.0	-22.29	Peak	352.00	400	Vertical	Pass
3**	1599.700	46.89	-19.36	54.0	-7.11	AV	352.00	400	Vertical	Pass
4	5758.750	103.07	-5.80	--	--	Peak	155.00	100	Vertical	N/A
4**	5758.750	94.70	-5.80	--	--	AV	155.00	100	Vertical	N/A
5	12418.925	52.77	0.53	74.0	-21.23	Peak	81.00	200	Vertical	Pass
5**	12418.925	42.70	0.53	54.0	-11.30	AV	81.00	200	Vertical	Pass
6	17791.312	47.54	6.26	74.0	-26.46	Peak	267.00	100	Vertical	Pass
6**	17791.312	40.08	6.26	54.0	-13.92	AV	267.00	100	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.200	56.30	-20.50	74.0	-17.70	Peak	130.00	300	Horizontal	Pass
1**	1065.200	48.21	-20.50	54.0	-5.79	AV	130.00	300	Horizontal	Pass
2	1333.000	54.01	-19.63	74.0	-19.99	Peak	289.00	200	Horizontal	Pass
2**	1333.000	43.72	-19.63	54.0	-10.28	AV	289.00	200	Horizontal	Pass
3	1462.200	54.21	-19.42	74.0	-19.79	Peak	255.00	100	Horizontal	Pass
3**	1462.200	47.57	-19.42	54.0	-6.43	AV	255.00	100	Horizontal	Pass
4	5797.500	94.33	-3.54	--	--	Peak	121.00	100	Horizontal	N/A
4**	5797.500	86.71	-3.54	--	--	AV	121.00	100	Horizontal	N/A
5	12244.600	53.04	0.28	74.0	-20.96	Peak	96.00	400	Horizontal	Pass
5**	12244.600	42.65	0.28	54.0	-11.35	AV	96.00	400	Horizontal	Pass
6	17825.438	47.24	5.83	74.0	-26.76	Peak	8.00	200	Horizontal	Pass
6**	17825.438	39.73	5.83	54.0	-14.27	AV	8.00	200	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.000	49.54	-19.32	74.0	-24.46	Peak	257.00	200	Vertical	Pass
1**	1329.000	47.38	-19.32	54.0	-6.62	AV	257.00	200	Vertical	Pass
2	1466.500	49.82	-19.76	74.0	-24.18	Peak	156.00	300	Vertical	Pass
2**	1466.500	47.74	-19.76	54.0	-6.26	AV	156.00	300	Vertical	Pass
3	1594.600	50.12	-19.75	74.0	-23.88	Peak	148.00	200	Vertical	Pass
3**	1594.600	46.65	-19.75	54.0	-7.35	AV	148.00	200	Vertical	Pass
4	5798.250	105.62	-3.53	--	--	Peak	151.00	100	Vertical	N/A
4**	5798.250	98.84	-3.53	--	--	AV	151.00	100	Vertical	N/A
5	12392.563	52.59	0.37	74.0	-21.41	Peak	236.00	400	Vertical	Pass
5**	12392.563	42.49	0.37	54.0	-11.51	AV	236.00	400	Vertical	Pass
6	17787.376	46.98	6.15	74.0	-27.02	Peak	267.00	200	Vertical	Pass
6**	17787.376	40.18	6.15	54.0	-13.82	AV	267.00	200	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.200	53.39	-20.50	74.0	-20.61	Peak	119.00	100	Horizontal	Pass
1**	1065.200	47.03	-20.50	54.0	-6.97	AV	119.00	100	Horizontal	Pass
2	1331.200	54.17	-19.53	74.0	-19.83	Peak	85.00	400	Horizontal	Pass
2**	1331.200	48.62	-19.53	54.0	-5.38	AV	85.00	400	Horizontal	Pass
3	1465.400	57.74	-19.67	74.0	-16.26	Peak	267.00	100	Horizontal	Pass
3**	1465.400	51.64	-19.67	54.0	-2.36	AV	267.00	100	Horizontal	Pass
4	5792.000	91.37	-3.88	--	--	Peak	119.00	300	Horizontal	N/A
4**	5792.000	83.32	-3.88	--	--	AV	119.00	300	Horizontal	N/A
5	7316.250	54.30	-1.79	74.0	-19.70	Peak	0.00	300	Horizontal	Pass
5**	7316.250	44.31	-1.79	54.0	-9.69	AV	0.00	300	Horizontal	Pass
6	12245.550	52.80	0.29	74.0	-21.20	Peak	298.00	200	Horizontal	Pass
6**	12245.550	42.56	0.29	54.0	-11.44	AV	298.00	200	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.800	49.88	-20.39	74.0	-24.12	Peak	256.00	300	Vertical	Pass
1**	1065.800	44.71	-20.39	54.0	-9.29	AV	256.00	300	Vertical	Pass
2	1466.300	54.01	-19.58	74.0	-19.99	Peak	171.00	400	Vertical	Pass
2**	1466.300	48.99	-19.58	54.0	-5.01	AV	171.00	400	Vertical	Pass
3	1594.200	51.50	-19.47	74.0	-22.50	Peak	179.00	300	Vertical	Pass
3**	1594.200	47.54	-19.47	54.0	-6.46	AV	179.00	300	Vertical	Pass
4	5798.250	102.52	-3.53	--	--	Peak	154.00	300	Vertical	N/A
4**	5798.250	94.91	-3.53	--	--	AV	154.00	300	Vertical	N/A
5	7333.000	54.62	-1.24	74.0	-19.38	Peak	49.00	100	Vertical	Pass
5**	7333.000	46.11	-1.24	54.0	-7.89	AV	49.00	100	Vertical	Pass
6	12249.349	52.56	0.35	74.0	-21.44	Peak	33.00	200	Vertical	Pass
6**	12249.349	42.91	0.35	54.0	-11.09	AV	33.00	200	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.700	55.17	-20.42	74.0	-18.83	Peak	129.00	400	Horizontal	Pass
1**	1065.700	49.29	-20.42	54.0	-4.71	AV	129.00	400	Horizontal	Pass
2	1330.300	51.96	-19.18	74.0	-22.04	Peak	316.00	100	Horizontal	Pass
2**	1330.300	45.50	-19.18	54.0	-8.50	AV	316.00	100	Horizontal	Pass
3	1464.700	55.51	-19.92	74.0	-18.49	Peak	360.00	300	Horizontal	Pass
3**	1464.700	48.74	-19.92	54.0	-5.26	AV	360.00	300	Horizontal	Pass
4	5742.250	94.63	-6.26	--	--	Peak	237.00	100	Horizontal	N/A
4**	5742.250	86.38	-6.26	--	--	AV	237.00	100	Horizontal	N/A
5	7582.750	54.48	0.29	74.0	-19.52	Peak	360.00	200	Horizontal	Pass
5**	7582.750	46.20	0.29	54.0	-7.80	AV	360.00	200	Horizontal	Pass
6	12570.687	52.49	1.42	74.0	-21.51	Peak	160.00	200	Horizontal	Pass
6**	12570.687	42.76	1.42	54.0	-11.24	AV	160.00	200	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.700	53.53	-19.37	74.0	-20.47	Peak	264.00	100	Vertical	Pass
1**	1328.700	46.73	-19.37	54.0	-7.27	AV	264.00	100	Vertical	Pass
2	1465.900	53.48	-19.45	74.0	-20.52	Peak	172.00	400	Vertical	Pass
2**	1465.900	45.94	-19.45	54.0	-8.06	AV	172.00	400	Vertical	Pass
3	1593.800	52.29	-19.50	74.0	-21.71	Peak	155.00	100	Vertical	Pass
3**	1593.800	47.13	-19.50	54.0	-6.87	AV	155.00	100	Vertical	Pass
4	5743.250	105.10	-5.98	--	--	Peak	154.00	300	Vertical	N/A
4**	5743.250	97.38	-5.98	--	--	AV	154.00	300	Vertical	N/A
5	7586.250	54.20	-0.53	74.0	-19.80	Peak	100.00	200	Vertical	Pass
5**	7586.250	44.92	-0.53	54.0	-9.08	AV	100.00	200	Vertical	Pass
6	12583.276	53.14	1.30	74.0	-20.86	Peak	64.00	100	Vertical	Pass
6**	12583.276	43.94	1.30	54.0	-10.06	AV	64.00	100	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.400	54.41	-20.47	74.0	-19.59	Peak	351.00	300	Horizontal	Pass
1**	1065.400	48.71	-20.47	54.0	-5.29	AV	351.00	300	Horizontal	Pass
2	1329.900	53.26	-19.41	74.0	-20.74	Peak	89.00	100	Horizontal	Pass
2**	1329.900	46.34	-19.41	54.0	-7.66	AV	89.00	100	Horizontal	Pass
3	4972.250	50.57	-3.73	74.0	-23.43	Peak	207.00	200	Horizontal	Pass
3**	4972.250	41.74	-3.73	54.0	-12.26	AV	207.00	200	Horizontal	Pass
4	5782.000	97.72	-4.87	--	--	Peak	243.00	100	Horizontal	N/A
4**	5782.000	88.59	-4.87	--	--	AV	243.00	100	Horizontal	N/A
5	7494.500	54.39	-0.42	74.0	-19.61	Peak	0.00	400	Horizontal	Pass
5**	7494.500	45.95	-0.42	54.0	-8.05	AV	0.00	400	Horizontal	Pass
6	12465.713	52.33	0.77	74.0	-21.67	Peak	101.00	100	Horizontal	Pass
6**	12465.713	43.59	0.77	54.0	-10.41	AV	101.00	100	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.300	51.92	-19.59	74.0	-22.08	Peak	295.00	200	Vertical	Pass
1**	1328.300	46.19	-19.59	54.0	-7.81	AV	295.00	200	Vertical	Pass
2	1466.400	52.15	-19.67	74.0	-21.85	Peak	166.00	300	Vertical	Pass
2**	1466.400	48.88	-19.67	54.0	-5.12	AV	166.00	300	Vertical	Pass
3	1594.100	51.16	-19.36	74.0	-22.84	Peak	184.00	100	Vertical	Pass
3**	1594.100	46.75	-19.36	54.0	-7.25	AV	184.00	100	Vertical	Pass
4	5788.750	108.77	-4.45	--	--	Peak	155.00	400	Vertical	N/A
4**	5788.750	100.68	-4.45	--	--	AV	155.00	400	Vertical	N/A
5	7369.750	54.27	-0.67	74.0	-19.73	Peak	85.00	100	Vertical	Pass
5**	7369.750	45.90	-0.67	54.0	-8.10	AV	85.00	100	Vertical	Pass
6	12454.075	52.68	0.86	74.0	-21.32	Peak	129.00	200	Vertical	Pass
6**	12454.075	42.97	0.86	54.0	-11.03	AV	129.00	200	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.900	55.32	-20.35	74.0	-18.68	Peak	305.00	100	Horizontal	Pass
1**	1065.900	49.82	-20.35	54.0	-4.18	AV	305.00	100	Horizontal	Pass
2	1328.500	50.61	-19.53	74.0	-23.39	Peak	360.00	100	Horizontal	Pass
2**	1328.500	46.91	-19.53	54.0	-7.09	AV	360.00	100	Horizontal	Pass
3	1464.600	47.43	-19.81	74.0	-26.57	Peak	338.00	300	Horizontal	Pass
3**	1464.600	46.62	-19.81	54.0	-7.38	AV	338.00	300	Horizontal	Pass
4	5827.750	97.76	-4.47	--	--	Peak	118.00	400	Horizontal	N/A
4**	5827.750	88.94	-4.47	--	--	AV	118.00	400	Horizontal	N/A
5	7570.750	54.69	-0.74	74.0	-19.31	Peak	84.00	200	Horizontal	Pass
5**	7570.750	45.33	-0.74	54.0	-8.67	AV	84.00	200	Horizontal	Pass
6	12547.888	52.64	1.56	74.0	-21.36	Peak	171.00	200	Horizontal	Pass
6**	12547.888	43.16	1.56	54.0	-10.84	AV	171.00	200	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.400	49.01	-21.36	74.0	-24.99	Peak	341.00	100	Vertical	Pass
1**	1064.400	44.43	-21.36	54.0	-9.57	AV	341.00	100	Vertical	Pass
2	1330.600	48.17	-19.33	74.0	-25.83	Peak	312.00	100	Vertical	Pass
2**	1330.600	45.07	-19.33	54.0	-8.93	AV	312.00	100	Vertical	Pass
3	1599.000	51.73	-19.49	74.0	-22.27	Peak	360.00	300	Vertical	Pass
3**	1599.000	46.68	-19.49	54.0	-7.32	AV	360.00	300	Vertical	Pass
4	5828.250	110.70	-4.19	--	--	Peak	155.00	200	Vertical	N/A
4**	5828.250	101.80	-4.19	--	--	AV	155.00	200	Vertical	N/A
5	7469.250	54.82	-1.16	74.0	-19.18	Peak	33.00	400	Vertical	Pass
5**	7469.250	45.83	-1.16	54.0	-8.17	AV	33.00	400	Vertical	Pass
6	12551.687	52.07	1.59	74.0	-21.93	Peak	242.00	400	Vertical	Pass
6**	12551.687	43.96	1.59	54.0	-10.04	AV	242.00	400	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.400	50.54	-20.51	74.0	-23.46	Peak	259.00	300	Horizontal	Pass
1**	1062.400	48.95	-20.51	54.0	-5.05	AV	259.00	300	Horizontal	Pass
2	1330.900	48.66	-19.50	74.0	-25.34	Peak	360.00	100	Horizontal	Pass
2**	1330.900	38.63	-19.50	54.0	-15.37	AV	360.00	100	Horizontal	Pass
3	1462.400	51.71	-19.43	74.0	-22.29	Peak	284.00	200	Horizontal	Pass
3**	1462.400	48.33	-19.43	54.0	-5.67	AV	284.00	200	Horizontal	Pass
4	5746.000	94.41	-5.96	--	--	Peak	243.00	100	Horizontal	N/A
4**	5746.000	83.76	-5.96	--	--	AV	243.00	100	Horizontal	N/A
5	7582.500	52.83	-0.02	74.0	-21.17	Peak	15.00	400	Horizontal	Pass
5**	7582.500	44.43	-0.02	54.0	-9.57	AV	15.00	400	Horizontal	Pass
6	12617.475	52.99	1.00	74.0	-21.01	Peak	252.00	100	Horizontal	Pass
6**	12617.475	43.27	1.00	54.0	-10.73	AV	252.00	100	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.800	51.59	-20.39	74.0	-22.41	Peak	349.00	100	Vertical	Pass
1**	1065.800	45.62	-20.39	54.0	-8.38	AV	349.00	100	Vertical	Pass
2	1328.400	50.22	-19.60	74.0	-23.78	Peak	213.00	100	Vertical	Pass
2**	1328.400	45.63	-19.60	54.0	-8.37	AV	213.00	100	Vertical	Pass
3	1594.700	55.69	-19.79	74.0	-18.31	Peak	163.00	300	Vertical	Pass
3**	1594.700	49.19	-19.79	54.0	-4.81	AV	163.00	300	Vertical	Pass
4	5753.500	103.75	-5.65	--	--	Peak	154.00	400	Vertical	N/A
4**	5753.500	95.36	-5.65	--	--	AV	154.00	400	Vertical	N/A
5	7598.750	53.99	-0.86	74.0	-20.01	Peak	118.00	200	Vertical	Pass
5**	7598.750	45.27	-0.86	54.0	-8.73	AV	118.00	200	Vertical	Pass
6	12579.951	54.52	1.34	74.0	-19.48	Peak	155.00	200	Vertical	Pass
6**	12579.951	44.55	1.34	54.0	-9.45	AV	155.00	200	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.700	54.91	-20.67	74.0	-19.09	Peak	131.00	400	Horizontal	Pass
1**	1062.700	48.66	-20.67	54.0	-5.34	AV	131.00	400	Horizontal	Pass
2	1329.200	52.93	-19.34	74.0	-21.07	Peak	300.00	100	Horizontal	Pass
2**	1329.200	46.88	-19.34	54.0	-7.12	AV	300.00	100	Horizontal	Pass
3	1463.800	54.19	-19.61	74.0	-19.81	Peak	157.00	300	Horizontal	Pass
3**	1463.800	47.83	-19.61	54.0	-6.17	AV	157.00	300	Horizontal	Pass
4	5785.750	95.23	-4.78	--	--	Peak	117.00	100	Horizontal	N/A
4**	5785.750	85.07	-4.78	--	--	AV	117.00	100	Horizontal	N/A
5	7576.000	53.13	-0.45	74.0	-20.87	Peak	346.00	200	Horizontal	Pass
5**	7576.000	43.84	-0.45	54.0	-10.16	AV	346.00	200	Horizontal	Pass
6	12398.262	52.58	0.32	74.0	-21.42	Peak	339.00	200	Horizontal	Pass
6**	12398.262	42.65	0.32	54.0	-11.35	AV	339.00	200	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.300	53.38	-19.18	74.0	-20.62	Peak	198.00	200	Vertical	Pass
1**	1330.300	46.83	-19.18	54.0	-7.17	AV	198.00	200	Vertical	Pass
2	1466.000	54.16	-19.41	74.0	-19.84	Peak	246.00	300	Vertical	Pass
2**	1466.000	48.91	-19.41	54.0	-5.09	AV	246.00	300	Vertical	Pass
3	1593.700	54.23	-19.63	74.0	-19.77	Peak	198.00	200	Vertical	Pass
3**	1593.700	48.55	-19.63	54.0	-5.45	AV	198.00	200	Vertical	Pass
4	5798.500	105.90	-3.49	--	--	Peak	155.00	100	Vertical	N/A
4**	5798.500	98.33	-3.49	--	--	AV	155.00	100	Vertical	N/A
5	7543.000	52.42	-0.81	74.0	-21.58	Peak	172.00	400	Vertical	Pass
5**	7543.000	44.19	-0.81	54.0	-9.81	AV	172.00	400	Vertical	Pass
6	12545.750	52.74	1.52	74.0	-21.26	Peak	156.00	200	Vertical	Pass
6**	12545.750	43.89	1.52	54.0	-10.11	AV	156.00	200	Vertical	Pass

11ax80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.400	53.81	-20.46	74.0	-20.19	Peak	141.00	300	Horizontal	Pass
1**	1063.400	48.63	-20.46	54.0	-5.37	AV	141.00	300	Horizontal	Pass
2	1330.000	55.47	-19.22	74.0	-18.53	Peak	288.00	100	Horizontal	Pass
2**	1330.000	48.44	-19.22	54.0	-5.56	AV	288.00	100	Horizontal	Pass
3	1465.200	54.11	-19.76	74.0	-19.89	Peak	346.00	200	Horizontal	Pass
3**	1465.200	47.65	-19.76	54.0	-6.35	AV	346.00	200	Horizontal	Pass
4	5792.500	92.83	-4.20	--	--	Peak	105.00	200	Horizontal	N/A
4**	5792.500	84.27	-4.20	--	--	AV	105.00	200	Horizontal	N/A
5	7586.750	53.47	-0.45	74.0	-20.53	Peak	0.00	400	Horizontal	Pass
5**	7586.750	44.49	-0.45	54.0	-9.51	AV	0.00	400	Horizontal	Pass
6	12422.250	53.90	0.57	74.0	-20.10	Peak	23.00	100	Horizontal	Pass
6**	12422.250	43.67	0.57	54.0	-10.33	AV	23.00	100	Horizontal	Pass

11ax80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.900	51.99	-19.70	74.0	-22.01	Peak	213.00	100	Vertical	Pass
1**	1332.900	45.99	-19.70	54.0	-8.01	AV	213.00	100	Vertical	Pass
2	1463.600	53.76	-19.68	74.0	-20.24	Peak	318.00	300	Vertical	Pass
2**	1463.600	47.22	-19.68	54.0	-6.78	AV	318.00	300	Vertical	Pass
3	1599.100	50.71	-19.61	74.0	-23.29	Peak	360.00	200	Vertical	Pass
3**	1599.100	46.16	-19.61	54.0	-7.84	AV	360.00	200	Vertical	Pass
4	5794.750	104.66	-3.78	--	--	Peak	154.00	100	Vertical	N/A
4**	5794.750	93.70	-3.78	--	--	AV	154.00	100	Vertical	N/A
5	7325.750	53.16	-1.43	74.0	-20.84	Peak	117.00	400	Vertical	Pass
5**	7325.750	44.00	-1.43	54.0	-10.00	AV	117.00	400	Vertical	Pass
6	12269.300	52.17	0.48	74.0	-21.83	Peak	105.00	200	Vertical	Pass
6**	12269.300	42.63	0.48	54.0	-11.37	AV	105.00	200	Vertical	Pass

Aux. Antenna

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.000	50.53	-20.52	74.0	-23.47	Peak	93.00	400	Horizontal	Pass
1**	1065.000	49.28	-20.52	54.0	-4.72	AV	93.00	400	Horizontal	Pass
2	1462.300	54.12	-19.43	74.0	-19.88	Peak	253.00	200	Horizontal	Pass
2**	1462.300	48.55	-19.43	54.0	-5.45	AV	253.00	200	Horizontal	Pass
3	4337.250	47.97	-5.45	74.0	-26.03	Peak	172.00	150	Horizontal	Pass
3**	4337.250	39.17	-5.45	54.0	-14.83	AV	172.00	150	Horizontal	Pass
4	5178.750	96.17	-4.25	--	--	Peak	101.00	300	Horizontal	N/A
4**	5178.750	89.55	-4.25	--	--	AV	101.00	300	Horizontal	N/A
5	9065.187	47.38	-3.78	74.0	-26.62	Peak	317.00	400	Horizontal	Pass
5**	9065.187	38.81	-3.78	54.0	-15.19	AV	317.00	400	Horizontal	Pass
6	12584.463	52.40	1.29	74.0	-21.60	Peak	360.00	100	Horizontal	Pass
6**	12584.463	43.33	1.29	54.0	-10.67	AV	360.00	100	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.300	49.70	-20.50	74.0	-24.30	Peak	339.00	300	Vertical	Pass
1**	1066.300	46.10	-20.50	54.0	-7.90	AV	339.00	300	Vertical	Pass
2	1599.800	48.73	-19.25	74.0	-25.27	Peak	179.00	400	Vertical	Pass
2**	1599.800	45.01	-19.25	54.0	-8.99	AV	179.00	400	Vertical	Pass
3	3791.500	48.53	-7.57	74.0	-25.47	Peak	190.00	300	Vertical	Pass
3**	3791.500	45.16	-7.57	54.0	-8.84	AV	190.00	300	Vertical	Pass
4	5175.250	109.02	-4.35	--	--	Peak	190.00	200	Vertical	N/A
4**	5175.250	98.59	-4.35	--	--	AV	190.00	200	Vertical	N/A
5	8107.825	48.38	-3.70	74.0	-25.62	Peak	201.00	100	Vertical	Pass
5**	8107.825	38.79	-3.70	54.0	-15.21	AV	201.00	100	Vertical	Pass
6	12309.913	53.01	0.67	74.0	-20.99	Peak	117.00	200	Vertical	Pass
6**	12309.913	43.46	0.67	54.0	-10.54	AV	117.00	200	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.500	55.92	-20.46	74.0	-18.08	Peak	126.00	200	Horizontal	Pass
1**	1065.500	50.26	-20.46	54.0	-3.74	AV	126.00	200	Horizontal	Pass
2	1464.500	51.30	-19.71	74.0	-22.70	Peak	270.00	300	Horizontal	Pass
2**	1464.500	42.97	-19.71	54.0	-11.03	AV	270.00	300	Horizontal	Pass
3	4148.750	47.22	-6.79	74.0	-26.78	Peak	351.00	100	Horizontal	Pass
3**	4148.750	37.32	-6.79	54.0	-16.68	AV	351.00	100	Horizontal	Pass
4	5218.750	96.76	-4.96	--	--	Peak	106.00	100	Horizontal	N/A
4**	5218.750	88.64	-4.96	--	--	AV	106.00	100	Horizontal	N/A
5	12271.438	52.70	0.49	74.0	-21.30	Peak	249.00	200	Horizontal	Pass
5**	12271.438	42.95	0.49	54.0	-11.05	AV	249.00	200	Horizontal	Pass
6	17795.250	47.26	6.38	74.0	-26.74	Peak	35.00	150	Horizontal	Pass
6**	17795.250	40.78	6.38	54.0	-13.22	AV	35.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.300	50.34	-20.49	74.0	-23.66	Peak	259.00	150	Vertical	Pass
1**	1065.300	45.75	-20.49	54.0	-8.25	AV	259.00	150	Vertical	Pass
2	1599.100	52.46	-19.61	74.0	-21.54	Peak	156.00	200	Vertical	Pass
2**	1599.100	46.49	-19.61	54.0	-7.51	AV	156.00	200	Vertical	Pass
3	3730.500	51.43	-8.71	74.0	-22.57	Peak	190.00	300	Vertical	Pass
3**	3730.500	36.15	-8.71	54.0	-17.85	AV	190.00	300	Vertical	Pass
4	5220.750	107.65	-4.80	--	--	Peak	190.00	200	Vertical	N/A
4**	5220.750	98.43	-4.80	--	--	AV	190.00	200	Vertical	N/A
5	12548.600	52.46	1.58	74.0	-21.54	Peak	277.00	200	Vertical	Pass
5**	12548.600	43.33	1.58	54.0	-10.67	AV	277.00	200	Vertical	Pass
6	17804.438	47.35	6.40	74.0	-26.65	Peak	49.00	400	Vertical	Pass
6**	17804.438	38.73	6.40	54.0	-15.27	AV	49.00	400	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.300	53.91	-20.45	74.0	-20.09	Peak	134.00	400	Horizontal	Pass
1**	1063.300	47.64	-20.45	54.0	-6.36	AV	134.00	400	Horizontal	Pass
2	1463.100	49.71	-19.99	74.0	-24.29	Peak	326.00	100	Horizontal	Pass
2**	1463.100	46.04	-19.99	54.0	-7.96	AV	326.00	100	Horizontal	Pass
3	4015.000	46.70	-7.35	74.0	-27.30	Peak	255.00	300	Horizontal	Pass
3**	4015.000	37.19	-7.35	54.0	-16.81	AV	255.00	300	Horizontal	Pass
4	5238.000	97.04	-5.44	--	--	Peak	273.00	200	Horizontal	N/A
4**	5238.000	88.90	-5.44	--	--	AV	273.00	200	Horizontal	N/A
5	12466.425	52.18	0.76	74.0	-21.82	Peak	177.00	200	Horizontal	Pass
5**	12466.425	41.77	0.76	54.0	-12.23	AV	177.00	200	Horizontal	Pass
6	17810.999	47.55	6.23	74.0	-26.45	Peak	287.00	100	Horizontal	Pass
6**	17810.999	39.82	6.23	54.0	-14.18	AV	287.00	100	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.600	53.99	-19.82	74.0	-20.01	Peak	6.00	100	Vertical	Pass
1**	1329.600	47.27	-19.82	54.0	-6.73	AV	6.00	100	Vertical	Pass
2	1599.000	52.70	-19.49	74.0	-21.30	Peak	150.00	400	Vertical	Pass
2**	1599.000	46.77	-19.49	54.0	-7.23	AV	150.00	400	Vertical	Pass
3	3851.250	51.99	-8.03	74.0	-22.01	Peak	189.00	300	Vertical	Pass
3**	3851.250	37.63	-8.03	54.0	-16.37	AV	189.00	300	Vertical	Pass
4	5236.500	106.05	-5.26	--	--	Peak	189.00	100	Vertical	N/A
4**	5236.500	100.16	-5.26	--	--	AV	189.00	100	Vertical	N/A
5	12274.525	52.49	0.51	74.0	-21.51	Peak	360.00	300	Vertical	Pass
5**	12274.525	42.81	0.51	54.0	-11.19	AV	360.00	300	Vertical	Pass
6	17797.876	47.17	6.46	74.0	-26.83	Peak	195.00	200	Vertical	Pass
6**	17797.876	39.62	6.46	54.0	-14.38	AV	195.00	200	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.100	54.23	-20.27	74.0	-19.77	Peak	153.00	200	Horizontal	Pass
1**	1066.100	49.29	-20.27	54.0	-4.71	AV	153.00	200	Horizontal	Pass
2	1465.600	51.11	-19.58	74.0	-22.89	Peak	249.00	100	Horizontal	Pass
2**	1465.600	44.95	-19.58	54.0	-9.05	AV	249.00	100	Horizontal	Pass
3	4333.000	47.60	-6.09	74.0	-26.40	Peak	292.00	200	Horizontal	Pass
3**	4333.000	38.76	-6.09	54.0	-15.24	AV	292.00	200	Horizontal	Pass
4	5177.000	96.67	-4.25	--	--	Peak	90.00	100	Horizontal	N/A
4**	5177.000	89.51	-4.25	--	--	AV	90.00	100	Horizontal	N/A
5	12250.537	52.38	0.37	74.0	-21.62	Peak	258.00	300	Horizontal	Pass
5**	12250.537	43.27	0.37	54.0	-10.73	AV	258.00	300	Horizontal	Pass
6	17787.376	47.68	6.15	74.0	-26.32	Peak	268.00	400	Horizontal	Pass
6**	17787.376	39.21	6.15	54.0	-14.79	AV	268.00	400	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.700	49.82	-20.57	74.0	-24.18	Peak	136.00	300	Vertical	Pass
1**	1063.700	46.24	-20.57	54.0	-7.76	AV	136.00	300	Vertical	Pass
2	1462.000	53.78	-19.36	74.0	-20.22	Peak	40.00	200	Vertical	Pass
2**	1462.000	48.26	-19.36	54.0	-5.74	AV	40.00	200	Vertical	Pass
3	3724.250	51.95	-8.84	74.0	-22.05	Peak	204.00	100	Vertical	Pass
3**	3724.250	41.60	-8.84	54.0	-12.40	AV	204.00	100	Vertical	Pass
4	5181.250	107.99	-4.46	--	--	Peak	187.00	100	Vertical	N/A
4**	5181.250	99.56	-4.46	--	--	AV	187.00	100	Vertical	N/A
5	12548.600	52.35	1.58	74.0	-21.65	Peak	330.00	200	Vertical	Pass
5**	12548.600	43.39	1.58	54.0	-10.61	AV	330.00	200	Vertical	Pass
6	17800.499	47.02	6.51	74.0	-26.98	Peak	340.00	400	Vertical	Pass
6**	17800.499	39.49	6.51	54.0	-14.51	AV	340.00	400	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.200	52.97	-19.91	74.0	-21.03	Peak	255.00	400	Horizontal	Pass
1**	1332.200	45.55	-19.91	54.0	-8.45	AV	255.00	400	Horizontal	Pass
2	1461.900	57.97	-19.33	74.0	-16.03	Peak	255.00	200	Horizontal	Pass
2**	1461.900	48.44	-19.33	54.0	-5.56	AV	255.00	200	Horizontal	Pass
3	3927.000	47.01	-7.44	74.0	-26.99	Peak	349.00	100	Horizontal	Pass
3**	3927.000	38.21	-7.44	54.0	-15.79	AV	349.00	100	Horizontal	Pass
4	5216.750	97.01	-4.86	--	--	Peak	107.00	300	Horizontal	N/A
4**	5216.750	88.78	-4.86	--	--	AV	107.00	300	Horizontal	N/A
5	12586.838	52.73	1.27	74.0	-21.27	Peak	346.00	100	Horizontal	Pass
5**	12586.838	43.28	1.27	54.0	-10.72	AV	346.00	100	Horizontal	Pass
6	17831.999	47.15	5.66	74.0	-26.85	Peak	52.00	200	Horizontal	Pass
6**	17831.999	38.91	5.66	54.0	-15.09	AV	52.00	200	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.800	47.51	-20.39	74.0	-26.49	Peak	360.00	100	Vertical	Pass
1**	1065.800	45.82	-20.39	54.0	-8.18	AV	360.00	100	Vertical	Pass
2	1333.300	52.03	-19.52	74.0	-21.97	Peak	360.00	200	Vertical	Pass
2**	1333.300	45.96	-19.52	54.0	-8.04	AV	360.00	200	Vertical	Pass
3	3732.000	53.43	-8.66	74.0	-20.57	Peak	177.00	400	Vertical	Pass
3**	3732.000	47.02	-8.66	54.0	-6.98	AV	177.00	400	Vertical	Pass
4	5222.000	107.09	-5.01	--	--	Peak	194.00	150	Vertical	N/A
4**	5222.000	99.96	-5.01	--	--	AV	194.00	150	Vertical	N/A
5	12524.137	52.91	1.04	74.0	-21.09	Peak	206.00	200	Vertical	Pass
5**	12524.137	43.37	1.04	54.0	-10.63	AV	206.00	200	Vertical	Pass
6	17800.499	47.80	6.51	74.0	-26.20	Peak	258.00	300	Vertical	Pass
6**	17800.499	40.81	6.51	54.0	-13.19	AV	258.00	300	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.000	56.52	-20.31	74.0	-17.48	Peak	133.00	100	Horizontal	Pass
1**	1066.000	49.56	-20.31	54.0	-4.44	AV	133.00	100	Horizontal	Pass
2	1463.900	52.23	-19.58	74.0	-21.77	Peak	133.00	200	Horizontal	Pass
2**	1463.900	44.89	-19.58	54.0	-9.11	AV	133.00	200	Horizontal	Pass
3	4109.500	47.05	-6.97	74.0	-26.95	Peak	0.00	150	Horizontal	Pass
3**	4109.500	37.40	-6.97	54.0	-16.60	AV	0.00	150	Horizontal	Pass
4	5242.250	96.00	-5.26	--	--	Peak	275.00	300	Horizontal	N/A
4**	5242.250	87.68	-5.26	--	--	AV	275.00	300	Horizontal	N/A
5	12579.474	52.52	1.34	74.0	-21.48	Peak	0.00	400	Horizontal	Pass
5**	12579.474	43.66	1.34	54.0	-10.34	AV	0.00	400	Horizontal	Pass
6	17818.876	46.91	6.01	74.0	-27.09	Peak	235.00	200	Horizontal	Pass
6**	17818.876	39.81	6.01	54.0	-14.19	AV	235.00	200	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.200	48.58	-21.16	74.0	-25.42	Peak	186.00	300	Vertical	Pass
1**	1064.200	31.65	-21.16	54.0	-22.35	AV	186.00	300	Vertical	Pass
2	1330.500	52.64	-19.28	74.0	-21.36	Peak	322.00	400	Vertical	Pass
2**	1330.500	47.93	-19.28	54.0	-6.07	AV	322.00	400	Vertical	Pass
3	3781.000	52.75	-8.19	74.0	-21.25	Peak	181.00	100	Vertical	Pass
3**	3781.000	37.29	-8.19	54.0	-16.71	AV	181.00	100	Vertical	Pass
4	5236.250	106.53	-5.28	--	--	Peak	200.00	200	Vertical	N/A
4**	5236.250	98.56	-5.28	--	--	AV	200.00	200	Vertical	N/A
5	12298.988	52.58	0.65	74.0	-21.42	Peak	19.00	100	Vertical	Pass
5**	12298.988	42.94	0.65	54.0	-11.06	AV	19.00	100	Vertical	Pass
6	17796.563	47.21	6.42	74.0	-26.79	Peak	98.00	300	Vertical	Pass
6**	17796.563	40.62	6.42	54.0	-13.38	AV	98.00	300	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.700	49.81	-20.57	74.0	-24.19	Peak	279.00	400	Horizontal	Pass
1**	1063.700	47.96	-20.57	54.0	-6.04	AV	279.00	400	Horizontal	Pass
2	1462.100	49.45	-19.39	74.0	-24.55	Peak	271.00	300	Horizontal	Pass
2**	1462.100	48.15	-19.39	54.0	-5.85	AV	271.00	300	Horizontal	Pass
3	3915.750	46.58	-7.53	74.0	-27.42	Peak	325.00	100	Horizontal	Pass
3**	3915.750	37.32	-7.53	54.0	-16.68	AV	325.00	100	Horizontal	Pass
4	5186.750	92.49	-4.44	--	--	Peak	273.00	200	Horizontal	N/A
4**	5186.750	85.02	-4.44	--	--	AV	273.00	200	Horizontal	N/A
5	12368.099	52.99	0.58	74.0	-21.01	Peak	218.00	200	Horizontal	Pass
5**	12368.099	43.88	0.58	54.0	-10.12	AV	218.00	200	Horizontal	Pass
6	17772.937	46.80	5.71	74.0	-27.20	Peak	144.00	150	Horizontal	Pass
6**	17772.937	38.38	5.71	54.0	-15.62	AV	144.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.200	48.93	-20.63	74.0	-25.07	Peak	144.00	150	Vertical	Pass
1**	1062.200	47.25	-20.63	54.0	-6.75	AV	144.00	150	Vertical	Pass
2	1598.800	50.54	-19.24	74.0	-23.46	Peak	135.00	200	Vertical	Pass
2**	1598.800	46.80	-19.24	54.0	-7.20	AV	135.00	200	Vertical	Pass
3	3723.500	51.40	-8.83	74.0	-22.60	Peak	189.00	400	Vertical	Pass
3**	3723.500	36.20	-8.83	54.0	-17.80	AV	189.00	400	Vertical	Pass
4	5192.500	104.28	-4.49	--	--	Peak	189.00	300	Vertical	N/A
4**	5192.500	96.10	-4.49	--	--	AV	189.00	300	Vertical	N/A
5	12580.425	52.51	1.33	74.0	-21.49	Peak	272.00	200	Vertical	Pass
5**	12580.425	44.40	1.33	54.0	-9.60	AV	272.00	200	Vertical	Pass
6	17810.999	47.20	6.23	74.0	-26.80	Peak	238.00	400	Vertical	Pass
6**	17810.999	39.49	6.23	54.0	-14.51	AV	238.00	400	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.400	56.95	-21.36	74.0	-17.05	Peak	123.00	100	Horizontal	Pass
1**	1064.400	50.28	-21.36	54.0	-3.72	AV	123.00	100	Horizontal	Pass
2	1332.500	48.42	-19.88	74.0	-25.58	Peak	115.00	100	Horizontal	Pass
2**	1332.500	46.97	-19.88	54.0	-7.03	AV	115.00	100	Horizontal	Pass
3	4123.750	47.24	-6.69	74.0	-26.76	Peak	154.00	300	Horizontal	Pass
3**	4123.750	38.44	-6.69	54.0	-15.56	AV	154.00	300	Horizontal	Pass
4	5218.500	93.33	-5.07	--	--	Peak	101.00	200	Horizontal	N/A
4**	5218.500	84.39	-5.07	--	--	AV	101.00	200	Horizontal	N/A
5	12579.951	52.90	1.34	74.0	-21.10	Peak	142.00	400	Horizontal	Pass
5**	12579.951	43.40	1.34	54.0	-10.60	AV	142.00	400	Horizontal	Pass
6	17792.625	46.91	6.30	74.0	-27.09	Peak	306.00	100	Horizontal	Pass
6**	17792.625	39.84	6.30	54.0	-14.16	AV	306.00	100	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.700	52.54	-19.37	74.0	-21.46	Peak	335.00	100	Vertical	Pass
1**	1328.700	45.75	-19.37	54.0	-8.25	AV	335.00	100	Vertical	Pass
2	1466.000	54.46	-19.41	74.0	-19.54	Peak	344.00	400	Vertical	Pass
2**	1466.000	47.32	-19.41	54.0	-6.68	AV	344.00	400	Vertical	Pass
3	3729.250	51.89	-8.70	74.0	-22.11	Peak	187.00	200	Vertical	Pass
3**	3729.250	36.65	-8.70	54.0	-17.35	AV	187.00	200	Vertical	Pass
4	5235.000	103.86	-5.30	--	--	Peak	187.00	100	Vertical	N/A
4**	5235.000	95.63	-5.30	--	--	AV	187.00	100	Vertical	N/A
5	12610.350	52.51	1.06	74.0	-21.49	Peak	201.00	300	Vertical	Pass
5**	12610.350	43.04	1.06	54.0	-10.96	AV	201.00	300	Vertical	Pass
6	17799.188	47.03	6.50	74.0	-26.97	Peak	58.00	200	Vertical	Pass
6**	17799.188	40.00	6.50	54.0	-14.00	AV	58.00	200	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.200	50.04	-21.16	74.0	-23.96	Peak	124.00	200	Horizontal	Pass
1**	1064.200	47.53	-21.16	54.0	-6.47	AV	124.00	200	Horizontal	Pass
2	1469.600	54.61	-19.82	74.0	-19.39	Peak	280.00	100	Horizontal	Pass
2**	1469.600	49.89	-19.82	54.0	-4.11	AV	280.00	100	Horizontal	Pass
3	4737.000	49.29	-5.55	74.0	-24.71	Peak	152.00	300	Horizontal	Pass
3**	4737.000	39.94	-5.55	54.0	-14.06	AV	152.00	300	Horizontal	Pass
4	5181.000	96.15	-4.32	--	--	Peak	274.00	150	Horizontal	N/A
4**	5181.000	87.87	-4.32	--	--	AV	274.00	150	Horizontal	N/A
5	12242.938	52.83	0.25	74.0	-21.17	Peak	56.00	300	Horizontal	Pass
5**	12242.938	42.62	0.25	54.0	-11.38	AV	56.00	300	Horizontal	Pass
6	17821.499	47.05	5.94	74.0	-26.95	Peak	360.00	200	Horizontal	Pass
6**	17821.499	39.28	5.94	54.0	-14.72	AV	360.00	200	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.900	53.56	-20.35	74.0	-20.44	Peak	122.00	300	Vertical	Pass
1**	1065.900	46.79	-20.35	54.0	-7.21	AV	122.00	300	Vertical	Pass
2	1461.200	54.21	-19.67	74.0	-19.79	Peak	0.00	200	Vertical	Pass
2**	1461.200	47.43	-19.67	54.0	-6.57	AV	0.00	200	Vertical	Pass
3	3715.250	51.66	-8.10	74.0	-22.34	Peak	31.00	400	Vertical	Pass
3**	3715.250	36.58	-8.10	54.0	-17.42	AV	31.00	400	Vertical	Pass
4	5176.000	107.28	-4.46	--	--	Peak	187.00	100	Vertical	N/A
4**	5176.000	100.66	-4.46	--	--	AV	187.00	100	Vertical	N/A
5	12370.237	53.58	0.56	74.0	-20.42	Peak	226.00	200	Vertical	Pass
5**	12370.237	42.46	0.56	54.0	-11.54	AV	226.00	200	Vertical	Pass
6	17801.812	47.07	6.48	74.0	-26.93	Peak	170.00	400	Vertical	Pass
6**	17801.812	39.91	6.48	54.0	-14.09	AV	170.00	400	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.000	53.50	-20.31	74.0	-20.50	Peak	146.00	300	Horizontal	Pass
1**	1066.000	48.81	-20.31	54.0	-5.19	AV	146.00	300	Horizontal	Pass
2	1463.500	55.18	-19.73	74.0	-18.82	Peak	269.00	200	Horizontal	Pass
2**	1463.500	48.53	-19.73	54.0	-5.47	AV	269.00	200	Horizontal	Pass
3	4344.750	48.44	-5.88	74.0	-25.56	Peak	325.00	100	Horizontal	Pass
3**	4344.750	38.56	-5.88	54.0	-15.44	AV	325.00	100	Horizontal	Pass
4	5216.500	96.81	-4.81	--	--	Peak	100.00	300	Horizontal	N/A
4**	5216.500	89.06	-4.81	--	--	AV	100.00	300	Horizontal	N/A
5	12578.050	52.66	1.35	74.0	-21.34	Peak	200.00	150	Horizontal	Pass
5**	12578.050	44.71	1.35	54.0	-9.29	AV	200.00	150	Horizontal	Pass
6	17789.999	47.00	6.22	74.0	-27.00	Peak	289.00	200	Horizontal	Pass
6**	17789.999	39.09	6.22	54.0	-14.91	AV	289.00	200	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.200	50.90	-20.32	74.0	-23.10	Peak	296.00	100	Vertical	Pass
1**	1066.200	46.39	-20.32	54.0	-7.61	AV	296.00	100	Vertical	Pass
2	1594.300	52.67	-19.57	74.0	-21.33	Peak	153.00	300	Vertical	Pass
2**	1594.300	47.68	-19.57	54.0	-6.32	AV	153.00	300	Vertical	Pass
3	3723.250	53.53	-8.71	74.0	-20.47	Peak	189.00	400	Vertical	Pass
3**	3723.250	40.87	-8.71	54.0	-13.13	AV	189.00	400	Vertical	Pass
4	5222.250	107.88	-4.99	--	--	Peak	189.00	150	Vertical	N/A
4**	5222.250	100.55	-4.99	--	--	AV	189.00	150	Vertical	N/A
5	12576.862	53.32	1.36	74.0	-20.68	Peak	311.00	100	Vertical	Pass
5**	12576.862	43.98	1.36	54.0	-10.02	AV	311.00	100	Vertical	Pass
6	17793.937	47.25	6.34	74.0	-26.75	Peak	29.00	300	Vertical	Pass
6**	17793.937	39.57	6.34	54.0	-14.43	AV	29.00	300	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.400	57.85	-20.47	74.0	-16.15	Peak	121.00	300	Horizontal	Pass
1**	1065.400	50.18	-20.47	54.0	-3.82	AV	121.00	300	Horizontal	Pass
2	1333.200	52.99	-19.55	74.0	-21.01	Peak	43.00	200	Horizontal	Pass
2**	1333.200	46.11	-19.55	54.0	-7.89	AV	43.00	200	Horizontal	Pass
3	4129.000	47.27	-6.48	74.0	-26.73	Peak	192.00	100	Horizontal	Pass
3**	4129.000	38.40	-6.48	54.0	-15.60	AV	192.00	100	Horizontal	Pass
4	5238.250	95.07	-5.49	--	--	Peak	103.00	400	Horizontal	N/A
4**	5238.250	86.68	-5.49	--	--	AV	103.00	400	Horizontal	N/A
5	12573.537	52.20	1.39	74.0	-21.80	Peak	0.00	200	Horizontal	Pass
5**	12573.537	43.43	1.39	54.0	-10.57	AV	0.00	200	Horizontal	Pass
6	17824.125	46.72	5.87	74.0	-27.28	Peak	244.00	100	Horizontal	Pass
6**	17824.125	39.06	5.87	54.0	-14.94	AV	244.00	100	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.400	53.39	-20.68	74.0	-20.61	Peak	344.00	150	Vertical	Pass
1**	1066.400	46.11	-20.68	54.0	-7.89	AV	344.00	150	Vertical	Pass
2	1327.800	53.88	-19.38	74.0	-20.12	Peak	320.00	400	Vertical	Pass
2**	1327.800	47.62	-19.38	54.0	-6.38	AV	320.00	400	Vertical	Pass
3	4985.000	52.02	-4.10	74.0	-21.98	Peak	247.00	200	Vertical	Pass
3**	4985.000	44.98	-4.10	54.0	-9.02	AV	247.00	200	Vertical	Pass
4	5236.500	106.81	-5.26	--	--	Peak	229.00	200	Vertical	N/A
4**	5236.500	99.69	-5.26	--	--	AV	229.00	200	Vertical	N/A
5	12418.213	52.50	0.52	74.0	-21.50	Peak	289.00	100	Vertical	Pass
5**	12418.213	43.20	0.52	54.0	-10.80	AV	289.00	100	Vertical	Pass
6	17801.812	47.84	6.48	74.0	-26.16	Peak	61.00	300	Vertical	Pass
6**	17801.812	39.44	6.48	54.0	-14.56	AV	61.00	300	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.700	54.11	-21.02	74.0	-19.89	Peak	104.00	200	Horizontal	Pass
1**	1066.700	48.30	-21.02	54.0	-5.70	AV	104.00	200	Horizontal	Pass
2	1328.800	47.24	-19.30	74.0	-26.76	Peak	267.00	400	Horizontal	Pass
2**	1328.800	46.54	-19.30	54.0	-7.46	AV	267.00	400	Horizontal	Pass
3	4341.750	48.02	-5.90	74.0	-25.98	Peak	14.00	100	Horizontal	Pass
3**	4341.750	38.88	-5.90	54.0	-15.12	AV	14.00	100	Horizontal	Pass
4	5184.000	92.57	-4.16	--	--	Peak	275.00	100	Horizontal	N/A
4**	5184.000	85.11	-4.16	--	--	AV	275.00	100	Horizontal	N/A
5	12273.812	52.91	0.50	74.0	-21.09	Peak	8.00	300	Horizontal	Pass
5**	12273.812	43.14	0.50	54.0	-10.86	AV	8.00	300	Horizontal	Pass
6	17814.938	47.88	6.12	74.0	-26.12	Peak	210.00	200	Horizontal	Pass
6**	17814.938	39.06	6.12	54.0	-14.94	AV	210.00	200	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.500	53.51	-19.28	74.0	-20.49	Peak	315.00	150	Vertical	Pass
1**	1330.500	45.96	-19.28	54.0	-8.04	AV	315.00	150	Vertical	Pass
2	2265.900	53.89	-14.08	74.0	-20.11	Peak	248.00	200	Vertical	Pass
2**	2265.900	47.28	-14.08	54.0	-6.72	AV	248.00	200	Vertical	Pass
3	3729.500	51.84	-8.62	74.0	-22.16	Peak	174.00	400	Vertical	Pass
3**	3729.500	36.71	-8.62	54.0	-17.29	AV	174.00	400	Vertical	Pass
4	5179.000	104.84	-4.08	--	--	Peak	192.00	200	Vertical	N/A
4**	5179.000	96.61	-4.08	--	--	AV	192.00	200	Vertical	N/A
5	12610.350	52.90	1.06	74.0	-21.10	Peak	46.00	200	Vertical	Pass
5**	12610.350	43.75	1.06	54.0	-10.25	AV	46.00	200	Vertical	Pass
6	17797.876	47.27	6.46	74.0	-26.73	Peak	231.00	300	Vertical	Pass
6**	17797.876	39.73	6.46	54.0	-14.27	AV	231.00	300	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.300	57.05	-20.49	74.0	-16.95	Peak	132.00	400	Horizontal	Pass
1**	1065.300	50.22	-20.49	54.0	-3.78	AV	132.00	400	Horizontal	Pass
2	1329.900	53.10	-19.41	74.0	-20.90	Peak	269.00	100	Horizontal	Pass
2**	1329.900	46.90	-19.41	54.0	-7.10	AV	269.00	100	Horizontal	Pass
3	4357.750	48.09	-6.22	74.0	-25.91	Peak	228.00	300	Horizontal	Pass
3**	4357.750	39.17	-6.22	54.0	-14.83	AV	228.00	300	Horizontal	Pass
4	5217.750	93.46	-4.72	--	--	Peak	103.00	200	Horizontal	N/A
4**	5217.750	85.02	-4.72	--	--	AV	103.00	200	Horizontal	N/A
5	12589.213	52.58	1.25	74.0	-21.42	Peak	259.00	200	Horizontal	Pass
5**	12589.213	43.22	1.25	54.0	-10.78	AV	259.00	200	Horizontal	Pass
6	17792.625	47.54	6.30	74.0	-26.46	Peak	99.00	300	Horizontal	Pass
6**	17792.625	40.00	6.30	54.0	-14.00	AV	99.00	300	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.800	53.62	-20.39	74.0	-20.38	Peak	352.00	150	Vertical	Pass
1**	1065.800	48.60	-20.39	54.0	-5.40	AV	352.00	150	Vertical	Pass
2	1330.400	48.18	-19.23	74.0	-25.82	Peak	172.00	200	Vertical	Pass
2**	1330.400	47.11	-19.23	54.0	-6.89	AV	172.00	200	Vertical	Pass
3	4972.750	52.19	-3.22	74.0	-21.81	Peak	193.00	300	Vertical	Pass
3**	4972.750	41.94	-3.22	54.0	-12.06	AV	193.00	300	Vertical	Pass
4	5219.750	104.60	-5.09	--	--	Peak	193.00	100	Vertical	N/A
4**	5219.750	96.29	-5.09	--	--	AV	193.00	100	Vertical	N/A
5	12583.276	52.18	1.30	74.0	-21.82	Peak	124.00	400	Vertical	Pass
5**	12583.276	43.90	1.30	54.0	-10.10	AV	124.00	400	Vertical	Pass
6	17793.937	47.67	6.34	74.0	-26.33	Peak	199.00	200	Vertical	Pass
6**	17793.937	39.33	6.34	54.0	-14.67	AV	199.00	200	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.200	53.16	-20.50	74.0	-20.84	Peak	247.00	200	Horizontal	Pass
1**	1065.200	50.23	-20.50	54.0	-3.77	AV	247.00	200	Horizontal	Pass
2	1332.400	47.14	-19.89	74.0	-26.86	Peak	257.00	100	Horizontal	Pass
2**	1332.400	45.14	-19.89	54.0	-8.86	AV	257.00	100	Horizontal	Pass
3	4140.500	47.53	-6.81	74.0	-26.47	Peak	156.00	300	Horizontal	Pass
3**	4140.500	38.41	-6.81	54.0	-15.59	AV	156.00	300	Horizontal	Pass
4	5212.500	90.70	-4.47	--	--	Peak	103.00	200	Horizontal	N/A
4**	5212.500	82.48	-4.47	--	--	AV	103.00	200	Horizontal	N/A
5	12575.200	52.80	1.38	74.0	-21.20	Peak	167.00	300	Horizontal	Pass
5**	12575.200	44.65	1.38	54.0	-9.35	AV	167.00	300	Horizontal	Pass
6	17803.125	47.35	6.44	74.0	-26.65	Peak	149.00	400	Horizontal	Pass
6**	17803.125	41.11	6.44	54.0	-12.89	AV	149.00	400	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.200	51.27	-19.55	74.0	-22.73	Peak	354.00	200	Vertical	Pass
1**	1328.200	46.50	-19.55	54.0	-7.50	AV	354.00	200	Vertical	Pass
2	1593.500	50.67	-19.87	74.0	-23.33	Peak	144.00	200	Vertical	Pass
2**	1593.500	46.90	-19.87	54.0	-7.10	AV	144.00	200	Vertical	Pass
3	3722.750	51.76	-8.98	74.0	-22.24	Peak	236.00	100	Vertical	Pass
3**	3722.750	36.91	-8.98	54.0	-17.09	AV	236.00	100	Vertical	Pass
4	5219.250	102.25	-4.96	--	--	Peak	200.00	150	Vertical	N/A
4**	5219.250	93.64	-4.96	--	--	AV	200.00	150	Vertical	N/A
5	12580.425	53.59	1.33	74.0	-20.41	Peak	126.00	200	Vertical	Pass
5**	12580.425	42.71	1.33	54.0	-11.29	AV	126.00	200	Vertical	Pass
6	17757.188	47.04	5.24	74.0	-26.96	Peak	86.00	400	Vertical	Pass
6**	17757.188	37.82	5.24	54.0	-16.18	AV	86.00	400	Vertical	Pass

11ac160, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.000	51.98	-20.31	74.0	-22.02	Peak	243.00	200	Horizontal	Pass
1**	1066.000	48.73	-20.31	54.0	-5.27	AV	243.00	200	Horizontal	Pass
2	1329.800	53.10	-19.60	74.0	-20.90	Peak	269.00	100	Horizontal	Pass
2**	1329.800	46.17	-19.60	54.0	-7.83	AV	269.00	100	Horizontal	Pass
3	4342.000	48.07	-5.56	74.0	-25.93	Peak	191.00	150	Horizontal	Pass
3**	4342.000	39.56	-5.56	54.0	-14.44	AV	191.00	150	Horizontal	Pass
4	5296.500	88.20	-5.33	--	--	Peak	103.00	400	Horizontal	N/A
4**	5296.500	79.74	-5.33	--	--	AV	103.00	400	Horizontal	N/A
5	12423.675	53.18	0.58	74.0	-20.82	Peak	287.00	200	Horizontal	Pass
5**	12423.675	43.73	0.58	54.0	-10.27	AV	287.00	200	Horizontal	Pass
6	17787.376	47.14	6.15	74.0	-26.86	Peak	111.00	100	Horizontal	Pass
6**	17787.376	38.86	6.15	54.0	-15.14	AV	111.00	100	Horizontal	Pass

11ac160, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.400	50.75	-20.46	74.0	-23.25	Peak	283.00	150	Vertical	Pass
1**	1063.400	45.13	-20.46	54.0	-8.87	AV	283.00	150	Vertical	Pass
2	1595.700	55.25	-19.50	74.0	-18.75	Peak	145.00	200	Vertical	Pass
2**	1595.700	47.68	-19.50	54.0	-6.32	AV	145.00	200	Vertical	Pass
3	3719.250	52.33	-8.85	74.0	-21.67	Peak	195.00	300	Vertical	Pass
3**	3719.250	36.86	-8.85	54.0	-17.14	AV	195.00	300	Vertical	Pass
4	5271.750	99.31	-4.51	--	--	Peak	195.00	100	Vertical	N/A
4**	5271.750	90.89	-4.51	--	--	AV	195.00	100	Vertical	N/A
5	12284.500	51.95	0.56	74.0	-22.05	Peak	7.00	300	Vertical	Pass
5**	12284.500	42.03	0.56	54.0	-11.97	AV	7.00	300	Vertical	Pass
6	17800.499	46.97	6.51	74.0	-27.03	Peak	69.00	400	Vertical	Pass
6**	17800.499	39.43	6.51	54.0	-14.57	AV	69.00	400	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.200	50.17	-20.45	74.0	-23.83	Peak	113.00	100	Horizontal	Pass
1**	1063.200	48.53	-20.45	54.0	-5.47	AV	113.00	100	Horizontal	Pass
2	1461.200	52.85	-19.67	74.0	-21.15	Peak	360.00	200	Horizontal	Pass
2**	1461.200	43.84	-19.67	54.0	-10.16	AV	360.00	200	Horizontal	Pass
3	4175.500	46.66	-7.38	74.0	-27.34	Peak	221.00	400	Horizontal	Pass
3**	4175.500	38.23	-7.38	54.0	-15.77	AV	221.00	400	Horizontal	Pass
4	5179.000	95.99	-4.08	--	--	Peak	109.00	150	Horizontal	N/A
4**	5179.000	89.42	-4.08	--	--	AV	109.00	150	Horizontal	N/A
5	12517.012	52.45	0.88	74.0	-21.55	Peak	360.00	200	Horizontal	Pass
5**	12517.012	42.89	0.88	54.0	-11.11	AV	360.00	200	Horizontal	Pass
6	17789.999	47.53	6.22	74.0	-26.47	Peak	119.00	300	Horizontal	Pass
6**	17789.999	39.37	6.22	54.0	-14.63	AV	119.00	300	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.200	52.20	-20.45	74.0	-21.80	Peak	176.00	300	Vertical	Pass
1**	1063.200	47.30	-20.45	54.0	-6.70	AV	176.00	300	Vertical	Pass
2	1599.000	52.56	-19.49	74.0	-21.44	Peak	202.00	200	Vertical	Pass
2**	1599.000	47.02	-19.49	54.0	-6.98	AV	202.00	200	Vertical	Pass
3	3857.500	50.97	-7.40	74.0	-23.03	Peak	192.00	100	Vertical	Pass
3**	3857.500	37.16	-7.40	54.0	-16.84	AV	192.00	100	Vertical	Pass
4	5178.750	107.87	-4.25	--	--	Peak	192.00	100	Vertical	N/A
4**	5178.750	99.99	-4.25	--	--	AV	192.00	100	Vertical	N/A
5	12403.724	52.52	0.35	74.0	-21.48	Peak	186.00	200	Vertical	Pass
5**	12403.724	43.78	0.35	54.0	-10.22	AV	186.00	200	Vertical	Pass
6	17803.125	48.23	6.44	74.0	-25.77	Peak	331.00	400	Vertical	Pass
6**	17803.125	39.80	6.44	54.0	-14.20	AV	331.00	400	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.900	53.25	-19.42	74.0	-20.75	Peak	29.00	100	Horizontal	Pass
1**	1327.900	47.27	-19.42	54.0	-6.73	AV	29.00	100	Horizontal	Pass
2	1461.900	53.72	-19.33	74.0	-20.28	Peak	184.00	400	Horizontal	Pass
2**	1461.900	46.80	-19.33	54.0	-7.20	AV	184.00	400	Horizontal	Pass
3	3917.000	47.49	-7.06	74.0	-26.51	Peak	249.00	300	Horizontal	Pass
3**	3917.000	37.69	-7.06	54.0	-16.31	AV	249.00	300	Horizontal	Pass
4	5223.000	97.23	-4.86	--	--	Peak	105.00	100	Horizontal	N/A
4**	5223.000	88.41	-4.86	--	--	AV	105.00	100	Horizontal	N/A
5	12605.362	52.31	1.10	74.0	-21.69	Peak	39.00	300	Horizontal	Pass
5**	12605.362	43.02	1.10	54.0	-10.98	AV	39.00	300	Horizontal	Pass
6	17809.687	46.76	6.26	74.0	-27.24	Peak	186.00	200	Horizontal	Pass
6**	17809.687	39.13	6.26	54.0	-14.87	AV	186.00	200	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.200	51.98	-20.32	74.0	-22.02	Peak	26.00	200	Vertical	Pass
1**	1066.200	45.33	-20.32	54.0	-8.67	AV	26.00	200	Vertical	Pass
2	1595.800	51.64	-19.50	74.0	-22.36	Peak	216.00	300	Vertical	Pass
2**	1595.800	47.23	-19.50	54.0	-6.77	AV	216.00	300	Vertical	Pass
3	3794.000	51.49	-7.76	74.0	-22.51	Peak	178.00	100	Vertical	Pass
3**	3794.000	41.26	-7.76	54.0	-12.74	AV	178.00	100	Vertical	Pass
4	5217.750	107.58	-4.72	--	--	Peak	197.00	100	Vertical	N/A
4**	5217.750	100.29	-4.72	--	--	AV	197.00	100	Vertical	N/A
5	12551.687	52.42	1.59	74.0	-21.58	Peak	226.00	200	Vertical	Pass
5**	12551.687	43.18	1.59	54.0	-10.82	AV	226.00	200	Vertical	Pass
6	17793.937	47.84	6.34	74.0	-26.16	Peak	301.00	150	Vertical	Pass
6**	17793.937	40.00	6.34	54.0	-14.00	AV	301.00	150	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.700	55.29	-20.42	74.0	-18.71	Peak	83.00	200	Horizontal	Pass
1**	1065.700	48.12	-20.42	54.0	-5.88	AV	83.00	200	Horizontal	Pass
2	1330.600	51.61	-19.33	74.0	-22.39	Peak	274.00	100	Horizontal	Pass
2**	1330.600	45.40	-19.33	54.0	-8.60	AV	274.00	100	Horizontal	Pass
3	4268.500	47.59	-6.45	74.0	-26.41	Peak	141.00	300	Horizontal	Pass
3**	4268.500	37.35	-6.45	54.0	-16.65	AV	141.00	300	Horizontal	Pass
4	5239.000	95.15	-5.48	--	--	Peak	264.00	150	Horizontal	N/A
4**	5239.000	87.12	-5.48	--	--	AV	264.00	150	Horizontal	N/A
5	12582.563	52.50	1.31	74.0	-21.50	Peak	335.00	300	Horizontal	Pass
5**	12582.563	44.17	1.31	54.0	-9.83	AV	335.00	300	Horizontal	Pass
6	17786.063	48.39	6.11	74.0	-25.61	Peak	300.00	200	Horizontal	Pass
6**	17786.063	39.65	6.11	54.0	-14.35	AV	300.00	200	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.100	51.28	-21.06	74.0	-22.72	Peak	158.00	150	Vertical	Pass
1**	1064.100	44.69	-21.06	54.0	-9.31	AV	158.00	150	Vertical	Pass
2	1594.200	53.27	-19.47	74.0	-20.73	Peak	218.00	200	Vertical	Pass
2**	1594.200	46.13	-19.47	54.0	-7.87	AV	218.00	200	Vertical	Pass
3	3721.750	53.98	-8.73	74.0	-20.02	Peak	204.00	400	Vertical	Pass
3**	3721.750	45.87	-8.73	54.0	-8.13	AV	204.00	400	Vertical	Pass
4	5242.500	107.68	-5.17	--	--	Peak	185.00	300	Vertical	N/A
4**	5242.500	99.73	-5.17	--	--	AV	185.00	300	Vertical	N/A
5	12553.349	52.25	1.58	74.0	-21.75	Peak	324.00	200	Vertical	Pass
5**	12553.349	42.99	1.58	54.0	-11.01	AV	324.00	200	Vertical	Pass
6	17787.376	47.75	6.15	74.0	-26.25	Peak	222.00	400	Vertical	Pass
6**	17787.376	39.19	6.15	54.0	-14.81	AV	222.00	400	Vertical	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.300	50.06	-19.53	74.0	-23.94	Peak	256.00	300	Horizontal	Pass
1**	1331.300	47.25	-19.53	54.0	-6.75	AV	256.00	300	Horizontal	Pass
2	1460.100	49.58	-19.47	74.0	-24.42	Peak	131.00	400	Horizontal	Pass
2**	1460.100	47.96	-19.47	54.0	-6.04	AV	131.00	400	Horizontal	Pass
3	3931.000	47.24	-7.40	74.0	-26.76	Peak	360.00	100	Horizontal	Pass
3**	3931.000	36.77	-7.40	54.0	-17.23	AV	360.00	100	Horizontal	Pass
4	5184.250	93.56	-4.20	--	--	Peak	262.00	200	Horizontal	N/A
4**	5184.250	85.50	-4.20	--	--	AV	262.00	200	Horizontal	N/A
5	12579.000	52.72	1.34	74.0	-21.28	Peak	193.00	100	Horizontal	Pass
5**	12579.000	43.24	1.34	54.0	-10.76	AV	193.00	100	Horizontal	Pass
6	17821.499	47.00	5.94	74.0	-27.00	Peak	24.00	300	Horizontal	Pass
6**	17821.499	40.80	5.94	54.0	-13.20	AV	24.00	300	Horizontal	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.000	54.02	-19.22	74.0	-19.98	Peak	28.00	100	Vertical	Pass
1**	1330.000	47.34	-19.22	54.0	-6.66	AV	28.00	100	Vertical	Pass
2	1594.200	48.66	-19.47	74.0	-25.34	Peak	0.00	200	Vertical	Pass
2**	1594.200	47.19	-19.47	54.0	-6.81	AV	0.00	200	Vertical	Pass
3	3728.500	52.18	-8.77	74.0	-21.82	Peak	175.00	150	Vertical	Pass
3**	3728.500	42.56	-8.77	54.0	-11.44	AV	175.00	150	Vertical	Pass
4	5191.500	105.41	-4.46	--	--	Peak	229.00	300	Vertical	N/A
4**	5191.500	98.38	-4.46	--	--	AV	229.00	300	Vertical	N/A
5	12585.650	52.01	1.28	74.0	-21.99	Peak	342.00	400	Vertical	Pass
5**	12585.650	44.00	1.28	54.0	-10.00	AV	342.00	400	Vertical	Pass
6	17826.750	47.01	5.80	74.0	-26.99	Peak	356.00	200	Vertical	Pass
6**	17826.750	39.04	5.80	54.0	-14.96	AV	356.00	200	Vertical	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.900	56.44	-20.35	74.0	-17.56	Peak	115.00	200	Horizontal	Pass
1**	1065.900	49.56	-20.35	54.0	-4.44	AV	115.00	200	Horizontal	Pass
2	1331.900	53.96	-19.93	74.0	-20.04	Peak	285.00	100	Horizontal	Pass
2**	1331.900	47.07	-19.93	54.0	-6.93	AV	285.00	100	Horizontal	Pass
3	4052.000	46.53	-7.46	74.0	-27.47	Peak	104.00	150	Horizontal	Pass
3**	4052.000	36.99	-7.46	54.0	-17.01	AV	104.00	150	Horizontal	Pass
4	5222.250	93.14	-4.99	--	--	Peak	284.00	400	Horizontal	N/A
4**	5222.250	85.57	-4.99	--	--	AV	284.00	400	Horizontal	N/A
5	12435.550	52.64	0.72	74.0	-21.36	Peak	126.00	200	Horizontal	Pass
5**	12435.550	42.75	0.72	54.0	-11.25	AV	126.00	200	Horizontal	Pass
6	17792.625	46.57	6.30	74.0	-27.43	Peak	317.00	100	Horizontal	Pass
6**	17792.625	40.98	6.30	54.0	-13.02	AV	317.00	100	Horizontal	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.200	53.99	-19.13	74.0	-20.01	Peak	87.00	150	Vertical	Pass
1**	1330.200	47.44	-19.13	54.0	-6.56	AV	87.00	150	Vertical	Pass
2	1594.300	51.64	-19.57	74.0	-22.36	Peak	156.00	200	Vertical	Pass
2**	1594.300	46.71	-19.57	54.0	-7.29	AV	156.00	200	Vertical	Pass
3	3795.000	51.61	-7.81	74.0	-22.39	Peak	211.00	300	Vertical	Pass
3**	3795.000	42.99	-7.81	54.0	-11.01	AV	211.00	300	Vertical	Pass
4	5228.250	104.79	-4.90	--	--	Peak	228.00	100	Vertical	N/A
4**	5228.250	95.59	-4.90	--	--	AV	228.00	100	Vertical	N/A
5	12586.125	52.90	1.28	74.0	-21.10	Peak	259.00	300	Vertical	Pass
5**	12586.125	43.47	1.28	54.0	-10.53	AV	259.00	300	Vertical	Pass
6	17771.624	47.26	5.67	74.0	-26.74	Peak	251.00	400	Vertical	Pass
6**	17771.624	38.93	5.67	54.0	-15.07	AV	251.00	400	Vertical	Pass

11ax80 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.600	49.63	-20.62	74.0	-24.37	Peak	41.00	150	Horizontal	Pass
1**	1062.600	43.88	-20.62	54.0	-10.12	AV	41.00	150	Horizontal	Pass
2	1460.300	54.02	-19.67	74.0	-19.98	Peak	355.00	200	Horizontal	Pass
2**	1460.300	45.63	-19.67	54.0	-8.37	AV	355.00	200	Horizontal	Pass
3	4105.500	47.35	-7.08	74.0	-26.65	Peak	211.00	300	Horizontal	Pass
3**	4105.500	37.80	-7.08	54.0	-16.20	AV	211.00	300	Horizontal	Pass
4	5217.500	92.38	-4.66	--	--	Peak	103.00	100	Horizontal	N/A
4**	5217.500	82.57	-4.66	--	--	AV	103.00	100	Horizontal	N/A
5	12554.776	52.27	1.57	74.0	-21.73	Peak	17.00	400	Horizontal	Pass
5**	12554.776	43.57	1.57	54.0	-10.43	AV	17.00	400	Horizontal	Pass
6	17797.876	47.47	6.46	74.0	-26.53	Peak	340.00	200	Horizontal	Pass
6**	17797.876	40.31	6.46	54.0	-13.69	AV	340.00	200	Horizontal	Pass

11ax80 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.900	49.67	-20.35	74.0	-24.33	Peak	178.00	150	Vertical	Pass
1**	1065.900	45.95	-20.35	54.0	-8.05	AV	178.00	150	Vertical	Pass
2	1594.700	51.82	-19.79	74.0	-22.18	Peak	212.00	200	Vertical	Pass
2**	1594.700	46.69	-19.79	54.0	-7.31	AV	212.00	200	Vertical	Pass
3	3724.000	53.11	-8.95	74.0	-20.89	Peak	183.00	400	Vertical	Pass
3**	3724.000	36.70	-8.95	54.0	-17.30	AV	183.00	400	Vertical	Pass
4	5185.250	103.05	-4.24	--	--	Peak	202.00	200	Vertical	N/A
4**	5185.250	94.02	-4.24	--	--	AV	202.00	200	Vertical	N/A
5	12584.225	52.55	1.30	74.0	-21.45	Peak	322.00	200	Vertical	Pass
5**	12584.225	43.21	1.30	54.0	-10.79	AV	322.00	200	Vertical	Pass
6	17800.499	46.67	6.51	74.0	-27.33	Peak	360.00	300	Vertical	Pass
6**	17800.499	39.97	6.51	54.0	-14.03	AV	360.00	300	Vertical	Pass

11ax160 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.500	53.56	-19.28	74.0	-20.44	Peak	325.00	150	Horizontal	Pass
1**	1327.500	46.36	-19.28	54.0	-7.64	AV	325.00	150	Horizontal	Pass
2	1461.300	52.52	-19.47	74.0	-21.48	Peak	263.00	400	Horizontal	Pass
2**	1461.300	47.74	-19.47	54.0	-6.26	AV	263.00	400	Horizontal	Pass
3	4331.250	48.42	-5.50	74.0	-25.58	Peak	195.00	200	Horizontal	Pass
3**	4331.250	39.20	-5.50	54.0	-14.80	AV	195.00	200	Horizontal	Pass
4	5279.500	89.69	-4.24	--	--	Peak	266.00	200	Horizontal	N/A
4**	5279.500	80.22	-4.24	--	--	AV	266.00	200	Horizontal	N/A
5	12583.513	53.49	1.30	74.0	-20.51	Peak	239.00	100	Horizontal	Pass
5**	12583.513	43.69	1.30	54.0	-10.31	AV	239.00	100	Horizontal	Pass
6	17803.125	47.86	6.44	74.0	-26.14	Peak	202.00	300	Horizontal	Pass
6**	17803.125	39.24	6.44	54.0	-14.76	AV	202.00	300	Horizontal	Pass

11ax160 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.000	50.35	-19.47	74.0	-23.65	Peak	303.00	150	Vertical	Pass
1**	1328.000	45.89	-19.47	54.0	-8.11	AV	303.00	150	Vertical	Pass
2	1595.700	52.13	-19.50	74.0	-21.87	Peak	138.00	200	Vertical	Pass
2**	1595.700	46.70	-19.50	54.0	-7.30	AV	138.00	200	Vertical	Pass
3	3782.250	50.58	-8.22	74.0	-23.42	Peak	209.00	400	Vertical	Pass
3**	3782.250	36.95	-8.22	54.0	-17.05	AV	209.00	400	Vertical	Pass
4	5271.750	101.69	-4.51	--	--	Peak	190.00	200	Vertical	N/A
4**	5271.750	91.06	-4.51	--	--	AV	190.00	200	Vertical	N/A
5	12426.287	52.50	0.61	74.0	-21.50	Peak	134.00	200	Vertical	Pass
5**	12426.287	43.08	0.61	54.0	-10.92	AV	134.00	200	Vertical	Pass
6	17808.376	46.72	6.30	74.0	-27.28	Peak	254.00	300	Vertical	Pass
6**	17808.376	38.32	6.30	54.0	-15.68	AV	254.00	300	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.600	47.54	-20.44	74.0	-26.46	Peak	142.00	300	Horizontal	Pass
1**	1065.600	44.45	-20.44	54.0	-9.55	AV	142.00	300	Horizontal	Pass
2	1327.900	48.56	-19.42	74.0	-25.44	Peak	271.00	200	Horizontal	Pass
2**	1327.900	45.86	-19.42	54.0	-8.14	AV	271.00	200	Horizontal	Pass
3	1465.900	44.99	-19.45	74.0	-31.01	Peak	360.00	400	Horizontal	Pass
3**	1465.900	43.75	-19.45	54.0	-10.25	AV	360.00	400	Horizontal	Pass
4	5261.500	96.69	-4.89	--	--	Peak	257.00	150	Horizontal	N/A
4**	5261.500	87.94	-4.89	--	--	AV	257.00	150	Horizontal	N/A
5	7480.500	54.72	-0.74	74.0	-19.28	Peak	257.00	200	Horizontal	Pass
5**	7480.500	45.39	-0.74	54.0	-8.61	AV	257.00	200	Horizontal	Pass
6	12276.901	52.44	0.52	74.0	-21.56	Peak	340.00	300	Horizontal	Pass
6**	12276.901	42.52	0.52	54.0	-11.48	AV	340.00	300	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.600	50.21	-20.44	74.0	-23.79	Peak	202.00	400	Vertical	Pass
1**	1065.600	44.69	-20.44	54.0	-9.31	AV	202.00	400	Vertical	Pass
2	1328.300	48.49	-19.59	74.0	-25.51	Peak	315.00	200	Vertical	Pass
2**	1328.300	45.29	-19.59	54.0	-8.71	AV	315.00	200	Vertical	Pass
3	1599.600	49.90	-19.46	74.0	-24.10	Peak	219.00	100	Vertical	Pass
3**	1599.600	47.00	-19.46	54.0	-7.00	AV	219.00	100	Vertical	Pass
4	5259.500	107.04	-5.23	--	--	Peak	185.00	300	Vertical	N/A
4**	5259.500	98.44	-5.23	--	--	AV	185.00	300	Vertical	N/A
5	7499.500	54.20	-0.13	74.0	-19.80	Peak	132.00	100	Vertical	Pass
5**	7499.500	45.41	-0.13	54.0	-8.59	AV	132.00	100	Vertical	Pass
6	12545.988	52.79	1.52	74.0	-21.21	Peak	280.00	200	Vertical	Pass
6**	12545.988	42.65	1.52	54.0	-11.35	AV	280.00	200	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.600	56.47	-21.01	74.0	-17.53	Peak	107.00	300	Horizontal	Pass
1**	1066.600	49.77	-21.01	54.0	-4.23	AV	107.00	300	Horizontal	Pass
2	1333.100	53.11	-19.59	74.0	-20.89	Peak	132.00	200	Horizontal	Pass
2**	1333.100	45.25	-19.59	54.0	-8.75	AV	132.00	200	Horizontal	Pass
3	1466.500	53.84	-19.76	74.0	-20.16	Peak	249.00	100	Horizontal	Pass
3**	1466.500	45.38	-19.76	54.0	-8.62	AV	249.00	100	Horizontal	Pass
4	5298.250	97.02	-4.88	--	--	Peak	103.00	100	Horizontal	N/A
4**	5298.250	88.63	-4.88	--	--	AV	103.00	100	Horizontal	N/A
5	7583.750	52.91	-0.21	74.0	-21.09	Peak	247.00	200	Horizontal	Pass
5**	7583.750	44.06	-0.21	54.0	-9.94	AV	247.00	200	Horizontal	Pass
6	12427.237	52.70	0.62	74.0	-21.30	Peak	357.00	400	Horizontal	Pass
6**	12427.237	43.28	0.62	54.0	-10.72	AV	357.00	400	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.200	48.99	-19.53	74.0	-25.01	Peak	0.00	400	Vertical	Pass
1**	1331.200	47.19	-19.53	54.0	-6.81	AV	0.00	400	Vertical	Pass
2	1465.700	48.39	-19.53	74.0	-25.61	Peak	335.00	300	Vertical	Pass
2**	1465.700	47.12	-19.53	54.0	-6.88	AV	335.00	300	Vertical	Pass
3	1599.000	51.78	-19.49	74.0	-22.22	Peak	354.00	100	Vertical	Pass
3**	1599.000	46.04	-19.49	54.0	-7.96	AV	354.00	100	Vertical	Pass
4	5296.250	107.32	-5.14	--	--	Peak	189.00	200	Vertical	N/A
4**	5296.250	99.12	-5.14	--	--	AV	189.00	100	Vertical	N/A
5	7583.000	53.78	0.28	74.0	-20.22	Peak	207.00	300	Vertical	Pass
5**	7583.000	44.30	0.28	54.0	-9.70	AV	207.00	300	Vertical	Pass
6	12553.588	52.50	1.58	74.0	-21.50	Peak	74.00	400	Vertical	Pass
6**	12553.588	43.80	1.58	54.0	-10.20	AV	74.00	400	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.600	52.61	-20.46	74.0	-21.39	Peak	121.00	100	Horizontal	Pass
1**	1063.600	52.21	-20.46	54.0	-1.79	AV	121.00	100	Horizontal	Pass
2	1463.800	49.25	-19.61	74.0	-24.75	Peak	360.00	400	Horizontal	Pass
2**	1463.800	46.32	-19.61	54.0	-7.68	AV	360.00	400	Horizontal	Pass
3	4124.500	47.33	-6.55	74.0	-26.67	Peak	304.00	300	Horizontal	Pass
3**	4124.500	38.52	-6.55	54.0	-15.48	AV	304.00	300	Horizontal	Pass
4	5324.250	97.74	-5.01	--	--	Peak	106.00	100	Horizontal	N/A
4**	5324.250	90.69	-5.01	--	--	AV	106.00	100	Horizontal	N/A
5	12262.412	52.57	0.44	74.0	-21.43	Peak	334.00	300	Horizontal	Pass
5**	12262.412	42.58	0.44	54.0	-11.42	AV	334.00	300	Horizontal	Pass
6	17797.876	47.02	6.46	74.0	-26.98	Peak	342.00	200	Horizontal	Pass
6**	17797.876	39.47	6.46	54.0	-14.53	AV	342.00	200	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.300	46.29	-19.18	74.0	-27.71	Peak	195.00	400	Vertical	Pass
1**	1330.300	44.21	-19.18	54.0	-9.79	AV	195.00	400	Vertical	Pass
2	1463.500	48.14	-19.73	74.0	-25.86	Peak	43.00	100	Vertical	Pass
2**	1463.500	46.63	-19.73	54.0	-7.37	AV	43.00	100	Vertical	Pass
3	3725.000	51.20	-8.52	74.0	-22.80	Peak	187.00	300	Vertical	Pass
3**	3725.000	39.63	-8.52	54.0	-14.37	AV	187.00	300	Vertical	Pass
4	5317.500	107.20	-4.93	--	--	Peak	222.00	200	Vertical	N/A
4**	5317.500	98.85	-4.93	--	--	AV	222.00	200	Vertical	N/A
5	12366.913	53.20	0.59	74.0	-20.80	Peak	177.00	200	Vertical	Pass
5**	12366.913	43.79	0.59	54.0	-10.21	AV	177.00	200	Vertical	Pass
6	17795.250	47.45	6.38	74.0	-26.55	Peak	107.00	100	Vertical	Pass
6**	17795.250	40.41	6.38	54.0	-13.59	AV	107.00	100	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1001.600	48.74	-20.78	74.0	-26.26	Peak	299.00	150	Horizontal	Pass
1**	1001.600	47.77	-20.78	54.0	-6.23	AV	299.00	150	Horizontal	Pass
2	1330.100	51.42	-19.08	74.0	-22.58	Peak	282.00	200	Horizontal	Pass
2**	1330.100	46.36	-19.08	54.0	-7.64	AV	282.00	200	Horizontal	Pass
3	3916.500	48.35	-7.19	74.0	-25.65	Peak	75.00	300	Horizontal	Pass
3**	3916.500	38.30	-7.19	54.0	-15.70	AV	75.00	300	Horizontal	Pass
4	5261.250	95.80	-5.07	--	--	Peak	93.00	200	Horizontal	N/A
4**	5261.250	88.20	-5.07	--	--	AV	93.00	200	Horizontal	N/A
5	12367.863	52.95	0.58	74.0	-21.05	Peak	155.00	200	Horizontal	Pass
5**	12367.863	42.54	0.58	54.0	-11.46	AV	155.00	200	Horizontal	Pass
6	17824.125	47.04	5.87	74.0	-26.96	Peak	352.00	400	Horizontal	Pass
6**	17824.125	39.66	5.87	54.0	-14.34	AV	352.00	400	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.600	48.89	-19.33	74.0	-32.11	Peak	342.00	100	Vertical	Pass
1**	1330.600	46.32	-19.33	54.0	-7.68	AV	342.00	100	Vertical	Pass
2	1593.800	50.56	-19.50	74.0	-23.44	Peak	226.00	300	Vertical	Pass
2**	1593.800	47.24	-19.50	54.0	-6.76	AV	226.00	300	Vertical	Pass
3	2264.900	49.54	-14.28	74.0	-28.46	Peak	209.00	200	Vertical	Pass
3**	2264.900	47.88	-14.28	54.0	-6.12	AV	209.00	200	Vertical	Pass
4	5262.000	107.86	-4.90	--	--	Peak	224.00	100	Vertical	N/A
4**	5262.000	99.61	-4.90	--	--	AV	224.00	100	Vertical	N/A
5	12524.375	52.63	1.05	74.0	-21.37	Peak	118.00	200	Vertical	Pass
5**	12524.375	42.74	1.05	54.0	-11.26	AV	118.00	200	Vertical	Pass
6	17766.375	46.78	5.52	74.0	-27.22	Peak	270.00	150	Vertical	Pass
6**	17766.375	39.02	5.52	54.0	-14.98	AV	270.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.400	52.66	-20.51	74.0	-21.34	Peak	45.00	300	Horizontal	Pass
1**	1062.400	48.34	-20.51	54.0	-5.66	AV	45.00	300	Horizontal	Pass
2	1331.000	51.34	-19.52	74.0	-22.66	Peak	293.00	400	Horizontal	Pass
2**	1331.000	49.01	-19.52	54.0	-4.99	AV	293.00	400	Horizontal	Pass
3	1462.100	54.29	-19.39	74.0	-19.71	Peak	273.00	300	Horizontal	Pass
3**	1462.100	49.99	-19.39	54.0	-4.01	AV	273.00	300	Horizontal	Pass
4	5302.000	96.00	-5.47	--	--	Peak	99.00	400	Horizontal	N/A
4**	5302.000	87.87	-5.47	--	--	AV	99.00	400	Horizontal	N/A
5	12343.162	53.02	0.72	74.0	-20.98	Peak	256.00	300	Horizontal	Pass
5**	12343.162	42.97	0.72	54.0	-11.03	AV	256.00	300	Horizontal	Pass
6	17795.250	47.44	6.38	74.0	-26.56	Peak	342.00	100	Horizontal	Pass
6**	17795.250	41.08	6.38	54.0	-12.92	AV	342.00	100	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.500	49.43	-20.46	74.0	-24.57	Peak	183.00	100	Vertical	Pass
1**	1065.500	46.11	-20.46	54.0	-7.89	AV	183.00	100	Vertical	Pass
2	1329.200	48.56	-19.34	74.0	-28.44	Peak	82.00	300	Vertical	Pass
2**	1329.200	46.52	-19.34	54.0	-7.48	AV	82.00	300	Vertical	Pass
3	1594.000	51.85	-19.26	74.0	-22.15	Peak	226.00	150	Vertical	Pass
3**	1594.000	47.74	-19.26	54.0	-6.26	AV	226.00	150	Vertical	Pass
4	5296.000	106.76	-4.96	--	--	Peak	179.00	200	Vertical	N/A
4**	5296.000	99.19	-4.96	--	--	AV	179.00	200	Vertical	N/A
5	12366.675	52.60	0.59	74.0	-21.40	Peak	43.00	200	Vertical	Pass
5**	12366.675	43.78	0.59	54.0	-10.22	AV	43.00	200	Vertical	Pass
6	17797.876	46.87	6.46	74.0	-27.13	Peak	68.00	100	Vertical	Pass
6**	17797.876	39.91	6.46	54.0	-14.09	AV	68.00	100	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.100	48.49	-20.50	74.0	-25.51	Peak	131.00	100	Horizontal	Pass
1**	1063.100	47.23	-20.50	54.0	-6.77	AV	131.00	100	Horizontal	Pass
2	1462.200	46.09	-19.42	74.0	-27.91	Peak	47.00	200	Horizontal	Pass
2**	1462.200	45.42	-19.42	54.0	-8.58	AV	47.00	200	Horizontal	Pass
3	4331.250	47.82	-5.50	74.0	-26.18	Peak	197.00	150	Horizontal	Pass
3**	4331.250	38.78	-5.50	54.0	-15.22	AV	197.00	150	Horizontal	Pass
4	5321.500	98.67	-4.95	--	--	Peak	86.00	300	Horizontal	N/A
4**	5321.500	90.06	-4.95	--	--	AV	86.00	300	Horizontal	N/A
5	12634.338	52.75	0.86	74.0	-21.25	Peak	130.00	400	Horizontal	Pass
5**	12634.338	42.39	0.86	54.0	-11.61	AV	130.00	400	Horizontal	Pass
6	17788.688	47.66	6.19	74.0	-26.34	Peak	197.00	200	Horizontal	Pass
6**	17788.688	39.83	6.19	54.0	-14.17	AV	197.00	200	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.800	46.02	-20.71	74.0	-27.98	Peak	63.00	300	Vertical	Pass
1**	1064.800	45.33	-20.71	54.0	-8.67	AV	63.00	300	Vertical	Pass
2	1462.600	45.81	-19.42	74.0	-29.19	Peak	205.00	400	Vertical	Pass
2**	1462.600	44.97	-19.42	54.0	-9.03	AV	205.00	400	Vertical	Pass
3	1598.700	51.86	-19.11	74.0	-22.14	Peak	349.00	100	Vertical	Pass
3**	1598.700	47.95	-19.11	54.0	-6.05	AV	349.00	100	Vertical	Pass
4	5322.750	105.86	-5.11	--	--	Peak	223.00	200	Vertical	N/A
4**	5322.750	98.37	-5.11	--	--	AV	223.00	200	Vertical	N/A
5	12548.125	52.36	1.57	74.0	-21.64	Peak	173.00	100	Vertical	Pass
5**	12548.125	43.49	1.57	54.0	-10.51	AV	173.00	100	Vertical	Pass
6	17804.438	47.94	6.40	74.0	-26.06	Peak	125.00	300	Vertical	Pass
6**	17804.438	41.09	6.40	54.0	-12.91	AV	125.00	300	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.200	53.30	-20.50	74.0	-20.70	Peak	136.00	400	Horizontal	Pass
1**	1065.200	50.68	-20.50	54.0	-3.32	AV	136.00	400	Horizontal	Pass
2	1329.100	51.48	-19.33	74.0	-22.52	Peak	271.00	300	Horizontal	Pass
2**	1329.100	44.12	-19.33	54.0	-9.88	AV	271.00	300	Horizontal	Pass
3	4307.250	47.66	-5.68	74.0	-26.34	Peak	122.00	100	Horizontal	Pass
3**	4307.250	38.58	-5.68	54.0	-15.42	AV	122.00	100	Horizontal	Pass
4	5267.000	92.90	-4.96	--	--	Peak	85.00	200	Horizontal	N/A
4**	5267.000	84.43	-4.96	--	--	AV	85.00	200	Horizontal	N/A
5	12428.900	52.35	0.64	74.0	-21.65	Peak	201.00	200	Horizontal	Pass
5**	12428.900	43.72	0.64	54.0	-10.28	AV	201.00	200	Horizontal	Pass
6	17786.063	47.74	6.11	74.0	-26.26	Peak	314.00	150	Horizontal	Pass
6**	17786.063	40.09	6.11	54.0	-13.91	AV	314.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.900	50.38	-19.70	74.0	-23.62	Peak	314.00	400	Vertical	Pass
1**	1332.900	46.61	-19.70	54.0	-7.39	AV	314.00	400	Vertical	Pass
2	1594.900	49.23	-19.83	74.0	-24.77	Peak	149.00	200	Vertical	Pass
2**	1594.900	45.71	-19.83	54.0	-8.29	AV	149.00	200	Vertical	Pass
3	3795.750	51.03	-8.09	74.0	-22.97	Peak	217.00	100	Vertical	Pass
3**	3795.750	39.24	-8.09	54.0	-14.76	AV	217.00	100	Vertical	Pass
4	5280.750	103.92	-4.53	--	--	Peak	217.00	300	Vertical	N/A
4**	5280.750	96.51	-4.53	--	--	AV	217.00	300	Vertical	N/A
5	12287.588	52.52	0.58	74.0	-21.48	Peak	267.00	200	Vertical	Pass
5**	12287.588	42.84	0.58	54.0	-11.16	AV	267.00	200	Vertical	Pass
6	17797.876	48.44	6.46	74.0	-25.56	Peak	124.00	400	Vertical	Pass
6**	17797.876	40.05	6.46	54.0	-13.95	AV	124.00	400	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.800	53.88	-19.45	74.0	-20.12	Peak	291.00	100	Horizontal	Pass
1**	1330.800	46.27	-19.45	54.0	-7.73	AV	291.00	100	Horizontal	Pass
2	1466.800	47.60	-20.04	74.0	-26.40	Peak	357.00	100	Horizontal	Pass
2**	1466.800	46.82	-20.04	54.0	-7.18	AV	357.00	100	Horizontal	Pass
3	4339.750	47.55	-5.84	74.0	-26.45	Peak	345.00	300	Horizontal	Pass
3**	4339.750	39.19	-5.84	54.0	-14.81	AV	345.00	300	Horizontal	Pass
4	5320.250	94.25	-4.86	--	--	Peak	83.00	200	Horizontal	N/A
4**	5320.250	86.09	-4.86	--	--	AV	83.00	200	Horizontal	N/A
5	12278.799	52.96	0.53	74.0	-21.04	Peak	286.00	400	Horizontal	Pass
5**	12278.799	42.87	0.53	54.0	-11.13	AV	286.00	400	Horizontal	Pass
6	17816.250	46.76	6.08	74.0	-27.24	Peak	236.00	100	Horizontal	Pass
6**	17816.250	39.51	6.08	54.0	-14.49	AV	236.00	100	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.800	48.37	-20.39	74.0	-25.63	Peak	300.00	100	Vertical	Pass
1**	1065.800	47.83	-20.39	54.0	-6.17	AV	300.00	100	Vertical	Pass
2	1465.300	48.18	-19.71	74.0	-25.82	Peak	199.00	400	Vertical	Pass
2**	1465.300	46.29	-19.71	54.0	-7.71	AV	199.00	400	Vertical	Pass
3	1599.300	49.34	-19.58	74.0	-24.66	Peak	217.00	200	Vertical	Pass
3**	1599.300	46.36	-19.58	54.0	-7.64	AV	217.00	200	Vertical	Pass
4	5318.250	103.35	-5.09	--	--	Peak	224.00	100	Vertical	N/A
4**	5318.250	94.85	-5.09	--	--	AV	224.00	100	Vertical	N/A
5	12455.737	52.52	0.84	74.0	-21.48	Peak	201.00	300	Vertical	Pass
5**	12455.737	43.08	0.84	54.0	-10.92	AV	201.00	300	Vertical	Pass
6	17809.687	46.86	6.26	74.0	-27.14	Peak	75.00	200	Vertical	Pass
6**	17809.687	39.03	6.26	54.0	-14.97	AV	75.00	200	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.200	57.47	-20.32	74.0	-16.53	Peak	142.00	200	Horizontal	Pass
1**	1066.200	49.28	-20.32	54.0	-4.72	AV	142.00	200	Horizontal	Pass
2	1464.500	52.90	-19.71	74.0	-19.10	Peak	280.00	100	Horizontal	Pass
2**	1464.500	52.18	-19.71	54.0	-1.82	AV	280.00	100	Horizontal	Pass
3	4344.250	48.06	-5.75	74.0	-25.94	Peak	294.00	300	Horizontal	Pass
3**	4344.250	39.03	-5.75	54.0	-14.97	AV	294.00	300	Horizontal	Pass
4	5262.750	96.13	-5.05	--	--	Peak	83.00	150	Horizontal	N/A
4**	5262.750	88.43	-5.05	--	--	AV	83.00	150	Horizontal	N/A
5	12302.550	52.77	0.66	74.0	-21.23	Peak	301.00	300	Horizontal	Pass
5**	12302.550	43.73	0.66	54.0	-10.27	AV	301.00	300	Horizontal	Pass
6	17801.812	47.28	6.48	74.0	-26.72	Peak	318.00	200	Horizontal	Pass
6**	17801.812	39.30	6.48	54.0	-14.70	AV	318.00	200	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.600	46.66	-19.82	74.0	-27.34	Peak	108.00	300	Vertical	Pass
1**	1329.600	46.37	-19.82	54.0	-7.63	AV	108.00	300	Vertical	Pass
2	1594.500	52.81	-19.72	74.0	-21.19	Peak	334.00	200	Vertical	Pass
2**	1594.500	46.93	-19.72	54.0	-7.07	AV	334.00	200	Vertical	Pass
3	2256.300	47.64	-14.47	74.0	-26.36	Peak	159.00	400	Vertical	Pass
3**	2256.300	47.29	-14.47	54.0	-6.71	AV	159.00	400	Vertical	Pass
4	5261.750	107.91	-4.84	--	--	Peak	176.00	100	Vertical	N/A
4**	5261.750	99.82	-4.84	--	--	AV	176.00	100	Vertical	N/A
5	12281.175	53.22	0.55	74.0	-20.78	Peak	24.00	200	Vertical	Pass
5**	12281.175	43.05	0.55	54.0	-10.95	AV	24.00	200	Vertical	Pass
6	17792.625	47.69	6.30	74.0	-26.31	Peak	360.00	400	Vertical	Pass
6**	17792.625	40.30	6.30	54.0	-13.70	AV	360.00	400	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.400	55.95	-20.51	74.0	-23.08	Peak	104.00	100	Horizontal	Pass
1**	1062.400	49.39	-20.51	54.0	-4.61	AV	104.00	100	Horizontal	Pass
2	1331.200	49.92	-19.53	74.0	-24.08	Peak	0.00	300	Horizontal	Pass
2**	1331.200	47.99	-19.53	54.0	-6.01	AV	0.00	300	Horizontal	Pass
3	4357.500	47.79	-6.31	74.0	-26.21	Peak	0.00	200	Horizontal	Pass
3**	4357.500	38.80	-6.31	54.0	-15.20	AV	0.00	200	Horizontal	Pass
4	5302.250	95.82	-5.27	--	--	Peak	136.00	300	Horizontal	N/A
4**	5302.250	89.39	-5.27	--	--	AV	136.00	300	Horizontal	N/A
5	12279.750	52.32	0.54	74.0	-21.68	Peak	144.00	150	Horizontal	Pass
5**	12279.750	43.02	0.54	54.0	-10.98	AV	144.00	150	Horizontal	Pass
6	17843.812	47.53	5.33	74.0	-26.47	Peak	225.00	200	Horizontal	Pass
6**	17843.812	39.23	5.33	54.0	-14.77	AV	225.00	200	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.100	47.61	-19.33	74.0	-26.39	Peak	64.00	100	Vertical	Pass
1**	1329.100	46.01	-19.33	54.0	-7.99	AV	64.00	100	Vertical	Pass
2	1460.400	48.52	-19.79	74.0	-25.48	Peak	310.00	300	Vertical	Pass
2**	1460.400	47.59	-19.79	54.0	-6.41	AV	310.00	300	Vertical	Pass
3	3717.500	52.37	-8.63	74.0	-21.63	Peak	188.00	400	Vertical	Pass
3**	3717.500	43.56	-8.63	54.0	-10.44	AV	188.00	400	Vertical	Pass
4	5297.500	106.65	-5.14	--	--	Peak	171.00	150	Vertical	N/A
4**	5297.500	99.95	-5.14	--	--	AV	171.00	150	Vertical	N/A
5	12304.451	52.83	0.66	74.0	-21.17	Peak	242.00	100	Vertical	Pass
5**	12304.451	43.26	0.66	54.0	-10.74	AV	242.00	100	Vertical	Pass
6	17834.625	47.38	5.58	74.0	-26.62	Peak	332.00	300	Vertical	Pass
6**	17834.625	39.20	5.58	54.0	-14.80	AV	332.00	300	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.100	51.04	-20.50	74.0	-22.96	Peak	56.00	150	Horizontal	Pass
1**	1063.100	49.82	-20.50	54.0	-4.18	AV	56.00	150	Horizontal	Pass
2	1330.300	49.67	-19.18	74.0	-27.33	Peak	263.00	200	Horizontal	Pass
2**	1330.300	47.16	-19.18	54.0	-6.84	AV	263.00	200	Horizontal	Pass
3	4331.500	47.61	-5.73	74.0	-26.39	Peak	82.00	300	Horizontal	Pass
3**	4331.500	38.92	-5.73	54.0	-15.08	AV	82.00	300	Horizontal	Pass
4	5324.250	97.13	-5.01	--	--	Peak	82.00	100	Horizontal	N/A
4**	5324.250	90.68	-5.01	--	--	AV	82.00	100	Horizontal	N/A
5	12574.963	52.74	1.38	74.0	-21.26	Peak	59.00	150	Horizontal	Pass
5**	12574.963	43.50	1.38	54.0	-10.50	AV	59.00	150	Horizontal	Pass
6	17807.063	47.92	6.33	74.0	-26.08	Peak	273.00	200	Horizontal	Pass
6**	17807.063	39.74	6.33	54.0	-14.26	AV	273.00	200	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.700	52.93	-19.82	74.0	-21.07	Peak	336.00	200	Vertical	Pass
1**	1332.700	47.13	-19.82	54.0	-6.87	AV	336.00	200	Vertical	Pass
2	1465.000	55.24	-19.89	74.0	-18.76	Peak	294.00	100	Vertical	Pass
2**	1465.000	48.57	-19.89	54.0	-5.43	AV	294.00	100	Vertical	Pass
3	3806.750	52.44	-7.82	74.0	-21.56	Peak	214.00	150	Vertical	Pass
3**	3806.750	40.58	-7.82	54.0	-13.42	AV	214.00	150	Vertical	Pass
4	5318.000	106.73	-5.09	--	--	Peak	214.00	400	Vertical	N/A
4**	5318.000	99.10	-5.09	--	--	AV	214.00	400	Vertical	N/A
5	12549.550	52.70	1.60	74.0	-21.30	Peak	241.00	200	Vertical	Pass
5**	12549.550	43.26	1.60	54.0	-10.74	AV	241.00	200	Vertical	Pass
6	17838.563	47.05	5.48	74.0	-26.95	Peak	349.00	100	Vertical	Pass
6**	17838.563	40.33	5.48	54.0	-13.67	AV	349.00	100	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.500	57.27	-20.46	74.0	-16.73	Peak	128.00	200	Horizontal	Pass
1**	1063.500	50.06	-20.46	54.0	-3.94	AV	128.00	200	Horizontal	Pass
2	1331.400	47.87	-19.57	74.0	-26.13	Peak	0.00	200	Horizontal	Pass
2**	1331.400	43.16	-19.57	54.0	-10.84	AV	0.00	200	Horizontal	Pass
3	1466.200	53.18	-19.49	74.0	-20.82	Peak	338.00	100	Horizontal	Pass
3**	1466.200	49.91	-19.49	54.0	-4.09	AV	338.00	100	Horizontal	Pass
4	5261.250	92.52	-5.07	--	--	Peak	81.00	150	Horizontal	N/A
4**	5261.250	84.98	-5.07	--	--	AV	81.00	150	Horizontal	N/A
5	12571.638	52.75	1.41	74.0	-21.25	Peak	219.00	200	Horizontal	Pass
5**	12571.638	42.88	1.41	54.0	-11.12	AV	219.00	200	Horizontal	Pass
6	17799.188	47.31	6.50	74.0	-26.69	Peak	289.00	400	Horizontal	Pass
6**	17799.188	40.10	6.50	54.0	-13.90	AV	289.00	400	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.000	52.40	-20.31	74.0	-21.60	Peak	257.00	200	Vertical	Pass
1**	1066.000	47.03	-20.31	54.0	-6.97	AV	257.00	200	Vertical	Pass
2	1460.800	55.72	-20.06	74.0	-18.28	Peak	249.00	100	Vertical	Pass
2**	1460.800	46.57	-20.06	54.0	-7.43	AV	249.00	100	Vertical	Pass
3	1599.400	53.37	-19.57	74.0	-20.63	Peak	54.00	150	Vertical	Pass
3**	1599.400	47.86	-19.57	54.0	-6.14	AV	54.00	150	Vertical	Pass
4	5260.250	104.14	-5.11	--	--	Peak	218.00	200	Vertical	N/A
4**	5260.250	95.02	-5.11	--	--	AV	218.00	200	Vertical	N/A
5	12398.975	53.53	0.32	74.0	-20.47	Peak	143.00	300	Vertical	Pass
5**	12398.975	43.37	0.32	54.0	-10.63	AV	143.00	300	Vertical	Pass
6	17807.063	47.65	6.33	74.0	-26.35	Peak	317.00	400	Vertical	Pass
6**	17807.063	40.92	6.33	54.0	-13.08	AV	317.00	400	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.100	56.06	-20.50	74.0	-17.94	Peak	130.00	150	Horizontal	Pass
1**	1063.100	51.47	-20.50	54.0	-2.53	AV	130.00	150	Horizontal	Pass
2	1466.200	57.21	-19.49	74.0	-16.79	Peak	273.00	200	Horizontal	Pass
2**	1466.200	48.32	-19.49	54.0	-5.68	AV	273.00	200	Horizontal	Pass
3	4106.000	47.29	-7.15	74.0	-26.71	Peak	65.00	300	Horizontal	Pass
3**	4106.000	38.15	-7.15	54.0	-15.85	AV	65.00	300	Horizontal	Pass
4	5317.250	93.57	-4.58	--	--	Peak	82.00	300	Horizontal	N/A
4**	5317.250	86.36	-4.58	--	--	AV	82.00	300	Horizontal	N/A
5	12360.025	52.37	0.65	74.0	-21.63	Peak	177.00	200	Horizontal	Pass
5**	12360.025	42.81	0.65	54.0	-11.19	AV	177.00	200	Horizontal	Pass
6	17801.812	47.74	6.48	74.0	-26.26	Peak	121.00	100	Horizontal	Pass
6**	17801.812	39.27	6.48	54.0	-14.73	AV	121.00	100	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.200	51.27	-19.45	74.0	-22.73	Peak	315.00	400	Vertical	Pass
1**	1327.200	47.34	-19.45	54.0	-6.66	AV	315.00	400	Vertical	Pass
2	1464.300	54.59	-19.58	74.0	-19.41	Peak	232.00	100	Vertical	Pass
2**	1464.300	50.04	-19.58	54.0	-3.96	AV	232.00	100	Vertical	Pass
3	1593.800	50.07	-19.50	74.0	-23.93	Peak	171.00	300	Vertical	Pass
3**	1593.800	49.23	-19.50	54.0	-4.77	AV	171.00	300	Vertical	Pass
4	5299.000	103.15	-5.30	--	--	Peak	169.00	100	Vertical	N/A
4**	5299.000	95.78	-5.30	--	--	AV	169.00	100	Vertical	N/A
5	12553.349	52.45	1.58	74.0	-21.55	Peak	339.00	300	Vertical	Pass
5**	12553.349	42.94	1.58	54.0	-11.06	AV	339.00	300	Vertical	Pass
6	17788.688	47.20	6.19	74.0	-26.80	Peak	230.00	200	Vertical	Pass
6**	17788.688	39.10	6.19	54.0	-14.90	AV	230.00	200	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.700	54.58	-20.57	74.0	-19.42	Peak	99.00	100	Horizontal	Pass
1**	1063.700	49.33	-20.57	54.0	-4.67	AV	99.00	100	Horizontal	Pass
2	1462.300	56.78	-19.43	74.0	-17.22	Peak	282.00	300	Horizontal	Pass
2**	1462.300	48.06	-19.43	54.0	-5.94	AV	282.00	300	Horizontal	Pass
3	4124.250	47.49	-6.47	74.0	-26.51	Peak	177.00	200	Horizontal	Pass
3**	4124.250	38.34	-6.47	54.0	-15.66	AV	177.00	200	Horizontal	Pass
4	5295.500	90.59	-5.09	--	--	Peak	83.00	200	Horizontal	N/A
4**	5295.500	82.57	-5.09	--	--	AV	83.00	200	Horizontal	N/A
5	12604.888	52.70	1.11	74.0	-21.30	Peak	216.00	200	Horizontal	Pass
5**	12604.888	43.02	1.11	54.0	-10.98	AV	216.00	200	Horizontal	Pass
6	17820.187	47.74	5.98	74.0	-26.26	Peak	210.00	300	Horizontal	Pass
6**	17820.187	40.69	5.98	54.0	-13.31	AV	210.00	300	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.600	53.54	-19.33	74.0	-20.46	Peak	82.00	200	Vertical	Pass
1**	1330.600	46.24	-19.33	54.0	-7.76	AV	82.00	200	Vertical	Pass
2	1460.400	51.07	-19.79	74.0	-22.93	Peak	156.00	400	Vertical	Pass
2**	1460.400	47.08	-19.79	54.0	-6.92	AV	156.00	400	Vertical	Pass
3	1592.800	51.34	-19.61	74.0	-22.66	Peak	166.00	100	Vertical	Pass
3**	1592.800	47.27	-19.61	54.0	-6.73	AV	166.00	100	Vertical	Pass
4	5269.500	102.10	-4.61	--	--	Peak	183.00	100	Vertical	N/A
4**	5269.500	93.50	-4.61	--	--	AV	183.00	100	Vertical	N/A
5	12461.438	52.75	0.80	74.0	-21.25	Peak	83.00	300	Vertical	Pass
5**	12461.438	43.29	0.80	54.0	-10.71	AV	83.00	300	Vertical	Pass
6	17800.499	47.76	6.51	74.0	-26.24	Peak	358.00	200	Vertical	Pass
6**	17800.499	40.38	6.51	54.0	-13.62	AV	358.00	200	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1061.500	50.36	-20.67	74.0	-23.64	Peak	141.00	100	Horizontal	Pass
1**	1061.500	47.09	-20.67	54.0	-6.91	AV	141.00	100	Horizontal	Pass
2	1332.400	51.74	-19.89	74.0	-22.26	Peak	132.00	300	Horizontal	Pass
2**	1332.400	46.90	-19.89	54.0	-7.10	AV	132.00	300	Horizontal	Pass
3	1464.300	57.21	-19.58	74.0	-16.79	Peak	270.00	200	Horizontal	Pass
3**	1464.300	50.48	-19.58	54.0	-3.52	AV	270.00	200	Horizontal	Pass
4	5262.250	97.53	-4.91	--	--	Peak	86.00	200	Horizontal	N/A
4**	5262.250	88.37	-4.91	--	--	AV	86.00	200	Horizontal	N/A
5	12406.338	53.19	0.38	74.0	-20.81	Peak	241.00	100	Horizontal	Pass
5**	12406.338	43.01	0.38	54.0	-10.99	AV	241.00	100	Horizontal	Pass
6	17804.438	47.03	6.40	74.0	-26.97	Peak	190.00	300	Horizontal	Pass
6**	17804.438	40.03	6.40	54.0	-13.97	AV	190.00	300	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.400	51.66	-20.47	74.0	-22.34	Peak	270.00	200	Vertical	Pass
1**	1065.400	45.34	-20.47	54.0	-8.66	AV	270.00	200	Vertical	Pass
2	1598.400	50.70	-19.64	74.0	-23.30	Peak	164.00	300	Vertical	Pass
2**	1598.400	47.04	-19.64	54.0	-6.96	AV	164.00	300	Vertical	Pass
3	3717.750	52.38	-8.54	74.0	-20.62	Peak	360.00	200	Vertical	Pass
3**	3717.750	46.56	-8.54	54.0	-7.44	AV	360.00	200	Vertical	Pass
4	5263.000	106.41	-5.13	--	--	Peak	215.00	200	Vertical	N/A
4**	5263.000	98.84	-5.13	--	--	AV	215.00	200	Vertical	N/A
5	12341.262	53.20	0.72	74.0	-20.80	Peak	134.00	400	Vertical	Pass
5**	12341.262	42.88	0.72	54.0	-11.12	AV	134.00	400	Vertical	Pass
6	17803.125	46.69	6.44	74.0	-27.31	Peak	128.00	100	Vertical	Pass
6**	17803.125	39.22	6.44	54.0	-14.78	AV	128.00	100	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.100	51.06	-21.06	74.0	-22.94	Peak	145.00	300	Horizontal	Pass
1**	1064.100	47.24	-21.06	54.0	-6.76	AV	145.00	300	Horizontal	Pass
2	1327.700	51.46	-19.34	74.0	-22.54	Peak	282.00	200	Horizontal	Pass
2**	1327.700	49.23	-19.34	54.0	-4.77	AV	282.00	200	Horizontal	Pass
3	1465.400	54.31	-19.67	74.0	-19.69	Peak	291.00	400	Horizontal	Pass
3**	1465.400	46.66	-19.67	54.0	-7.34	AV	291.00	400	Horizontal	Pass
4	5298.750	95.56	-5.38	--	--	Peak	80.00	150	Horizontal	N/A
4**	5298.750	88.09	-5.38	--	--	AV	80.00	150	Horizontal	N/A
5	12584.225	52.30	1.30	74.0	-21.70	Peak	223.00	200	Horizontal	Pass
5**	12584.225	43.72	1.30	54.0	-10.28	AV	223.00	200	Horizontal	Pass
6	17799.188	48.11	6.50	74.0	-25.89	Peak	287.00	300	Horizontal	Pass
6**	17799.188	40.35	6.50	54.0	-13.65	AV	287.00	300	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1000.900	48.25	-20.51	74.0	-25.75	Peak	0.00	400	Vertical	Pass
1**	1000.900	47.56	-20.51	54.0	-6.44	AV	0.00	400	Vertical	Pass
2	1466.000	54.17	-19.41	74.0	-19.83	Peak	194.00	300	Vertical	Pass
2**	1466.000	49.42	-19.41	54.0	-4.58	AV	194.00	300	Vertical	Pass
3	1593.200	51.83	-20.22	74.0	-22.17	Peak	160.00	100	Vertical	Pass
3**	1593.200	47.42	-20.22	54.0	-6.58	AV	160.00	100	Vertical	Pass
4	5303.250	106.83	-5.34	--	--	Peak	213.00	200	Vertical	N/A
4**	5303.250	99.52	-5.34	--	--	AV	213.00	100	Vertical	N/A
5	12274.763	52.65	0.51	74.0	-21.35	Peak	245.00	300	Vertical	Pass
5**	12274.763	43.18	0.51	54.0	-10.82	AV	245.00	300	Vertical	Pass
6	17799.188	47.58	6.50	74.0	-26.42	Peak	201.00	400	Vertical	Pass
6**	17799.188	40.40	6.50	54.0	-13.60	AV	201.00	400	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.600	55.84	-20.44	74.0	-18.16	Peak	134.00	150	Horizontal	Pass
1**	1065.600	51.53	-20.44	54.0	-2.47	AV	134.00	150	Horizontal	Pass
2	1331.100	49.11	-19.52	74.0	-24.89	Peak	336.00	200	Horizontal	Pass
2**	1331.100	48.30	-19.52	54.0	-5.70	AV	336.00	200	Horizontal	Pass
3	1464.800	49.04	-20.02	74.0	-24.96	Peak	287.00	300	Horizontal	Pass
3**	1464.800	45.71	-20.02	54.0	-8.29	AV	287.00	300	Horizontal	Pass
4	5317.250	96.96	-4.58	--	--	Peak	75.00	200	Horizontal	N/A
4**	5317.250	88.89	-4.58	--	--	AV	75.00	200	Horizontal	N/A
5	12600.849	52.47	1.14	74.0	-21.53	Peak	118.00	200	Horizontal	Pass
5**	12600.849	43.50	1.14	54.0	-10.50	AV	118.00	200	Horizontal	Pass
6	17816.250	47.53	6.08	74.0	-26.47	Peak	294.00	400	Horizontal	Pass
6**	17816.250	39.38	6.08	54.0	-14.62	AV	294.00	400	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.800	47.91	-21.02	74.0	-26.09	Peak	326.00	300	Vertical	Pass
1**	1066.800	44.62	-21.02	54.0	-9.38	AV	326.00	300	Vertical	Pass
2	1332.700	51.83	-19.82	74.0	-22.17	Peak	326.00	400	Vertical	Pass
2**	1332.700	46.87	-19.82	54.0	-7.13	AV	326.00	400	Vertical	Pass
3	1594.000	52.75	-19.26	74.0	-21.25	Peak	359.00	300	Vertical	Pass
3**	1594.000	49.83	-19.26	54.0	-4.17	AV	359.00	300	Vertical	Pass
4	5318.000	106.98	-5.09	--	--	Peak	184.00	400	Vertical	N/A
4**	5318.000	98.06	-5.09	--	--	AV	184.00	400	Vertical	N/A
5	12552.401	53.07	1.59	74.0	-20.93	Peak	39.00	300	Vertical	Pass
5**	12552.401	43.22	1.59	54.0	-10.78	AV	39.00	300	Vertical	Pass
6	17793.937	47.90	6.34	74.0	-26.10	Peak	335.00	100	Vertical	Pass
6**	17793.937	39.85	6.34	54.0	-14.15	AV	335.00	100	Vertical	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.600	57.45	-20.62	74.0	-15.55	Peak	304.00	100	Horizontal	Pass
1**	1062.600	51.87	-20.62	54.0	-2.13	AV	304.00	100	Horizontal	Pass
2	1464.200	56.50	-19.57	74.0	-16.50	Peak	253.00	300	Horizontal	Pass
2**	1464.200	49.61	-19.57	54.0	-4.39	AV	253.00	300	Horizontal	Pass
3	4133.250	46.91	-6.52	74.0	-27.09	Peak	64.00	150	Horizontal	Pass
3**	4133.250	37.66	-6.52	54.0	-16.34	AV	64.00	150	Horizontal	Pass
4	5272.500	93.45	-4.13	--	--	Peak	81.00	200	Horizontal	N/A
4**	5272.500	84.55	-4.13	--	--	AV	81.00	200	Horizontal	N/A
5	12529.125	52.72	1.15	74.0	-21.28	Peak	360.00	200	Horizontal	Pass
5**	12529.125	44.49	1.15	54.0	-9.51	AV	360.00	200	Horizontal	Pass
6	17817.563	48.08	6.05	74.0	-25.92	Peak	358.00	100	Horizontal	Pass
6**	17817.563	38.77	6.05	54.0	-15.23	AV	358.00	100	Horizontal	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.900	48.66	-19.70	74.0	-25.34	Peak	0.00	100	Vertical	Pass
1**	1332.900	46.22	-19.70	54.0	-7.78	AV	0.00	100	Vertical	Pass
2	1594.100	51.89	-19.36	74.0	-22.11	Peak	177.00	100	Vertical	Pass
2**	1594.100	48.46	-19.36	54.0	-5.54	AV	177.00	100	Vertical	Pass
3	2257.100	52.83	-13.87	74.0	-21.17	Peak	288.00	300	Vertical	Pass
3**	2257.100	46.72	-13.87	54.0	-7.28	AV	288.00	300	Vertical	Pass
4	5280.000	105.12	-4.49	--	--	Peak	214.00	200	Vertical	N/A
4**	5280.000	95.64	-4.49	--	--	AV	214.00	200	Vertical	N/A
5	12338.650	52.50	0.72	74.0	-21.50	Peak	247.00	400	Vertical	Pass
5**	12338.650	43.22	0.72	54.0	-10.78	AV	247.00	400	Vertical	Pass
6	17789.999	47.67	6.22	74.0	-26.33	Peak	66.00	100	Vertical	Pass
6**	17789.999	40.72	6.22	54.0	-13.28	AV	66.00	100	Vertical	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.600	50.13	-21.01	74.0	-23.87	Peak	0.00	400	Horizontal	Pass
1**	1066.600	48.62	-21.01	54.0	-5.38	AV	0.00	400	Horizontal	Pass
2	1464.000	48.44	-19.56	74.0	-25.56	Peak	250.00	300	Horizontal	Pass
2**	1464.000	47.45	-19.56	54.0	-6.55	AV	250.00	300	Horizontal	Pass
3	4757.500	49.29	-4.97	74.0	-24.71	Peak	218.00	100	Horizontal	Pass
3**	4757.500	41.24	-4.97	54.0	-12.76	AV	218.00	100	Horizontal	Pass
4	5318.750	93.39	-5.37	--	--	Peak	85.00	200	Horizontal	N/A
4**	5318.750	85.55	-5.37	--	--	AV	85.00	200	Horizontal	N/A
5	12302.550	52.86	0.66	74.0	-21.14	Peak	117.00	200	Horizontal	Pass
5**	12302.550	43.77	0.66	54.0	-10.23	AV	117.00	200	Horizontal	Pass
6	17800.499	47.49	6.51	74.0	-26.51	Peak	137.00	150	Horizontal	Pass
6**	17800.499	40.34	6.51	54.0	-13.66	AV	137.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.200	51.02	-20.32	74.0	-22.98	Peak	356.00	100	Vertical	Pass
1**	1066.200	47.34	-20.32	54.0	-6.66	AV	356.00	100	Vertical	Pass
2	1465.400	49.80	-19.67	74.0	-25.20	Peak	298.00	200	Vertical	Pass
2**	1465.400	47.61	-19.67	54.0	-6.39	AV	298.00	200	Vertical	Pass
3	1593.500	53.69	-19.87	74.0	-20.31	Peak	173.00	150	Vertical	Pass
3**	1593.500	47.96	-19.87	54.0	-6.04	AV	173.00	150	Vertical	Pass
4	5320.500	105.05	-4.94	--	--	Peak	167.00	300	Vertical	N/A
4**	5320.500	94.35	-4.94	--	--	AV	167.00	300	Vertical	N/A
5	12435.313	53.06	0.72	74.0	-20.94	Peak	277.00	400	Vertical	Pass
5**	12435.313	43.17	0.72	54.0	-10.83	AV	277.00	400	Vertical	Pass
6	17813.625	47.89	6.15	74.0	-26.11	Peak	88.00	200	Vertical	Pass
6**	17813.625	38.35	6.15	54.0	-15.65	AV	88.00	200	Vertical	Pass

11ax80 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.500	54.54	-20.57	74.0	-19.46	Peak	22.00	100	Horizontal	Pass
1**	1062.500	51.07	-20.57	54.0	-2.93	AV	22.00	100	Horizontal	Pass
2	1466.600	55.67	-19.85	74.0	-18.33	Peak	266.00	300	Horizontal	Pass
2**	1466.600	49.79	-19.85	54.0	-4.21	AV	266.00	300	Horizontal	Pass
3	3916.750	47.11	-7.09	74.0	-26.89	Peak	347.00	200	Horizontal	Pass
3**	3916.750	37.92	-7.09	54.0	-16.08	AV	347.00	200	Horizontal	Pass
4	5311.250	92.48	-4.97	--	--	Peak	82.00	300	Horizontal	N/A
4**	5311.250	82.16	-4.97	--	--	AV	82.00	300	Horizontal	N/A
5	12430.088	53.34	0.66	74.0	-20.66	Peak	198.00	150	Horizontal	Pass
5**	12430.088	43.16	0.66	54.0	-10.84	AV	198.00	150	Horizontal	Pass
6	17799.188	47.40	6.50	74.0	-26.60	Peak	84.00	200	Horizontal	Pass
6**	17799.188	40.65	6.50	54.0	-13.35	AV	84.00	200	Horizontal	Pass

11ax80 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.400	48.15	-19.57	74.0	-25.85	Peak	153.00	100	Vertical	Pass
1**	1331.400	46.85	-19.57	54.0	-7.15	AV	153.00	100	Vertical	Pass
2	1463.100	51.50	-19.99	74.0	-22.50	Peak	281.00	300	Vertical	Pass
2**	1463.100	47.03	-19.99	54.0	-6.97	AV	281.00	300	Vertical	Pass
3	1593.800	51.84	-19.50	74.0	-22.16	Peak	153.00	400	Vertical	Pass
3**	1593.800	48.97	-19.50	54.0	-5.03	AV	153.00	400	Vertical	Pass
4	5264.750	102.46	-4.64	--	--	Peak	180.00	150	Vertical	N/A
4**	5264.750	92.74	-4.64	--	--	AV	180.00	150	Vertical	N/A
5	12423.675	52.58	0.58	74.0	-21.42	Peak	150.00	100	Vertical	Pass
5**	12423.675	42.61	0.58	54.0	-11.39	AV	150.00	100	Vertical	Pass
6	17793.937	48.38	6.34	74.0	-25.62	Peak	0.00	300	Vertical	Pass
6**	17793.937	40.01	6.34	54.0	-13.99	AV	0.00	300	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.500	50.64	-20.46	74.0	-23.36	Peak	53.00	100	Horizontal	Pass
1**	1063.500	49.19	-20.46	54.0	-4.81	AV	53.00	100	Horizontal	Pass
2	1462.700	50.67	-19.46	74.0	-23.33	Peak	293.00	400	Horizontal	Pass
2**	1462.700	46.17	-19.46	54.0	-7.83	AV	293.00	400	Horizontal	Pass
3	4332.000	47.89	-5.51	74.0	-26.11	Peak	187.00	100	Horizontal	Pass
3**	4332.000	39.38	-5.51	54.0	-14.62	AV	187.00	100	Horizontal	Pass
4	5498.000	103.16	-3.39	--	--	Peak	276.00	400	Horizontal	N/A
4**	5498.000	94.69	-3.39	--	--	AV	276.00	400	Horizontal	N/A
5	12556.912	52.38	1.55	74.0	-21.62	Peak	103.00	200	Horizontal	Pass
5**	12556.912	43.54	1.55	54.0	-10.46	AV	103.00	200	Horizontal	Pass
6	17828.063	47.60	5.76	74.0	-26.40	Peak	100.00	100	Horizontal	Pass
6**	17828.063	39.85	5.76	54.0	-14.15	AV	100.00	100	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.300	48.22	-19.18	74.0	-25.78	Peak	182.00	400	Vertical	Pass
1**	1330.300	46.51	-19.18	54.0	-7.49	AV	182.00	400	Vertical	Pass
2	1465.500	49.53	-19.62	74.0	-24.47	Peak	64.00	400	Vertical	Pass
2**	1465.500	46.51	-19.62	54.0	-7.49	AV	64.00	400	Vertical	Pass
3	1593.700	50.15	-19.63	74.0	-23.85	Peak	359.00	150	Vertical	Pass
3**	1593.700	47.87	-19.63	54.0	-6.13	AV	359.00	150	Vertical	Pass
4	5497.750	107.44	-3.32	--	--	Peak	177.00	400	Vertical	N/A
4**	5497.750	100.75	-3.32	--	--	AV	177.00	400	Vertical	N/A
5	12550.025	52.88	1.61	74.0	-21.12	Peak	31.00	100	Vertical	Pass
5**	12550.025	43.31	1.61	54.0	-10.69	AV	31.00	100	Vertical	Pass
6	17799.188	48.09	6.50	74.0	-25.91	Peak	207.00	200	Vertical	Pass
6**	17799.188	40.51	6.50	54.0	-13.49	AV	207.00	200	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.000	52.63	-19.32	74.0	-21.37	Peak	290.00	100	Horizontal	Pass
1**	1329.000	47.23	-19.32	54.0	-6.77	AV	290.00	100	Horizontal	Pass
2	1463.000	50.34	-19.86	74.0	-23.66	Peak	264.00	200	Horizontal	Pass
2**	1463.000	48.19	-19.86	54.0	-5.81	AV	264.00	200	Horizontal	Pass
3	4985.000	50.72	-4.10	74.0	-23.28	Peak	160.00	100	Horizontal	Pass
3**	4985.000	41.21	-4.10	54.0	-12.79	AV	160.00	100	Horizontal	Pass
4	5581.250	101.66	-4.40	--	--	Peak	270.00	300	Horizontal	N/A
4**	5581.250	93.53	-4.40	--	--	AV	270.00	300	Horizontal	N/A
5	12578.525	52.49	1.35	74.0	-21.51	Peak	17.00	150	Horizontal	Pass
5**	12578.525	43.30	1.35	54.0	-10.70	AV	17.00	150	Horizontal	Pass
6	17826.750	47.49	5.80	74.0	-26.51	Peak	229.00	100	Horizontal	Pass
6**	17826.750	39.10	5.80	54.0	-14.90	AV	229.00	100	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.600	47.34	-20.44	74.0	-26.66	Peak	348.00	200	Vertical	Pass
1**	1065.600	45.63	-20.44	54.0	-8.37	AV	348.00	200	Vertical	Pass
2	1593.900	55.25	-19.37	74.0	-18.75	Peak	164.00	200	Vertical	Pass
2**	1593.900	47.85	-19.37	54.0	-6.15	AV	164.00	200	Vertical	Pass
3	3796.750	51.61	-7.74	74.0	-22.39	Peak	219.00	100	Vertical	Pass
3**	3796.750	38.29	-7.74	54.0	-15.71	AV	219.00	100	Vertical	Pass
4	5585.250	107.85	-4.69	--	--	Peak	236.00	400	Vertical	N/A
4**	5585.250	97.97	-4.69	--	--	AV	236.00	400	Vertical	N/A
5	12423.200	52.22	0.58	74.0	-21.78	Peak	0.00	150	Vertical	Pass
5**	12423.200	42.87	0.58	54.0	-11.13	AV	0.00	150	Vertical	Pass
6	17805.750	47.94	6.37	74.0	-26.06	Peak	215.00	200	Vertical	Pass
6**	17805.750	39.53	6.37	54.0	-14.47	AV	215.00	200	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.000	56.27	-20.52	74.0	-17.73	Peak	125.00	100	Horizontal	Pass
1**	1065.000	50.24	-20.52	54.0	-3.76	AV	125.00	100	Horizontal	Pass
2	1328.300	53.39	-19.59	74.0	-20.61	Peak	285.00	100	Horizontal	Pass
2**	1328.300	45.50	-19.59	54.0	-8.50	AV	285.00	100	Horizontal	Pass
3	4303.750	47.42	-5.97	74.0	-26.58	Peak	259.00	200	Horizontal	Pass
3**	4303.750	37.89	-5.97	54.0	-16.11	AV	259.00	200	Horizontal	Pass
4	5698.500	100.03	-4.86	--	--	Peak	259.00	100	Horizontal	N/A
4**	5698.500	93.49	-4.86	--	--	AV	259.00	100	Horizontal	N/A
5	12550.025	52.55	1.61	74.0	-21.45	Peak	41.00	200	Horizontal	Pass
5**	12550.025	43.37	1.61	54.0	-10.63	AV	41.00	200	Horizontal	Pass
6	17793.937	47.40	6.34	74.0	-26.60	Peak	267.00	400	Horizontal	Pass
6**	17793.937	39.21	6.34	54.0	-14.79	AV	267.00	400	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.300	48.31	-20.50	74.0	-25.69	Peak	353.00	400	Vertical	Pass
1**	1066.300	45.68	-20.50	54.0	-8.32	AV	353.00	400	Vertical	Pass
2	1464.300	52.88	-19.58	74.0	-21.12	Peak	182.00	300	Vertical	Pass
2**	1464.300	48.10	-19.58	54.0	-5.90	AV	182.00	300	Vertical	Pass
3	1593.500	51.41	-19.87	74.0	-22.59	Peak	165.00	150	Vertical	Pass
3**	1593.500	47.95	-19.87	54.0	-6.05	AV	165.00	150	Vertical	Pass
4	5703.500	106.36	-5.41	--	--	Peak	234.00	300	Vertical	N/A
4**	5703.500	99.02	-5.41	--	--	AV	234.00	300	Vertical	N/A
5	12338.650	52.45	0.72	74.0	-21.55	Peak	156.00	100	Vertical	Pass
5**	12338.650	42.70	0.72	54.0	-11.30	AV	156.00	100	Vertical	Pass
6	17826.750	47.03	5.80	74.0	-26.97	Peak	102.00	100	Vertical	Pass
6**	17826.750	39.43	5.80	54.0	-14.57	AV	102.00	100	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.200	56.72	-20.32	74.0	-17.28	Peak	183.00	400	Horizontal	Pass
1**	1066.200	49.12	-20.32	54.0	-4.88	AV	183.00	400	Horizontal	Pass
2	1330.200	51.93	-19.13	74.0	-22.07	Peak	267.00	300	Horizontal	Pass
2**	1330.200	47.96	-19.13	54.0	-6.04	AV	267.00	300	Horizontal	Pass
3	4370.750	47.89	-6.33	74.0	-26.11	Peak	84.00	150	Horizontal	Pass
3**	4370.750	39.09	-6.33	54.0	-14.91	AV	84.00	150	Horizontal	Pass
4	5497.750	102.40	-3.32	--	--	Peak	269.00	100	Horizontal	N/A
4**	5497.750	94.67	-3.32	--	--	AV	269.00	100	Horizontal	N/A
5	12582.325	52.87	1.31	74.0	-21.13	Peak	269.00	100	Horizontal	Pass
5**	12582.325	44.47	1.31	54.0	-9.53	AV	269.00	100	Horizontal	Pass
6	17786.063	46.82	6.11	74.0	-27.18	Peak	24.00	100	Horizontal	Pass
6**	17786.063	39.04	6.11	54.0	-14.96	AV	24.00	100	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.300	51.56	-19.40	74.0	-22.44	Peak	321.00	200	Vertical	Pass
1**	1327.300	46.87	-19.40	54.0	-7.13	AV	321.00	200	Vertical	Pass
2	1466.000	49.37	-19.41	74.0	-24.63	Peak	177.00	300	Vertical	Pass
2**	1466.000	47.84	-19.41	54.0	-6.16	AV	177.00	300	Vertical	Pass
3	1594.000	50.43	-19.26	74.0	-23.57	Peak	360.00	150	Vertical	Pass
3**	1594.000	49.08	-19.26	54.0	-4.92	AV	360.00	150	Vertical	Pass
4	5497.500	107.14	-3.33	--	--	Peak	176.00	200	Vertical	N/A
4**	5497.500	100.50	-3.33	--	--	AV	176.00	200	Vertical	N/A
5	12428.188	52.51	0.63	74.0	-21.49	Peak	191.00	100	Vertical	Pass
5**	12428.188	43.13	0.63	54.0	-10.87	AV	191.00	100	Vertical	Pass
6	17789.999	47.03	6.22	74.0	-26.97	Peak	277.00	400	Vertical	Pass
6**	17789.999	40.48	6.22	54.0	-13.52	AV	277.00	400	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.600	54.36	-20.46	74.0	-19.64	Peak	216.00	300	Horizontal	Pass
1**	1063.600	47.64	-20.46	54.0	-6.36	AV	216.00	300	Horizontal	Pass
2	1465.500	51.01	-19.62	74.0	-22.99	Peak	274.00	100	Horizontal	Pass
2**	1465.500	46.42	-19.62	54.0	-7.58	AV	274.00	100	Horizontal	Pass
3	4354.750	48.04	-5.74	74.0	-25.96	Peak	34.00	100	Horizontal	Pass
3**	4354.750	39.40	-5.74	54.0	-14.60	AV	34.00	100	Horizontal	Pass
4	5583.000	101.35	-4.70	--	--	Peak	251.00	200	Horizontal	N/A
4**	5583.000	93.70	-4.70	--	--	AV	251.00	200	Horizontal	N/A
5	12545.037	52.62	1.50	74.0	-21.38	Peak	22.00	150	Horizontal	Pass
5**	12545.037	42.94	1.50	54.0	-11.06	AV	22.00	150	Horizontal	Pass
6	17789.999	46.99	6.22	74.0	-27.01	Peak	208.00	100	Horizontal	Pass
6**	17789.999	39.83	6.22	54.0	-14.17	AV	208.00	100	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.500	49.40	-19.28	74.0	-24.60	Peak	0.00	100	Vertical	Pass
1**	1327.500	46.59	-19.28	54.0	-7.41	AV	0.00	100	Vertical	Pass
2	1465.000	50.25	-19.89	74.0	-23.75	Peak	281.00	200	Vertical	Pass
2**	1465.000	47.77	-19.89	54.0	-6.23	AV	281.00	200	Vertical	Pass
3	1605.700	48.63	-19.65	74.0	-25.37	Peak	171.00	100	Vertical	Pass
3**	1605.700	37.71	-19.65	54.0	-16.29	AV	171.00	100	Vertical	Pass
4	5582.750	107.15	-4.78	--	--	Peak	219.00	400	Vertical	N/A
4**	5582.750	100.38	-4.78	--	--	AV	219.00	400	Vertical	N/A
5	12403.250	52.88	0.34	74.0	-21.12	Peak	164.00	150	Vertical	Pass
5**	12403.250	43.32	0.34	54.0	-10.68	AV	164.00	150	Vertical	Pass
6	17795.250	47.80	6.38	74.0	-26.20	Peak	355.00	400	Vertical	Pass
6**	17795.250	40.18	6.38	54.0	-13.82	AV	355.00	400	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.600	50.28	-21.01	74.0	-23.72	Peak	125.00	400	Horizontal	Pass
1**	1066.600	48.15	-21.01	54.0	-5.85	AV	125.00	400	Horizontal	Pass
2	1465.600	55.85	-19.58	74.0	-18.15	Peak	251.00	300	Horizontal	Pass
2**	1465.600	51.48	-19.58	54.0	-2.52	AV	251.00	300	Horizontal	Pass
3	4342.500	47.77	-5.70	74.0	-26.23	Peak	9.00	150	Horizontal	Pass
3**	4342.500	39.68	-5.70	54.0	-14.32	AV	9.00	150	Horizontal	Pass
4	5704.250	99.27	-5.78	--	--	Peak	251.00	200	Horizontal	N/A
4**	5704.250	91.97	-5.78	--	--	AV	251.00	200	Horizontal	N/A
5	12573.062	52.68	1.40	74.0	-21.32	Peak	4.00	200	Horizontal	Pass
5**	12573.062	43.20	1.40	54.0	-10.80	AV	4.00	200	Horizontal	Pass
6	17803.125	47.89	6.44	74.0	-26.11	Peak	69.00	100	Horizontal	Pass
6**	17803.125	39.70	6.44	54.0	-14.30	AV	69.00	100	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.400	50.32	-20.51	74.0	-23.68	Peak	120.00	300	Vertical	Pass
1**	1062.400	45.64	-20.51	54.0	-8.36	AV	120.00	300	Vertical	Pass
2	1462.400	53.39	-19.43	74.0	-20.61	Peak	295.00	100	Vertical	Pass
2**	1462.400	48.75	-19.43	54.0	-5.25	AV	295.00	100	Vertical	Pass
3	1596.100	52.72	-19.48	74.0	-21.28	Peak	158.00	150	Vertical	Pass
3**	1596.100	48.21	-19.48	54.0	-5.79	AV	158.00	150	Vertical	Pass
4	5703.750	105.72	-5.51	--	--	Peak	233.00	400	Vertical	N/A
4**	5703.750	98.34	-5.51	--	--	AV	233.00	400	Vertical	N/A
5	12580.901	52.81	1.33	74.0	-21.19	Peak	160.00	100	Vertical	Pass
5**	12580.901	43.56	1.33	54.0	-10.44	AV	160.00	100	Vertical	Pass
6	17804.438	47.29	6.40	74.0	-26.71	Peak	300.00	100	Vertical	Pass
6**	17804.438	39.98	6.40	54.0	-14.02	AV	300.00	100	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.000	52.13	-20.31	74.0	-21.87	Peak	274.00	300	Horizontal	Pass
1**	1066.000	48.98	-20.31	54.0	-5.02	AV	274.00	300	Horizontal	Pass
2	1463.900	51.31	-19.58	74.0	-22.69	Peak	290.00	300	Horizontal	Pass
2**	1463.900	46.64	-19.58	54.0	-7.36	AV	290.00	300	Horizontal	Pass
3	4764.250	50.33	-5.64	74.0	-23.67	Peak	176.00	100	Horizontal	Pass
3**	4764.250	40.36	-5.64	54.0	-13.64	AV	176.00	100	Horizontal	Pass
4	5512.000	98.53	-4.41	--	--	Peak	269.00	200	Horizontal	N/A
4**	5512.000	89.92	-4.41	--	--	AV	269.00	200	Horizontal	N/A
5	12574.250	52.57	1.39	74.0	-21.43	Peak	97.00	100	Horizontal	Pass
5**	12574.250	43.47	1.39	54.0	-10.53	AV	97.00	100	Horizontal	Pass
6	17796.563	47.44	6.42	74.0	-26.56	Peak	345.00	100	Horizontal	Pass
6**	17796.563	40.37	6.42	54.0	-13.63	AV	345.00	100	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.100	48.21	-20.27	74.0	-25.79	Peak	253.00	300	Vertical	Pass
1**	1066.100	44.41	-20.27	54.0	-9.59	AV	253.00	300	Vertical	Pass
2	1598.800	49.64	-19.24	74.0	-24.36	Peak	168.00	300	Vertical	Pass
2**	1598.800	47.19	-19.24	54.0	-6.81	AV	168.00	300	Vertical	Pass
3	3795.250	50.23	-7.54	74.0	-23.77	Peak	167.00	100	Vertical	Pass
3**	3795.250	37.54	-7.54	54.0	-16.46	AV	167.00	100	Vertical	Pass
4	5502.500	104.06	-3.86	--	--	Peak	167.00	200	Vertical	N/A
4**	5502.500	96.40	-3.86	--	--	AV	167.00	200	Vertical	N/A
5	12252.200	52.71	0.38	74.0	-21.29	Peak	194.00	200	Vertical	Pass
5**	12252.200	42.76	0.38	54.0	-11.24	AV	194.00	200	Vertical	Pass
6	17787.376	47.22	6.15	74.0	-26.78	Peak	303.00	100	Vertical	Pass
6**	17787.376	40.20	6.15	54.0	-13.80	AV	303.00	100	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.300	54.73	-20.50	74.0	-19.27	Peak	139.00	100	Horizontal	Pass
1**	1066.300	48.40	-20.50	54.0	-5.60	AV	139.00	100	Horizontal	Pass
2	1462.200	54.15	-19.42	74.0	-19.85	Peak	111.00	400	Horizontal	Pass
2**	1462.200	49.83	-19.42	54.0	-4.17	AV	111.00	400	Horizontal	Pass
3	4987.250	50.97	-4.15	74.0	-23.03	Peak	270.00	200	Horizontal	Pass
3**	4987.250	41.72	-4.15	54.0	-12.28	AV	270.00	200	Horizontal	Pass
4	5597.250	98.24	-4.33	--	--	Peak	252.00	200	Horizontal	N/A
4**	5597.250	90.39	-4.33	--	--	AV	252.00	200	Horizontal	N/A
5	12582.325	53.22	1.31	74.0	-20.78	Peak	1.00	100	Horizontal	Pass
5**	12582.325	43.31	1.31	54.0	-10.69	AV	1.00	100	Horizontal	Pass
6	17797.876	47.76	6.46	74.0	-26.24	Peak	326.00	300	Horizontal	Pass
6**	17797.876	39.31	6.46	54.0	-14.69	AV	326.00	300	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.400	47.56	-19.89	74.0	-26.44	Peak	92.00	100	Vertical	Pass
1**	1332.400	45.25	-19.89	54.0	-8.75	AV	92.00	100	Vertical	Pass
2	1466.300	54.42	-19.58	74.0	-19.58	Peak	177.00	200	Vertical	Pass
2**	1466.300	47.99	-19.58	54.0	-6.01	AV	177.00	200	Vertical	Pass
3	1594.300	52.76	-19.57	74.0	-21.24	Peak	168.00	100	Vertical	Pass
3**	1594.300	48.86	-19.57	54.0	-5.14	AV	168.00	100	Vertical	Pass
4	5578.750	103.60	-4.67	--	--	Peak	223.00	400	Vertical	N/A
4**	5578.750	95.13	-4.67	--	--	AV	223.00	400	Vertical	N/A
5	12582.088	52.26	1.32	74.0	-21.74	Peak	279.00	200	Vertical	Pass
5**	12582.088	44.04	1.32	54.0	-9.96	AV	279.00	200	Vertical	Pass
6	17994.750	47.52	5.29	74.0	-26.48	Peak	197.00	300	Vertical	Pass
6**	17994.750	39.50	5.29	54.0	-14.50	AV	197.00	300	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.100	55.98	-20.51	74.0	-18.02	Peak	259.00	200	Horizontal	Pass
1**	1065.100	51.30	-20.51	54.0	-2.70	AV	259.00	200	Horizontal	Pass
2	1330.100	50.97	-19.08	74.0	-23.03	Peak	276.00	400	Horizontal	Pass
2**	1330.100	46.80	-19.08	54.0	-7.20	AV	276.00	400	Horizontal	Pass
3	1464.900	53.87	-19.95	74.0	-20.13	Peak	284.00	150	Horizontal	Pass
3**	1464.900	51.87	-19.95	54.0	-2.13	AV	284.00	150	Horizontal	Pass
4	5678.000	96.29	-4.69	--	--	Peak	258.00	400	Horizontal	N/A
4**	5678.000	88.93	-4.69	--	--	AV	258.00	400	Horizontal	N/A
5	12434.600	52.77	0.71	74.0	-21.23	Peak	8.00	150	Horizontal	Pass
5**	12434.600	43.13	0.71	54.0	-10.87	AV	8.00	150	Horizontal	Pass
6	17792.625	47.66	6.30	74.0	-26.34	Peak	276.00	200	Horizontal	Pass
6**	17792.625	39.73	6.30	54.0	-14.27	AV	276.00	200	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.700	52.16	-19.37	74.0	-21.84	Peak	319.00	400	Vertical	Pass
1**	1328.700	47.63	-19.37	54.0	-6.37	AV	319.00	400	Vertical	Pass
2	1466.000	53.21	-19.41	74.0	-20.79	Peak	311.00	200	Vertical	Pass
2**	1466.000	49.01	-19.41	54.0	-4.99	AV	311.00	200	Vertical	Pass
3	1599.000	53.38	-19.49	74.0	-20.62	Peak	159.00	200	Vertical	Pass
3**	1599.000	47.65	-19.49	54.0	-6.35	AV	159.00	200	Vertical	Pass
4	5666.750	104.04	-5.59	--	--	Peak	235.00	400	Vertical	N/A
4**	5666.750	95.84	-5.59	--	--	AV	235.00	400	Vertical	N/A
5	12339.125	53.12	0.72	74.0	-20.88	Peak	142.00	100	Vertical	Pass
5**	12339.125	43.91	0.72	54.0	-10.09	AV	142.00	100	Vertical	Pass
6	17792.625	47.03	6.30	74.0	-26.97	Peak	324.00	300	Vertical	Pass
6**	17792.625	40.78	6.30	54.0	-13.22	AV	324.00	300	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.600	58.33	-20.46	74.0	-15.67	Peak	128.00	300	Horizontal	Pass
1**	1063.600	49.87	-20.46	54.0	-4.13	AV	128.00	300	Horizontal	Pass
2	1332.000	50.55	-19.92	74.0	-23.45	Peak	306.00	200	Horizontal	Pass
2**	1332.000	47.27	-19.92	54.0	-6.73	AV	306.00	200	Horizontal	Pass
3	1465.100	53.53	-19.82	74.0	-20.47	Peak	289.00	200	Horizontal	Pass
3**	1465.100	47.37	-19.82	54.0	-6.63	AV	289.00	200	Horizontal	Pass
4	5496.500	101.71	-3.52	--	--	Peak	89.00	300	Horizontal	N/A
4**	5496.500	94.21	-3.52	--	--	AV	89.00	300	Horizontal	N/A
5	12555.725	53.24	1.56	74.0	-20.76	Peak	292.00	150	Horizontal	Pass
5**	12555.725	43.17	1.56	54.0	-10.83	AV	292.00	150	Horizontal	Pass
6	17796.563	47.86	6.42	74.0	-26.14	Peak	11.00	400	Horizontal	Pass
6**	17796.563	39.96	6.42	54.0	-14.04	AV	11.00	400	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1465.800	51.54	-19.49	74.0	-22.46	Peak	154.00	300	Vertical	Pass
1**	1465.800	48.06	-19.49	54.0	-5.94	AV	154.00	300	Vertical	Pass
2	1598.500	51.36	-19.43	74.0	-22.64	Peak	180.00	100	Vertical	Pass
2**	1598.500	49.25	-19.43	54.0	-4.75	AV	180.00	100	Vertical	Pass
3	3721.750	51.03	-8.73	74.0	-22.97	Peak	194.00	200	Vertical	Pass
3**	3721.750	35.80	-8.73	54.0	-18.20	AV	194.00	200	Vertical	Pass
4	5502.000	107.15	-3.51	--	--	Peak	176.00	400	Vertical	N/A
4**	5502.000	99.98	-3.51	--	--	AV	176.00	400	Vertical	N/A
5	12514.638	52.98	0.83	74.0	-21.02	Peak	59.00	400	Vertical	Pass
5**	12514.638	42.05	0.83	54.0	-11.95	AV	59.00	400	Vertical	Pass
6	17793.937	46.83	6.34	74.0	-27.17	Peak	344.00	400	Vertical	Pass
6**	17793.937	40.23	6.34	54.0	-13.77	AV	344.00	400	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.900	51.70	-20.53	74.0	-22.30	Peak	128.00	400	Horizontal	Pass
1**	1064.900	48.57	-20.53	54.0	-5.43	AV	128.00	400	Horizontal	Pass
2	1463.800	52.43	-19.61	74.0	-21.57	Peak	145.00	150	Horizontal	Pass
2**	1463.800	49.98	-19.61	54.0	-4.02	AV	145.00	150	Horizontal	Pass
3	4959.750	50.40	-3.57	74.0	-23.60	Peak	256.00	400	Horizontal	Pass
3**	4959.750	40.96	-3.57	54.0	-13.04	AV	256.00	400	Horizontal	Pass
4	5581.000	101.30	-4.53	--	--	Peak	256.00	100	Horizontal	N/A
4**	5581.000	94.16	-4.53	--	--	AV	256.00	100	Horizontal	N/A
5	12550.500	53.31	1.61	74.0	-20.69	Peak	296.00	100	Horizontal	Pass
5**	12550.500	44.52	1.61	54.0	-9.48	AV	296.00	100	Horizontal	Pass
6	17804.438	47.59	6.40	74.0	-26.41	Peak	123.00	100	Horizontal	Pass
6**	17804.438	40.38	6.40	54.0	-13.62	AV	123.00	100	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.800	50.50	-19.30	74.0	-23.50	Peak	205.00	300	Vertical	Pass
1**	1328.800	47.82	-19.30	54.0	-6.18	AV	205.00	300	Vertical	Pass
2	1465.700	56.23	-19.53	74.0	-17.77	Peak	360.00	100	Vertical	Pass
2**	1465.700	49.97	-19.53	54.0	-4.03	AV	360.00	100	Vertical	Pass
3	1593.700	54.10	-19.63	74.0	-19.90	Peak	180.00	100	Vertical	Pass
3**	1593.700	48.24	-19.63	54.0	-5.76	AV	180.00	100	Vertical	Pass
4	5581.250	106.99	-4.40	--	--	Peak	231.00	200	Vertical	N/A
4**	5581.250	99.67	-4.40	--	--	AV	231.00	200	Vertical	N/A
5	12581.850	52.93	1.32	74.0	-21.07	Peak	330.00	200	Vertical	Pass
5**	12581.850	43.51	1.32	54.0	-10.49	AV	330.00	200	Vertical	Pass
6	17797.876	47.85	6.46	74.0	-26.15	Peak	224.00	100	Vertical	Pass
6**	17797.876	39.80	6.46	54.0	-14.20	AV	224.00	100	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.600	58.29	-20.44	74.0	-15.71	Peak	0.00	100	Horizontal	Pass
1**	1065.600	52.40	-20.44	54.0	-1.60	AV	0.00	100	Horizontal	Pass
2	1332.700	53.84	-19.82	74.0	-20.16	Peak	284.00	200	Horizontal	Pass
2**	1332.700	46.74	-19.82	54.0	-7.26	AV	284.00	200	Horizontal	Pass
3	1462.700	55.93	-19.46	74.0	-18.07	Peak	345.00	150	Horizontal	Pass
3**	1462.700	50.19	-19.46	54.0	-3.81	AV	345.00	150	Horizontal	Pass
4	5702.000	99.61	-5.39	--	--	Peak	250.00	300	Horizontal	N/A
4**	5702.000	91.36	-5.39	--	--	AV	250.00	300	Horizontal	N/A
5	12373.562	52.49	0.53	74.0	-21.51	Peak	235.00	100	Horizontal	Pass
5**	12373.562	42.70	0.53	54.0	-11.30	AV	235.00	100	Horizontal	Pass
6	17800.499	47.17	6.51	74.0	-26.83	Peak	328.00	200	Horizontal	Pass
6**	17800.499	39.96	6.51	54.0	-14.04	AV	328.00	200	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.500	47.54	-19.53	74.0	-26.46	Peak	73.00	100	Vertical	Pass
1**	1328.500	45.70	-19.53	54.0	-8.30	AV	73.00	100	Vertical	Pass
2	1465.200	55.16	-19.76	74.0	-18.84	Peak	6.00	400	Vertical	Pass
2**	1465.200	48.11	-19.76	54.0	-5.89	AV	6.00	400	Vertical	Pass
3	1598.800	56.56	-19.24	74.0	-17.44	Peak	170.00	150	Vertical	Pass
3**	1598.800	47.89	-19.24	54.0	-6.11	AV	170.00	150	Vertical	Pass
4	5704.250	105.73	-5.78	--	--	Peak	229.00	200	Vertical	N/A
4**	5704.250	97.95	-5.78	--	--	AV	229.00	200	Vertical	N/A
5	12548.125	52.48	1.57	74.0	-21.52	Peak	103.00	200	Vertical	Pass
5**	12548.125	43.54	1.57	54.0	-10.46	AV	103.00	200	Vertical	Pass
6	17789.999	47.80	6.22	74.0	-26.20	Peak	360.00	300	Vertical	Pass
6**	17789.999	39.63	6.22	54.0	-14.37	AV	360.00	300	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.800	52.05	-20.68	74.0	-21.95	Peak	323.00	100	Horizontal	Pass
1**	1062.800	47.81	-20.68	54.0	-6.19	AV	323.00	100	Horizontal	Pass
2	1328.300	53.25	-19.59	74.0	-20.75	Peak	279.00	300	Horizontal	Pass
2**	1328.300	47.10	-19.59	54.0	-6.90	AV	279.00	300	Horizontal	Pass
3	1463.900	53.84	-19.58	74.0	-20.16	Peak	306.00	200	Horizontal	Pass
3**	1463.900	50.41	-19.58	54.0	-3.59	AV	306.00	200	Horizontal	Pass
4	5503.750	98.95	-3.64	--	--	Peak	251.00	100	Horizontal	N/A
4**	5503.750	90.58	-3.64	--	--	AV	251.00	100	Horizontal	N/A
5	12460.488	52.34	0.81	74.0	-21.66	Peak	6.00	200	Horizontal	Pass
5**	12460.488	43.17	0.81	54.0	-10.83	AV	6.00	200	Horizontal	Pass
6	17787.376	48.07	6.15	74.0	-25.93	Peak	159.00	200	Horizontal	Pass
6**	17787.376	39.62	6.15	54.0	-14.38	AV	159.00	200	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.400	52.07	-19.23	74.0	-21.93	Peak	227.00	300	Vertical	Pass
1**	1330.400	46.83	-19.23	54.0	-7.17	AV	227.00	300	Vertical	Pass
2	1466.300	57.88	-19.58	74.0	-16.12	Peak	338.00	100	Vertical	Pass
2**	1466.300	48.21	-19.58	54.0	-5.79	AV	338.00	100	Vertical	Pass
3	1594.400	52.70	-19.67	74.0	-21.30	Peak	157.00	150	Vertical	Pass
3**	1594.400	48.71	-19.67	54.0	-5.29	AV	157.00	150	Vertical	Pass
4	5498.000	104.33	-3.39	--	--	Peak	174.00	300	Vertical	N/A
4**	5498.000	96.40	-3.39	--	--	AV	174.00	300	Vertical	N/A
5	12459.062	52.78	0.82	74.0	-21.22	Peak	199.00	150	Vertical	Pass
5**	12459.062	43.21	0.82	54.0	-10.79	AV	199.00	150	Vertical	Pass
6	17973.750	47.13	4.67	74.0	-26.87	Peak	195.00	200	Vertical	Pass
6**	17973.750	39.59	4.67	54.0	-14.41	AV	195.00	200	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.800	53.85	-20.70	74.0	-20.15	Peak	260.00	400	Horizontal	Pass
1**	1063.800	49.97	-20.70	54.0	-4.03	AV	260.00	400	Horizontal	Pass
2	1465.600	51.60	-19.58	74.0	-22.40	Peak	294.00	200	Horizontal	Pass
2**	1465.600	44.25	-19.58	54.0	-9.75	AV	294.00	200	Horizontal	Pass
3	4126.000	48.05	-7.05	74.0	-25.95	Peak	287.00	150	Horizontal	Pass
3**	4126.000	38.19	-7.05	54.0	-15.81	AV	287.00	150	Horizontal	Pass
4	5592.750	97.92	-4.47	--	--	Peak	267.00	100	Horizontal	N/A
4**	5592.750	90.58	-4.47	--	--	AV	267.00	100	Horizontal	N/A
5	12550.737	52.84	1.60	74.0	-21.16	Peak	206.00	200	Horizontal	Pass
5**	12550.737	43.68	1.60	54.0	-10.32	AV	206.00	200	Horizontal	Pass
6	17820.187	47.78	5.98	74.0	-26.22	Peak	2.00	400	Horizontal	Pass
6**	17820.187	40.92	5.98	54.0	-13.08	AV	2.00	400	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.200	51.06	-19.55	74.0	-22.94	Peak	5.00	300	Vertical	Pass
1**	1328.200	49.50	-19.55	54.0	-4.50	AV	5.00	300	Vertical	Pass
2	1461.800	48.12	-19.30	74.0	-25.88	Peak	59.00	300	Vertical	Pass
2**	1461.800	47.47	-19.30	54.0	-6.53	AV	59.00	300	Vertical	Pass
3	1593.400	53.72	-19.99	74.0	-20.28	Peak	152.00	200	Vertical	Pass
3**	1593.400	47.64	-19.99	54.0	-6.36	AV	152.00	200	Vertical	Pass
4	5596.250	104.68	-4.20	--	--	Peak	232.00	300	Vertical	N/A
4**	5596.250	97.24	-4.20	--	--	AV	232.00	300	Vertical	N/A
5	12582.799	52.58	1.31	74.0	-21.42	Peak	264.00	100	Vertical	Pass
5**	12582.799	43.74	1.31	54.0	-10.26	AV	264.00	100	Vertical	Pass
6	17795.250	47.59	6.38	74.0	-26.41	Peak	198.00	100	Vertical	Pass
6**	17795.250	39.61	6.38	54.0	-14.39	AV	198.00	100	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.100	51.61	-19.33	74.0	-22.39	Peak	283.00	200	Horizontal	Pass
1**	1329.100	48.91	-19.33	54.0	-5.09	AV	283.00	200	Horizontal	Pass
2	1465.300	53.94	-19.71	74.0	-20.06	Peak	274.00	300	Horizontal	Pass
2**	1465.300	47.84	-19.71	54.0	-6.16	AV	274.00	300	Horizontal	Pass
3	4358.500	48.22	-6.21	74.0	-25.78	Peak	237.00	150	Horizontal	Pass
3**	4358.500	39.06	-6.21	54.0	-14.94	AV	237.00	150	Horizontal	Pass
4	5680.500	95.98	-4.73	--	--	Peak	255.00	400	Horizontal	N/A
4**	5680.500	87.99	-4.73	--	--	AV	255.00	400	Horizontal	N/A
5	12574.488	52.74	1.39	74.0	-21.26	Peak	335.00	150	Horizontal	Pass
5**	12574.488	42.82	1.39	54.0	-11.18	AV	335.00	150	Horizontal	Pass
6	17813.625	47.28	6.15	74.0	-26.72	Peak	84.00	400	Horizontal	Pass
6**	17813.625	39.34	6.15	54.0	-14.66	AV	84.00	400	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.600	51.73	-21.01	74.0	-22.27	Peak	15.00	100	Vertical	Pass
1**	1066.600	47.53	-21.01	54.0	-6.47	AV	15.00	100	Vertical	Pass
2	1331.400	49.13	-19.57	74.0	-24.87	Peak	5.00	200	Vertical	Pass
2**	1331.400	46.33	-19.57	54.0	-7.67	AV	5.00	200	Vertical	Pass
3	1598.500	51.64	-19.43	74.0	-22.36	Peak	171.00	200	Vertical	Pass
3**	1598.500	46.75	-19.43	54.0	-7.25	AV	171.00	200	Vertical	Pass
4	5677.000	104.10	-5.00	--	--	Peak	231.00	400	Vertical	N/A
4**	5677.000	95.71	-5.00	--	--	AV	231.00	400	Vertical	N/A
5	12394.225	52.31	0.36	74.0	-21.69	Peak	106.00	200	Vertical	Pass
5**	12394.225	43.36	0.36	54.0	-10.64	AV	106.00	200	Vertical	Pass
6	17793.937	47.48	6.34	74.0	-26.52	Peak	123.00	300	Vertical	Pass
6**	17793.937	40.45	6.34	54.0	-13.55	AV	123.00	300	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.400	48.24	-20.68	74.0	-25.76	Peak	267.00	100	Horizontal	Pass
1**	1066.400	47.47	-20.68	54.0	-6.53	AV	267.00	100	Horizontal	Pass
2	1329.900	49.10	-19.41	74.0	-24.90	Peak	0.00	400	Horizontal	Pass
2**	1329.900	46.86	-19.41	54.0	-7.14	AV	0.00	400	Horizontal	Pass
3	1462.700	51.07	-19.46	74.0	-22.93	Peak	241.00	200	Horizontal	Pass
3**	1462.700	50.79	-19.46	54.0	-3.21	AV	241.00	200	Horizontal	Pass
4	5552.750	95.33	-4.92	--	--	Peak	269.00	200	Horizontal	N/A
4**	5552.750	87.32	-4.92	--	--	AV	269.00	200	Horizontal	N/A
5	12578.288	52.69	1.35	74.0	-21.31	Peak	183.00	200	Horizontal	Pass
5**	12578.288	43.43	1.35	54.0	-10.57	AV	183.00	200	Horizontal	Pass
6	17826.750	47.40	5.80	74.0	-26.60	Peak	268.00	100	Horizontal	Pass
6**	17826.750	38.81	5.80	54.0	-15.19	AV	268.00	100	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.700	50.74	-19.39	74.0	-23.26	Peak	330.00	400	Vertical	Pass
1**	1330.700	45.26	-19.39	54.0	-8.74	AV	330.00	400	Vertical	Pass
2	1463.400	54.54	-19.79	74.0	-19.46	Peak	55.00	400	Vertical	Pass
2**	1463.400	48.78	-19.79	54.0	-5.22	AV	55.00	400	Vertical	Pass
3	1598.600	51.93	-19.22	74.0	-22.07	Peak	159.00	150	Vertical	Pass
3**	1598.600	46.99	-19.22	54.0	-7.01	AV	159.00	150	Vertical	Pass
4	5507.250	100.37	-3.82	--	--	Peak	174.00	200	Vertical	N/A
4**	5507.250	91.95	-3.82	--	--	AV	174.00	200	Vertical	N/A
5	12280.937	53.08	0.54	74.0	-20.92	Peak	280.00	150	Vertical	Pass
5**	12280.937	42.27	0.54	54.0	-11.73	AV	280.00	150	Vertical	Pass
6	17799.188	46.78	6.50	74.0	-27.22	Peak	37.00	300	Vertical	Pass
6**	17799.188	40.63	6.50	54.0	-13.37	AV	37.00	300	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.600	53.53	-20.44	74.0	-20.47	Peak	144.00	300	Horizontal	Pass
1**	1065.600	49.48	-20.44	54.0	-4.52	AV	144.00	300	Horizontal	Pass
2	1330.500	49.45	-19.28	74.0	-24.55	Peak	51.00	200	Horizontal	Pass
2**	1330.500	45.59	-19.28	54.0	-8.41	AV	51.00	200	Horizontal	Pass
3	1465.800	50.10	-19.49	74.0	-23.90	Peak	250.00	400	Horizontal	Pass
3**	1465.800	48.84	-19.49	54.0	-5.16	AV	250.00	400	Horizontal	Pass
4	5595.500	95.32	-4.26	--	--	Peak	250.00	200	Horizontal	N/A
4**	5595.500	87.07	-4.26	--	--	AV	250.00	200	Horizontal	N/A
5	12396.125	52.18	0.34	74.0	-21.82	Peak	39.00	200	Horizontal	Pass
5**	12396.125	43.16	0.34	54.0	-10.84	AV	39.00	200	Horizontal	Pass
6	17784.750	47.56	6.07	74.0	-26.44	Peak	0.00	200	Horizontal	Pass
6**	17784.750	39.67	6.07	54.0	-14.33	AV	0.00	200	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.300	51.92	-19.59	74.0	-22.08	Peak	208.00	300	Vertical	Pass
1**	1328.300	47.86	-19.59	54.0	-6.14	AV	208.00	300	Vertical	Pass
2	1461.900	52.65	-19.33	74.0	-21.35	Peak	190.00	100	Vertical	Pass
2**	1461.900	46.57	-19.33	54.0	-7.43	AV	190.00	100	Vertical	Pass
3	1594.000	53.19	-19.26	74.0	-20.81	Peak	152.00	100	Vertical	Pass
3**	1594.000	48.33	-19.26	54.0	-5.67	AV	152.00	100	Vertical	Pass
4	5592.250	101.53	-4.61	--	--	Peak	236.00	100	Vertical	N/A
4**	5592.250	92.35	-4.61	--	--	AV	236.00	100	Vertical	N/A
5	12583.987	52.74	1.30	74.0	-21.26	Peak	200.00	100	Vertical	Pass
5**	12583.987	43.82	1.30	54.0	-10.18	AV	200.00	100	Vertical	Pass
6	17801.812	47.96	6.48	74.0	-26.04	Peak	146.00	100	Vertical	Pass
6**	17801.812	39.63	6.48	54.0	-14.37	AV	146.00	100	Vertical	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.100	54.81	-21.06	74.0	-19.19	Peak	134.00	100	Horizontal	Pass
1**	1064.100	51.93	-21.06	54.0	-2.07	AV	134.00	100	Horizontal	Pass
2	1329.100	54.84	-19.33	74.0	-19.16	Peak	143.00	100	Horizontal	Pass
2**	1329.100	50.15	-19.33	54.0	-3.85	AV	143.00	100	Horizontal	Pass
3	1466.700	52.72	-19.94	74.0	-21.28	Peak	280.00	200	Horizontal	Pass
3**	1466.700	48.21	-19.94	54.0	-5.79	AV	280.00	200	Horizontal	Pass
4	5529.000	93.52	-5.17	--	--	Peak	311.00	300	Horizontal	N/A
4**	5529.000	83.43	-5.17	--	--	AV	311.00	300	Horizontal	N/A
5	12282.362	52.36	0.55	74.0	-21.64	Peak	33.00	100	Horizontal	Pass
5**	12282.362	43.10	0.55	54.0	-10.90	AV	33.00	100	Horizontal	Pass
6	17795.250	47.58	6.38	74.0	-26.42	Peak	299.00	200	Horizontal	Pass
6**	17795.250	40.12	6.38	54.0	-13.88	AV	299.00	200	Horizontal	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.800	49.35	-20.39	74.0	-24.65	Peak	100.00	100	Vertical	Pass
1**	1065.800	46.94	-20.39	54.0	-7.06	AV	100.00	100	Vertical	Pass
2	1596.500	49.52	-20.25	74.0	-26.48	Peak	196.00	100	Vertical	Pass
2**	1596.500	47.07	-20.25	54.0	-6.93	AV	196.00	100	Vertical	Pass
3	5457.750	56.50	-4.71	74.0	-17.50	Peak	198.00	200	Vertical	Pass
3**	5457.750	52.29	-4.71	54.0	-1.71	AV	198.00	200	Vertical	Pass
4	5587.000	100.56	-4.66	--	--	Peak	216.00	300	Vertical	N/A
4**	5587.000	89.16	-4.66	--	--	AV	216.00	300	Vertical	N/A
5	12579.000	52.97	1.34	74.0	-21.03	Peak	208.00	150	Vertical	Pass
5**	12579.000	43.50	1.34	54.0	-10.50	AV	208.00	150	Vertical	Pass
6	17796.563	48.35	6.42	74.0	-25.65	Peak	175.00	100	Vertical	Pass
6**	17796.563	40.13	6.42	54.0	-13.87	AV	175.00	100	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.300	52.90	-20.45	74.0	-21.10	Peak	136.00	100	Horizontal	Pass
1**	1063.300	48.89	-20.45	54.0	-5.11	AV	136.00	100	Horizontal	Pass
2	1329.500	55.30	-19.69	74.0	-18.70	Peak	275.00	400	Horizontal	Pass
2**	1329.500	47.96	-19.69	54.0	-6.04	AV	275.00	400	Horizontal	Pass
3	4108.250	47.04	-6.87	74.0	-26.96	Peak	0.00	100	Horizontal	Pass
3**	4108.250	37.87	-6.87	54.0	-16.13	AV	0.00	100	Horizontal	Pass
4	5499.250	102.53	-3.76	--	--	Peak	269.00	200	Horizontal	N/A
4**	5499.250	94.06	-3.76	--	--	AV	269.00	200	Horizontal	N/A
5	12549.550	52.56	1.60	74.0	-21.44	Peak	0.00	200	Horizontal	Pass
5**	12549.550	43.46	1.60	54.0	-10.54	AV	0.00	200	Horizontal	Pass
6	17800.499	46.83	6.51	74.0	-27.17	Peak	160.00	200	Horizontal	Pass
6**	17800.499	40.69	6.51	54.0	-13.31	AV	160.00	200	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.300	50.50	-19.44	74.0	-23.50	Peak	267.00	100	Vertical	Pass
1**	1329.300	47.03	-19.44	54.0	-6.97	AV	267.00	100	Vertical	Pass
2	1463.400	52.09	-19.79	74.0	-21.91	Peak	181.00	100	Vertical	Pass
2**	1463.400	46.07	-19.79	54.0	-7.93	AV	181.00	100	Vertical	Pass
3	1593.700	52.88	-19.63	74.0	-21.12	Peak	155.00	150	Vertical	Pass
3**	1593.700	48.52	-19.63	54.0	-5.48	AV	155.00	150	Vertical	Pass
4	5502.500	109.14	-3.86	--	--	Peak	172.00	300	Vertical	N/A
4**	5502.500	99.67	-3.86	--	--	AV	172.00	300	Vertical	N/A
5	12336.750	53.09	0.71	74.0	-20.91	Peak	238.00	200	Vertical	Pass
5**	12336.750	43.06	0.71	54.0	-10.94	AV	238.00	200	Vertical	Pass
6	17809.687	47.58	6.26	74.0	-26.42	Peak	139.00	400	Vertical	Pass
6**	17809.687	39.28	6.26	54.0	-14.72	AV	139.00	400	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1061.800	58.25	-20.85	74.0	-15.75	Peak	137.00	200	Horizontal	Pass
1**	1061.800	50.45	-20.85	54.0	-3.55	AV	137.00	200	Horizontal	Pass
2	1462.000	50.71	-19.36	74.0	-23.29	Peak	283.00	200	Horizontal	Pass
2**	1462.000	46.70	-19.36	54.0	-7.30	AV	283.00	200	Horizontal	Pass
3	4252.250	47.41	-6.72	74.0	-26.59	Peak	0.00	150	Horizontal	Pass
3**	4252.250	38.01	-6.72	54.0	-15.99	AV	0.00	150	Horizontal	Pass
4	5582.750	100.29	-4.78	--	--	Peak	273.00	300	Horizontal	N/A
4**	5582.750	92.94	-4.78	--	--	AV	273.00	300	Horizontal	N/A
5	12404.437	51.95	0.36	74.0	-22.05	Peak	143.00	200	Horizontal	Pass
5**	12404.437	43.16	0.36	54.0	-10.84	AV	143.00	200	Horizontal	Pass
6	17791.312	47.03	6.26	74.0	-26.97	Peak	157.00	400	Horizontal	Pass
6**	17791.312	38.85	6.26	54.0	-15.15	AV	157.00	400	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.500	47.68	-19.69	74.0	-26.32	Peak	68.00	300	Vertical	Pass
1**	1329.500	45.48	-19.69	54.0	-8.52	AV	68.00	300	Vertical	Pass
2	1460.900	49.73	-20.09	74.0	-24.27	Peak	187.00	400	Vertical	Pass
2**	1460.900	46.47	-20.09	54.0	-7.53	AV	187.00	400	Vertical	Pass
3	1595.400	52.06	-19.73	74.0	-21.94	Peak	153.00	100	Vertical	Pass
3**	1595.400	45.81	-19.73	54.0	-8.19	AV	153.00	100	Vertical	Pass
4	5577.250	107.47	-4.70	--	--	Peak	229.00	300	Vertical	N/A
4**	5577.250	99.09	-4.70	--	--	AV	229.00	300	Vertical	N/A
5	12419.637	52.66	0.54	74.0	-21.34	Peak	254.00	200	Vertical	Pass
5**	12419.637	42.70	0.54	54.0	-11.30	AV	254.00	200	Vertical	Pass
6	17793.937	47.25	6.34	74.0	-26.75	Peak	236.00	200	Vertical	Pass
6**	17793.937	40.02	6.34	54.0	-13.98	AV	236.00	200	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.300	54.07	-20.49	74.0	-19.93	Peak	143.00	400	Horizontal	Pass
1**	1065.300	49.69	-20.49	54.0	-4.31	AV	143.00	400	Horizontal	Pass
2	1329.800	52.80	-19.60	74.0	-21.20	Peak	143.00	200	Horizontal	Pass
2**	1329.800	45.98	-19.60	54.0	-8.02	AV	143.00	200	Horizontal	Pass
3	1465.300	54.31	-19.71	74.0	-19.69	Peak	281.00	150	Horizontal	Pass
3**	1465.300	48.18	-19.71	54.0	-5.82	AV	281.00	150	Horizontal	Pass
4	5698.500	99.45	-4.86	--	--	Peak	257.00	400	Horizontal	N/A
4**	5698.500	93.23	-4.86	--	--	AV	257.00	400	Horizontal	N/A
5	12366.437	52.94	0.59	74.0	-21.06	Peak	323.00	100	Horizontal	Pass
5**	12366.437	43.70	0.59	54.0	-10.30	AV	323.00	100	Horizontal	Pass
6	17788.688	47.38	6.19	74.0	-26.62	Peak	104.00	300	Horizontal	Pass
6**	17788.688	39.30	6.19	54.0	-14.70	AV	104.00	300	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1461.500	53.77	-19.28	74.0	-20.23	Peak	325.00	300	Vertical	Pass
1**	1461.500	47.15	-19.28	54.0	-6.85	AV	325.00	300	Vertical	Pass
2	1593.700	50.65	-19.63	74.0	-23.35	Peak	154.00	300	Vertical	Pass
2**	1593.700	48.10	-19.63	54.0	-5.90	AV	154.00	300	Vertical	Pass
3	3719.750	52.35	-8.92	74.0	-21.65	Peak	200.00	200	Vertical	Pass
3**	3719.750	35.96	-8.92	54.0	-18.04	AV	200.00	200	Vertical	Pass
4	5698.250	105.79	-5.02	--	--	Peak	218.00	100	Vertical	N/A
4**	5698.250	98.54	-5.02	--	--	AV	218.00	100	Vertical	N/A
5	12574.963	52.64	1.38	74.0	-21.36	Peak	352.00	150	Vertical	Pass
5**	12574.963	43.17	1.38	54.0	-10.83	AV	352.00	150	Vertical	Pass
6	17788.688	47.98	6.19	74.0	-26.02	Peak	203.00	200	Vertical	Pass
6**	17788.688	39.69	6.19	54.0	-14.31	AV	203.00	200	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.100	55.49	-21.06	74.0	-18.51	Peak	179.00	200	Horizontal	Pass
1**	1064.100	48.78	-21.06	54.0	-5.22	AV	179.00	200	Horizontal	Pass
2	1463.700	52.32	-19.65	74.0	-21.68	Peak	248.00	100	Horizontal	Pass
2**	1463.700	47.35	-19.65	54.0	-6.65	AV	248.00	100	Horizontal	Pass
3	4120.500	47.06	-6.57	74.0	-26.94	Peak	131.00	150	Horizontal	Pass
3**	4120.500	38.86	-6.57	54.0	-15.14	AV	131.00	150	Horizontal	Pass
4	5499.750	99.13	-3.56	--	--	Peak	274.00	200	Horizontal	N/A
4**	5499.750	90.82	-3.56	--	--	AV	274.00	200	Horizontal	N/A
5	12371.188	52.12	0.55	74.0	-21.88	Peak	247.00	150	Horizontal	Pass
5**	12371.188	44.08	0.55	54.0	-9.92	AV	247.00	150	Horizontal	Pass
6	17792.625	47.48	6.30	74.0	-26.52	Peak	199.00	200	Horizontal	Pass
6**	17792.625	39.47	6.30	54.0	-14.53	AV	199.00	200	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.800	52.23	-20.70	74.0	-21.77	Peak	307.00	400	Vertical	Pass
1**	1063.800	46.37	-20.70	54.0	-7.63	AV	307.00	400	Vertical	Pass
2	1331.600	54.79	-19.77	74.0	-19.21	Peak	64.00	100	Vertical	Pass
2**	1331.600	48.24	-19.77	54.0	-5.76	AV	64.00	100	Vertical	Pass
3	1594.200	52.32	-19.47	74.0	-21.68	Peak	159.00	200	Vertical	Pass
3**	1594.200	46.92	-19.47	54.0	-7.08	AV	159.00	200	Vertical	Pass
4	5497.750	106.15	-3.32	--	--	Peak	215.00	100	Vertical	N/A
4**	5497.750	95.30	-3.32	--	--	AV	215.00	100	Vertical	N/A
5	12569.737	52.22	1.43	74.0	-21.78	Peak	129.00	100	Vertical	Pass
5**	12569.737	42.46	1.43	54.0	-11.54	AV	129.00	100	Vertical	Pass
6	17791.312	47.34	6.26	74.0	-26.66	Peak	297.00	200	Vertical	Pass
6**	17791.312	39.96	6.26	54.0	-14.04	AV	297.00	200	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.700	55.66	-20.67	74.0	-18.34	Peak	136.00	400	Horizontal	Pass
1**	1062.700	49.51	-20.67	54.0	-4.49	AV	136.00	400	Horizontal	Pass
2	1462.800	54.42	-19.59	74.0	-19.58	Peak	282.00	100	Horizontal	Pass
2**	1462.800	49.13	-19.59	54.0	-4.87	AV	282.00	100	Horizontal	Pass
3	4971.250	50.17	-3.40	74.0	-23.83	Peak	143.00	100	Horizontal	Pass
3**	4971.250	41.44	-3.40	54.0	-12.56	AV	143.00	100	Horizontal	Pass
4	5594.750	99.94	-4.34	--	--	Peak	251.00	100	Horizontal	N/A
4**	5594.750	89.69	-4.34	--	--	AV	251.00	100	Horizontal	N/A
5	12547.174	52.72	1.55	74.0	-21.28	Peak	19.00	100	Horizontal	Pass
5**	12547.174	43.21	1.55	54.0	-10.79	AV	19.00	100	Horizontal	Pass
6	17804.438	47.33	6.40	74.0	-26.67	Peak	118.00	100	Horizontal	Pass
6**	17804.438	39.53	6.40	54.0	-14.47	AV	118.00	100	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.500	53.04	-19.28	74.0	-20.96	Peak	94.00	300	Vertical	Pass
1**	1327.500	46.58	-19.28	54.0	-7.42	AV	94.00	300	Vertical	Pass
2	1462.000	53.06	-19.36	74.0	-20.94	Peak	198.00	100	Vertical	Pass
2**	1462.000	46.66	-19.36	54.0	-7.34	AV	198.00	100	Vertical	Pass
3	1592.900	49.72	-19.81	74.0	-24.28	Peak	215.00	100	Vertical	Pass
3**	1592.900	46.55	-19.81	54.0	-7.45	AV	215.00	100	Vertical	Pass
4	5581.500	104.52	-4.67	--	--	Peak	237.00	200	Vertical	N/A
4**	5581.500	95.91	-4.67	--	--	AV	237.00	200	Vertical	N/A
5	12584.225	53.07	1.30	74.0	-20.93	Peak	259.00	200	Vertical	Pass
5**	12584.225	44.35	1.30	54.0	-9.65	AV	259.00	200	Vertical	Pass
6	17797.876	48.31	6.46	74.0	-25.69	Peak	73.00	100	Vertical	Pass
6**	17797.876	40.50	6.46	54.0	-13.50	AV	73.00	100	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.300	56.24	-20.52	74.0	-17.76	Peak	357.00	100	Horizontal	Pass
1**	1062.300	50.35	-20.52	54.0	-3.65	AV	357.00	100	Horizontal	Pass
2	1332.200	51.65	-19.91	74.0	-22.35	Peak	289.00	400	Horizontal	Pass
2**	1332.200	46.78	-19.91	54.0	-7.22	AV	289.00	400	Horizontal	Pass
3	1465.900	50.87	-19.45	74.0	-23.13	Peak	142.00	200	Horizontal	Pass
3**	1465.900	36.65	-19.45	54.0	-17.35	AV	142.00	200	Horizontal	Pass
4	5676.000	96.57	-4.88	--	--	Peak	255.00	200	Horizontal	N/A
4**	5676.000	88.54	-4.88	--	--	AV	255.00	200	Horizontal	N/A
5	12437.925	53.29	0.75	74.0	-20.71	Peak	189.00	200	Horizontal	Pass
5**	12437.925	42.44	0.75	54.0	-11.56	AV	189.00	200	Horizontal	Pass
6	17791.312	47.21	6.26	74.0	-26.79	Peak	21.00	100	Horizontal	Pass
6**	17791.312	40.19	6.26	54.0	-13.81	AV	21.00	100	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.200	52.43	-19.34	74.0	-21.57	Peak	332.00	100	Vertical	Pass
1**	1329.200	46.00	-19.34	54.0	-8.00	AV	332.00	100	Vertical	Pass
2	1463.500	53.79	-19.73	74.0	-20.21	Peak	101.00	200	Vertical	Pass
2**	1463.500	45.96	-19.73	54.0	-8.04	AV	101.00	200	Vertical	Pass
3	1596.200	53.07	-19.65	74.0	-20.93	Peak	340.00	200	Vertical	Pass
3**	1596.200	46.08	-19.65	54.0	-7.92	AV	340.00	200	Vertical	Pass
4	5659.500	103.90	-5.42	--	--	Peak	218.00	400	Vertical	N/A
4**	5659.500	94.41	-5.42	--	--	AV	218.00	400	Vertical	N/A
5	12400.162	52.66	0.31	74.0	-21.34	Peak	225.00	200	Vertical	Pass
5**	12400.162	43.71	0.31	54.0	-10.29	AV	225.00	200	Vertical	Pass
6	17801.812	47.64	6.48	74.0	-26.36	Peak	360.00	300	Vertical	Pass
6**	17801.812	39.98	6.48	54.0	-14.02	AV	360.00	300	Vertical	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.400	51.61	-19.57	74.0	-22.39	Peak	303.00	100	Horizontal	Pass
1**	1329.400	45.20	-19.57	54.0	-8.80	AV	303.00	100	Horizontal	Pass
2	1463.800	54.98	-19.61	74.0	-19.02	Peak	210.00	400	Horizontal	Pass
2**	1463.800	50.00	-19.61	54.0	-4.00	AV	210.00	400	Horizontal	Pass
3	4972.500	50.90	-3.27	74.0	-23.10	Peak	345.00	100	Horizontal	Pass
3**	4972.500	42.14	-3.27	54.0	-11.86	AV	345.00	100	Horizontal	Pass
4	5517.750	97.21	-4.39	--	--	Peak	249.00	400	Horizontal	N/A
4**	5517.750	86.65	-4.39	--	--	AV	249.00	400	Horizontal	N/A
5	12372.375	52.70	0.54	74.0	-21.30	Peak	115.00	200	Horizontal	Pass
5**	12372.375	43.19	0.54	54.0	-10.81	AV	115.00	200	Horizontal	Pass
6	17801.812	47.60	6.48	74.0	-26.40	Peak	360.00	100	Horizontal	Pass
6**	17801.812	40.66	6.48	54.0	-13.34	AV	360.00	100	Horizontal	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.200	51.09	-19.53	74.0	-22.91	Peak	237.00	400	Vertical	Pass
1**	1331.200	46.62	-19.53	54.0	-7.38	AV	237.00	400	Vertical	Pass
2	1461.100	53.12	-19.86	74.0	-20.88	Peak	178.00	300	Vertical	Pass
2**	1461.100	46.32	-19.86	54.0	-7.68	AV	178.00	300	Vertical	Pass
3	1598.600	51.97	-19.22	74.0	-22.03	Peak	360.00	150	Vertical	Pass
3**	1598.600	48.47	-19.22	54.0	-5.53	AV	360.00	150	Vertical	Pass
4	5550.500	101.34	-4.46	--	--	Peak	234.00	300	Vertical	N/A
4**	5550.500	92.85	-4.46	--	--	AV	234.00	300	Vertical	N/A
5	12582.563	52.67	1.31	74.0	-21.33	Peak	227.00	100	Vertical	Pass
5**	12582.563	43.98	1.31	54.0	-10.02	AV	227.00	100	Vertical	Pass
6	17829.376	48.63	5.73	74.0	-25.37	Peak	86.00	100	Vertical	Pass
6**	17829.376	40.11	5.73	54.0	-13.89	AV	86.00	100	Vertical	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.400	53.25	-20.47	74.0	-20.75	Peak	120.00	300	Horizontal	Pass
1**	1065.400	48.24	-20.47	54.0	-5.76	AV	120.00	300	Horizontal	Pass
2	1465.700	57.19	-19.53	74.0	-16.81	Peak	267.00	100	Horizontal	Pass
2**	1465.700	51.83	-19.53	54.0	-2.17	AV	267.00	100	Horizontal	Pass
3	4186.750	47.21	-7.45	74.0	-26.79	Peak	201.00	150	Horizontal	Pass
3**	4186.750	38.01	-7.45	54.0	-15.99	AV	201.00	150	Horizontal	Pass
4	5602.000	96.26	-4.20	--	--	Peak	256.00	400	Horizontal	N/A
4**	5602.000	86.72	-4.20	--	--	AV	256.00	400	Horizontal	N/A
5	12333.662	52.73	0.71	74.0	-21.27	Peak	69.00	100	Horizontal	Pass
5**	12333.662	43.90	0.71	54.0	-10.10	AV	69.00	100	Horizontal	Pass
6	17807.063	47.23	6.33	74.0	-26.77	Peak	53.00	100	Horizontal	Pass
6**	17807.063	39.33	6.33	54.0	-14.67	AV	53.00	100	Horizontal	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.900	52.35	-20.53	74.0	-21.65	Peak	151.00	200	Vertical	Pass
1**	1064.900	46.96	-20.53	54.0	-7.04	AV	151.00	200	Vertical	Pass
2	1464.600	55.35	-19.81	74.0	-18.65	Peak	14.00	200	Vertical	Pass
2**	1464.600	46.84	-19.81	54.0	-7.16	AV	14.00	200	Vertical	Pass
3	1592.700	48.86	-19.48	74.0	-25.14	Peak	134.00	150	Vertical	Pass
3**	1592.700	47.58	-19.48	54.0	-6.42	AV	134.00	150	Vertical	Pass
4	5619.500	101.26	-4.78	--	--	Peak	230.00	300	Vertical	N/A
4**	5619.500	91.89	-4.78	--	--	AV	230.00	300	Vertical	N/A
5	12432.938	52.30	0.69	74.0	-21.70	Peak	4.00	200	Vertical	Pass
5**	12432.938	43.56	0.69	54.0	-10.44	AV	4.00	200	Vertical	Pass
6	17828.063	46.82	5.76	74.0	-27.18	Peak	285.00	400	Vertical	Pass
6**	17828.063	39.85	5.76	54.0	-14.15	AV	285.00	400	Vertical	Pass

11ax160 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.200	53.42	-20.32	74.0	-20.58	Peak	130.00	300	Horizontal	Pass
1**	1066.200	51.95	-20.32	54.0	-2.05	AV	130.00	300	Horizontal	Pass
2	1327.600	52.55	-19.30	74.0	-21.45	Peak	285.00	300	Horizontal	Pass
2**	1327.600	49.85	-19.30	54.0	-4.15	AV	285.00	300	Horizontal	Pass
3	1465.900	54.23	-19.45	74.0	-19.77	Peak	259.00	200	Horizontal	Pass
3**	1465.900	49.58	-19.45	54.0	-4.42	AV	259.00	200	Horizontal	Pass
4	5556.250	93.32	-4.91	--	--	Peak	253.00	300	Horizontal	N/A
4**	5556.250	84.31	-4.91	--	--	AV	253.00	300	Horizontal	N/A
5	12427.475	53.20	0.63	74.0	-20.80	Peak	131.00	100	Horizontal	Pass
5**	12427.475	43.21	0.63	54.0	-10.79	AV	131.00	100	Horizontal	Pass
6	17800.499	46.66	6.51	74.0	-27.34	Peak	113.00	100	Horizontal	Pass
6**	17800.499	39.65	6.51	54.0	-14.35	AV	113.00	100	Horizontal	Pass

11ax160 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.200	50.50	-20.63	74.0	-23.50	Peak	167.00	100	Vertical	Pass
1**	1062.200	45.14	-20.63	54.0	-8.86	AV	167.00	100	Vertical	Pass
2	1328.400	54.39	-19.60	74.0	-19.61	Peak	346.00	200	Vertical	Pass
2**	1328.400	46.57	-19.60	54.0	-7.43	AV	346.00	200	Vertical	Pass
3	1461.400	53.39	-19.28	74.0	-20.61	Peak	303.00	150	Vertical	Pass
3**	1461.400	49.03	-19.28	54.0	-4.97	AV	303.00	150	Vertical	Pass
4	5610.750	100.11	-4.40	--	--	Peak	218.00	300	Vertical	N/A
4**	5610.750	90.17	-4.40	--	--	AV	218.00	300	Vertical	N/A
5	12581.850	53.00	1.32	74.0	-21.00	Peak	350.00	100	Vertical	Pass
5**	12581.850	43.38	1.32	54.0	-10.62	AV	350.00	100	Vertical	Pass
6	17789.999	47.67	6.22	74.0	-26.33	Peak	152.00	200	Vertical	Pass
6**	17789.999	40.97	6.22	54.0	-13.03	AV	152.00	200	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.300	53.53	-20.52	74.0	-20.47	Peak	0.00	150	Horizontal	Pass
1**	1062.300	49.88	-20.52	54.0	-4.12	AV	0.00	150	Horizontal	Pass
2	1327.800	50.07	-19.38	74.0	-23.93	Peak	294.00	200	Horizontal	Pass
2**	1327.800	45.74	-19.38	54.0	-8.26	AV	294.00	200	Horizontal	Pass
3	1463.800	48.48	-19.61	74.0	-25.52	Peak	11.00	400	Horizontal	Pass
3**	1463.800	44.96	-19.61	54.0	-9.04	AV	11.00	400	Horizontal	Pass
4	5747.250	98.71	-5.63	--	--	Peak	264.00	100	Horizontal	N/A
4**	5747.250	92.14	-5.63	--	--	AV	264.00	100	Horizontal	N/A
5	12247.687	52.68	0.33	74.0	-21.32	Peak	21.00	200	Horizontal	Pass
5**	12247.687	42.91	0.33	54.0	-11.09	AV	21.00	200	Horizontal	Pass
6	17807.063	46.68	6.33	74.0	-27.32	Peak	306.00	300	Horizontal	Pass
6**	17807.063	40.42	6.33	54.0	-13.58	AV	306.00	300	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.200	52.54	-20.63	74.0	-21.46	Peak	175.00	100	Vertical	Pass
1**	1062.200	47.03	-20.63	54.0	-6.97	AV	175.00	100	Vertical	Pass
2	1466.300	52.40	-19.58	74.0	-21.60	Peak	235.00	300	Vertical	Pass
2**	1466.300	47.30	-19.58	54.0	-6.70	AV	235.00	300	Vertical	Pass
3	1594.100	50.86	-19.36	74.0	-23.14	Peak	158.00	150	Vertical	Pass
3**	1594.100	46.15	-19.36	54.0	-7.85	AV	158.00	150	Vertical	Pass
4	5741.500	104.06	-6.18	--	--	Peak	243.00	200	Vertical	N/A
4**	5741.500	96.94	-6.18	--	--	AV	243.00	200	Vertical	N/A
5	12244.362	52.54	0.27	74.0	-21.46	Peak	299.00	200	Vertical	Pass
5**	12244.362	42.91	0.27	54.0	-11.09	AV	299.00	200	Vertical	Pass
6	17797.876	47.76	6.46	74.0	-26.24	Peak	13.00	400	Vertical	Pass
6**	17797.876	39.88	6.46	54.0	-14.12	AV	13.00	400	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.700	54.97	-21.02	74.0	-19.03	Peak	122.00	400	Horizontal	Pass
1**	1066.700	50.94	-21.02	54.0	-3.06	AV	122.00	400	Horizontal	Pass
2	1332.800	50.77	-19.76	74.0	-23.23	Peak	276.00	100	Horizontal	Pass
2**	1332.800	42.67	-19.76	54.0	-11.33	AV	276.00	100	Horizontal	Pass
3	1463.900	55.43	-19.58	74.0	-18.57	Peak	54.00	200	Horizontal	Pass
3**	1463.900	48.08	-19.58	54.0	-5.92	AV	54.00	200	Horizontal	Pass
4	5782.500	99.33	-4.76	--	--	Peak	265.00	100	Horizontal	N/A
4**	5782.500	92.87	-4.76	--	--	AV	265.00	100	Horizontal	N/A
5	12401.825	52.38	0.33	74.0	-21.62	Peak	307.00	100	Horizontal	Pass
5**	12401.825	42.33	0.33	54.0	-11.67	AV	307.00	100	Horizontal	Pass
6	17803.125	47.04	6.44	74.0	-26.96	Peak	130.00	200	Horizontal	Pass
6**	17803.125	39.60	6.44	54.0	-14.40	AV	130.00	200	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.500	50.96	-20.85	74.0	-23.04	Peak	308.00	400	Vertical	Pass
1**	1066.500	46.56	-20.85	54.0	-7.44	AV	308.00	400	Vertical	Pass
2	1327.900	53.49	-19.42	74.0	-20.51	Peak	308.00	100	Vertical	Pass
2**	1327.900	45.89	-19.42	54.0	-8.11	AV	308.00	100	Vertical	Pass
3	1463.500	52.98	-19.73	74.0	-21.02	Peak	282.00	100	Vertical	Pass
3**	1463.500	47.27	-19.73	54.0	-6.73	AV	282.00	100	Vertical	Pass
4	5787.250	108.32	-4.60	--	--	Peak	246.00	100	Vertical	N/A
4**	5787.250	99.53	-4.60	--	--	AV	246.00	100	Vertical	N/A
5	12429.138	52.26	0.65	74.0	-21.74	Peak	35.00	100	Vertical	Pass
5**	12429.138	44.07	0.65	54.0	-9.93	AV	35.00	100	Vertical	Pass
6	17828.063	47.09	5.76	74.0	-26.91	Peak	204.00	100	Vertical	Pass
6**	17828.063	40.82	5.76	54.0	-13.18	AV	204.00	100	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.100	53.75	-19.08	74.0	-20.25	Peak	97.00	200	Horizontal	Pass
1**	1330.100	44.30	-19.08	54.0	-9.70	AV	97.00	200	Horizontal	Pass
2	1464.000	50.71	-19.56	74.0	-23.29	Peak	115.00	100	Horizontal	Pass
2**	1464.000	44.03	-19.56	54.0	-9.97	AV	115.00	100	Horizontal	Pass
3	4131.250	46.66	-6.73	74.0	-27.34	Peak	89.00	150	Horizontal	Pass
3**	4131.250	37.81	-6.73	54.0	-16.19	AV	89.00	150	Horizontal	Pass
4	5828.000	101.17	-4.33	--	--	Peak	272.00	200	Horizontal	N/A
4**	5828.000	93.84	-4.33	--	--	AV	272.00	200	Horizontal	N/A
5	12365.250	51.98	0.61	74.0	-22.02	Peak	237.00	150	Horizontal	Pass
5**	12365.250	42.67	0.61	54.0	-11.33	AV	237.00	150	Horizontal	Pass
6	17809.687	47.39	6.26	74.0	-26.61	Peak	14.00	200	Horizontal	Pass
6**	17809.687	38.99	6.26	54.0	-15.01	AV	14.00	200	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.100	50.19	-19.52	74.0	-23.81	Peak	316.00	300	Vertical	Pass
1**	1331.100	46.56	-19.52	54.0	-7.44	AV	316.00	300	Vertical	Pass
2	1464.200	52.98	-19.57	74.0	-21.02	Peak	161.00	300	Vertical	Pass
2**	1464.200	48.15	-19.57	54.0	-5.85	AV	161.00	300	Vertical	Pass
3	3721.250	52.50	-8.57	74.0	-21.50	Peak	210.00	200	Vertical	Pass
3**	3721.250	36.90	-8.57	54.0	-17.10	AV	210.00	200	Vertical	Pass
4	5821.000	107.49	-4.10	--	--	Peak	246.00	100	Vertical	N/A
4**	5821.000	100.48	-4.10	--	--	AV	246.00	100	Vertical	N/A
5	12458.112	53.16	0.83	74.0	-20.84	Peak	199.00	150	Vertical	Pass
5**	12458.112	43.26	0.83	54.0	-10.74	AV	199.00	150	Vertical	Pass
6	17809.687	47.80	6.26	74.0	-26.20	Peak	309.00	200	Vertical	Pass
6**	17809.687	40.36	6.26	54.0	-13.64	AV	309.00	200	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.300	54.70	-20.50	74.0	-19.30	Peak	326.00	400	Horizontal	Pass
1**	1066.300	51.86	-20.50	54.0	-2.14	AV	326.00	400	Horizontal	Pass
2	1330.800	50.02	-19.45	74.0	-23.98	Peak	288.00	200	Horizontal	Pass
2**	1330.800	45.64	-19.45	54.0	-8.36	AV	288.00	200	Horizontal	Pass
3	1464.300	47.53	-19.58	74.0	-26.47	Peak	245.00	150	Horizontal	Pass
3**	1464.300	45.29	-19.58	54.0	-8.71	AV	245.00	150	Horizontal	Pass
4	5749.750	98.08	-5.90	--	--	Peak	269.00	400	Horizontal	N/A
4**	5749.750	90.56	-5.90	--	--	AV	269.00	400	Horizontal	N/A
5	12576.862	52.83	1.36	74.0	-21.17	Peak	150.00	100	Horizontal	Pass
5**	12576.862	42.56	1.36	54.0	-11.44	AV	150.00	100	Horizontal	Pass
6	17793.937	47.14	6.34	74.0	-26.86	Peak	145.00	300	Horizontal	Pass
6**	17793.937	39.65	6.34	54.0	-14.35	AV	145.00	300	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.100	48.66	-19.33	74.0	-25.34	Peak	182.00	300	Vertical	Pass
1**	1329.100	46.67	-19.33	54.0	-7.33	AV	182.00	300	Vertical	Pass
2	1461.800	49.54	-19.30	74.0	-24.46	Peak	0.00	400	Vertical	Pass
2**	1461.800	45.85	-19.30	54.0	-8.15	AV	0.00	400	Vertical	Pass
3	1593.500	49.35	-19.87	74.0	-24.65	Peak	356.00	100	Vertical	Pass
3**	1593.500	46.03	-19.87	54.0	-7.97	AV	356.00	100	Vertical	Pass
4	5748.000	104.95	-5.91	--	--	Peak	246.00	300	Vertical	N/A
4**	5748.000	99.08	-5.91	--	--	AV	246.00	300	Vertical	N/A
5	12582.563	52.28	1.31	74.0	-21.72	Peak	360.00	200	Vertical	Pass
5**	12582.563	44.41	1.31	54.0	-9.59	AV	360.00	200	Vertical	Pass
6	17795.250	47.17	6.38	74.0	-26.83	Peak	0.00	200	Vertical	Pass
6**	17795.250	37.94	6.38	54.0	-16.06	AV	0.00	200	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.500	55.37	-21.34	74.0	-18.63	Peak	114.00	200	Horizontal	Pass
1**	1064.500	50.36	-21.34	54.0	-3.64	AV	114.00	200	Horizontal	Pass
2	1328.600	52.15	-19.45	74.0	-21.85	Peak	276.00	200	Horizontal	Pass
2**	1328.600	44.31	-19.45	54.0	-9.69	AV	276.00	200	Horizontal	Pass
3	1463.600	51.09	-19.68	74.0	-22.91	Peak	276.00	150	Horizontal	Pass
3**	1463.600	44.69	-19.68	54.0	-9.31	AV	276.00	150	Horizontal	Pass
4	5787.750	99.42	-3.97	--	--	Peak	282.00	300	Horizontal	N/A
4**	5787.750	92.20	-3.97	--	--	AV	282.00	300	Horizontal	N/A
5	12399.450	52.81	0.31	74.0	-21.19	Peak	135.00	200	Horizontal	Pass
5**	12399.450	43.08	0.31	54.0	-10.92	AV	135.00	200	Horizontal	Pass
6	17792.625	47.25	6.30	74.0	-26.75	Peak	173.00	400	Horizontal	Pass
6**	17792.625	39.47	6.30	54.0	-14.53	AV	173.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.700	47.51	-19.80	74.0	-26.49	Peak	0.00	100	Vertical	Pass
1**	1329.700	45.74	-19.80	54.0	-8.26	AV	0.00	100	Vertical	Pass
2	1465.900	50.58	-19.45	74.0	-23.42	Peak	162.00	100	Vertical	Pass
2**	1465.900	47.88	-19.45	54.0	-6.12	AV	162.00	100	Vertical	Pass
3	1594.200	49.20	-19.47	74.0	-24.80	Peak	171.00	150	Vertical	Pass
3**	1594.200	46.69	-19.47	54.0	-7.31	AV	171.00	150	Vertical	Pass
4	5783.250	106.58	-4.86	--	--	Peak	247.00	300	Vertical	N/A
4**	5783.250	99.65	-4.86	--	--	AV	247.00	300	Vertical	N/A
5	12611.775	52.86	1.05	74.0	-21.14	Peak	177.00	200	Vertical	Pass
5**	12611.775	42.08	1.05	54.0	-11.92	AV	177.00	200	Vertical	Pass
6	17807.063	46.97	6.33	74.0	-27.03	Peak	77.00	400	Vertical	Pass
6**	17807.063	39.74	6.33	54.0	-14.26	AV	77.00	400	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.100	56.91	-20.27	74.0	-17.09	Peak	110.00	100	Horizontal	Pass
1**	1066.100	51.15	-20.27	54.0	-2.85	AV	110.00	100	Horizontal	Pass
2	1328.300	52.01	-19.59	74.0	-21.99	Peak	254.00	400	Horizontal	Pass
2**	1328.300	46.02	-19.59	54.0	-7.98	AV	254.00	400	Horizontal	Pass
3	1460.900	51.72	-20.09	74.0	-22.28	Peak	143.00	100	Horizontal	Pass
3**	1460.900	45.94	-20.09	54.0	-8.06	AV	143.00	100	Horizontal	Pass
4	5821.250	99.40	-4.13	--	--	Peak	278.00	200	Horizontal	N/A
4**	5821.250	91.54	-4.13	--	--	AV	278.00	200	Horizontal	N/A
5	12371.662	53.10	0.55	74.0	-20.90	Peak	146.00	200	Horizontal	Pass
5**	12371.662	42.89	0.55	54.0	-11.11	AV	146.00	200	Horizontal	Pass
6	17809.687	46.75	6.26	74.0	-27.25	Peak	216.00	200	Horizontal	Pass
6**	17809.687	39.57	6.26	54.0	-14.43	AV	216.00	200	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.100	49.92	-20.27	74.0	-24.08	Peak	183.00	100	Vertical	Pass
1**	1066.100	45.61	-20.27	54.0	-8.39	AV	183.00	100	Vertical	Pass
2	1327.300	52.25	-19.40	74.0	-21.75	Peak	231.00	100	Vertical	Pass
2**	1327.300	45.74	-19.40	54.0	-8.26	AV	231.00	100	Vertical	Pass
3	1594.500	52.77	-19.72	74.0	-21.23	Peak	336.00	200	Vertical	Pass
3**	1594.500	45.97	-19.72	54.0	-8.03	AV	336.00	200	Vertical	Pass
4	5824.000	107.60	-4.34	--	--	Peak	244.00	300	Vertical	N/A
4**	5824.000	100.03	-4.34	--	--	AV	244.00	300	Vertical	N/A
5	12610.113	52.42	1.06	74.0	-21.58	Peak	342.00	150	Vertical	Pass
5**	12610.113	43.32	1.06	54.0	-10.68	AV	342.00	150	Vertical	Pass
6	17791.312	46.88	6.26	74.0	-27.12	Peak	63.00	100	Vertical	Pass
6**	17791.312	40.74	6.26	54.0	-13.26	AV	63.00	100	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.300	57.51	-20.50	74.0	-16.49	Peak	116.00	100	Horizontal	Pass
1**	1066.300	51.49	-20.50	54.0	-2.51	AV	116.00	100	Horizontal	Pass
2	1327.500	51.62	-19.28	74.0	-22.38	Peak	311.00	100	Horizontal	Pass
2**	1327.500	44.77	-19.28	54.0	-9.23	AV	311.00	100	Horizontal	Pass
3	1461.100	54.03	-19.86	74.0	-19.97	Peak	183.00	200	Horizontal	Pass
3**	1461.100	49.17	-19.86	54.0	-4.83	AV	183.00	200	Horizontal	Pass
4	5745.250	95.49	-5.85	--	--	Peak	264.00	300	Horizontal	N/A
4**	5745.250	87.68	-5.85	--	--	AV	264.00	300	Horizontal	N/A
5	12275.000	52.31	0.51	74.0	-21.69	Peak	296.00	100	Horizontal	Pass
5**	12275.000	43.25	0.51	54.0	-10.75	AV	296.00	100	Horizontal	Pass
6	17800.499	47.07	6.51	74.0	-26.93	Peak	165.00	200	Horizontal	Pass
6**	17800.499	40.14	6.51	54.0	-13.86	AV	165.00	200	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.300	54.71	-19.44	74.0	-19.29	Peak	103.00	300	Vertical	Pass
1**	1329.300	47.64	-19.44	54.0	-6.36	AV	103.00	300	Vertical	Pass
2	1465.100	54.05	-19.82	74.0	-19.95	Peak	0.00	100	Vertical	Pass
2**	1465.100	49.27	-19.82	54.0	-4.73	AV	0.00	100	Vertical	Pass
3	1598.900	49.54	-19.36	74.0	-24.46	Peak	360.00	100	Vertical	Pass
3**	1598.900	47.51	-19.36	54.0	-6.49	AV	360.00	100	Vertical	Pass
4	5763.250	102.56	-5.36	--	--	Peak	246.00	100	Vertical	N/A
4**	5763.250	94.99	-5.36	--	--	AV	246.00	100	Vertical	N/A
5	12306.350	52.35	0.67	74.0	-21.65	Peak	335.00	100	Vertical	Pass
5**	12306.350	42.29	0.67	54.0	-11.71	AV	335.00	100	Vertical	Pass
6	17799.188	47.97	6.50	74.0	-26.03	Peak	360.00	100	Vertical	Pass
6**	17799.188	40.20	6.50	54.0	-13.80	AV	360.00	100	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.900	55.90	-20.53	74.0	-18.10	Peak	130.00	300	Horizontal	Pass
1**	1064.900	46.28	-20.53	54.0	-7.72	AV	130.00	300	Horizontal	Pass
2	1329.900	54.67	-19.41	74.0	-19.33	Peak	266.00	200	Horizontal	Pass
2**	1329.900	45.59	-19.41	54.0	-8.41	AV	266.00	200	Horizontal	Pass
3	1466.600	56.47	-19.85	74.0	-17.53	Peak	258.00	400	Horizontal	Pass
3**	1466.600	49.22	-19.85	54.0	-4.78	AV	258.00	400	Horizontal	Pass
4	5798.000	97.85	-3.52	--	--	Peak	273.00	200	Horizontal	N/A
4**	5798.000	90.57	-3.52	--	--	AV	273.00	200	Horizontal	N/A
5	12305.162	52.36	0.66	74.0	-21.64	Peak	44.00	200	Horizontal	Pass
5**	12305.162	43.27	0.66	54.0	-10.73	AV	44.00	200	Horizontal	Pass
6	17818.876	47.64	6.01	74.0	-26.36	Peak	48.00	200	Horizontal	Pass
6**	17818.876	40.33	6.01	54.0	-13.67	AV	48.00	200	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.100	46.71	-20.50	74.0	-27.29	Peak	103.00	400	Vertical	Pass
1**	1063.100	45.33	-20.50	54.0	-8.67	AV	103.00	400	Vertical	Pass
2	1333.200	51.90	-19.55	74.0	-22.10	Peak	335.00	400	Vertical	Pass
2**	1333.200	46.88	-19.55	54.0	-7.12	AV	335.00	400	Vertical	Pass
3	1594.000	50.33	-19.26	74.0	-23.67	Peak	138.00	150	Vertical	Pass
3**	1594.000	46.99	-19.26	54.0	-7.01	AV	138.00	150	Vertical	Pass
4	5802.250	104.53	-3.62	--	--	Peak	246.00	200	Vertical	N/A
4**	5802.250	96.10	-3.62	--	--	AV	246.00	200	Vertical	N/A
5	12330.575	52.54	0.70	74.0	-21.46	Peak	158.00	150	Vertical	Pass
5**	12330.575	42.49	0.70	54.0	-11.51	AV	158.00	150	Vertical	Pass
6	17828.063	47.04	5.76	74.0	-26.96	Peak	84.00	300	Vertical	Pass
6**	17828.063	39.29	5.76	54.0	-14.71	AV	84.00	300	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.500	56.73	-20.85	74.0	-17.27	Peak	113.00	100	Horizontal	Pass
1**	1066.500	47.27	-20.85	54.0	-6.73	AV	113.00	100	Horizontal	Pass
2	1329.700	52.99	-19.80	74.0	-21.01	Peak	36.00	400	Horizontal	Pass
2**	1329.700	45.04	-19.80	54.0	-8.96	AV	36.00	400	Horizontal	Pass
3	1461.600	52.54	-19.29	74.0	-21.46	Peak	251.00	200	Horizontal	Pass
3**	1461.600	45.66	-19.29	54.0	-8.34	AV	251.00	200	Horizontal	Pass
4	5748.250	98.52	-5.77	--	--	Peak	281.00	200	Horizontal	N/A
4**	5748.250	91.05	-5.77	--	--	AV	281.00	200	Horizontal	N/A
5	12550.025	52.71	1.61	74.0	-21.29	Peak	75.00	200	Horizontal	Pass
5**	12550.025	42.57	1.61	54.0	-11.43	AV	75.00	200	Horizontal	Pass
6	17792.625	47.72	6.30	74.0	-26.28	Peak	248.00	100	Horizontal	Pass
6**	17792.625	39.10	6.30	54.0	-14.90	AV	248.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.800	49.00	-19.94	74.0	-25.00	Peak	0.00	100	Vertical	Pass
1**	1331.800	44.54	-19.94	54.0	-9.46	AV	0.00	100	Vertical	Pass
2	1465.400	51.62	-19.67	74.0	-22.38	Peak	360.00	200	Vertical	Pass
2**	1465.400	46.00	-19.67	54.0	-8.00	AV	360.00	200	Vertical	Pass
3	1593.500	49.36	-19.87	74.0	-24.64	Peak	170.00	200	Vertical	Pass
3**	1593.500	45.26	-19.87	54.0	-8.74	AV	170.00	200	Vertical	Pass
4	5746.250	105.36	-6.07	--	--	Peak	247.00	400	Vertical	N/A
4**	5746.250	97.44	-6.07	--	--	AV	247.00	400	Vertical	N/A
5	12242.463	52.85	0.24	74.0	-21.15	Peak	205.00	200	Vertical	Pass
5**	12242.463	42.39	0.24	54.0	-11.61	AV	205.00	200	Vertical	Pass
6	17967.188	47.36	4.48	74.0	-26.64	Peak	14.00	300	Vertical	Pass
6**	17967.188	38.03	4.48	54.0	-15.97	AV	14.00	300	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.500	55.13	-21.34	74.0	-18.87	Peak	360.00	200	Horizontal	Pass
1**	1064.500	49.69	-21.34	54.0	-4.31	AV	360.00	200	Horizontal	Pass
2	1330.300	51.09	-19.18	74.0	-22.91	Peak	286.00	300	Horizontal	Pass
2**	1330.300	46.85	-19.18	54.0	-7.15	AV	286.00	300	Horizontal	Pass
3	1464.600	51.88	-19.81	74.0	-22.12	Peak	277.00	150	Horizontal	Pass
3**	1464.600	43.78	-19.81	54.0	-10.22	AV	277.00	150	Horizontal	Pass
4	5788.750	98.99	-4.45	--	--	Peak	282.00	400	Horizontal	N/A
4**	5788.750	91.22	-4.45	--	--	AV	282.00	400	Horizontal	N/A
5	12583.037	52.59	1.31	74.0	-21.41	Peak	250.00	150	Horizontal	Pass
5**	12583.037	43.72	1.31	54.0	-10.28	AV	250.00	150	Horizontal	Pass
6	17797.876	47.42	6.46	74.0	-26.58	Peak	169.00	400	Horizontal	Pass
6**	17797.876	40.00	6.46	54.0	-14.00	AV	169.00	400	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.100	52.94	-21.06	74.0	-21.06	Peak	155.00	300	Vertical	Pass
1**	1064.100	46.28	-21.06	54.0	-7.72	AV	155.00	300	Vertical	Pass
2	1333.300	45.89	-19.52	74.0	-28.11	Peak	319.00	300	Vertical	Pass
2**	1333.300	44.03	-19.52	54.0	-9.97	AV	319.00	300	Vertical	Pass
3	1598.600	50.84	-19.22	74.0	-23.16	Peak	356.00	200	Vertical	Pass
3**	1598.600	47.76	-19.22	54.0	-6.24	AV	356.00	200	Vertical	Pass
4	5789.500	106.31	-4.39	--	--	Peak	246.00	300	Vertical	N/A
4**	5789.500	99.04	-4.39	--	--	AV	246.00	300	Vertical	N/A
5	12577.338	52.49	1.36	74.0	-21.51	Peak	171.00	100	Vertical	Pass
5**	12577.338	43.83	1.36	54.0	-10.17	AV	171.00	100	Vertical	Pass
6	17796.563	46.80	6.42	74.0	-27.20	Peak	300.00	100	Vertical	Pass
6**	17796.563	40.11	6.42	54.0	-13.89	AV	300.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.200	52.93	-20.63	74.0	-21.07	Peak	269.00	400	Horizontal	Pass
1**	1062.200	49.33	-20.63	54.0	-4.67	AV	269.00	400	Horizontal	Pass
2	1331.300	53.57	-19.53	74.0	-20.43	Peak	287.00	200	Horizontal	Pass
2**	1331.300	43.64	-19.53	54.0	-10.36	AV	287.00	200	Horizontal	Pass
3	1461.700	53.74	-19.30	74.0	-20.26	Peak	287.00	150	Horizontal	Pass
3**	1461.700	44.30	-19.30	54.0	-9.70	AV	287.00	150	Horizontal	Pass
4	5828.500	99.69	-4.05	--	--	Peak	271.00	100	Horizontal	N/A
4**	5828.500	92.96	-4.05	--	--	AV	271.00	100	Horizontal	N/A
5	12559.287	52.64	1.52	74.0	-21.36	Peak	289.00	200	Horizontal	Pass
5**	12559.287	42.59	1.52	54.0	-11.41	AV	289.00	200	Horizontal	Pass
6	17791.312	46.79	6.26	74.0	-27.21	Peak	302.00	400	Horizontal	Pass
6**	17791.312	39.94	6.26	54.0	-14.06	AV	302.00	400	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.900	47.92	-20.35	74.0	-26.08	Peak	252.00	300	Vertical	Pass
1**	1065.900	46.42	-20.35	54.0	-7.58	AV	252.00	300	Vertical	Pass
2	1329.800	48.62	-19.60	74.0	-25.38	Peak	325.00	100	Vertical	Pass
2**	1329.800	45.60	-19.60	54.0	-8.40	AV	325.00	100	Vertical	Pass
3	1598.300	48.81	-19.85	74.0	-25.19	Peak	140.00	150	Vertical	Pass
3**	1598.300	46.15	-19.85	54.0	-7.85	AV	140.00	150	Vertical	Pass
4	5821.500	107.76	-4.11	--	--	Peak	252.00	300	Vertical	N/A
4**	5821.500	99.64	-4.11	--	--	AV	252.00	300	Vertical	N/A
5	12423.437	52.51	0.58	74.0	-21.49	Peak	162.00	150	Vertical	Pass
5**	12423.437	42.85	0.58	54.0	-11.15	AV	162.00	150	Vertical	Pass
6	17792.625	47.24	6.30	74.0	-26.76	Peak	70.00	200	Vertical	Pass
6**	17792.625	40.05	6.30	54.0	-13.95	AV	70.00	200	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.100	56.04	-20.50	74.0	-17.96	Peak	316.00	100	Horizontal	Pass
1**	1063.100	49.50	-20.50	54.0	-4.50	AV	316.00	100	Horizontal	Pass
2	1328.900	51.84	-19.31	74.0	-22.16	Peak	127.00	300	Horizontal	Pass
2**	1328.900	43.14	-19.31	54.0	-10.86	AV	127.00	300	Horizontal	Pass
3	1462.700	52.65	-19.46	74.0	-21.35	Peak	102.00	200	Horizontal	Pass
3**	1462.700	44.95	-19.46	54.0	-9.05	AV	102.00	200	Horizontal	Pass
4	5743.500	95.45	-5.80	--	--	Peak	279.00	100	Horizontal	N/A
4**	5743.500	86.99	-5.80	--	--	AV	279.00	100	Horizontal	N/A
5	12430.325	52.51	0.66	74.0	-21.49	Peak	179.00	200	Horizontal	Pass
5**	12430.325	42.88	0.66	54.0	-11.12	AV	179.00	200	Horizontal	Pass
6	17792.625	47.27	6.30	74.0	-26.73	Peak	70.00	200	Horizontal	Pass
6**	17792.625	39.99	6.30	54.0	-14.01	AV	70.00	200	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.100	53.01	-20.51	74.0	-20.99	Peak	355.00	100	Vertical	Pass
1**	1065.100	45.71	-20.51	54.0	-8.29	AV	355.00	100	Vertical	Pass
2	1331.300	52.29	-19.53	74.0	-21.71	Peak	158.00	400	Vertical	Pass
2**	1331.300	45.61	-19.53	54.0	-8.39	AV	158.00	400	Vertical	Pass
3	1465.200	49.56	-19.76	74.0	-24.44	Peak	166.00	150	Vertical	Pass
3**	1465.200	47.09	-19.76	54.0	-6.91	AV	166.00	150	Vertical	Pass
4	5757.250	103.05	-5.54	--	--	Peak	251.00	200	Vertical	N/A
4**	5757.250	95.38	-5.54	--	--	AV	251.00	200	Vertical	N/A
5	12428.662	52.32	0.64	74.0	-21.68	Peak	332.00	200	Vertical	Pass
5**	12428.662	42.86	0.64	54.0	-11.14	AV	332.00	200	Vertical	Pass
6	17828.063	47.19	5.76	74.0	-26.81	Peak	65.00	300	Vertical	Pass
6**	17828.063	39.51	5.76	54.0	-14.49	AV	65.00	300	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.100	55.90	-20.73	74.0	-18.10	Peak	286.00	100	Horizontal	Pass
1**	1062.100	50.66	-20.73	54.0	-3.34	AV	286.00	100	Horizontal	Pass
2	1329.900	49.26	-19.41	74.0	-24.74	Peak	0.00	200	Horizontal	Pass
2**	1329.900	44.79	-19.41	54.0	-9.21	AV	0.00	200	Horizontal	Pass
3	1464.300	56.53	-19.58	74.0	-17.47	Peak	269.00	150	Horizontal	Pass
3**	1464.300	50.14	-19.58	54.0	-3.86	AV	269.00	150	Horizontal	Pass
4	5805.500	98.16	-3.29	--	--	Peak	264.00	300	Horizontal	N/A
4**	5805.500	90.37	-3.29	--	--	AV	264.00	300	Horizontal	N/A
5	12454.313	53.13	0.86	74.0	-20.87	Peak	294.00	100	Horizontal	Pass
5**	12454.313	42.75	0.86	54.0	-11.25	AV	294.00	100	Horizontal	Pass
6	17859.564	47.12	4.88	74.0	-26.88	Peak	327.00	200	Horizontal	Pass
6**	17859.564	39.36	4.88	54.0	-14.64	AV	327.00	200	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.900	51.64	-20.35	74.0	-22.36	Peak	334.00	300	Vertical	Pass
1**	1065.900	47.50	-20.35	54.0	-6.50	AV	334.00	300	Vertical	Pass
2	1460.600	54.52	-19.99	74.0	-19.48	Peak	344.00	100	Vertical	Pass
2**	1460.600	46.97	-19.99	54.0	-7.03	AV	344.00	100	Vertical	Pass
3	1598.600	53.02	-19.22	74.0	-20.98	Peak	154.00	100	Vertical	Pass
3**	1598.600	45.73	-19.22	54.0	-8.27	AV	154.00	100	Vertical	Pass
4	5791.250	105.11	-3.87	--	--	Peak	235.00	200	Vertical	N/A
4**	5791.250	96.93	-3.87	--	--	AV	235.00	200	Vertical	N/A
5	12250.299	52.33	0.37	74.0	-21.67	Peak	32.00	200	Vertical	Pass
5**	12250.299	42.74	0.37	54.0	-11.26	AV	32.00	200	Vertical	Pass
6	17831.999	46.79	5.66	74.0	-27.21	Peak	70.00	100	Vertical	Pass
6**	17831.999	39.19	5.66	54.0	-14.81	AV	70.00	100	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.700	54.75	-20.67	74.0	-19.25	Peak	81.00	400	Horizontal	Pass
1**	1062.700	49.05	-20.67	54.0	-4.95	AV	81.00	400	Horizontal	Pass
2	1328.900	51.82	-19.31	74.0	-22.18	Peak	202.00	150	Horizontal	Pass
2**	1328.900	43.68	-19.31	54.0	-10.32	AV	202.00	150	Horizontal	Pass
3	1463.200	51.28	-19.92	74.0	-22.72	Peak	271.00	400	Horizontal	Pass
3**	1463.200	44.63	-19.92	54.0	-9.37	AV	271.00	400	Horizontal	Pass
4	5794.500	94.81	-3.65	--	--	Peak	266.00	100	Horizontal	N/A
4**	5794.500	87.65	-3.65	--	--	AV	266.00	100	Horizontal	N/A
5	12454.313	53.19	0.86	74.0	-20.81	Peak	261.00	100	Horizontal	Pass
5**	12454.313	42.76	0.86	54.0	-11.24	AV	261.00	100	Horizontal	Pass
6	17830.687	47.05	5.69	74.0	-26.95	Peak	287.00	100	Horizontal	Pass
6**	17830.687	39.32	5.69	54.0	-14.68	AV	287.00	100	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.000	50.68	-20.83	74.0	-23.32	Peak	339.00	300	Vertical	Pass
1**	1062.000	44.64	-20.83	54.0	-9.36	AV	339.00	300	Vertical	Pass
2	1331.900	50.36	-19.93	74.0	-23.64	Peak	322.00	100	Vertical	Pass
2**	1331.900	44.55	-19.93	54.0	-9.45	AV	322.00	100	Vertical	Pass
3	1595.700	52.55	-19.50	74.0	-21.45	Peak	348.00	200	Vertical	Pass
3**	1595.700	45.93	-19.50	54.0	-8.07	AV	348.00	200	Vertical	Pass
4	5799.000	101.99	-3.62	--	--	Peak	246.00	400	Vertical	N/A
4**	5799.000	93.24	-3.62	--	--	AV	246.00	400	Vertical	N/A
5	12282.362	52.10	0.55	74.0	-21.90	Peak	295.00	400	Vertical	Pass
5**	12282.362	42.37	0.55	54.0	-11.63	AV	295.00	400	Vertical	Pass
6	17800.499	47.19	6.51	74.0	-26.81	Peak	0.00	400	Vertical	Pass
6**	17800.499	39.38	6.51	54.0	-14.62	AV	0.00	400	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.700	56.08	-20.57	74.0	-17.92	Peak	121.00	300	Horizontal	Pass
1**	1063.700	51.14	-20.57	54.0	-2.86	AV	121.00	300	Horizontal	Pass
2	1329.500	53.97	-19.69	74.0	-20.03	Peak	360.00	200	Horizontal	Pass
2**	1329.500	47.50	-19.69	54.0	-6.50	AV	360.00	200	Horizontal	Pass
3	1460.700	53.80	-20.02	74.0	-20.20	Peak	268.00	200	Horizontal	Pass
3**	1460.700	47.48	-20.02	54.0	-6.52	AV	268.00	200	Horizontal	Pass
4	5747.250	98.45	-5.63	--	--	Peak	285.00	300	Horizontal	N/A
4**	5747.250	90.78	-5.63	--	--	AV	285.00	300	Horizontal	N/A
5	12398.975	52.31	0.32	74.0	-21.69	Peak	338.00	150	Horizontal	Pass
5**	12398.975	42.70	0.32	54.0	-11.30	AV	338.00	150	Horizontal	Pass
6	17807.063	46.57	6.33	74.0	-27.43	Peak	60.00	400	Horizontal	Pass
6**	17807.063	38.81	6.33	54.0	-15.19	AV	60.00	400	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.000	51.14	-20.95	74.0	-22.86	Peak	145.00	400	Vertical	Pass
1**	1064.000	44.86	-20.95	54.0	-9.14	AV	145.00	400	Vertical	Pass
2	1462.400	54.97	-19.43	74.0	-19.03	Peak	187.00	200	Vertical	Pass
2**	1462.400	45.84	-19.43	54.0	-8.16	AV	187.00	200	Vertical	Pass
3	1596.800	53.89	-20.14	74.0	-20.11	Peak	162.00	200	Vertical	Pass
3**	1596.800	45.31	-20.14	54.0	-8.69	AV	162.00	200	Vertical	Pass
4	5743.000	105.42	-5.95	--	--	Peak	247.00	400	Vertical	N/A
4**	5743.000	97.76	-5.95	--	--	AV	247.00	400	Vertical	N/A
5	12333.662	52.90	0.71	74.0	-21.10	Peak	310.00	100	Vertical	Pass
5**	12333.662	43.31	0.71	54.0	-10.69	AV	310.00	100	Vertical	Pass
6	17808.376	47.71	6.30	74.0	-26.29	Peak	125.00	300	Vertical	Pass
6**	17808.376	40.45	6.30	54.0	-13.55	AV	125.00	300	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.400	57.73	-21.36	74.0	-16.27	Peak	179.00	200	Horizontal	Pass
1**	1064.400	52.11	-21.36	54.0	-1.89	AV	179.00	200	Horizontal	Pass
2	1329.900	53.05	-19.41	74.0	-20.95	Peak	354.00	400	Horizontal	Pass
2**	1329.900	44.27	-19.41	54.0	-9.73	AV	354.00	400	Horizontal	Pass
3	4765.500	49.36	-5.65	74.0	-24.64	Peak	86.00	150	Horizontal	Pass
3**	4765.500	39.89	-5.65	54.0	-14.11	AV	86.00	150	Horizontal	Pass
4	5790.500	100.13	-4.33	--	--	Peak	266.00	400	Horizontal	N/A
4**	5790.500	90.46	-4.33	--	--	AV	266.00	400	Horizontal	N/A
5	12300.888	52.16	0.66	74.0	-21.84	Peak	237.00	150	Horizontal	Pass
5**	12300.888	43.58	0.66	54.0	-10.42	AV	237.00	150	Horizontal	Pass
6	17793.937	47.49	6.34	74.0	-26.51	Peak	54.00	200	Horizontal	Pass
6**	17793.937	39.93	6.34	54.0	-14.07	AV	54.00	200	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.900	50.63	-19.41	74.0	-23.37	Peak	41.00	100	Vertical	Pass
1**	1329.900	45.05	-19.41	54.0	-8.95	AV	41.00	100	Vertical	Pass
2	1466.300	53.94	-19.58	74.0	-19.06	Peak	354.00	200	Vertical	Pass
2**	1466.300	46.14	-19.58	54.0	-7.86	AV	354.00	200	Vertical	Pass
3	1598.900	48.70	-19.36	74.0	-25.30	Peak	128.00	100	Vertical	Pass
3**	1598.900	46.34	-19.36	54.0	-7.66	AV	128.00	100	Vertical	Pass
4	5782.000	107.12	-4.87	--	--	Peak	247.00	400	Vertical	N/A
4**	5782.000	98.96	-4.87	--	--	AV	247.00	400	Vertical	N/A
5	12608.213	53.35	1.08	74.0	-20.65	Peak	168.00	200	Vertical	Pass
5**	12608.213	44.27	1.08	54.0	-9.73	AV	168.00	200	Vertical	Pass
6	17795.250	47.09	6.38	74.0	-26.91	Peak	134.00	300	Vertical	Pass
6**	17795.250	40.28	6.38	54.0	-13.72	AV	134.00	300	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.400	54.92	-20.46	74.0	-19.08	Peak	101.00	100	Horizontal	Pass
1**	1063.400	48.31	-20.46	54.0	-5.69	AV	101.00	100	Horizontal	Pass
2	1329.200	53.47	-19.34	74.0	-20.53	Peak	335.00	400	Horizontal	Pass
2**	1329.200	48.44	-19.34	54.0	-5.56	AV	335.00	400	Horizontal	Pass
3	1459.900	51.99	-19.56	74.0	-22.01	Peak	256.00	200	Horizontal	Pass
3**	1459.900	48.57	-19.56	54.0	-5.43	AV	256.00	200	Horizontal	Pass
4	5825.750	100.82	-4.26	--	--	Peak	281.00	200	Horizontal	N/A
4**	5825.750	92.62	-4.26	--	--	AV	281.00	200	Horizontal	N/A
5	12443.625	53.19	0.81	74.0	-20.81	Peak	263.00	100	Horizontal	Pass
5**	12443.625	42.62	0.81	54.0	-11.38	AV	263.00	100	Horizontal	Pass
6	17796.563	47.81	6.42	74.0	-26.19	Peak	5.00	300	Horizontal	Pass
6**	17796.563	39.53	6.42	54.0	-14.47	AV	5.00	300	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.800	52.89	-19.38	74.0	-21.11	Peak	315.00	300	Vertical	Pass
1**	1327.800	45.76	-19.38	54.0	-8.24	AV	315.00	300	Vertical	Pass
2	1462.300	55.30	-19.43	74.0	-18.70	Peak	268.00	300	Vertical	Pass
2**	1462.300	48.29	-19.43	54.0	-5.71	AV	268.00	300	Vertical	Pass
3	1598.700	55.90	-19.11	74.0	-18.10	Peak	193.00	100	Vertical	Pass
3**	1598.700	47.43	-19.11	54.0	-6.57	AV	193.00	100	Vertical	Pass
4	5823.750	107.99	-4.37	--	--	Peak	238.00	200	Vertical	N/A
4**	5823.750	100.53	-4.37	--	--	AV	238.00	200	Vertical	N/A
5	12589.213	52.86	1.25	74.0	-21.14	Peak	30.00	200	Vertical	Pass
5**	12589.213	43.52	1.25	54.0	-10.48	AV	30.00	200	Vertical	Pass
6	17825.438	47.52	5.83	74.0	-26.48	Peak	18.00	100	Vertical	Pass
6**	17825.438	38.86	5.83	54.0	-15.14	AV	18.00	100	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.500	53.71	-20.57	74.0	-20.29	Peak	116.00	300	Horizontal	Pass
1**	1062.500	50.09	-20.57	54.0	-3.91	AV	116.00	300	Horizontal	Pass
2	1331.900	51.29	-19.93	74.0	-22.71	Peak	90.00	300	Horizontal	Pass
2**	1331.900	45.86	-19.93	54.0	-8.14	AV	90.00	300	Horizontal	Pass
3	4958.000	50.15	-3.51	74.0	-23.85	Peak	360.00	100	Horizontal	Pass
3**	4958.000	41.01	-3.51	54.0	-12.99	AV	360.00	100	Horizontal	Pass
4	5764.750	96.25	-5.46	--	--	Peak	267.00	200	Horizontal	N/A
4**	5764.750	86.21	-5.46	--	--	AV	267.00	200	Horizontal	N/A
5	12610.350	52.59	1.06	74.0	-21.41	Peak	261.00	100	Horizontal	Pass
5**	12610.350	43.55	1.06	54.0	-10.45	AV	261.00	100	Horizontal	Pass
6	17799.188	47.13	6.50	74.0	-26.87	Peak	213.00	100	Horizontal	Pass
6**	17799.188	40.05	6.50	54.0	-13.95	AV	213.00	100	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.500	51.39	-21.34	74.0	-22.61	Peak	344.00	300	Vertical	Pass
1**	1064.500	46.00	-21.34	54.0	-8.00	AV	344.00	300	Vertical	Pass
2	1331.900	53.21	-19.93	74.0	-20.79	Peak	325.00	100	Vertical	Pass
2**	1331.900	46.50	-19.93	54.0	-7.50	AV	325.00	100	Vertical	Pass
3	1462.500	52.01	-19.43	74.0	-21.99	Peak	344.00	150	Vertical	Pass
3**	1462.500	48.60	-19.43	54.0	-5.40	AV	344.00	150	Vertical	Pass
4	5746.250	102.73	-6.07	--	--	Peak	246.00	400	Vertical	N/A
4**	5746.250	95.04	-6.07	--	--	AV	246.00	400	Vertical	N/A
5	12270.725	52.36	0.48	74.0	-21.64	Peak	76.00	100	Vertical	Pass
5**	12270.725	42.66	0.48	54.0	-11.34	AV	76.00	100	Vertical	Pass
6	17800.499	47.10	6.51	74.0	-26.90	Peak	141.00	100	Vertical	Pass
6**	17800.499	39.88	6.51	54.0	-14.12	AV	141.00	100	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.400	53.38	-20.68	74.0	-20.62	Peak	112.00	400	Horizontal	Pass
1**	1066.400	49.74	-20.68	54.0	-4.26	AV	112.00	400	Horizontal	Pass
2	1328.800	47.61	-19.30	74.0	-26.39	Peak	50.00	300	Horizontal	Pass
2**	1328.800	45.68	-19.30	54.0	-8.32	AV	50.00	300	Horizontal	Pass
3	1461.300	51.05	-19.47	74.0	-22.95	Peak	257.00	150	Horizontal	Pass
3**	1461.300	45.72	-19.47	54.0	-8.28	AV	257.00	150	Horizontal	Pass
4	5806.250	97.17	-3.55	--	--	Peak	281.00	200	Horizontal	N/A
4**	5806.250	89.07	-3.55	--	--	AV	281.00	200	Horizontal	N/A
5	12572.349	52.16	1.40	74.0	-21.84	Peak	44.00	200	Horizontal	Pass
5**	12572.349	42.95	1.40	54.0	-11.05	AV	44.00	200	Horizontal	Pass
6	17796.563	47.50	6.42	74.0	-26.50	Peak	231.00	100	Horizontal	Pass
6**	17796.563	41.02	6.42	54.0	-12.98	AV	231.00	100	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.000	52.59	-20.52	74.0	-21.41	Peak	198.00	100	Vertical	Pass
1**	1065.000	45.62	-20.52	54.0	-8.38	AV	198.00	100	Vertical	Pass
2	1332.700	52.94	-19.82	74.0	-21.06	Peak	311.00	200	Vertical	Pass
2**	1332.700	45.37	-19.82	54.0	-8.63	AV	311.00	200	Vertical	Pass
3	1593.600	52.08	-19.75	74.0	-21.92	Peak	207.00	100	Vertical	Pass
3**	1593.600	46.69	-19.75	54.0	-7.31	AV	207.00	100	Vertical	Pass
4	5798.000	104.96	-3.52	--	--	Peak	245.00	400	Vertical	N/A
4**	5798.000	96.28	-3.52	--	--	AV	245.00	400	Vertical	N/A
5	12583.750	52.21	1.30	74.0	-21.79	Peak	97.00	150	Vertical	Pass
5**	12583.750	43.79	1.30	54.0	-10.21	AV	97.00	150	Vertical	Pass
6	17797.876	47.35	6.46	74.0	-26.65	Peak	150.00	400	Vertical	Pass
6**	17797.876	40.14	6.46	54.0	-13.86	AV	150.00	400	Vertical	Pass

11ax80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.200	58.40	-20.32	74.0	-15.60	Peak	108.00	300	Horizontal	Pass
1**	1066.200	52.32	-20.32	54.0	-1.68	AV	108.00	300	Horizontal	Pass
2	1465.100	52.66	-19.82	74.0	-21.34	Peak	271.00	100	Horizontal	Pass
2**	1465.100	43.53	-19.82	54.0	-10.47	AV	271.00	100	Horizontal	Pass
3	4991.750	50.66	-4.24	74.0	-23.34	Peak	274.00	100	Horizontal	Pass
3**	4991.750	40.84	-4.24	54.0	-13.16	AV	274.00	100	Horizontal	Pass
4	5795.500	94.82	-3.58	--	--	Peak	274.00	200	Horizontal	N/A
4**	5795.500	87.07	-3.58	--	--	AV	274.00	200	Horizontal	N/A
5	12245.075	52.72	0.29	74.0	-21.28	Peak	186.00	150	Horizontal	Pass
5**	12245.075	44.44	0.29	54.0	-9.56	AV	186.00	150	Horizontal	Pass
6	17791.312	47.17	6.26	74.0	-26.83	Peak	156.00	100	Horizontal	Pass
6**	17791.312	39.90	6.26	54.0	-14.10	AV	156.00	100	Horizontal	Pass

11ax80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.600	53.66	-20.62	74.0	-20.34	Peak	246.00	200	Vertical	Pass
1**	1062.600	46.09	-20.62	54.0	-7.91	AV	246.00	200	Vertical	Pass
2	1328.600	54.07	-19.45	74.0	-19.93	Peak	48.00	300	Vertical	Pass
2**	1328.600	45.17	-19.45	54.0	-8.83	AV	48.00	300	Vertical	Pass
3	1593.900	51.41	-19.37	74.0	-22.59	Peak	203.00	150	Vertical	Pass
3**	1593.900	46.90	-19.37	54.0	-7.10	AV	203.00	150	Vertical	Pass
4	5794.000	101.52	-4.05	--	--	Peak	247.00	200	Vertical	N/A
4**	5794.000	92.91	-4.05	--	--	AV	247.00	200	Vertical	N/A
5	12437.450	52.79	0.74	74.0	-21.21	Peak	353.00	100	Vertical	Pass
5**	12437.450	43.07	0.74	54.0	-10.93	AV	353.00	100	Vertical	Pass
6	17792.625	47.25	6.30	74.0	-26.75	Peak	119.00	400	Vertical	Pass
6**	17792.625	39.42	6.30	54.0	-14.58	AV	119.00	400	Vertical	Pass

MIMO**11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H**

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.500	56.37	-20.46	74.0	-17.63	Peak	114.00	150	Horizontal	Pass
1**	1063.500	49.06	-20.46	54.0	-4.94	AV	114.00	150	Horizontal	Pass
2	1329.000	47.22	-19.32	74.0	-26.78	Peak	284.00	200	Horizontal	Pass
2**	1329.000	45.92	-19.32	54.0	-8.08	AV	284.00	200	Horizontal	Pass
3	4342.750	48.05	-5.62	74.0	-25.95	Peak	312.00	300	Horizontal	Pass
3**	4342.750	38.63	-5.62	54.0	-15.37	AV	312.00	300	Horizontal	Pass
4	5181.500	95.21	-4.33	--	--	Peak	83.00	100	Horizontal	N/A
4**	5181.500	87.78	-4.33	--	--	AV	83.00	100	Horizontal	N/A
5	12276.187	52.32	0.52	74.0	-21.68	Peak	234.00	300	Horizontal	Pass
5**	12276.187	42.73	0.52	54.0	-11.27	AV	234.00	300	Horizontal	Pass
6	17786.063	47.67	6.11	74.0	-26.33	Peak	15.00	400	Horizontal	Pass
6**	17786.063	39.08	6.11	54.0	-14.92	AV	15.00	400	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.200	53.79	-19.53	74.0	-20.21	Peak	318.00	200	Vertical	Pass
1**	1331.200	47.35	-19.53	54.0	-6.65	AV	318.00	200	Vertical	Pass
2	1594.400	50.03	-19.67	74.0	-23.97	Peak	343.00	100	Vertical	Pass
2**	1594.400	46.12	-19.67	54.0	-7.88	AV	343.00	100	Vertical	Pass
3	3728.500	53.50	-8.77	74.0	-20.50	Peak	163.00	150	Vertical	Pass
3**	3728.500	37.70	-8.77	54.0	-16.30	AV	163.00	150	Vertical	Pass
4	5176.750	107.89	-4.42	--	--	Peak	216.00	400	Vertical	N/A
4**	5176.750	99.73	-4.42	--	--	AV	216.00	400	Vertical	N/A
5	12306.588	52.88	0.67	74.0	-21.12	Peak	95.00	200	Vertical	Pass
5**	12306.588	43.48	0.67	54.0	-10.52	AV	95.00	200	Vertical	Pass
6	17795.250	47.37	6.38	74.0	-26.63	Peak	316.00	100	Vertical	Pass
6**	17795.250	39.40	6.38	54.0	-14.60	AV	316.00	100	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.300	56.31	-20.49	74.0	-17.69	Peak	147.00	200	Horizontal	Pass
1**	1065.300	49.00	-20.49	54.0	-5.00	AV	147.00	200	Horizontal	Pass
2	1466.300	53.71	-19.58	74.0	-20.29	Peak	283.00	200	Horizontal	Pass
2**	1466.300	48.07	-19.58	54.0	-5.93	AV	283.00	200	Horizontal	Pass
3	4129.000	46.50	-6.48	74.0	-27.50	Peak	311.00	100	Horizontal	Pass
3**	4129.000	37.93	-6.48	54.0	-16.07	AV	311.00	100	Horizontal	Pass
4	5222.750	94.62	-4.85	--	--	Peak	84.00	150	Horizontal	N/A
4**	5222.750	86.65	-4.85	--	--	AV	84.00	150	Horizontal	N/A
5	12275.237	52.02	0.51	74.0	-21.98	Peak	43.00	200	Horizontal	Pass
5**	12275.237	43.02	0.51	54.0	-10.98	AV	43.00	200	Horizontal	Pass
6	17771.624	46.70	5.67	74.0	-27.30	Peak	200.00	400	Horizontal	Pass
6**	17771.624	38.66	5.67	54.0	-15.34	AV	200.00	400	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.600	51.48	-19.82	74.0	-22.52	Peak	319.00	200	Vertical	Pass
1**	1329.600	48.38	-19.82	54.0	-5.62	AV	319.00	200	Vertical	Pass
2	1599.700	51.09	-19.36	74.0	-22.91	Peak	167.00	100	Vertical	Pass
2**	1599.700	48.09	-19.36	54.0	-5.91	AV	167.00	100	Vertical	Pass
3	3721.250	53.48	-8.57	74.0	-20.52	Peak	171.00	300	Vertical	Pass
3**	3721.250	45.24	-8.57	54.0	-8.76	AV	171.00	300	Vertical	Pass
4	5222.000	107.74	-5.01	--	--	Peak	171.00	200	Vertical	N/A
4**	5222.000	100.36	-5.01	--	--	AV	171.00	200	Vertical	N/A
5	12406.575	51.93	0.38	74.0	-22.07	Peak	305.00	300	Vertical	Pass
5**	12406.575	42.63	0.38	54.0	-11.37	AV	305.00	300	Vertical	Pass
6	17796.563	47.11	6.42	74.0	-26.89	Peak	35.00	400	Vertical	Pass
6**	17796.563	39.93	6.42	54.0	-14.07	AV	35.00	400	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.300	57.38	-20.49	74.0	-16.62	Peak	132.00	150	Horizontal	Pass
1**	1065.300	49.60	-20.49	54.0	-4.40	AV	132.00	150	Horizontal	Pass
2	1466.300	51.22	-19.58	74.0	-22.78	Peak	249.00	200	Horizontal	Pass
2**	1466.300	45.73	-19.58	54.0	-8.27	AV	249.00	200	Horizontal	Pass
3	4121.000	46.17	-6.78	74.0	-27.83	Peak	328.00	300	Horizontal	Pass
3**	4121.000	37.53	-6.78	54.0	-16.47	AV	328.00	300	Horizontal	Pass
4	5236.000	93.43	-5.20	--	--	Peak	64.00	100	Horizontal	N/A
4**	5236.000	86.20	-5.20	--	--	AV	64.00	100	Horizontal	N/A
5	12367.388	51.89	0.59	74.0	-22.11	Peak	201.00	400	Horizontal	Pass
5**	12367.388	42.67	0.59	54.0	-11.33	AV	201.00	400	Horizontal	Pass
6	17828.063	46.68	5.76	74.0	-27.32	Peak	72.00	200	Horizontal	Pass
6**	17828.063	39.30	5.76	54.0	-14.70	AV	72.00	200	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1466.000	51.88	-19.41	74.0	-22.12	Peak	325.00	400	Vertical	Pass
1**	1466.000	47.63	-19.41	54.0	-6.37	AV	325.00	400	Vertical	Pass
2	1593.200	51.09	-20.22	74.0	-22.91	Peak	232.00	100	Vertical	Pass
2**	1593.200	47.98	-20.22	54.0	-6.02	AV	232.00	100	Vertical	Pass
3	3782.500	50.67	-8.12	74.0	-23.33	Peak	205.00	300	Vertical	Pass
3**	3782.500	35.93	-8.12	54.0	-18.07	AV	205.00	300	Vertical	Pass
4	5237.250	106.81	-5.21	--	--	Peak	169.00	200	Vertical	N/A
4**	5237.250	98.84	-5.21	--	--	AV	169.00	200	Vertical	N/A
5	12255.762	51.96	0.40	74.0	-22.04	Peak	92.00	200	Vertical	Pass
5**	12255.762	42.45	0.40	54.0	-11.55	AV	92.00	200	Vertical	Pass
6	17821.499	47.72	5.94	74.0	-26.28	Peak	169.00	300	Vertical	Pass
6**	17821.499	38.47	5.94	54.0	-15.53	AV	169.00	300	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.900	58.40	-20.35	74.0	-15.60	Peak	106.00	150	Horizontal	Pass
1**	1065.900	51.38	-20.35	54.0	-2.62	AV	106.00	150	Horizontal	Pass
2	1333.000	51.24	-19.63	74.0	-22.76	Peak	158.00	200	Horizontal	Pass
2**	1333.000	44.42	-19.63	54.0	-9.58	AV	158.00	200	Horizontal	Pass
3	4046.000	47.30	-6.74	74.0	-26.70	Peak	258.00	400	Horizontal	Pass
3**	4046.000	36.58	-6.74	54.0	-17.42	AV	258.00	400	Horizontal	Pass
4	5185.250	92.76	-4.24	--	--	Peak	82.00	200	Horizontal	N/A
4**	5185.250	84.00	-4.24	--	--	AV	82.00	200	Horizontal	N/A
5	12249.113	53.40	0.35	74.0	-20.60	Peak	136.00	200	Horizontal	Pass
5**	12249.113	42.86	0.35	54.0	-11.14	AV	136.00	200	Horizontal	Pass
6	17799.188	47.24	6.50	74.0	-26.76	Peak	55.00	300	Horizontal	Pass
6**	17799.188	39.63	6.50	54.0	-14.37	AV	55.00	300	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.400	52.90	-20.47	74.0	-21.10	Peak	93.00	200	Vertical	Pass
1**	1065.400	46.82	-20.47	54.0	-7.18	AV	93.00	200	Vertical	Pass
2	1328.300	52.75	-19.59	74.0	-21.25	Peak	320.00	400	Vertical	Pass
2**	1328.300	45.51	-19.59	54.0	-8.49	AV	320.00	400	Vertical	Pass
3	3732.750	51.88	-8.72	74.0	-22.12	Peak	227.00	100	Vertical	Pass
3**	3732.750	41.49	-8.72	54.0	-12.51	AV	227.00	100	Vertical	Pass
4	5187.250	105.56	-4.30	--	--	Peak	191.00	100	Vertical	N/A
4**	5187.250	97.02	-4.30	--	--	AV	191.00	100	Vertical	N/A
5	12456.925	52.32	0.84	74.0	-21.68	Peak	238.00	300	Vertical	Pass
5**	12456.925	43.22	0.84	54.0	-10.78	AV	238.00	300	Vertical	Pass
6	17820.187	46.84	5.98	74.0	-27.16	Peak	208.00	200	Vertical	Pass
6**	17820.187	39.32	5.98	54.0	-14.68	AV	208.00	200	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.000	59.18	-20.52	74.0	-14.82	Peak	47.00	150	Horizontal	Pass
1**	1065.000	52.89	-20.52	54.0	-1.11	AV	47.00	150	Horizontal	Pass
2	1485.800	54.36	-19.56	74.0	-19.64	Peak	276.00	400	Horizontal	Pass
2**	1485.800	47.33	-19.56	54.0	-6.67	AV	276.00	400	Horizontal	Pass
3	4124.000	46.94	-6.43	74.0	-27.06	Peak	331.00	200	Horizontal	Pass
3**	4124.000	38.68	-6.43	54.0	-15.32	AV	331.00	200	Horizontal	Pass
4	5220.250	93.05	-4.89	--	--	Peak	121.00	200	Horizontal	N/A
4**	5220.250	85.30	-4.89	--	--	AV	121.00	200	Horizontal	N/A
5	12590.162	53.25	1.24	74.0	-20.75	Peak	265.00	100	Horizontal	Pass
5**	12590.162	43.42	1.24	54.0	-10.58	AV	265.00	100	Horizontal	Pass
6	17821.499	46.72	5.94	74.0	-27.28	Peak	67.00	300	Horizontal	Pass
6**	17821.499	39.05	5.94	54.0	-14.95	AV	67.00	300	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1466.100	53.88	-19.40	74.0	-20.12	Peak	315.00	300	Vertical	Pass
1**	1466.100	48.16	-19.40	54.0	-5.84	AV	315.00	300	Vertical	Pass
2	1598.600	51.88	-19.22	74.0	-22.12	Peak	161.00	200	Vertical	Pass
2**	1598.600	48.16	-19.22	54.0	-5.84	AV	161.00	200	Vertical	Pass
3	3708.000	49.91	-8.19	74.0	-24.09	Peak	234.00	100	Vertical	Pass
3**	3708.000	36.32	-8.19	54.0	-17.68	AV	234.00	100	Vertical	Pass
4	5220.250	104.93	-4.89	--	--	Peak	197.00	400	Vertical	N/A
4**	5220.250	97.29	-4.89	--	--	AV	197.00	400	Vertical	N/A
5	12577.575	52.17	1.36	74.0	-21.83	Peak	77.00	200	Vertical	Pass
5**	12577.575	42.97	1.36	54.0	-11.03	AV	77.00	200	Vertical	Pass
6	17835.938	46.71	5.55	74.0	-27.29	Peak	22.00	100	Vertical	Pass
6**	17835.938	39.56	5.55	54.0	-14.44	AV	22.00	100	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.000	56.05	-20.31	74.0	-17.95	Peak	99.00	100	Horizontal	Pass
1**	1066.000	50.91	-20.31	54.0	-3.09	AV	99.00	100	Horizontal	Pass
2	1461.800	58.66	-19.30	74.0	-15.34	Peak	270.00	300	Horizontal	Pass
2**	1461.800	51.62	-19.30	54.0	-2.38	AV	270.00	300	Horizontal	Pass
3	4139.500	46.71	-6.41	74.0	-27.29	Peak	212.00	400	Horizontal	Pass
3**	4139.500	37.69	-6.41	54.0	-16.31	AV	212.00	400	Horizontal	Pass
4	5184.000	97.37	-4.16	--	--	Peak	106.00	150	Horizontal	N/A
4**	5184.000	89.47	-4.16	--	--	AV	106.00	150	Horizontal	N/A
5	12328.200	52.05	0.70	74.0	-21.95	Peak	80.00	100	Horizontal	Pass
5**	12328.200	42.19	0.70	54.0	-11.81	AV	80.00	100	Horizontal	Pass
6	17813.625	46.89	6.15	74.0	-27.11	Peak	58.00	300	Horizontal	Pass
6**	17813.625	39.00	6.15	54.0	-15.00	AV	58.00	300	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.400	54.29	-19.57	74.0	-19.71	Peak	5.00	300	Vertical	Pass
1**	1329.400	47.75	-19.57	54.0	-6.25	AV	5.00	300	Vertical	Pass
2	1598.300	52.08	-19.85	74.0	-21.92	Peak	227.00	200	Vertical	Pass
2**	1598.300	47.20	-19.85	54.0	-6.80	AV	227.00	200	Vertical	Pass
3	3719.500	53.43	-8.92	74.0	-20.57	Peak	208.00	100	Vertical	Pass
3**	3719.500	37.59	-8.92	54.0	-16.41	AV	208.00	100	Vertical	Pass
4	5175.250	110.16	-4.35	--	--	Peak	191.00	300	Vertical	N/A
4**	5175.250	101.09	-4.35	--	--	AV	191.00	300	Vertical	N/A
5	12239.849	52.82	0.20	74.0	-21.18	Peak	148.00	150	Vertical	Pass
5**	12239.849	42.55	0.20	54.0	-11.45	AV	148.00	150	Vertical	Pass
6	17797.876	47.54	6.46	74.0	-26.46	Peak	38.00	200	Vertical	Pass
6**	17797.876	39.33	6.46	54.0	-14.67	AV	38.00	200	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.800	56.31	-20.70	74.0	-17.69	Peak	128.00	300	Horizontal	Pass
1**	1063.800	49.05	-20.70	54.0	-4.95	AV	128.00	300	Horizontal	Pass
2	1328.500	50.69	-19.53	74.0	-23.31	Peak	343.00	200	Horizontal	Pass
2**	1328.500	45.25	-19.53	54.0	-8.75	AV	343.00	200	Horizontal	Pass
3	4347.000	47.63	-6.08	74.0	-26.37	Peak	102.00	400	Horizontal	Pass
3**	4347.000	38.81	-6.08	54.0	-15.19	AV	102.00	400	Horizontal	Pass
4	5216.000	93.57	-4.72	--	--	Peak	277.00	100	Horizontal	N/A
4**	5216.000	86.25	-4.72	--	--	AV	277.00	100	Horizontal	N/A
5	12265.026	52.40	0.45	74.0	-21.60	Peak	0.00	200	Horizontal	Pass
5**	12265.026	42.17	0.45	54.0	-11.83	AV	0.00	200	Horizontal	Pass
6	17795.250	48.20	6.38	74.0	-25.80	Peak	303.00	400	Horizontal	Pass
6**	17795.250	39.50	6.38	54.0	-14.50	AV	303.00	400	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1465.600	51.29	-19.58	74.0	-22.71	Peak	310.00	200	Vertical	Pass
1**	1465.600	47.37	-19.58	54.0	-6.63	AV	310.00	200	Vertical	Pass
2	1594.600	50.46	-19.75	74.0	-23.54	Peak	156.00	100	Vertical	Pass
2**	1594.600	47.00	-19.75	54.0	-7.00	AV	156.00	100	Vertical	Pass
3	3721.000	52.30	-8.33	74.0	-21.70	Peak	171.00	300	Vertical	Pass
3**	3721.000	37.18	-8.33	54.0	-16.82	AV	171.00	300	Vertical	Pass
4	5216.500	108.08	-4.81	--	--	Peak	189.00	150	Vertical	N/A
4**	5216.500	100.47	-4.81	--	--	AV	189.00	150	Vertical	N/A
5	12369.287	52.58	0.57	74.0	-21.42	Peak	332.00	300	Vertical	Pass
5**	12369.287	42.24	0.57	54.0	-11.76	AV	332.00	300	Vertical	Pass
6	17821.499	47.03	5.94	74.0	-26.97	Peak	89.00	200	Vertical	Pass
6**	17821.499	38.92	5.94	54.0	-15.08	AV	89.00	200	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.700	56.56	-20.92	74.0	-17.44	Peak	133.00	100	Horizontal	Pass
1**	1064.700	48.97	-20.92	54.0	-5.03	AV	133.00	100	Horizontal	Pass
2	1464.000	58.26	-19.56	74.0	-15.74	Peak	269.00	400	Horizontal	Pass
2**	1464.000	50.61	-19.56	54.0	-3.39	AV	269.00	400	Horizontal	Pass
3	4129.500	46.49	-6.45	74.0	-27.51	Peak	248.00	200	Horizontal	Pass
3**	4129.500	38.02	-6.45	54.0	-15.98	AV	248.00	200	Horizontal	Pass
4	5238.500	93.96	-5.23	--	--	Peak	125.00	100	Horizontal	N/A
4**	5238.500	86.33	-5.23	--	--	AV	125.00	100	Horizontal	N/A
5	12577.575	52.81	1.36	74.0	-21.19	Peak	322.00	300	Horizontal	Pass
5**	12577.575	42.97	1.36	54.0	-11.03	AV	322.00	300	Horizontal	Pass
6	17799.188	47.97	6.50	74.0	-26.03	Peak	77.00	200	Horizontal	Pass
6**	17799.188	39.52	6.50	54.0	-14.48	AV	77.00	200	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.500	51.62	-19.28	74.0	-22.38	Peak	327.00	100	Vertical	Pass
1**	1330.500	47.64	-19.28	54.0	-6.36	AV	327.00	100	Vertical	Pass
2	1599.200	49.09	-19.60	74.0	-24.91	Peak	209.00	100	Vertical	Pass
2**	1599.200	46.49	-19.60	54.0	-7.51	AV	209.00	100	Vertical	Pass
3	3728.750	51.97	-8.82	74.0	-22.03	Peak	181.00	300	Vertical	Pass
3**	3728.750	37.43	-8.82	54.0	-16.57	AV	181.00	300	Vertical	Pass
4	5240.750	106.02	-5.50	--	--	Peak	219.00	200	Vertical	N/A
4**	5240.750	98.10	-5.50	--	--	AV	219.00	200	Vertical	N/A
5	12396.363	52.48	0.34	74.0	-21.52	Peak	37.00	400	Vertical	Pass
5**	12396.363	43.39	0.34	54.0	-10.61	AV	37.00	400	Vertical	Pass
6	17797.876	47.70	6.46	74.0	-26.30	Peak	195.00	100	Vertical	Pass
6**	17797.876	40.43	6.46	54.0	-13.57	AV	195.00	100	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.500	59.27	-20.85	74.0	-14.73	Peak	142.00	150	Horizontal	Pass
1**	1066.500	51.16	-20.85	54.0	-2.84	AV	142.00	150	Horizontal	Pass
2	1332.800	47.69	-19.76	74.0	-26.31	Peak	262.00	200	Horizontal	Pass
2**	1332.800	45.40	-19.76	54.0	-8.60	AV	262.00	200	Horizontal	Pass
3	3852.000	46.40	-7.37	74.0	-27.60	Peak	14.00	400	Horizontal	Pass
3**	3852.000	37.12	-7.37	54.0	-16.88	AV	14.00	400	Horizontal	Pass
4	5187.000	92.91	-4.37	--	--	Peak	102.00	300	Horizontal	N/A
4**	5187.000	85.77	-4.37	--	--	AV	102.00	300	Horizontal	N/A
5	12574.488	53.05	1.39	74.0	-20.95	Peak	254.00	200	Horizontal	Pass
5**	12574.488	42.87	1.39	54.0	-11.13	AV	254.00	200	Horizontal	Pass
6	17793.937	46.98	6.34	74.0	-27.02	Peak	354.00	400	Horizontal	Pass
6**	17793.937	39.42	6.34	54.0	-14.58	AV	354.00	400	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.100	53.87	-19.08	74.0	-20.13	Peak	308.00	400	Vertical	Pass
1**	1330.100	47.10	-19.08	54.0	-6.90	AV	308.00	400	Vertical	Pass
2	1465.500	54.19	-19.62	74.0	-19.81	Peak	207.00	300	Vertical	Pass
2**	1465.500	48.77	-19.62	54.0	-5.23	AV	207.00	300	Vertical	Pass
3	3720.500	51.09	-8.32	74.0	-22.91	Peak	201.00	100	Vertical	Pass
3**	3720.500	36.66	-8.32	54.0	-17.34	AV	201.00	100	Vertical	Pass
4	5192.500	104.54	-4.49	--	--	Peak	219.00	200	Vertical	N/A
4**	5192.500	96.15	-4.49	--	--	AV	219.00	200	Vertical	N/A
5	12519.151	52.48	0.93	74.0	-21.52	Peak	211.00	200	Vertical	Pass
5**	12519.151	42.33	0.93	54.0	-11.67	AV	211.00	200	Vertical	Pass
6	17796.563	47.33	6.42	74.0	-26.67	Peak	215.00	150	Vertical	Pass
6**	17796.563	40.31	6.42	54.0	-13.69	AV	215.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.000	47.63	-20.31	74.0	-26.37	Peak	98.00	300	Horizontal	Pass
1**	1066.000	47.06	-20.31	54.0	-6.94	AV	98.00	300	Horizontal	Pass
2	1465.000	51.07	-19.89	74.0	-22.93	Peak	250.00	400	Horizontal	Pass
2**	1465.000	45.93	-19.89	54.0	-8.07	AV	250.00	400	Horizontal	Pass
3	4142.000	46.90	-6.54	74.0	-27.10	Peak	13.00	100	Horizontal	Pass
3**	4142.000	37.50	-6.54	54.0	-16.50	AV	13.00	100	Horizontal	Pass
4	5224.000	91.17	-5.04	--	--	Peak	100.00	200	Horizontal	N/A
4**	5224.000	83.12	-5.04	--	--	AV	100.00	200	Horizontal	N/A
5	12361.687	52.06	0.64	74.0	-21.94	Peak	219.00	100	Horizontal	Pass
5**	12361.687	44.21	0.64	54.0	-9.79	AV	219.00	100	Horizontal	Pass
6	17791.312	46.98	6.26	74.0	-27.02	Peak	0.00	300	Horizontal	Pass
6**	17791.312	40.26	6.26	54.0	-13.74	AV	0.00	300	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1461.100	45.81	-19.86	74.0	-28.19	Peak	306.00	100	Vertical	Pass
1**	1461.100	45.65	-19.86	54.0	-8.35	AV	306.00	100	Vertical	Pass
2	1594.500	53.95	-19.72	74.0	-20.05	Peak	229.00	200	Vertical	Pass
2**	1594.500	47.98	-19.72	54.0	-6.02	AV	229.00	200	Vertical	Pass
3	3791.000	51.31	-7.67	74.0	-22.69	Peak	222.00	150	Vertical	Pass
3**	3791.000	38.59	-7.67	54.0	-15.41	AV	222.00	150	Vertical	Pass
4	5237.250	104.33	-5.21	--	--	Peak	222.00	300	Vertical	N/A
4**	5237.250	95.80	-5.21	--	--	AV	222.00	300	Vertical	N/A
5	12401.350	52.29	0.32	74.0	-21.71	Peak	136.00	400	Vertical	Pass
5**	12401.350	43.06	0.32	54.0	-10.94	AV	136.00	400	Vertical	Pass
6	17789.999	47.51	6.22	74.0	-26.49	Peak	207.00	200	Vertical	Pass
6**	17789.999	39.56	6.22	54.0	-14.44	AV	207.00	200	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.400	53.56	-20.46	74.0	-20.44	Peak	106.00	100	Horizontal	Pass
1**	1063.400	47.64	-20.46	54.0	-6.36	AV	106.00	100	Horizontal	Pass
2	1464.800	54.35	-20.02	74.0	-19.65	Peak	265.00	200	Horizontal	Pass
2**	1464.800	46.16	-20.02	54.0	-7.84	AV	265.00	200	Horizontal	Pass
3	4215.500	47.70	-7.53	74.0	-26.30	Peak	360.00	400	Horizontal	Pass
3**	4215.500	37.80	-7.53	54.0	-16.20	AV	360.00	400	Horizontal	Pass
4	5185.750	91.31	-4.46	--	--	Peak	101.00	150	Horizontal	N/A
4**	5185.750	82.22	-4.46	--	--	AV	101.00	150	Horizontal	N/A
5	12391.375	52.73	0.38	74.0	-21.27	Peak	225.00	200	Horizontal	Pass
5**	12391.375	42.21	0.38	54.0	-11.79	AV	225.00	200	Horizontal	Pass
6	17803.125	47.40	6.44	74.0	-26.60	Peak	175.00	300	Horizontal	Pass
6**	17803.125	39.78	6.44	54.0	-14.22	AV	175.00	300	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.200	51.25	-20.32	74.0	-22.75	Peak	237.00	400	Vertical	Pass
1**	1066.200	46.08	-20.32	54.0	-7.92	AV	237.00	400	Vertical	Pass
2	1327.500	54.13	-19.28	74.0	-19.87	Peak	0.00	200	Vertical	Pass
2**	1327.500	49.17	-19.28	54.0	-4.83	AV	0.00	200	Vertical	Pass
3	4983.250	52.96	-4.16	74.0	-21.04	Peak	190.00	100	Vertical	Pass
3**	4983.250	43.26	-4.16	54.0	-10.74	AV	190.00	100	Vertical	Pass
4	5223.500	101.46	-5.34	--	--	Peak	224.00	300	Vertical	N/A
4**	5223.500	92.76	-5.34	--	--	AV	224.00	300	Vertical	N/A
5	12571.162	52.42	1.42	74.0	-21.58	Peak	360.00	100	Vertical	Pass
5**	12571.162	43.30	1.42	54.0	-10.70	AV	360.00	100	Vertical	Pass
6	17795.250	47.85	6.38	74.0	-26.15	Peak	155.00	200	Vertical	Pass
6**	17795.250	39.46	6.38	54.0	-14.54	AV	155.00	200	Vertical	Pass

11ac160, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.700	53.72	-19.39	74.0	-20.28	Peak	175.00	300	Horizontal	Pass
1**	1330.700	45.20	-19.39	54.0	-8.80	AV	175.00	300	Horizontal	Pass
2	1455.800	55.03	-19.80	74.0	-18.97	Peak	268.00	200	Horizontal	Pass
2**	1455.800	47.46	-19.80	54.0	-6.54	AV	268.00	200	Horizontal	Pass
3	4347.500	47.68	-5.62	74.0	-26.32	Peak	309.00	100	Horizontal	Pass
3**	4347.500	39.72	-5.62	54.0	-14.28	AV	309.00	100	Horizontal	Pass
4	5276.500	86.20	-4.38	--	--	Peak	52.00	100	Horizontal	N/A
4**	5276.500	77.87	-4.38	--	--	AV	52.00	100	Horizontal	N/A
5	12555.250	52.55	1.56	74.0	-21.45	Peak	225.00	200	Horizontal	Pass
5**	12555.250	42.29	1.56	54.0	-11.71	AV	225.00	200	Horizontal	Pass
6	17791.312	47.46	6.26	74.0	-26.54	Peak	21.00	400	Horizontal	Pass
6**	17791.312	39.95	6.26	54.0	-14.05	AV	21.00	400	Horizontal	Pass

11ac160, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.700	53.16	-20.92	74.0	-20.84	Peak	100.00	100	Vertical	Pass
1**	1064.700	45.80	-20.92	54.0	-8.20	AV	100.00	100	Vertical	Pass
2	1331.500	53.60	-19.67	74.0	-20.40	Peak	334.00	400	Vertical	Pass
2**	1331.500	47.82	-19.67	54.0	-6.18	AV	334.00	400	Vertical	Pass
3	3794.000	50.70	-7.76	74.0	-23.30	Peak	171.00	300	Vertical	Pass
3**	3794.000	43.83	-7.76	54.0	-10.17	AV	171.00	300	Vertical	Pass
4	5296.000	99.47	-4.96	--	--	Peak	171.00	100	Vertical	N/A
4**	5296.000	91.83	-4.96	--	--	AV	171.00	100	Vertical	N/A
5	12610.588	52.19	1.06	74.0	-21.81	Peak	67.00	300	Vertical	Pass
5**	12610.588	42.79	1.06	54.0	-11.21	AV	67.00	300	Vertical	Pass
6	17793.937	47.62	6.34	74.0	-26.38	Peak	53.00	200	Vertical	Pass
6**	17793.937	39.53	6.34	54.0	-14.47	AV	53.00	200	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.500	53.97	-21.34	74.0	-20.03	Peak	110.00	200	Horizontal	Pass
1**	1064.500	47.42	-21.34	54.0	-6.58	AV	110.00	200	Horizontal	Pass
2	1465.700	56.48	-19.53	74.0	-17.52	Peak	288.00	300	Horizontal	Pass
2**	1465.700	49.84	-19.53	54.0	-4.16	AV	288.00	300	Horizontal	Pass
3	4340.250	47.69	-5.32	74.0	-26.31	Peak	293.00	100	Horizontal	Pass
3**	4340.250	39.95	-5.32	54.0	-14.05	AV	293.00	100	Horizontal	Pass
4	5178.000	94.86	-4.46	--	--	Peak	83.00	100	Horizontal	N/A
4**	5178.000	86.89	-4.46	--	--	AV	83.00	100	Horizontal	N/A
5	12463.100	52.36	0.79	74.0	-21.64	Peak	266.00	200	Horizontal	Pass
5**	12463.100	43.39	0.79	54.0	-10.61	AV	266.00	200	Horizontal	Pass
6	17788.688	46.67	6.19	74.0	-27.33	Peak	47.00	150	Horizontal	Pass
6**	17788.688	39.73	6.19	54.0	-14.27	AV	47.00	150	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.000	54.09	-19.32	74.0	-19.91	Peak	326.00	400	Vertical	Pass
1**	1329.000	49.13	-19.32	54.0	-4.87	AV	326.00	400	Vertical	Pass
2	1594.200	51.15	-19.47	74.0	-22.85	Peak	208.00	200	Vertical	Pass
2**	1594.200	47.38	-19.47	54.0	-6.62	AV	208.00	200	Vertical	Pass
3	3796.750	50.34	-7.74	74.0	-23.66	Peak	188.00	150	Vertical	Pass
3**	3796.750	41.97	-7.74	54.0	-12.03	AV	188.00	150	Vertical	Pass
4	5175.750	107.57	-4.20	--	--	Peak	206.00	300	Vertical	N/A
4**	5175.750	99.81	-4.20	--	--	AV	206.00	300	Vertical	N/A
5	12346.724	52.23	0.73	74.0	-21.77	Peak	27.00	400	Vertical	Pass
5**	12346.724	42.11	0.73	54.0	-11.89	AV	27.00	400	Vertical	Pass
6	17787.376	47.00	6.15	74.0	-27.00	Peak	63.00	100	Vertical	Pass
6**	17787.376	39.35	6.15	54.0	-14.65	AV	63.00	100	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.500	54.35	-20.57	74.0	-19.65	Peak	108.00	300	Horizontal	Pass
1**	1062.500	50.17	-20.57	54.0	-3.83	AV	108.00	300	Horizontal	Pass
2	1466.000	54.45	-19.41	74.0	-19.55	Peak	269.00	200	Horizontal	Pass
2**	1466.000	48.34	-19.41	54.0	-5.66	AV	269.00	200	Horizontal	Pass
3	4354.750	47.45	-5.74	74.0	-26.55	Peak	55.00	100	Horizontal	Pass
3**	4354.750	38.47	-5.74	54.0	-15.53	AV	55.00	100	Horizontal	Pass
4	5222.750	95.95	-4.85	--	--	Peak	108.00	300	Horizontal	N/A
4**	5222.750	87.16	-4.85	--	--	AV	108.00	300	Horizontal	N/A
5	12302.312	52.12	0.66	74.0	-21.88	Peak	149.00	150	Horizontal	Pass
5**	12302.312	42.69	0.66	54.0	-11.31	AV	149.00	150	Horizontal	Pass
6	17816.250	47.05	6.08	74.0	-26.95	Peak	28.00	200	Horizontal	Pass
6**	17816.250	39.86	6.08	54.0	-14.14	AV	28.00	200	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.100	52.97	-20.51	74.0	-21.03	Peak	154.00	100	Vertical	Pass
1**	1065.100	45.61	-20.51	54.0	-8.39	AV	154.00	100	Vertical	Pass
2	1593.500	53.96	-19.87	74.0	-20.04	Peak	188.00	400	Vertical	Pass
2**	1593.500	47.77	-19.87	54.0	-6.23	AV	188.00	400	Vertical	Pass
3	3716.750	51.64	-8.31	74.0	-22.36	Peak	206.00	300	Vertical	Pass
3**	3716.750	36.87	-8.31	54.0	-17.13	AV	206.00	300	Vertical	Pass
4	5219.250	107.35	-4.96	--	--	Peak	171.00	100	Vertical	N/A
4**	5219.250	100.04	-4.96	--	--	AV	171.00	100	Vertical	N/A
5	12578.050	52.94	1.35	74.0	-21.06	Peak	224.00	200	Vertical	Pass
5**	12578.050	43.03	1.35	54.0	-10.97	AV	224.00	200	Vertical	Pass
6	17793.937	47.34	6.34	74.0	-26.66	Peak	46.00	400	Vertical	Pass
6**	17793.937	39.90	6.34	54.0	-14.10	AV	46.00	400	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.000	53.44	-19.47	74.0	-20.56	Peak	286.00	200	Horizontal	Pass
1**	1328.000	47.10	-19.47	54.0	-6.90	AV	286.00	200	Horizontal	Pass
2	1460.200	54.29	-19.55	74.0	-19.71	Peak	269.00	200	Horizontal	Pass
2**	1460.200	48.45	-19.55	54.0	-5.55	AV	269.00	200	Horizontal	Pass
3	4337.000	49.67	-5.45	74.0	-24.33	Peak	201.00	100	Horizontal	Pass
3**	4337.000	39.15	-5.45	54.0	-14.85	AV	201.00	100	Horizontal	Pass
4	5235.500	96.14	-5.10	--	--	Peak	114.00	100	Horizontal	N/A
4**	5235.500	85.98	-5.10	--	--	AV	114.00	100	Horizontal	N/A
5	12427.000	52.32	0.62	74.0	-21.68	Peak	194.00	300	Horizontal	Pass
5**	12427.000	42.27	0.62	54.0	-11.73	AV	194.00	300	Horizontal	Pass
6	17792.625	46.90	6.30	74.0	-27.10	Peak	194.00	400	Horizontal	Pass
6**	17792.625	39.76	6.30	54.0	-14.24	AV	194.00	400	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.200	53.13	-20.32	74.0	-20.87	Peak	35.00	150	Vertical	Pass
1**	1066.200	47.50	-20.32	54.0	-6.50	AV	35.00	150	Vertical	Pass
2	1598.500	53.45	-19.43	74.0	-20.55	Peak	0.00	200	Vertical	Pass
2**	1598.500	48.26	-19.43	54.0	-5.74	AV	0.00	200	Vertical	Pass
3	3723.750	52.34	-8.91	74.0	-21.66	Peak	204.00	400	Vertical	Pass
3**	3723.750	36.31	-8.91	54.0	-17.69	AV	204.00	400	Vertical	Pass
4	5236.500	108.27	-5.26	--	--	Peak	204.00	200	Vertical	N/A
4**	5236.500	99.14	-5.26	--	--	AV	204.00	200	Vertical	N/A
5	12603.938	52.42	1.12	74.0	-21.58	Peak	25.00	200	Vertical	Pass
5**	12603.938	43.08	1.12	54.0	-10.92	AV	25.00	200	Vertical	Pass
6	17797.876	47.17	6.46	74.0	-26.83	Peak	238.00	300	Vertical	Pass
6**	17797.876	40.37	6.46	54.0	-13.63	AV	238.00	300	Vertical	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.500	54.68	-20.46	74.0	-19.32	Peak	141.00	150	Horizontal	Pass
1**	1063.500	48.29	-20.46	54.0	-5.71	AV	141.00	150	Horizontal	Pass
2	1463.300	54.70	-19.86	74.0	-19.30	Peak	251.00	400	Horizontal	Pass
2**	1463.300	46.87	-19.86	54.0	-7.13	AV	251.00	400	Horizontal	Pass
3	4335.750	47.73	-6.00	74.0	-26.27	Peak	0.00	200	Horizontal	Pass
3**	4335.750	38.19	-6.00	54.0	-15.81	AV	0.00	200	Horizontal	Pass
4	5187.000	92.47	-4.37	--	--	Peak	131.00	200	Horizontal	N/A
4**	5187.000	84.08	-4.37	--	--	AV	131.00	200	Horizontal	N/A
5	12580.425	52.91	1.33	74.0	-21.09	Peak	0.00	100	Horizontal	Pass
5**	12580.425	43.02	1.33	54.0	-10.98	AV	0.00	100	Horizontal	Pass
6	17810.999	47.16	6.23	74.0	-26.84	Peak	21.00	300	Horizontal	Pass
6**	17810.999	39.38	6.23	54.0	-14.62	AV	21.00	300	Horizontal	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.900	53.30	-20.83	74.0	-20.70	Peak	295.00	300	Vertical	Pass
1**	1063.900	46.26	-20.83	54.0	-7.74	AV	295.00	300	Vertical	Pass
2	1328.900	50.95	-19.31	74.0	-23.05	Peak	360.00	200	Vertical	Pass
2**	1328.900	48.47	-19.31	54.0	-5.53	AV	360.00	200	Vertical	Pass
3	1592.900	54.05	-19.81	74.0	-19.95	Peak	228.00	100	Vertical	Pass
3**	1592.900	48.22	-19.81	54.0	-5.78	AV	228.00	100	Vertical	Pass
4	5189.000	107.68	-4.75	--	--	Peak	169.00	400	Vertical	N/A
4**	5189.000	96.60	-4.75	--	--	AV	169.00	400	Vertical	N/A
5	12400.400	52.13	0.31	74.0	-21.87	Peak	197.00	200	Vertical	Pass
5**	12400.400	43.24	0.31	54.0	-10.76	AV	197.00	200	Vertical	Pass
6	17828.063	47.08	5.76	74.0	-26.92	Peak	347.00	100	Vertical	Pass
6**	17828.063	39.29	5.76	54.0	-14.71	AV	347.00	100	Vertical	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.000	50.51	-20.31	74.0	-23.49	Peak	360.00	400	Horizontal	Pass
1**	1066.000	44.12	-20.31	54.0	-9.88	AV	360.00	400	Horizontal	Pass
2	1460.200	52.76	-19.55	74.0	-21.24	Peak	286.00	200	Horizontal	Pass
2**	1460.200	49.40	-19.55	54.0	-4.60	AV	286.00	200	Horizontal	Pass
3	4350.750	48.70	-6.17	74.0	-25.30	Peak	222.00	100	Horizontal	Pass
3**	4350.750	38.04	-6.17	54.0	-15.96	AV	222.00	100	Horizontal	Pass
4	5221.750	92.51	-5.05	--	--	Peak	80.00	300	Horizontal	N/A
4**	5221.750	84.51	-5.05	--	--	AV	80.00	300	Horizontal	N/A
5	12549.787	52.81	1.61	74.0	-21.19	Peak	222.00	100	Horizontal	Pass
5**	12549.787	43.34	1.61	54.0	-10.66	AV	222.00	100	Horizontal	Pass
6	17820.187	46.83	5.98	74.0	-27.17	Peak	239.00	200	Horizontal	Pass
6**	17820.187	39.30	5.98	54.0	-14.70	AV	239.00	200	Horizontal	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.300	54.01	-19.59	74.0	-19.99	Peak	355.00	300	Vertical	Pass
1**	1328.300	48.07	-19.59	54.0	-5.93	AV	355.00	300	Vertical	Pass
2	1593.700	53.93	-19.63	74.0	-20.07	Peak	244.00	400	Vertical	Pass
2**	1593.700	47.65	-19.63	54.0	-6.35	AV	244.00	400	Vertical	Pass
3	3780.250	51.00	-7.60	74.0	-23.00	Peak	188.00	150	Vertical	Pass
3**	3780.250	39.28	-7.60	54.0	-14.72	AV	188.00	150	Vertical	Pass
4	5220.000	103.54	-5.16	--	--	Peak	205.00	300	Vertical	N/A
4**	5220.000	94.52	-5.16	--	--	AV	205.00	300	Vertical	N/A
5	12608.451	52.44	1.08	74.0	-21.56	Peak	144.00	400	Vertical	Pass
5**	12608.451	43.53	1.08	54.0	-10.47	AV	144.00	400	Vertical	Pass
6	17792.625	47.64	6.30	74.0	-26.36	Peak	254.00	100	Vertical	Pass
6**	17792.625	39.87	6.30	54.0	-14.13	AV	254.00	100	Vertical	Pass

11ax80 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.500	54.15	-20.57	74.0	-19.85	Peak	117.00	100	Horizontal	Pass
1**	1062.500	49.02	-20.57	54.0	-4.98	AV	117.00	100	Horizontal	Pass
2	1464.100	55.23	-19.57	74.0	-18.77	Peak	332.00	200	Horizontal	Pass
2**	1464.100	50.03	-19.57	54.0	-3.97	AV	332.00	200	Horizontal	Pass
3	4343.000	48.30	-5.75	74.0	-25.70	Peak	346.00	150	Horizontal	Pass
3**	4343.000	39.76	-5.75	54.0	-14.24	AV	346.00	150	Horizontal	Pass
4	5186.500	90.57	-4.54	--	--	Peak	134.00	300	Horizontal	N/A
4**	5186.500	80.68	-4.54	--	--	AV	134.00	300	Horizontal	N/A
5	12436.737	52.66	0.73	74.0	-21.34	Peak	223.00	400	Horizontal	Pass
5**	12436.737	42.80	0.73	54.0	-11.20	AV	223.00	400	Horizontal	Pass
6	17804.438	46.78	6.40	74.0	-27.22	Peak	260.00	200	Horizontal	Pass
6**	17804.438	39.83	6.40	54.0	-14.17	AV	260.00	200	Horizontal	Pass

11ax80 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.100	48.17	-20.27	74.0	-25.83	Peak	274.00	150	Vertical	Pass
1**	1066.100	47.09	-20.27	54.0	-6.91	AV	274.00	150	Vertical	Pass
2	1327.400	48.67	-19.34	74.0	-25.33	Peak	80.00	400	Vertical	Pass
2**	1327.400	47.49	-19.34	54.0	-6.51	AV	80.00	400	Vertical	Pass
3	1593.900	51.71	-19.37	74.0	-22.29	Peak	156.00	200	Vertical	Pass
3**	1593.900	47.28	-19.37	54.0	-6.72	AV	156.00	200	Vertical	Pass
4	5226.000	103.57	-4.65	--	--	Peak	204.00	200	Vertical	N/A
4**	5226.000	93.35	-4.65	--	--	AV	204.00	200	Vertical	N/A
5	12576.625	52.84	1.37	74.0	-21.16	Peak	332.00	200	Vertical	Pass
5**	12576.625	43.68	1.37	54.0	-10.32	AV	332.00	200	Vertical	Pass
6	17800.499	46.84	6.51	74.0	-27.16	Peak	360.00	100	Vertical	Pass
6**	17800.499	39.36	6.51	54.0	-14.64	AV	360.00	100	Vertical	Pass

11ax160 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.400	59.19	-20.47	74.0	-14.81	Peak	125.00	200	Horizontal	Pass
1**	1065.400	51.37	-20.47	54.0	-2.63	AV	125.00	200	Horizontal	Pass
2	1464.700	54.08	-19.92	74.0	-19.92	Peak	360.00	200	Horizontal	Pass
2**	1464.700	48.21	-19.92	54.0	-5.79	AV	360.00	200	Horizontal	Pass
3	4037.000	47.17	-7.28	74.0	-26.83	Peak	123.00	100	Horizontal	Pass
3**	4037.000	36.96	-7.28	54.0	-17.04	AV	123.00	100	Horizontal	Pass
4	5207.000	87.49	-4.37	--	--	Peak	52.00	150	Horizontal	N/A
4**	5207.000	76.95	-4.37	--	--	AV	52.00	150	Horizontal	N/A
5	12431.037	52.43	0.67	74.0	-21.57	Peak	352.00	200	Horizontal	Pass
5**	12431.037	42.72	0.67	54.0	-11.28	AV	352.00	200	Horizontal	Pass
6	17793.937	47.12	6.34	74.0	-26.88	Peak	76.00	400	Horizontal	Pass
6**	17793.937	40.00	6.34	54.0	-14.00	AV	76.00	400	Horizontal	Pass

11ax160 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.200	54.13	-19.34	74.0	-19.87	Peak	360.00	300	Vertical	Pass
1**	1329.200	48.70	-19.34	54.0	-5.30	AV	360.00	300	Vertical	Pass
2	1461.500	53.66	-19.28	74.0	-20.34	Peak	34.00	200	Vertical	Pass
2**	1461.500	47.47	-19.28	54.0	-6.53	AV	34.00	200	Vertical	Pass
3	3721.500	51.71	-8.83	74.0	-22.29	Peak	206.00	100	Vertical	Pass
3**	3721.500	38.68	-8.83	54.0	-15.32	AV	206.00	100	Vertical	Pass
4	5222.500	99.83	-4.97	--	--	Peak	206.00	300	Vertical	N/A
4**	5222.500	89.68	-4.97	--	--	AV	206.00	300	Vertical	N/A
5	12549.313	52.55	1.59	74.0	-21.45	Peak	219.00	150	Vertical	Pass
5**	12549.313	43.28	1.59	54.0	-10.72	AV	219.00	150	Vertical	Pass
6	17795.250	47.23	6.38	74.0	-26.77	Peak	179.00	200	Vertical	Pass
6**	17795.250	39.07	6.38	54.0	-14.93	AV	179.00	200	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.100	51.91	-20.73	74.0	-2209	Peak	106.00	300	Horizontal	Pass
1**	1062.100	50.02	-20.73	54.0	-3.98	AV	106.00	300	Horizontal	Pass
2	1330.500	48.64	-19.28	74.0	-25.36	Peak	283.00	100	Horizontal	Pass
2**	1330.500	35.31	-19.28	54.0	-18.69	AV	283.00	100	Horizontal	Pass
3	1461.400	48.23	-19.28	74.0	-25.77	Peak	0.00	400	Horizontal	Pass
3**	1461.400	38.05	-19.28	54.0	-15.95	AV	0.00	400	Horizontal	Pass
4	5257.000	95.79	-5.18	--	--	Peak	119.00	100	Horizontal	N/A
4**	5257.000	86.96	-5.18	--	--	AV	119.00	100	Horizontal	N/A
5	12523.425	52.40	1.02	74.0	-21.60	Peak	80.00	200	Horizontal	Pass
5**	12523.425	43.16	1.02	54.0	-10.84	AV	80.00	200	Horizontal	Pass
6	17795.250	47.80	6.38	74.0	-26.20	Peak	182.00	100	Horizontal	Pass
6**	17795.250	40.42	6.38	54.0	-13.58	AV	182.00	100	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.700	52.07	-19.37	74.0	-21.93	Peak	220.00	200	Vertical	Pass
1**	1328.700	34.27	-19.37	54.0	-19.73	AV	220.00	200	Vertical	Pass
2	1461.400	52.88	-19.28	74.0	-21.12	Peak	161.00	400	Vertical	Pass
2**	1461.400	49.62	-19.28	54.0	-4.38	AV	161.00	400	Vertical	Pass
3	1593.900	53.62	-19.37	74.0	-20.38	Peak	161.00	100	Vertical	Pass
3**	1593.900	43.84	-19.37	54.0	-10.16	AV	161.00	100	Vertical	Pass
4	5258.750	107.76	-5.07	--	--	Peak	192.00	200	Vertical	N/A
4**	5258.750	100.72	-5.07	--	--	AV	192.00	200	Vertical	N/A
5	12453.838	52.84	0.86	74.0	-21.16	Peak	122.00	100	Vertical	Pass
5**	12453.838	43.81	0.86	54.0	-10.19	AV	122.00	100	Vertical	Pass
6	17796.563	47.44	6.42	74.0	-26.56	Peak	151.00	300	Vertical	Pass
6**	17796.563	40.66	6.42	54.0	-13.34	AV	151.00	300	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.100	49.00	-20.73	74.0	-25.00	Peak	133.00	100	Horizontal	Pass
1**	1062.100	47.64	-20.73	54.0	-6.36	AV	133.00	100	Horizontal	Pass
2	1327.300	50.37	-19.40	74.0	-23.63	Peak	360.00	300	Horizontal	Pass
2**	1327.300	49.11	-19.40	54.0	-4.89	AV	360.00	300	Horizontal	Pass
3	1461.400	53.02	-19.28	74.0	-20.98	Peak	258.00	200	Horizontal	Pass
3**	1461.400	46.89	-19.28	54.0	-7.11	AV	258.00	200	Horizontal	Pass
4	5302.500	97.34	-5.15	--	--	Peak	121.00	200	Horizontal	N/A
4**	5302.500	90.02	-5.15	--	--	AV	121.00	200	Horizontal	N/A
5	12577.812	52.75	1.35	74.0	-21.25	Peak	209.00	100	Horizontal	Pass
5**	12577.812	43.52	1.35	54.0	-10.48	AV	209.00	100	Horizontal	Pass
6	17799.188	48.73	6.50	74.0	-25.27	Peak	351.00	100	Horizontal	Pass
6**	17799.188	40.69	6.50	54.0	-13.31	AV	351.00	100	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.100	48.73	-19.59	74.0	-25.27	Peak	64.00	300	Vertical	Pass
1**	1333.100	46.70	-19.59	54.0	-7.30	AV	64.00	300	Vertical	Pass
2	1466.400	48.51	-19.67	74.0	-25.49	Peak	0.00	100	Vertical	Pass
2**	1466.400	46.74	-19.67	54.0	-7.26	AV	0.00	100	Vertical	Pass
3	1596.100	52.54	-19.48	74.0	-21.46	Peak	0.00	200	Vertical	Pass
3**	1596.100	42.86	-19.48	54.0	-11.14	AV	0.00	200	Vertical	Pass
4	5304.250	108.76	-5.03	--	--	Peak	192.00	200	Vertical	N/A
4**	5304.250	101.59	-5.03	--	--	AV	192.00	200	Vertical	N/A
5	12452.650	52.16	0.87	74.0	-21.84	Peak	103.00	400	Vertical	Pass
5**	12452.650	43.45	0.87	54.0	-10.55	AV	103.00	400	Vertical	Pass
6	17812.312	47.57	6.19	74.0	-26.43	Peak	337.00	100	Vertical	Pass
6**	17812.312	39.04	6.19	54.0	-14.96	AV	337.00	100	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.000	50.60	-20.52	74.0	-23.40	Peak	280.00	200	Horizontal	Pass
1**	1065.000	49.17	-20.52	54.0	-4.83	AV	280.00	200	Horizontal	Pass
2	1329.500	52.52	-19.69	74.0	-21.48	Peak	271.00	400	Horizontal	Pass
2**	1329.500	30.94	-19.69	54.0	-23.06	AV	271.00	400	Horizontal	Pass
3	1464.100	51.68	-19.57	74.0	-22.32	Peak	288.00	100	Horizontal	Pass
3**	1464.100	31.96	-19.57	54.0	-22.04	AV	288.00	100	Horizontal	Pass
4	5315.500	97.56	-5.42	--	--	Peak	121.00	200	Horizontal	N/A
4**	5315.500	88.94	-5.42	--	--	AV	121.00	200	Horizontal	N/A
5	12434.600	53.13	0.71	74.0	-20.87	Peak	208.00	100	Horizontal	Pass
5**	12434.600	42.96	0.71	54.0	-11.04	AV	208.00	100	Horizontal	Pass
6	17804.438	47.40	6.40	74.0	-26.60	Peak	122.00	300	Horizontal	Pass
6**	17804.438	40.02	6.40	54.0	-13.98	AV	122.00	300	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.500	52.83	-19.53	74.0	-21.17	Peak	325.00	100	Vertical	Pass
1**	1328.500	41.20	-19.53	54.0	-12.80	AV	325.00	100	Vertical	Pass
2	1466.000	53.17	-19.41	74.0	-20.83	Peak	298.00	300	Vertical	Pass
2**	1466.000	44.32	-19.41	54.0	-9.68	AV	298.00	300	Vertical	Pass
3	1593.100	52.26	-20.20	74.0	-21.74	Peak	135.00	200	Vertical	Pass
3**	1593.100	41.21	-20.20	54.0	-12.79	AV	135.00	200	Vertical	Pass
4	5317.500	106.30	-4.93	--	--	Peak	178.00	100	Vertical	N/A
4**	5317.500	98.66	-4.93	--	--	AV	178.00	100	Vertical	N/A
5	12371.188	52.50	0.55	74.0	-21.50	Peak	202.00	200	Vertical	Pass
5**	12371.188	43.07	0.55	54.0	-10.93	AV	202.00	200	Vertical	Pass
6	17793.937	47.28	6.34	74.0	-26.72	Peak	353.00	100	Vertical	Pass
6**	17793.937	40.39	6.34	54.0	-13.61	AV	353.00	100	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.400	53.71	-20.51	74.0	-20.29	Peak	120.00	100	Horizontal	Pass
1**	1062.400	49.98	-20.51	54.0	-4.02	AV	120.00	100	Horizontal	Pass
2	1329.100	51.55	-19.33	74.0	-22.45	Peak	300.00	200	Horizontal	Pass
2**	1329.100	37.59	-19.33	54.0	-16.41	AV	300.00	200	Horizontal	Pass
3	1464.300	52.53	-19.58	74.0	-21.47	Peak	274.00	400	Horizontal	Pass
3**	1464.300	32.72	-19.58	54.0	-21.28	AV	274.00	400	Horizontal	Pass
4	5275.750	92.90	-4.05	--	--	Peak	118.00	100	Horizontal	N/A
4**	5275.750	86.46	-4.05	--	--	AV	118.00	100	Horizontal	N/A
5	12366.200	52.51	0.60	74.0	-21.49	Peak	137.00	100	Horizontal	Pass
5**	12366.200	43.43	0.60	54.0	-10.57	AV	137.00	100	Horizontal	Pass
6	17793.937	47.08	6.34	74.0	-26.92	Peak	110.00	200	Horizontal	Pass
6**	17793.937	40.28	6.34	54.0	-13.72	AV	110.00	200	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.800	51.92	-19.30	74.0	-22.08	Peak	329.00	300	Vertical	Pass
1**	1328.800	29.89	-19.30	54.0	-24.11	AV	329.00	300	Vertical	Pass
2	1461.400	53.57	-19.28	74.0	-20.43	Peak	168.00	100	Vertical	Pass
2**	1461.400	42.63	-19.28	54.0	-11.37	AV	168.00	100	Vertical	Pass
3	1593.300	52.29	-20.10	74.0	-21.71	Peak	220.00	200	Vertical	Pass
3**	1593.300	42.83	-20.10	54.0	-11.17	AV	220.00	200	Vertical	Pass
4	5274.000	103.91	-4.29	--	--	Peak	208.00	100	Vertical	N/A
4**	5274.000	96.76	-4.29	--	--	AV	208.00	100	Vertical	N/A
5	12248.875	52.40	0.35	74.0	-21.60	Peak	206.00	400	Vertical	Pass
5**	12248.875	42.67	0.35	54.0	-11.33	AV	206.00	400	Vertical	Pass
6	17795.250	47.65	6.38	74.0	-26.35	Peak	58.00	100	Vertical	Pass
6**	17795.250	40.85	6.38	54.0	-13.15	AV	58.00	100	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.600	54.72	-20.62	74.0	-19.28	Peak	256.00	300	Horizontal	Pass
1**	1062.600	34.38	-20.62	54.0	-19.62	AV	256.00	300	Horizontal	Pass
2	1327.700	51.85	-19.34	74.0	-22.15	Peak	286.00	100	Horizontal	Pass
2**	1327.700	41.74	-19.34	54.0	-12.26	AV	286.00	100	Horizontal	Pass
3	1462.300	50.37	-19.43	74.0	-23.63	Peak	305.00	200	Horizontal	Pass
3**	1462.300	29.64	-19.43	54.0	-24.36	AV	305.00	200	Horizontal	Pass
4	5315.250	94.84	-5.09	--	--	Peak	121.00	100	Horizontal	N/A
4**	5315.250	85.90	-5.09	--	--	AV	121.00	100	Horizontal	N/A
5	12449.563	52.35	0.88	74.0	-21.65	Peak	132.00	400	Horizontal	Pass
5**	12449.563	42.96	0.88	54.0	-11.04	AV	132.00	400	Horizontal	Pass
6	17796.563	48.26	6.42	74.0	-25.74	Peak	24.00	100	Horizontal	Pass
6**	17796.563	40.26	6.42	54.0	-13.74	AV	24.00	100	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.800	52.24	-19.76	74.0	-21.76	Peak	321.00	100	Vertical	Pass
1**	1332.800	30.25	-19.76	54.0	-23.75	AV	321.00	100	Vertical	Pass
2	1461.300	52.56	-19.47	74.0	-21.44	Peak	287.00	300	Vertical	Pass
2**	1461.300	30.34	-19.47	54.0	-23.66	AV	287.00	300	Vertical	Pass
3	1593.700	50.00	-19.63	74.0	-24.00	Peak	159.00	100	Vertical	Pass
3**	1593.700	48.35	-19.63	54.0	-5.65	AV	159.00	100	Vertical	Pass
4	5304.750	105.67	-5.08	--	--	Peak	190.00	200	Vertical	N/A
4**	5304.750	97.05	-5.08	--	--	AV	190.00	200	Vertical	N/A
5	12603.463	52.86	1.12	74.0	-21.14	Peak	19.00	200	Vertical	Pass
5**	12603.463	43.26	1.12	54.0	-10.74	AV	19.00	200	Vertical	Pass
6	17805.750	46.97	6.37	74.0	-27.03	Peak	164.00	100	Vertical	Pass
6**	17805.750	40.04	6.37	54.0	-13.96	AV	164.00	100	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.800	54.67	-20.70	74.0	-19.33	Peak	112.00	100	Horizontal	Pass
1**	1063.800	39.75	-20.70	54.0	-14.25	AV	112.00	100	Horizontal	Pass
2	1330.900	51.60	-19.50	74.0	-22.40	Peak	287.00	200	Horizontal	Pass
2**	1330.900	29.65	-19.50	54.0	-24.35	AV	287.00	200	Horizontal	Pass
3	1466.200	48.78	-19.49	74.0	-25.22	Peak	278.00	400	Horizontal	Pass
3**	1466.200	47.53	-19.49	54.0	-6.47	AV	278.00	400	Horizontal	Pass
4	5263.500	95.67	-5.20	--	--	Peak	125.00	100	Horizontal	N/A
4**	5263.500	88.01	-5.20	--	--	AV	125.00	100	Horizontal	N/A
5	12422.963	52.19	0.57	74.0	-21.81	Peak	264.00	200	Horizontal	Pass
5**	12422.963	43.02	0.57	54.0	-10.98	AV	264.00	200	Horizontal	Pass
6	17830.687	47.48	5.69	74.0	-26.52	Peak	279.00	100	Horizontal	Pass
6**	17830.687	39.27	5.69	54.0	-14.73	AV	279.00	100	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.700	52.61	-19.37	74.0	-21.39	Peak	320.00	200	Vertical	Pass
1**	1328.700	40.20	-19.37	54.0	-13.80	AV	320.00	200	Vertical	Pass
2	1463.800	53.66	-19.61	74.0	-20.34	Peak	184.00	400	Vertical	Pass
2**	1463.800	34.35	-19.61	54.0	-19.65	AV	184.00	400	Vertical	Pass
3	1598.500	53.89	-19.43	74.0	-20.11	Peak	0.00	100	Vertical	Pass
3**	1598.500	44.14	-19.43	54.0	-9.86	AV	0.00	100	Vertical	Pass
4	5263.500	108.51	-5.20	--	--	Peak	188.00	200	Vertical	N/A
4**	5263.500	100.88	-5.20	--	--	AV	188.00	200	Vertical	N/A
5	12592.538	53.02	1.22	74.0	-20.98	Peak	84.00	100	Vertical	Pass
5**	12592.538	42.73	1.22	54.0	-11.27	AV	84.00	100	Vertical	Pass
6	17795.250	47.47	6.38	74.0	-26.53	Peak	157.00	100	Vertical	Pass
6**	17795.250	40.21	6.38	54.0	-13.79	AV	157.00	100	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.000	51.15	-20.31	74.0	-22.85	Peak	104.00	200	Horizontal	Pass
1**	1066.000	49.02	-20.31	54.0	-4.98	AV	104.00	200	Horizontal	Pass
2	1330.100	53.33	-19.08	74.0	-20.67	Peak	265.00	100	Horizontal	Pass
2**	1330.100	43.79	-19.08	54.0	-10.21	AV	265.00	100	Horizontal	Pass
3	1460.300	53.91	-19.67	74.0	-20.09	Peak	285.00	300	Horizontal	Pass
3**	1460.300	47.24	-19.67	54.0	-6.76	AV	285.00	300	Horizontal	Pass
4	5303.000	98.60	-5.24	--	--	Peak	122.00	100	Horizontal	N/A
4**	5303.000	90.93	-5.24	--	--	AV	122.00	100	Horizontal	N/A
5	12553.113	52.35	1.58	74.0	-21.65	Peak	218.00	200	Horizontal	Pass
5**	12553.113	42.93	1.58	54.0	-11.07	AV	218.00	200	Horizontal	Pass
6	17795.250	47.81	6.38	74.0	-26.19	Peak	227.00	100	Horizontal	Pass
6**	17795.250	40.87	6.38	54.0	-13.13	AV	227.00	100	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.500	51.46	-19.53	74.0	-22.54	Peak	206.00	100	Vertical	Pass
1**	1328.500	42.78	-19.53	54.0	-11.22	AV	206.00	100	Vertical	Pass
2	1466.600	52.57	-19.85	74.0	-21.43	Peak	295.00	300	Vertical	Pass
2**	1466.600	41.55	-19.85	54.0	-12.45	AV	295.00	300	Vertical	Pass
3	1594.800	53.70	-19.82	74.0	-20.30	Peak	343.00	200	Vertical	Pass
3**	1594.800	41.35	-19.82	54.0	-12.65	AV	343.00	200	Vertical	Pass
4	5295.750	107.79	-4.98	--	--	Peak	182.00	200	Vertical	N/A
4**	5295.750	100.57	-4.98	--	--	AV	182.00	200	Vertical	N/A
5	12578.288	52.95	1.35	74.0	-21.05	Peak	73.00	100	Vertical	Pass
5**	12578.288	44.08	1.35	54.0	-9.92	AV	73.00	100	Vertical	Pass
6	17818.876	47.38	6.01	74.0	-26.62	Peak	266.00	100	Vertical	Pass
6**	17818.876	39.90	6.01	54.0	-14.10	AV	266.00	100	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.000	53.30	-20.31	74.0	-20.70	Peak	256.00	300	Horizontal	Pass
1**	1066.000	31.56	-20.31	54.0	-22.44	AV	256.00	300	Horizontal	Pass
2	1329.700	52.27	-19.80	74.0	-21.73	Peak	291.00	100	Horizontal	Pass
2**	1329.700	37.22	-19.80	54.0	-16.78	AV	291.00	100	Horizontal	Pass
3	1466.400	52.43	-19.67	74.0	-21.57	Peak	274.00	200	Horizontal	Pass
3**	1466.400	44.83	-19.67	54.0	-9.17	AV	274.00	200	Horizontal	Pass
4	5315.750	96.33	-5.38	--	--	Peak	108.00	200	Horizontal	N/A
4**	5315.750	88.42	-5.38	--	--	AV	108.00	200	Horizontal	N/A
5	12581.613	52.31	1.32	74.0	-21.69	Peak	152.00	100	Horizontal	Pass
5**	12581.613	42.98	1.32	54.0	-11.02	AV	152.00	100	Horizontal	Pass
6	17810.999	47.50	6.23	74.0	-26.50	Peak	119.00	300	Horizontal	Pass
6**	17810.999	39.61	6.23	54.0	-14.39	AV	119.00	300	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.500	51.42	-19.28	74.0	-22.58	Peak	320.00	200	Vertical	Pass
1**	1330.500	39.53	-19.28	54.0	-14.47	AV	320.00	200	Vertical	Pass
2	1465.100	53.68	-19.82	74.0	-20.32	Peak	171.00	100	Vertical	Pass
2**	1465.100	40.61	-19.82	54.0	-13.39	AV	171.00	100	Vertical	Pass
3	1599.000	52.49	-19.49	74.0	-21.51	Peak	214.00	400	Vertical	Pass
3**	1599.000	38.89	-19.49	54.0	-15.11	AV	214.00	400	Vertical	Pass
4	5322.000	107.76	-5.32	--	--	Peak	198.00	100	Vertical	N/A
4**	5322.000	100.28	-5.32	--	--	AV	198.00	100	Vertical	N/A
5	12423.200	53.04	0.58	74.0	-20.96	Peak	94.00	200	Vertical	Pass
5**	12423.200	43.38	0.58	54.0	-10.62	AV	94.00	200	Vertical	Pass
6	17805.750	47.26	6.37	74.0	-26.74	Peak	97.00	100	Vertical	Pass
6**	17805.750	39.37	6.37	54.0	-14.63	AV	97.00	100	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.400	47.62	-20.47	74.0	-26.38	Peak	26.00	300	Horizontal	Pass
1**	1065.400	46.94	-20.47	54.0	-7.06	AV	26.00	300	Horizontal	Pass
2	1331.400	50.58	-19.57	74.0	-23.42	Peak	261.00	200	Horizontal	Pass
2**	1331.400	43.12	-19.57	54.0	-10.88	AV	261.00	200	Horizontal	Pass
3	1463.100	50.56	-19.99	74.0	-23.44	Peak	261.00	400	Horizontal	Pass
3**	1463.100	37.29	-19.99	54.0	-16.71	AV	261.00	400	Horizontal	Pass
4	5266.500	93.20	-5.02	--	--	Peak	94.00	100	Horizontal	N/A
4**	5266.500	84.24	-5.02	--	--	AV	94.00	100	Horizontal	N/A
5	12299.700	52.35	0.65	74.0	-21.65	Peak	178.00	200	Horizontal	Pass
5**	12299.700	43.25	0.65	54.0	-10.75	AV	178.00	200	Horizontal	Pass
6	17793.937	46.59	6.34	74.0	-27.41	Peak	149.00	100	Horizontal	Pass
6**	17793.937	40.09	6.34	54.0	-13.91	AV	149.00	100	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.500	49.49	-19.53	74.0	-24.51	Peak	311.00	100	Vertical	Pass
1**	1328.500	48.02	-19.53	54.0	-5.98	AV	311.00	100	Vertical	Pass
2	1466.700	54.48	-19.94	74.0	-19.52	Peak	181.00	300	Vertical	Pass
2**	1466.700	33.03	-19.94	54.0	-20.97	AV	181.00	300	Vertical	Pass
3	1598.200	54.82	-19.93	74.0	-19.18	Peak	137.00	100	Vertical	Pass
3**	1598.200	42.30	-19.93	54.0	-11.70	AV	137.00	100	Vertical	Pass
4	5279.250	103.59	-4.23	--	--	Peak	235.00	200	Vertical	N/A
4**	5279.250	95.82	-4.23	--	--	AV	235.00	200	Vertical	N/A
5	12289.013	52.35	0.59	74.0	-21.65	Peak	6.00	400	Vertical	Pass
5**	12289.013	43.30	0.59	54.0	-10.70	AV	6.00	400	Vertical	Pass
6	17813.625	47.07	6.15	74.0	-26.93	Peak	93.00	100	Vertical	Pass
6**	17813.625	38.76	6.15	54.0	-15.24	AV	93.00	100	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1061.900	50.76	-20.91	74.0	-23.24	Peak	261.00	100	Horizontal	Pass
1**	1061.900	47.95	-20.91	54.0	-6.05	AV	261.00	100	Horizontal	Pass
2	1328.700	53.00	-19.37	74.0	-21.00	Peak	286.00	200	Horizontal	Pass
2**	1328.700	40.66	-19.37	54.0	-13.34	AV	286.00	200	Horizontal	Pass
3	1466.600	53.35	-19.85	74.0	-20.65	Peak	278.00	400	Horizontal	Pass
3**	1466.600	30.26	-19.85	54.0	-23.74	AV	278.00	400	Horizontal	Pass
4	5301.250	93.79	-5.25	--	--	Peak	139.00	200	Horizontal	N/A
4**	5301.250	86.26	-5.25	--	--	AV	139.00	200	Horizontal	N/A
5	12453.838	52.28	0.86	74.0	-21.72	Peak	162.00	100	Horizontal	Pass
5**	12453.838	42.68	0.86	54.0	-11.32	AV	162.00	100	Horizontal	Pass
6	17810.999	46.96	6.23	74.0	-27.04	Peak	81.00	100	Horizontal	Pass
6**	17810.999	39.68	6.23	54.0	-14.32	AV	81.00	100	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.600	51.54	-19.30	74.0	-22.46	Peak	325.00	300	Vertical	Pass
1**	1327.600	35.02	-19.30	54.0	-18.98	AV	325.00	300	Vertical	Pass
2	1460.500	52.54	-19.91	74.0	-21.46	Peak	164.00	100	Vertical	Pass
2**	1460.500	38.16	-19.91	54.0	-15.84	AV	164.00	100	Vertical	Pass
3	1599.000	49.53	-19.49	74.0	-24.47	Peak	138.00	200	Vertical	Pass
3**	1599.000	47.60	-19.49	54.0	-6.40	AV	138.00	200	Vertical	Pass
4	5307.500	103.10	-5.38	--	--	Peak	202.00	200	Vertical	N/A
4**	5307.500	95.38	-5.38	--	--	AV	202.00	200	Vertical	N/A
5	12301.125	52.35	0.66	74.0	-21.65	Peak	206.00	400	Vertical	Pass
5**	12301.125	43.13	0.66	54.0	-10.87	AV	206.00	400	Vertical	Pass
6	17795.250	47.05	6.38	74.0	-26.95	Peak	360.00	100	Vertical	Pass
6**	17795.250	40.01	6.38	54.0	-13.99	AV	360.00	100	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.600	50.70	-20.62	74.0	-23.30	Peak	169.00	200	Horizontal	Pass
1**	1062.600	48.52	-20.62	54.0	-5.48	AV	169.00	200	Horizontal	Pass
2	1331.200	51.43	-19.53	74.0	-22.57	Peak	284.00	100	Horizontal	Pass
2**	1331.200	29.46	-19.53	54.0	-24.54	AV	284.00	100	Horizontal	Pass
3	1461.900	52.23	-19.33	74.0	-21.77	Peak	284.00	300	Horizontal	Pass
3**	1461.900	44.54	-19.33	54.0	-9.46	AV	284.00	300	Horizontal	Pass
4	5303.500	91.61	-5.27	--	--	Peak	89.00	200	Horizontal	N/A
4**	5303.500	83.28	-5.27	--	--	AV	89.00	200	Horizontal	N/A
5	12552.637	52.57	1.59	74.0	-21.43	Peak	131.00	100	Horizontal	Pass
5**	12552.637	43.50	1.59	54.0	-10.50	AV	131.00	100	Horizontal	Pass
6	17799.188	47.29	6.50	74.0	-26.71	Peak	292.00	100	Horizontal	Pass
6**	17799.188	39.67	6.50	54.0	-14.33	AV	292.00	100	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.200	51.37	-19.53	74.0	-22.63	Peak	338.00	100	Vertical	Pass
1**	1331.200	40.07	-19.53	54.0	-13.93	AV	338.00	100	Vertical	Pass
2	1461.600	53.18	-19.29	74.0	-20.82	Peak	169.00	300	Vertical	Pass
2**	1461.600	35.48	-19.29	54.0	-18.52	AV	169.00	300	Vertical	Pass
3	1593.900	51.64	-19.37	74.0	-22.36	Peak	0.00	200	Vertical	Pass
3**	1593.900	47.69	-19.37	54.0	-6.31	AV	0.00	200	Vertical	Pass
4	5298.000	103.26	-5.00	--	--	Peak	189.00	100	Vertical	N/A
4**	5298.000	95.14	-5.00	--	--	AV	189.00	100	Vertical	N/A
5	12254.099	52.71	0.39	74.0	-21.29	Peak	171.00	300	Vertical	Pass
5**	12254.099	42.21	0.39	54.0	-11.79	AV	171.00	300	Vertical	Pass
6	17804.438	48.66	6.40	74.0	-25.34	Peak	15.00	100	Vertical	Pass
6**	17804.438	40.14	6.40	54.0	-13.86	AV	15.00	100	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.400	55.04	-20.68	74.0	-18.96	Peak	123.00	300	Horizontal	Pass
1**	1066.400	35.90	-20.68	54.0	-18.10	AV	123.00	300	Horizontal	Pass
2	1328.700	48.08	-19.37	74.0	-25.92	Peak	279.00	100	Horizontal	Pass
2**	1328.700	47.08	-19.37	54.0	-6.92	AV	279.00	100	Horizontal	Pass
3	1463.100	50.00	-19.99	74.0	-24.00	Peak	290.00	200	Horizontal	Pass
3**	1463.100	32.81	-19.99	54.0	-21.19	AV	290.00	200	Horizontal	Pass
4	5256.500	97.40	-5.27	--	--	Peak	94.00	200	Horizontal	N/A
4**	5256.500	87.18	-5.27	--	--	AV	94.00	200	Horizontal	N/A
5	12587.787	52.74	1.26	74.0	-21.26	Peak	16.00	100	Horizontal	Pass
5**	12587.787	43.72	1.26	54.0	-10.28	AV	16.00	100	Horizontal	Pass
6	17826.750	47.69	5.80	74.0	-26.31	Peak	215.00	100	Horizontal	Pass
6**	17826.750	39.48	5.80	54.0	-14.52	AV	215.00	100	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.600	51.64	-19.30	74.0	-22.36	Peak	345.00	200	Vertical	Pass
1**	1327.600	31.87	-19.30	54.0	-22.13	AV	345.00	200	Vertical	Pass
2	1460.600	52.73	-19.99	74.0	-21.27	Peak	172.00	300	Vertical	Pass
2**	1460.600	43.49	-19.99	54.0	-10.51	AV	172.00	300	Vertical	Pass
3	1594.900	53.26	-19.83	74.0	-20.74	Peak	345.00	100	Vertical	Pass
3**	1594.900	41.37	-19.83	54.0	-12.63	AV	345.00	100	Vertical	Pass
4	5264.000	107.02	-5.20	--	--	Peak	219.00	100	Vertical	N/A
4**	5264.000	99.40	-5.20	--	--	AV	219.00	100	Vertical	N/A
5	12607.974	52.54	1.08	74.0	-21.46	Peak	130.00	400	Vertical	Pass
5**	12607.974	43.67	1.08	54.0	-10.33	AV	130.00	400	Vertical	Pass
6	17788.688	46.88	6.19	74.0	-27.12	Peak	343.00	100	Vertical	Pass
6**	17788.688	39.45	6.19	54.0	-14.55	AV	343.00	100	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.100	54.39	-20.27	74.0	-19.61	Peak	294.00	100	Horizontal	Pass
1**	1066.100	49.69	-20.27	54.0	-4.31	AV	294.00	100	Horizontal	Pass
2	1328.000	52.93	-19.47	74.0	-21.07	Peak	278.00	400	Horizontal	Pass
2**	1328.000	47.39	-19.47	54.0	-6.61	AV	278.00	400	Horizontal	Pass
3	1462.700	47.66	-19.46	74.0	-26.34	Peak	319.00	100	Horizontal	Pass
3**	1462.700	32.58	-19.46	54.0	-21.42	AV	319.00	100	Horizontal	Pass
4	5301.750	97.73	-5.24	--	--	Peak	127.00	200	Horizontal	N/A
4**	5301.750	89.13	-5.24	--	--	AV	127.00	200	Horizontal	N/A
5	12426.287	53.01	0.61	74.0	-20.99	Peak	259.00	100	Horizontal	Pass
5**	12426.287	43.48	0.61	54.0	-10.52	AV	259.00	100	Horizontal	Pass
6	17792.625	47.73	6.30	74.0	-26.27	Peak	334.00	300	Horizontal	Pass
6**	17792.625	39.12	6.30	54.0	-14.88	AV	334.00	300	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.100	51.87	-20.27	74.0	-22.13	Peak	240.00	300	Vertical	Pass
1**	1066.100	46.72	-20.27	54.0	-7.28	AV	240.00	300	Vertical	Pass
2	1330.100	38.83	-19.08	74.0	-35.17	Peak	306.00	100	Vertical	Pass
2**	1330.100	46.99	-19.08	54.0	-7.01	AV	306.00	100	Vertical	Pass
3	1596.100	51.24	-19.48	74.0	-22.76	Peak	145.00	200	Vertical	Pass
3**	1596.100	47.86	-19.48	54.0	-6.14	AV	145.00	200	Vertical	Pass
4	5297.250	106.64	-4.95	--	--	Peak	227.00	100	Vertical	N/A
4**	5297.250	98.59	-4.95	--	--	AV	227.00	100	Vertical	N/A
5	12430.800	53.31	0.66	74.0	-20.69	Peak	15.00	300	Vertical	Pass
5**	12430.800	43.39	0.66	54.0	-10.61	AV	15.00	300	Vertical	Pass
6	17799.188	47.66	6.50	74.0	-26.34	Peak	246.00	100	Vertical	Pass
6**	17799.188	40.32	6.50	54.0	-13.68	AV	246.00	100	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.000	51.24	-20.31	74.0	-22.76	Peak	265.00	200	Horizontal	Pass
1**	1066.000	47.96	-20.31	54.0	-6.04	AV	265.00	200	Horizontal	Pass
2	1328.800	53.54	-19.30	74.0	-20.46	Peak	282.00	100	Horizontal	Pass
2**	1328.800	37.76	-19.30	54.0	-16.24	AV	282.00	100	Horizontal	Pass
3	1461.900	52.97	-19.33	74.0	-21.03	Peak	274.00	300	Horizontal	Pass
3**	1461.900	43.42	-19.33	54.0	-10.58	AV	274.00	300	Horizontal	Pass
4	5316.750	97.91	-5.18	--	--	Peak	123.00	100	Horizontal	N/A
4**	5316.750	89.66	-5.18	--	--	AV	123.00	100	Horizontal	N/A
5	12583.750	53.30	1.30	74.0	-20.70	Peak	357.00	200	Horizontal	Pass
5**	12583.750	42.97	1.30	54.0	-11.03	AV	357.00	200	Horizontal	Pass
6	17789.999	46.71	6.22	74.0	-27.29	Peak	292.00	100	Horizontal	Pass
6**	17789.999	40.32	6.22	54.0	-13.68	AV	292.00	100	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.700	48.17	-20.92	74.0	-25.83	Peak	45.00	300	Vertical	Pass
1**	1064.700	45.17	-20.92	54.0	-8.83	AV	45.00	300	Vertical	Pass
2	1333.400	51.18	-19.49	74.0	-22.82	Peak	360.00	200	Vertical	Pass
2**	1333.400	41.76	-19.49	54.0	-12.24	AV	360.00	200	Vertical	Pass
3	1595.900	51.15	-19.49	74.0	-22.85	Peak	124.00	100	Vertical	Pass
3**	1595.900	46.85	-19.49	54.0	-7.15	AV	124.00	100	Vertical	Pass
4	5317.250	106.59	-4.58	--	--	Peak	262.00	200	Vertical	N/A
4**	5317.250	99.28	-4.58	--	--	AV	262.00	200	Vertical	N/A
5	12412.276	53.33	0.45	74.0	-20.67	Peak	185.00	100	Vertical	Pass
5**	12412.276	43.63	0.45	54.0	-10.37	AV	185.00	100	Vertical	Pass
6	17793.937	47.83	6.34	74.0	-26.17	Peak	325.00	400	Vertical	Pass
6**	17793.937	40.17	6.34	54.0	-13.83	AV	325.00	400	Vertical	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.400	49.11	-20.51	74.0	-24.89	Peak	168.00	200	Horizontal	Pass
1**	1062.400	46.88	-20.51	54.0	-7.12	AV	168.00	200	Horizontal	Pass
2	1328.500	48.17	-19.53	74.0	-25.83	Peak	244.00	400	Horizontal	Pass
2**	1328.500	46.63	-19.53	54.0	-7.37	AV	244.00	400	Horizontal	Pass
3	1462.100	52.02	-19.39	74.0	-21.98	Peak	279.00	100	Horizontal	Pass
3**	1462.100	37.48	-19.39	54.0	-16.52	AV	279.00	100	Horizontal	Pass
4	5279.000	94.92	-4.24	--	--	Peak	101.00	200	Horizontal	N/A
4**	5279.000	85.99	-4.24	--	--	AV	101.00	200	Horizontal	N/A
5	12580.187	52.66	1.33	74.0	-21.34	Peak	112.00	100	Horizontal	Pass
5**	12580.187	44.47	1.33	54.0	-9.53	AV	112.00	100	Horizontal	Pass
6	17792.625	47.23	6.30	74.0	-26.77	Peak	294.00	300	Horizontal	Pass
6**	17792.625	39.98	6.30	54.0	-14.02	AV	294.00	300	Horizontal	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.800	52.16	-19.60	74.0	-21.84	Peak	200.00	100	Vertical	Pass
1**	1329.800	38.95	-19.60	54.0	-15.05	AV	200.00	100	Vertical	Pass
2	1460.400	52.33	-19.79	74.0	-21.67	Peak	174.00	300	Vertical	Pass
2**	1460.400	36.28	-19.79	54.0	-17.72	AV	174.00	300	Vertical	Pass
3	1594.300	52.51	-19.57	74.0	-21.49	Peak	140.00	100	Vertical	Pass
3**	1594.300	45.12	-19.57	54.0	-8.88	AV	140.00	100	Vertical	Pass
4	5277.750	104.47	-4.14	--	--	Peak	206.00	200	Vertical	N/A
4**	5277.750	95.98	-4.14	--	--	AV	206.00	200	Vertical	N/A
5	12552.162	53.16	1.59	74.0	-20.84	Peak	287.00	100	Vertical	Pass
5**	12552.162	43.61	1.59	54.0	-10.39	AV	287.00	100	Vertical	Pass
6	17803.125	46.94	6.44	74.0	-27.06	Peak	147.00	100	Vertical	Pass
6**	17803.125	41.03	6.44	54.0	-12.97	AV	147.00	100	Vertical	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.400	50.61	-20.68	74.0	-23.39	Peak	105.00	100	Horizontal	Pass
1**	1066.400	49.62	-20.68	54.0	-4.38	AV	105.00	100	Horizontal	Pass
2	1329.100	53.08	-19.33	74.0	-20.92	Peak	269.00	400	Horizontal	Pass
2**	1329.100	33.59	-19.33	54.0	-20.41	AV	269.00	400	Horizontal	Pass
3	1461.400	52.78	-19.28	74.0	-21.22	Peak	277.00	100	Horizontal	Pass
3**	1461.400	37.37	-19.28	54.0	-16.63	AV	277.00	100	Horizontal	Pass
4	5306.000	96.43	-5.20	--	--	Peak	131.00	200	Horizontal	N/A
4**	5306.000	87.84	-5.20	--	--	AV	131.00	200	Horizontal	N/A
5	12363.588	52.60	0.62	74.0	-21.40	Peak	234.00	300	Horizontal	Pass
5**	12363.588	42.84	0.62	54.0	-11.16	AV	234.00	300	Horizontal	Pass
6	17803.125	47.30	6.44	74.0	-26.70	Peak	323.00	100	Horizontal	Pass
6**	17803.125	40.25	6.44	54.0	-13.75	AV	323.00	100	Horizontal	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.100	52.39	-19.08	74.0	-21.61	Peak	344.00	200	Vertical	Pass
1**	1330.100	29.96	-19.08	54.0	-24.04	AV	344.00	200	Vertical	Pass
2	1466.200	50.27	-19.49	74.0	-23.73	Peak	296.00	100	Vertical	Pass
2**	1466.200	47.87	-19.49	54.0	-6.13	AV	296.00	100	Vertical	Pass
3	1592.900	52.98	-19.81	74.0	-21.02	Peak	153.00	300	Vertical	Pass
3**	1592.900	45.36	-19.81	54.0	-8.64	AV	153.00	300	Vertical	Pass
4	5317.750	104.88	-5.30	--	--	Peak	187.00	200	Vertical	N/A
4**	5317.750	97.24	-5.30	--	--	AV	187.00	200	Vertical	N/A
5	12314.188	52.33	0.68	74.0	-21.67	Peak	218.00	100	Vertical	Pass
5**	12314.188	42.46	0.68	54.0	-11.54	AV	218.00	100	Vertical	Pass
6	17797.876	47.80	6.46	74.0	-26.20	Peak	2.00	400	Vertical	Pass
6**	17797.876	39.80	6.46	54.0	-14.20	AV	2.00	400	Vertical	Pass

11ax80 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.800	41.79	-20.39	74.0	-32.21	Peak	294.00	200	Horizontal	Pass
1**	1065.800	49.35	-20.39	54.0	-4.65	AV	294.00	200	Horizontal	Pass
2	1329.000	48.56	-19.32	74.0	-25.44	Peak	94.00	100	Horizontal	Pass
2**	1329.000	31.37	-19.32	54.0	-22.63	AV	94.00	100	Horizontal	Pass
3	1465.600	48.24	-19.58	74.0	-25.76	Peak	311.00	200	Horizontal	Pass
3**	1465.600	42.13	-19.58	54.0	-11.87	AV	311.00	200	Horizontal	Pass
4	5302.750	93.07	-5.17	--	--	Peak	137.00	200	Horizontal	N/A
4**	5302.750	84.59	-5.17	--	--	AV	137.00	100	Horizontal	N/A
5	12424.150	52.82	0.59	74.0	-21.18	Peak	306.00	300	Horizontal	Pass
5**	12424.150	43.24	0.59	54.0	-10.76	AV	306.00	300	Horizontal	Pass
6	17814.938	46.77	6.12	74.0	-27.23	Peak	360.00	100	Horizontal	Pass
6**	17814.938	39.31	6.12	54.0	-14.69	AV	360.00	100	Horizontal	Pass

11ax80 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.600	51.14	-19.87	74.0	-22.86	Peak	317.00	300	Vertical	Pass
1**	1332.600	41.38	-19.87	54.0	-12.62	AV	317.00	300	Vertical	Pass
2	1465.500	51.54	-19.62	74.0	-22.46	Peak	182.00	100	Vertical	Pass
2**	1465.500	42.38	-19.62	54.0	-11.62	AV	182.00	100	Vertical	Pass
3	1598.300	48.71	-19.85	74.0	-25.29	Peak	344.00	200	Vertical	Pass
3**	1598.300	47.11	-19.85	54.0	-6.89	AV	344.00	200	Vertical	Pass
4	5308.250	101.93	-4.97	--	--	Peak	189.00	100	Vertical	N/A
4**	5308.250	91.98	-4.97	--	--	AV	189.00	100	Vertical	N/A
5	12372.375	52.96	0.54	74.0	-21.04	Peak	303.00	300	Vertical	Pass
5**	12372.375	43.38	0.54	54.0	-10.62	AV	303.00	300	Vertical	Pass
6	17793.937	46.91	6.34	74.0	-27.09	Peak	343.00	100	Vertical	Pass
6**	17793.937	39.46	6.34	54.0	-14.54	AV	343.00	100	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.800	48.13	-20.39	74.0	-25.87	Peak	255.00	300	Horizontal	Pass
1**	1065.800	47.37	-20.39	54.0	-6.63	AV	255.00	300	Horizontal	Pass
2	1331.500	49.90	-19.67	74.0	-24.10	Peak	271.00	200	Horizontal	Pass
2**	1331.500	33.99	-19.67	54.0	-20.01	AV	271.00	200	Horizontal	Pass
3	1463.900	51.01	-19.58	74.0	-22.99	Peak	255.00	100	Horizontal	Pass
3**	1463.900	33.94	-19.58	54.0	-20.06	AV	255.00	100	Horizontal	Pass
4	5496.500	99.61	-3.52	--	--	Peak	280.00	100	Horizontal	N/A
4**	5496.500	92.62	-3.52	--	--	AV	280.00	100	Horizontal	N/A
5	12399.213	53.07	0.31	74.0	-20.93	Peak	330.00	200	Horizontal	Pass
5**	12399.213	43.19	0.31	54.0	-10.81	AV	330.00	200	Horizontal	Pass
6	17799.188	47.81	6.50	74.0	-26.19	Peak	87.00	100	Horizontal	Pass
6**	17799.188	39.91	6.50	54.0	-14.09	AV	87.00	100	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.800	51.24	-19.94	74.0	-22.76	Peak	220.00	200	Vertical	Pass
1**	1331.800	38.88	-19.94	54.0	-15.12	AV	220.00	200	Vertical	Pass
2	1462.200	48.28	-19.42	74.0	-25.72	Peak	0.00	100	Vertical	Pass
2**	1462.200	47.91	-19.42	54.0	-6.09	AV	0.00	100	Vertical	Pass
3	1594.200	54.01	-19.47	74.0	-19.99	Peak	145.00	300	Vertical	Pass
3**	1594.200	46.50	-19.47	54.0	-7.50	AV	145.00	300	Vertical	Pass
4	5497.250	109.05	-3.54	--	--	Peak	190.00	200	Vertical	N/A
4**	5497.250	101.84	-3.54	--	--	AV	190.00	200	Vertical	N/A
5	12546.700	52.62	1.54	74.0	-21.38	Peak	206.00	100	Vertical	Pass
5**	12546.700	43.43	1.54	54.0	-10.57	AV	206.00	100	Vertical	Pass
6	17791.312	47.23	6.26	74.0	-26.77	Peak	226.00	100	Vertical	Pass
6**	17791.312	40.54	6.26	54.0	-13.46	AV	226.00	100	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.700	49.86	-20.67	74.0	-24.14	Peak	50.00	100	Horizontal	Pass
1**	1062.700	47.68	-20.67	54.0	-6.32	AV	50.00	100	Horizontal	Pass
2	1329.300	48.77	-19.44	74.0	-25.23	Peak	288.00	300	Horizontal	Pass
2**	1329.300	47.03	-19.44	54.0	-6.97	AV	288.00	300	Horizontal	Pass
3	1464.700	50.55	-19.92	74.0	-23.45	Peak	307.00	100	Horizontal	Pass
3**	1464.700	43.32	-19.92	54.0	-10.68	AV	307.00	100	Horizontal	Pass
4	5583.750	101.52	-4.77	--	--	Peak	275.00	200	Horizontal	N/A
4**	5583.750	94.41	-4.77	--	--	AV	275.00	200	Horizontal	N/A
5	12547.888	53.60	1.56	74.0	-20.40	Peak	78.00	100	Horizontal	Pass
5**	12547.888	42.99	1.56	54.0	-11.01	AV	78.00	100	Horizontal	Pass
6	17800.499	48.11	6.51	74.0	-25.89	Peak	182.00	200	Horizontal	Pass
6**	17800.499	40.18	6.51	54.0	-13.82	AV	182.00	200	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.400	51.40	-19.60	74.0	-22.60	Peak	315.00	200	Vertical	Pass
1**	1328.400	41.88	-19.60	54.0	-12.12	AV	315.00	200	Vertical	Pass
2	1466.400	48.90	-19.67	74.0	-25.10	Peak	287.00	100	Vertical	Pass
2**	1466.400	47.16	-19.67	54.0	-6.84	AV	287.00	100	Vertical	Pass
3	1594.300	48.12	-19.57	74.0	-25.88	Peak	186.00	300	Vertical	Pass
3**	1594.300	47.84	-19.57	54.0	-6.16	AV	186.00	300	Vertical	Pass
4	5581.500	107.59	-4.67	--	--	Peak	224.00	200	Vertical	N/A
4**	5581.500	100.53	-4.67	--	--	AV	224.00	200	Vertical	N/A
5	12526.750	52.25	1.10	74.0	-21.75	Peak	124.00	400	Vertical	Pass
5**	12526.750	43.21	1.10	54.0	-10.79	AV	124.00	400	Vertical	Pass
6	17803.125	48.02	6.44	74.0	-25.98	Peak	19.00	100	Vertical	Pass
6**	17803.125	39.39	6.44	54.0	-14.61	AV	19.00	100	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.500	52.47	-21.34	74.0	-21.53	Peak	116.00	300	Horizontal	Pass
1**	1064.500	47.71	-21.34	54.0	-6.29	AV	116.00	300	Horizontal	Pass
2	1327.800	50.50	-19.38	74.0	-23.50	Peak	4.00	100	Horizontal	Pass
2**	1327.800	49.98	-19.38	54.0	-4.02	AV	4.00	100	Horizontal	Pass
3	1464.700	50.03	-19.92	74.0	-23.97	Peak	151.00	200	Horizontal	Pass
3**	1464.700	48.53	-19.92	54.0	-5.47	AV	151.00	200	Horizontal	Pass
4	5696.500	98.94	-5.22	--	--	Peak	105.00	100	Horizontal	N/A
4**	5696.500	90.73	-5.22	--	--	AV	105.00	100	Horizontal	N/A
5	12586.125	52.88	1.28	74.0	-21.12	Peak	279.00	300	Horizontal	Pass
5**	12586.125	43.97	1.28	54.0	-10.03	AV	279.00	300	Horizontal	Pass
6	17792.625	47.38	6.30	74.0	-26.62	Peak	150.00	100	Horizontal	Pass
6**	17792.625	40.47	6.30	54.0	-13.53	AV	150.00	100	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.100	49.13	-19.51	74.0	-24.87	Peak	68.00	100	Vertical	Pass
1**	1328.100	48.17	-19.51	54.0	-5.83	AV	68.00	100	Vertical	Pass
2	1461.800	47.02	-19.30	74.0	-26.98	Peak	326.00	300	Vertical	Pass
2**	1461.800	46.80	-19.30	54.0	-7.20	AV	326.00	300	Vertical	Pass
3	1594.400	50.20	-19.67	74.0	-23.80	Peak	133.00	100	Vertical	Pass
3**	1594.400	46.70	-19.67	54.0	-7.30	AV	133.00	100	Vertical	Pass
4	5698.250	108.29	-5.02	--	--	Peak	235.00	200	Vertical	N/A
4**	5698.250	100.30	-5.02	--	--	AV	235.00	200	Vertical	N/A
5	12456.925	52.42	0.84	74.0	-21.58	Peak	11.00	400	Vertical	Pass
5**	12456.925	43.68	0.84	54.0	-10.32	AV	11.00	400	Vertical	Pass
6	17788.688	47.25	6.19	74.0	-26.75	Peak	330.00	100	Vertical	Pass
6**	17788.688	39.68	6.19	54.0	-14.32	AV	330.00	100	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1061.600	51.71	-20.73	74.0	-22.29	Peak	284.00	200	Horizontal	Pass
1**	1061.600	31.69	-20.73	54.0	-22.31	AV	284.00	200	Horizontal	Pass
2	1330.700	49.56	-19.39	74.0	-24.44	Peak	293.00	100	Horizontal	Pass
2**	1330.700	48.73	-19.39	54.0	-5.27	AV	293.00	100	Horizontal	Pass
3	1461.200	51.55	-19.67	74.0	-22.45	Peak	267.00	300	Horizontal	Pass
3**	1461.200	49.01	-19.67	54.0	-4.99	AV	267.00	300	Horizontal	Pass
4	5501.000	96.74	-4.04	--	--	Peak	269.00	100	Horizontal	N/A
4**	5501.000	87.66	-4.04	--	--	AV	269.00	100	Horizontal	N/A
5	12577.812	53.09	1.35	74.0	-20.91	Peak	279.00	300	Horizontal	Pass
5**	12577.812	43.07	1.35	54.0	-10.93	AV	279.00	300	Horizontal	Pass
6	17820.187	47.16	5.98	74.0	-26.84	Peak	348.00	100	Horizontal	Pass
6**	17820.187	40.00	5.98	54.0	-14.00	AV	348.00	100	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.300	50.52	-19.52	74.0	-23.48	Peak	324.00	300	Vertical	Pass
1**	1333.300	47.47	-19.52	54.0	-6.53	AV	324.00	300	Vertical	Pass
2	1465.400	48.45	-19.67	74.0	-25.55	Peak	6.00	100	Vertical	Pass
2**	1465.400	46.76	-19.67	54.0	-7.24	AV	6.00	100	Vertical	Pass
3	1597.900	52.92	-19.65	74.0	-21.08	Peak	147.00	200	Vertical	Pass
3**	1597.900	44.59	-19.65	54.0	-9.41	AV	147.00	200	Vertical	Pass
4	5497.500	104.49	-3.33	--	--	Peak	208.00	200	Vertical	N/A
4**	5497.500	96.96	-3.33	--	--	AV	208.00	200	Vertical	N/A
5	12461.200	52.82	0.80	74.0	-21.18	Peak	312.00	100	Vertical	Pass
5**	12461.200	42.56	0.80	54.0	-11.44	AV	312.00	100	Vertical	Pass
6	17830.687	47.43	5.69	74.0	-26.57	Peak	54.00	400	Vertical	Pass
6**	17830.687	40.16	5.69	54.0	-13.84	AV	54.00	400	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.900	52.34	-20.62	74.0	-21.66	Peak	261.00	200	Horizontal	Pass
1**	1062.900	43.91	-20.62	54.0	-10.09	AV	261.00	200	Horizontal	Pass
2	1332.500	41.93	-19.88	74.0	-32.07	Peak	346.00	100	Horizontal	Pass
2**	1332.500	47.69	-19.88	54.0	-6.31	AV	346.00	100	Horizontal	Pass
3	1461.100	46.97	-19.86	74.0	-27.03	Peak	306.00	300	Horizontal	Pass
3**	1461.100	48.73	-19.86	54.0	-5.27	AV	306.00	300	Horizontal	Pass
4	5582.500	98.58	-4.88	--	--	Peak	266.00	200	Horizontal	N/A
4**	5582.500	90.84	-4.88	--	--	AV	266.00	200	Horizontal	N/A
5	12427.950	52.74	0.63	74.0	-21.26	Peak	147.00	100	Horizontal	Pass
5**	12427.950	44.67	0.63	54.0	-9.33	AV	147.00	100	Horizontal	Pass
6	17803.125	47.41	6.44	74.0	-26.59	Peak	241.00	100	Horizontal	Pass
6**	17803.125	40.29	6.44	54.0	-13.71	AV	241.00	100	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.300	52.72	-19.59	74.0	-21.28	Peak	307.00	100	Vertical	Pass
1**	1328.300	41.88	-19.59	54.0	-12.12	AV	307.00	100	Vertical	Pass
2	1465.700	51.04	-19.53	74.0	-22.96	Peak	159.00	300	Vertical	Pass
2**	1465.700	48.41	-19.53	54.0	-5.59	AV	159.00	300	Vertical	Pass
3	1599.800	49.06	-19.25	74.0	-24.94	Peak	354.00	100	Vertical	Pass
3**	1599.800	48.21	-19.25	54.0	-5.79	AV	354.00	100	Vertical	Pass
4	5595.750	104.38	-4.16	--	--	Peak	197.00	200	Vertical	N/A
4**	5595.750	97.30	-4.16	--	--	AV	197.00	200	Vertical	N/A
5	12609.401	52.99	1.07	74.0	-21.01	Peak	222.00	200	Vertical	Pass
5**	12609.401	42.94	1.07	54.0	-11.06	AV	222.00	200	Vertical	Pass
6	17828.063	48.17	5.76	74.0	-25.83	Peak	106.00	100	Vertical	Pass
6**	17828.063	39.96	5.76	54.0	-14.04	AV	106.00	100	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.000	53.65	-20.31	74.0	-20.35	Peak	125.00	100	Horizontal	Pass
1**	1066.000	47.48	-20.31	54.0	-6.52	AV	125.00	100	Horizontal	Pass
2	1328.900	51.92	-19.31	74.0	-22.08	Peak	314.00	300	Horizontal	Pass
2**	1328.900	43.54	-19.31	54.0	-10.46	AV	314.00	300	Horizontal	Pass
3	1463.300	54.77	-19.86	74.0	-19.23	Peak	247.00	100	Horizontal	Pass
3**	1463.300	32.89	-19.86	54.0	-21.11	AV	247.00	100	Horizontal	Pass
4	5681.250	97.01	-4.85	--	--	Peak	266.00	200	Horizontal	N/A
4**	5681.250	88.97	-4.85	--	--	AV	266.00	200	Horizontal	N/A
5	12338.175	52.41	0.72	74.0	-21.59	Peak	219.00	400	Horizontal	Pass
5**	12338.175	43.31	0.72	54.0	-10.69	AV	219.00	400	Horizontal	Pass
6	17801.812	46.50	6.48	74.0	-27.50	Peak	167.00	100	Horizontal	Pass
6**	17801.812	39.70	6.48	54.0	-14.30	AV	167.00	100	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.300	53.25	-19.44	74.0	-20.75	Peak	315.00	300	Vertical	Pass
1**	1329.300	41.97	-19.44	54.0	-12.03	AV	315.00	300	Vertical	Pass
2	1466.300	50.53	-19.58	74.0	-23.47	Peak	170.00	200	Vertical	Pass
2**	1466.300	48.71	-19.58	54.0	-5.29	AV	170.00	200	Vertical	Pass
3	1593.000	48.31	-20.00	74.0	-25.69	Peak	45.00	100	Vertical	Pass
3**	1593.000	47.73	-20.00	54.0	-6.27	AV	45.00	100	Vertical	Pass
4	5678.250	104.98	-4.74	--	--	Peak	235.00	200	Vertical	N/A
4**	5678.250	97.33	-4.74	--	--	AV	235.00	200	Vertical	N/A
5	12445.050	52.45	0.83	74.0	-21.55	Peak	38.00	400	Vertical	Pass
5**	12445.050	42.53	0.83	54.0	-11.47	AV	38.00	400	Vertical	Pass
6	17797.876	46.99	6.46	74.0	-27.01	Peak	351.00	100	Vertical	Pass
6**	17797.876	40.06	6.46	54.0	-13.94	AV	351.00	100	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.200	53.22	-20.32	74.0	-20.78	Peak	125.00	300	Horizontal	Pass
1**	1066.200	32.33	-20.32	54.0	-21.67	AV	125.00	300	Horizontal	Pass
2	1327.900	47.42	-19.42	74.0	-26.58	Peak	315.00	100	Horizontal	Pass
2**	1327.900	47.31	-19.42	54.0	-6.69	AV	315.00	100	Horizontal	Pass
3	1465.300	48.33	-19.71	74.0	-25.67	Peak	324.00	200	Horizontal	Pass
3**	1465.300	47.29	-19.71	54.0	-6.71	AV	324.00	200	Horizontal	Pass
4	5502.500	100.46	-3.86	--	--	Peak	272.00	100	Horizontal	N/A
4**	5502.500	92.92	-3.86	--	--	AV	272.00	100	Horizontal	N/A
5	12332.713	53.08	0.71	74.0	-20.92	Peak	350.00	400	Horizontal	Pass
5**	12332.713	43.73	0.71	54.0	-10.27	AV	350.00	400	Horizontal	Pass
6	17791.312	47.39	6.26	74.0	-26.61	Peak	85.00	100	Horizontal	Pass
6**	17791.312	39.88	6.26	54.0	-14.12	AV	85.00	100	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.200	48.62	-19.55	74.0	-25.38	Peak	360.00	200	Vertical	Pass
1**	1328.200	46.86	-19.55	54.0	-7.14	AV	360.00	200	Vertical	Pass
2	1463.300	54.58	-19.86	74.0	-19.42	Peak	294.00	100	Vertical	Pass
2**	1463.300	47.17	-19.86	54.0	-6.83	AV	294.00	100	Vertical	Pass
3	1592.800	50.89	-19.61	74.0	-23.11	Peak	0.00	300	Vertical	Pass
3**	1592.800	49.84	-19.61	54.0	-4.16	AV	0.00	300	Vertical	Pass
4	5498.000	108.91	-3.39	--	--	Peak	183.00	100	Vertical	N/A
4**	5498.000	102.01	-3.39	--	--	AV	183.00	100	Vertical	N/A
5	12609.637	53.77	1.07	74.0	-20.23	Peak	360.00	300	Vertical	Pass
5**	12609.637	43.74	1.07	54.0	-10.26	AV	360.00	300	Vertical	Pass
6	17805.750	46.99	6.37	74.0	-27.01	Peak	301.00	100	Vertical	Pass
6**	17805.750	39.55	6.37	54.0	-14.45	AV	301.00	100	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1001.300	51.01	-20.43	74.0	-22.99	Peak	284.00	200	Horizontal	Pass
1**	1001.300	40.68	-20.43	54.0	-13.32	AV	284.00	200	Horizontal	Pass
2	1331.300	52.50	-19.53	74.0	-21.50	Peak	284.00	100	Horizontal	Pass
2**	1331.300	29.09	-19.53	54.0	-24.91	AV	284.00	100	Horizontal	Pass
3	1463.800	50.13	-19.61	74.0	-23.87	Peak	255.00	300	Horizontal	Pass
3**	1463.800	48.68	-19.61	54.0	-5.32	AV	255.00	300	Horizontal	Pass
4	5584.250	100.72	-4.60	--	--	Peak	91.00	200	Horizontal	N/A
4**	5584.250	93.67	-4.60	--	--	AV	91.00	200	Horizontal	N/A
5	12275.474	52.70	0.51	74.0	-21.30	Peak	9.00	100	Horizontal	Pass
5**	12275.474	43.40	0.51	54.0	-10.60	AV	9.00	100	Horizontal	Pass
6	17799.188	47.33	6.50	74.0	-26.67	Peak	177.00	100	Horizontal	Pass
6**	17799.188	40.38	6.50	54.0	-13.62	AV	177.00	100	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.200	52.00	-19.45	74.0	-22.00	Peak	207.00	100	Vertical	Pass
1**	1327.200	30.80	-19.45	54.0	-23.20	AV	207.00	100	Vertical	Pass
2	1462.100	53.83	-19.39	74.0	-20.17	Peak	186.00	300	Vertical	Pass
2**	1462.100	40.51	-19.39	54.0	-13.49	AV	186.00	300	Vertical	Pass
3	1599.300	52.98	-19.58	74.0	-21.02	Peak	167.00	100	Vertical	Pass
3**	1599.300	48.71	-19.58	54.0	-5.29	AV	167.00	100	Vertical	Pass
4	5583.500	106.89	-4.69	--	--	Peak	249.00	200	Vertical	N/A
4**	5583.500	99.60	-4.69	--	--	AV	249.00	200	Vertical	N/A
5	12549.787	52.74	1.61	74.0	-21.26	Peak	148.00	400	Vertical	Pass
5**	12549.787	43.52	1.61	54.0	-10.48	AV	148.00	400	Vertical	Pass
6	17807.063	47.05	6.33	74.0	-26.95	Peak	228.00	100	Vertical	Pass
6**	17807.063	39.80	6.33	54.0	-14.20	AV	228.00	100	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.900	51.99	-20.62	74.0	-22.01	Peak	115.00	300	Horizontal	Pass
1**	1062.900	30.50	-20.62	54.0	-23.50	AV	115.00	300	Horizontal	Pass
2	1329.600	53.72	-19.82	74.0	-20.28	Peak	270.00	100	Horizontal	Pass
2**	1329.600	45.39	-19.82	54.0	-8.61	AV	270.00	100	Horizontal	Pass
3	1462.000	49.42	-19.36	74.0	-24.58	Peak	261.00	200	Horizontal	Pass
3**	1462.000	47.41	-19.36	54.0	-6.59	AV	261.00	200	Horizontal	Pass
4	5702.000	97.04	-5.39	--	--	Peak	103.00	100	Horizontal	N/A
4**	5702.000	90.17	-5.39	--	--	AV	103.00	100	Horizontal	N/A
5	12580.662	52.68	1.33	74.0	-21.32	Peak	0.00	400	Horizontal	Pass
5**	12580.662	44.03	1.33	54.0	-9.97	AV	0.00	400	Horizontal	Pass
6	17789.999	46.87	6.22	74.0	-27.13	Peak	296.00	100	Horizontal	Pass
6**	17789.999	39.39	6.22	54.0	-14.61	AV	296.00	100	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.000	48.58	-19.92	74.0	-25.42	Peak	316.00	100	Vertical	Pass
1**	1332.000	47.34	-19.92	54.0	-6.66	AV	316.00	100	Vertical	Pass
2	1462.400	53.10	-19.43	74.0	-20.90	Peak	191.00	300	Vertical	Pass
2**	1462.400	40.70	-19.43	54.0	-13.30	AV	191.00	300	Vertical	Pass
3	1594.400	50.43	-19.67	74.0	-23.57	Peak	163.00	200	Vertical	Pass
3**	1594.400	48.09	-19.67	54.0	-5.91	AV	163.00	200	Vertical	Pass
4	5697.500	106.12	-5.46	--	--	Peak	236.00	200	Vertical	N/A
4**	5697.500	98.10	-5.46	--	--	AV	236.00	200	Vertical	N/A
5	12575.438	52.61	1.38	74.0	-21.39	Peak	10.00	100	Vertical	Pass
5**	12575.438	43.45	1.38	54.0	-10.55	AV	10.00	100	Vertical	Pass
6	17826.750	47.11	5.80	74.0	-26.89	Peak	260.00	400	Vertical	Pass
6**	17826.750	39.23	5.80	54.0	-14.77	AV	260.00	400	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.000	53.21	-20.31	74.0	-20.79	Peak	134.00	300	Horizontal	Pass
1**	1066.000	38.41	-20.31	54.0	-15.59	AV	134.00	300	Horizontal	Pass
2	1329.900	51.92	-19.41	74.0	-22.08	Peak	306.00	100	Horizontal	Pass
2**	1329.900	34.53	-19.41	54.0	-19.47	AV	306.00	100	Horizontal	Pass
3	1466.000	48.52	-19.41	74.0	-25.48	Peak	287.00	100	Horizontal	Pass
3**	1466.000	46.89	-19.41	54.0	-7.11	AV	287.00	100	Horizontal	Pass
4	5513.250	96.38	-4.35	--	--	Peak	261.00	200	Horizontal	N/A
4**	5513.250	88.88	-4.35	--	--	AV	261.00	200	Horizontal	N/A
5	12425.575	52.68	0.60	74.0	-21.32	Peak	249.00	100	Horizontal	Pass
5**	12425.575	43.13	0.60	54.0	-10.87	AV	249.00	100	Horizontal	Pass
6	17796.563	47.20	6.42	74.0	-26.80	Peak	172.00	400	Horizontal	Pass
6**	17796.563	40.37	6.42	54.0	-13.63	AV	172.00	400	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.500	54.42	-19.53	74.0	-19.58	Peak	221.00	100	Vertical	Pass
1**	1328.500	48.17	-19.53	54.0	-5.83	AV	221.00	100	Vertical	Pass
2	1460.400	53.48	-19.79	74.0	-20.52	Peak	57.00	300	Vertical	Pass
2**	1460.400	48.15	-19.79	54.0	-5.85	AV	57.00	300	Vertical	Pass
3	1594.700	50.79	-19.79	74.0	-23.21	Peak	159.00	100	Vertical	Pass
3**	1594.700	46.53	-19.79	54.0	-7.47	AV	159.00	100	Vertical	Pass
4	5501.250	106.48	-3.87	--	--	Peak	188.00	200	Vertical	N/A
4**	5501.250	96.77	-3.87	--	--	AV	188.00	200	Vertical	N/A
5	7586.000	54.67	-0.09	74.0	-19.33	Peak	259.00	400	Vertical	Pass
5**	7586.000	46.11	-0.09	54.0	-7.89	AV	259.00	400	Vertical	Pass
6	12367.150	52.21	0.59	74.0	-21.79	Peak	281.00	100	Vertical	Pass
6**	12367.150	43.78	0.59	54.0	-10.22	AV	281.00	100	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.000	49.48	-20.83	74.0	-24.52	Peak	265.00	400	Horizontal	Pass
1**	1062.000	48.64	-20.83	54.0	-5.36	AV	265.00	400	Horizontal	Pass
2	1328.300	52.27	-19.59	74.0	-21.73	Peak	290.00	100	Horizontal	Pass
2**	1328.300	43.10	-19.59	54.0	-10.90	AV	290.00	100	Horizontal	Pass
3	1463.500	50.14	-19.73	74.0	-23.86	Peak	265.00	200	Horizontal	Pass
3**	1463.500	31.03	-19.73	54.0	-22.97	AV	265.00	200	Horizontal	Pass
4	5582.750	97.34	-4.78	--	--	Peak	272.00	100	Horizontal	N/A
4**	5582.750	90.76	-4.78	--	--	AV	272.00	100	Horizontal	N/A
5	7582.250	54.59	-0.05	74.0	-19.41	Peak	89.00	200	Horizontal	Pass
5**	7582.250	45.94	-0.05	54.0	-8.06	AV	89.00	200	Horizontal	Pass
6	12401.825	52.63	0.33	74.0	-21.37	Peak	194.00	300	Horizontal	Pass
6**	12401.825	43.09	0.33	54.0	-10.91	AV	194.00	300	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.800	48.07	-20.68	74.0	-25.93	Peak	237.00	300	Vertical	Pass
1**	1062.800	46.33	-20.68	54.0	-7.67	AV	237.00	300	Vertical	Pass
2	1330.800	46.69	-19.45	74.0	-27.31	Peak	119.00	100	Vertical	Pass
2**	1330.800	43.64	-19.45	54.0	-10.36	AV	119.00	100	Vertical	Pass
3	1582.900	47.88	-20.13	74.0	-26.12	Peak	347.00	200	Vertical	Pass
3**	1582.900	35.48	-20.13	54.0	-18.52	AV	347.00	200	Vertical	Pass
4	5579.250	105.42	-4.79	--	--	Peak	242.00	100	Vertical	N/A
4**	5579.250	97.20	-4.79	--	--	AV	242.00	100	Vertical	N/A
5	7579.000	55.27	0.18	74.0	-18.73	Peak	346.00	400	Vertical	Pass
5**	7579.000	46.08	0.18	54.0	-7.92	AV	346.00	400	Vertical	Pass
6	12400.162	52.54	0.31	74.0	-21.46	Peak	238.00	100	Vertical	Pass
6**	12400.162	42.89	0.31	54.0	-11.11	AV	238.00	100	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.300	54.77	-20.52	74.0	-19.23	Peak	37.00	100	Horizontal	Pass
1**	1062.300	48.50	-20.52	54.0	-5.50	AV	37.00	100	Horizontal	Pass
2	1332.700	55.07	-19.82	74.0	-18.93	Peak	289.00	100	Horizontal	Pass
2**	1332.700	48.73	-19.82	54.0	-5.27	AV	289.00	100	Horizontal	Pass
3	1464.400	57.20	-19.61	74.0	-16.80	Peak	280.00	200	Horizontal	Pass
3**	1464.400	49.76	-19.61	54.0	-4.24	AV	280.00	200	Horizontal	Pass
4	5660.500	96.98	-5.08	--	--	Peak	269.00	300	Horizontal	N/A
4**	5660.500	88.78	-5.08	--	--	AV	269.00	300	Horizontal	N/A
5	7640.250	54.39	-1.29	74.0	-19.61	Peak	101.00	100	Horizontal	Pass
5**	7640.250	44.75	-1.29	54.0	-9.25	AV	101.00	100	Horizontal	Pass
6	12551.451	52.48	1.60	74.0	-21.52	Peak	57.00	200	Horizontal	Pass
6**	12551.451	43.40	1.60	54.0	-10.60	AV	57.00	200	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.900	52.57	-20.62	74.0	-21.43	Peak	162.00	100	Vertical	Pass
1**	1062.900	43.61	-20.62	54.0	-10.39	AV	162.00	100	Vertical	Pass
2	1327.600	53.44	-19.30	74.0	-20.56	Peak	304.00	400	Vertical	Pass
2**	1327.600	49.78	-19.30	54.0	-4.22	AV	304.00	400	Vertical	Pass
3	1599.300	49.32	-19.58	74.0	-24.68	Peak	154.00	200	Vertical	Pass
3**	1599.300	48.80	-19.58	54.0	-5.20	AV	154.00	200	Vertical	Pass
4	5679.500	104.77	-4.83	--	--	Peak	241.00	300	Vertical	N/A
4**	5679.500	95.04	-4.83	--	--	AV	241.00	300	Vertical	N/A
5	7475.750	54.89	-0.97	74.0	-19.11	Peak	223.00	300	Vertical	Pass
5**	7475.750	44.38	-0.97	54.0	-9.62	AV	223.00	300	Vertical	Pass
6	12609.162	52.00	1.07	74.0	-22.00	Peak	118.00	200	Vertical	Pass
6**	12609.162	43.61	1.07	54.0	-10.39	AV	118.00	200	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.900	48.66	-20.53	74.0	-25.34	Peak	287.00	400	Horizontal	Pass
1**	1064.900	47.89	-20.53	54.0	-6.11	AV	287.00	400	Horizontal	Pass
2	1330.400	44.33	-19.23	74.0	-29.67	Peak	296.00	200	Horizontal	Pass
2**	1330.400	43.16	-19.23	54.0	-10.84	AV	296.00	200	Horizontal	Pass
3	1460.600	46.70	-19.99	74.0	-27.30	Peak	238.00	300	Horizontal	Pass
3**	1460.600	45.94	-19.99	54.0	-8.06	AV	238.00	300	Horizontal	Pass
4	5515.500	95.78	-4.49	--	--	Peak	266.00	400	Horizontal	N/A
4**	5515.500	87.94	-4.49	--	--	AV	266.00	400	Horizontal	N/A
5	7585.250	55.27	-0.41	74.0	-18.73	Peak	143.00	200	Horizontal	Pass
5**	7585.250	44.91	-0.41	54.0	-9.09	AV	143.00	200	Horizontal	Pass
6	12515.112	52.87	0.84	74.0	-21.13	Peak	285.00	400	Horizontal	Pass
6**	12515.112	43.14	0.84	54.0	-10.86	AV	285.00	400	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.400	51.59	-20.47	74.0	-22.41	Peak	147.00	200	Vertical	Pass
1**	1065.400	43.39	-20.47	54.0	-10.61	AV	147.00	200	Vertical	Pass
2	1466.000	56.33	-19.41	74.0	-17.67	Peak	360.00	400	Vertical	Pass
2**	1466.000	47.50	-19.41	54.0	-6.50	AV	360.00	400	Vertical	Pass
3	1593.800	54.84	-19.50	74.0	-19.16	Peak	206.00	300	Vertical	Pass
3**	1593.800	46.22	-19.50	54.0	-7.78	AV	206.00	300	Vertical	Pass
4	5513.000	103.96	-4.26	--	--	Peak	190.00	200	Vertical	N/A
4**	5513.000	94.64	-4.26	--	--	AV	190.00	200	Vertical	N/A
5	7580.250	54.17	0.18	74.0	-19.83	Peak	66.00	300	Vertical	Pass
5**	7580.250	46.36	0.18	54.0	-7.64	AV	66.00	300	Vertical	Pass
6	12431.750	52.56	0.68	74.0	-21.44	Peak	354.00	100	Vertical	Pass
6**	12431.750	43.47	0.68	54.0	-10.53	AV	354.00	100	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1061.900	56.13	-20.91	74.0	-17.87	Peak	133.00	200	Horizontal	Pass
1**	1061.900	48.16	-20.91	54.0	-5.84	AV	133.00	200	Horizontal	Pass
2	1331.300	52.76	-19.53	74.0	-21.24	Peak	277.00	300	Horizontal	Pass
2**	1331.300	45.03	-19.53	54.0	-8.97	AV	277.00	300	Horizontal	Pass
3	1462.500	53.22	-19.43	74.0	-20.78	Peak	293.00	400	Horizontal	Pass
3**	1462.500	45.53	-19.43	54.0	-8.47	AV	293.00	400	Horizontal	Pass
4	5588.500	95.59	-4.79	--	--	Peak	273.00	400	Horizontal	N/A
4**	5588.500	87.89	-4.79	--	--	AV	273.00	400	Horizontal	N/A
5	7479.750	54.28	-1.23	74.0	-19.72	Peak	107.00	300	Horizontal	Pass
5**	7479.750	45.39	-1.23	54.0	-8.61	AV	107.00	300	Horizontal	Pass
6	12613.675	53.19	1.03	74.0	-20.81	Peak	178.00	100	Horizontal	Pass
6**	12613.675	43.29	1.03	54.0	-10.71	AV	178.00	100	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.300	46.66	-20.49	74.0	-27.34	Peak	175.00	400	Vertical	Pass
1**	1065.300	43.92	-20.49	54.0	-10.08	AV	175.00	400	Vertical	Pass
2	1332.600	48.67	-19.87	74.0	-25.33	Peak	345.00	200	Vertical	Pass
2**	1332.600	47.49	-19.87	54.0	-6.51	AV	345.00	200	Vertical	Pass
3	1598.700	50.96	-19.11	74.0	-23.04	Peak	199.00	300	Vertical	Pass
3**	1598.700	47.66	-19.11	54.0	-6.34	AV	199.00	300	Vertical	Pass
4	5614.250	103.76	-4.13	--	--	Peak	239.00	200	Vertical	N/A
4**	5614.250	95.43	-4.13	--	--	AV	239.00	200	Vertical	N/A
5	7468.000	53.87	-1.27	74.0	-20.13	Peak	309.00	300	Vertical	Pass
5**	7468.000	44.30	-1.27	54.0	-9.70	AV	309.00	300	Vertical	Pass
6	12588.262	53.12	1.26	74.0	-20.88	Peak	341.00	100	Vertical	Pass
6**	12588.262	43.69	1.26	54.0	-10.31	AV	341.00	100	Vertical	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.500	49.38	-20.57	74.0	-24.62	Peak	180.00	400	Horizontal	Pass
1**	1062.500	48.64	-20.57	54.0	-5.36	AV	180.00	400	Horizontal	Pass
2	1329.300	46.31	-19.44	74.0	-27.69	Peak	353.00	300	Horizontal	Pass
2**	1329.300	45.56	-19.44	54.0	-8.44	AV	353.00	300	Horizontal	Pass
3	1460.400	44.11	-19.79	74.0	-29.89	Peak	286.00	100	Horizontal	Pass
3**	1460.400	43.87	-19.79	54.0	-10.13	AV	286.00	100	Horizontal	Pass
4	5616.750	93.29	-4.08	--	--	Peak	102.00	200	Horizontal	N/A
4**	5616.750	85.05	-4.08	--	--	AV	102.00	200	Horizontal	N/A
5	7582.250	54.29	-0.05	74.0	-19.71	Peak	102.00	300	Horizontal	Pass
5**	7582.250	45.33	-0.05	54.0	-8.67	AV	102.00	300	Horizontal	Pass
6	12453.125	52.40	0.86	74.0	-21.60	Peak	28.00	400	Horizontal	Pass
6**	12453.125	43.71	0.86	54.0	-10.29	AV	28.00	400	Horizontal	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.500	52.72	-19.67	74.0	-21.28	Peak	325.00	100	Vertical	Pass
1**	1331.500	44.21	-19.67	54.0	-9.79	AV	325.00	100	Vertical	Pass
2	1460.900	53.85	-20.09	74.0	-20.15	Peak	290.00	400	Vertical	Pass
2**	1460.900	45.44	-20.09	54.0	-8.56	AV	290.00	400	Vertical	Pass
3	1593.700	55.80	-19.63	74.0	-18.20	Peak	290.00	200	Vertical	Pass
3**	1593.700	47.10	-19.63	54.0	-6.90	AV	290.00	200	Vertical	Pass
4	5615.000	101.31	-4.17	--	--	Peak	239.00	300	Vertical	N/A
4**	5615.000	93.19	-4.17	--	--	AV	239.00	300	Vertical	N/A
5	7684.500	55.09	-0.91	74.0	-18.91	Peak	309.00	100	Vertical	Pass
5**	7684.500	45.09	-0.91	54.0	-8.91	AV	309.00	100	Vertical	Pass
6	12579.951	53.29	1.34	74.0	-20.71	Peak	0.00	200	Vertical	Pass
6**	12579.951	44.40	1.34	54.0	-9.60	AV	0.00	200	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.900	54.92	-20.35	74.0	-19.08	Peak	217.00	200	Horizontal	Pass
1**	1065.900	48.40	-20.35	54.0	-5.60	AV	217.00	200	Horizontal	Pass
2	1330.900	50.57	-19.50	74.0	-23.43	Peak	345.00	300	Horizontal	Pass
2**	1330.900	44.62	-19.50	54.0	-9.38	AV	345.00	300	Horizontal	Pass
3	1464.900	51.06	-19.95	74.0	-22.94	Peak	109.00	100	Horizontal	Pass
3**	1464.900	44.84	-19.95	54.0	-9.16	AV	109.00	100	Horizontal	Pass
4	5503.250	100.68	-3.77	--	--	Peak	101.00	200	Horizontal	N/A
4**	5503.250	91.77	-3.77	--	--	AV	101.00	200	Horizontal	N/A
5	7608.500	54.63	-0.52	74.0	-19.37	Peak	119.00	300	Horizontal	Pass
5**	7608.500	45.64	-0.52	54.0	-8.36	AV	119.00	300	Horizontal	Pass
6	12580.662	52.99	1.33	74.0	-21.01	Peak	319.00	200	Horizontal	Pass
6**	12580.662	43.38	1.33	54.0	-10.62	AV	319.00	200	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.900	50.05	-20.35	74.0	-23.95	Peak	344.00	300	Vertical	Pass
1**	1065.900	45.50	-20.35	54.0	-8.50	AV	344.00	300	Vertical	Pass
2	1465.000	47.78	-19.89	74.0	-26.22	Peak	324.00	200	Vertical	Pass
2**	1465.000	47.25	-19.89	54.0	-6.75	AV	324.00	200	Vertical	Pass
3	1593.700	51.97	-19.63	74.0	-22.03	Peak	0.00	100	Vertical	Pass
3**	1593.700	47.45	-19.63	54.0	-6.55	AV	0.00	100	Vertical	Pass
4	5499.000	110.24	-3.80	--	--	Peak	179.00	200	Vertical	N/A
4**	5499.000	100.90	-3.80	--	--	AV	179.00	200	Vertical	N/A
5	7581.250	54.39	0.07	74.0	-19.61	Peak	179.00	100	Vertical	Pass
5**	7581.250	46.07	0.07	54.0	-7.93	AV	179.00	100	Vertical	Pass
6	12269.776	53.29	0.48	74.0	-20.71	Peak	43.00	400	Vertical	Pass
6**	12269.776	43.78	0.48	54.0	-10.22	AV	43.00	400	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.900	52.17	-20.35	74.0	-21.83	Peak	96.00	200	Horizontal	Pass
1**	1065.900	47.66	-20.35	54.0	-6.34	AV	96.00	200	Horizontal	Pass
2	1328.100	50.11	-19.51	74.0	-23.89	Peak	96.00	300	Horizontal	Pass
2**	1328.100	45.64	-19.51	54.0	-8.36	AV	96.00	300	Horizontal	Pass
3	1463.500	46.55	-19.73	74.0	-27.45	Peak	298.00	100	Horizontal	Pass
3**	1463.500	45.69	-19.73	54.0	-8.31	AV	298.00	100	Horizontal	Pass
4	5579.000	101.73	-4.80	--	--	Peak	291.00	300	Horizontal	N/A
4**	5579.000	92.49	-4.80	--	--	AV	291.00	300	Horizontal	N/A
5	7578.500	54.52	0.04	74.0	-19.48	Peak	309.00	400	Horizontal	Pass
5**	7578.500	45.84	0.04	54.0	-8.16	AV	309.00	400	Horizontal	Pass
6	12454.550	52.76	0.85	74.0	-21.24	Peak	121.00	200	Horizontal	Pass
6**	12454.550	43.45	0.85	54.0	-10.55	AV	121.00	200	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.300	52.08	-20.50	74.0	-21.92	Peak	152.00	300	Vertical	Pass
1**	1066.300	44.85	-20.50	54.0	-9.15	AV	152.00	300	Vertical	Pass
2	1329.400	55.67	-19.57	74.0	-18.33	Peak	177.00	100	Vertical	Pass
2**	1329.400	46.38	-19.57	54.0	-7.62	AV	177.00	100	Vertical	Pass
3	1594.200	59.04	-19.47	74.0	-14.96	Peak	144.00	200	Vertical	Pass
3**	1594.200	48.42	-19.47	54.0	-5.58	AV	144.00	200	Vertical	Pass
4	5581.750	108.54	-4.79	--	--	Peak	240.00	300	Vertical	N/A
4**	5581.750	100.35	-4.79	--	--	AV	240.00	300	Vertical	N/A
5	7366.750	54.95	-0.68	74.0	-19.05	Peak	118.00	100	Vertical	Pass
5**	7366.750	45.94	-0.68	54.0	-8.06	AV	118.00	100	Vertical	Pass
6	12374.750	53.14	0.52	74.0	-20.86	Peak	296.00	200	Vertical	Pass
6**	12374.750	43.24	0.52	54.0	-10.76	AV	296.00	200	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.900	51.42	-20.35	74.0	-22.58	Peak	299.00	200	Horizontal	Pass
1**	1065.900	48.65	-20.35	54.0	-5.35	AV	299.00	200	Horizontal	Pass
2	1328.300	49.55	-19.59	74.0	-24.45	Peak	132.00	300	Horizontal	Pass
2**	1328.300	46.63	-19.59	54.0	-7.37	AV	132.00	300	Horizontal	Pass
3	1463.700	49.27	-19.65	74.0	-24.73	Peak	272.00	100	Horizontal	Pass
3**	1463.700	46.29	-19.65	54.0	-7.71	AV	272.00	100	Horizontal	Pass
4	5697.500	99.42	-5.46	--	--	Peak	267.00	300	Horizontal	N/A
4**	5697.500	90.29	-5.46	--	--	AV	267.00	300	Horizontal	N/A
5	7640.250	54.12	-1.29	74.0	-19.88	Peak	339.00	400	Horizontal	Pass
5**	7640.250	44.29	-1.29	54.0	-9.71	AV	339.00	400	Horizontal	Pass
6	12389.000	52.35	0.40	74.0	-21.65	Peak	57.00	200	Horizontal	Pass
6**	12389.000	42.44	0.40	54.0	-11.56	AV	57.00	200	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.900	48.47	-20.53	74.0	-25.53	Peak	170.00	100	Vertical	Pass
1**	1064.900	45.24	-20.53	54.0	-8.76	AV	170.00	100	Vertical	Pass
2	1330.900	47.43	-19.50	74.0	-26.57	Peak	204.00	200	Vertical	Pass
2**	1330.900	45.23	-19.50	54.0	-8.77	AV	204.00	300	Vertical	Pass
3	1466.600	49.81	-19.85	74.0	-24.19	Peak	4.00	300	Vertical	Pass
3**	1466.600	47.42	-19.85	54.0	-6.58	AV	4.00	200	Vertical	Pass
4	5698.750	105.01	-4.99	--	--	Peak	250.00	400	Vertical	N/A
4**	5698.750	98.14	-4.99	--	--	AV	250.00	400	Vertical	N/A
5	7369.750	54.52	-0.67	74.0	-19.48	Peak	360.00	100	Vertical	Pass
5**	7369.750	44.84	-0.67	54.0	-9.16	AV	360.00	100	Vertical	Pass
6	12281.175	53.29	0.55	74.0	-20.71	Peak	317.00	200	Vertical	Pass
6**	12281.175	42.52	0.55	54.0	-11.48	AV	317.00	200	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.000	52.11	-20.56	74.0	-21.89	Peak	261.00	300	Horizontal	Pass
1**	1063.000	47.10	-20.56	54.0	-6.90	AV	261.00	300	Horizontal	Pass
2	1327.100	46.43	-19.50	74.0	-27.57	Peak	8.00	200	Horizontal	Pass
2**	1327.100	44.75	-19.50	54.0	-9.25	AV	8.00	200	Horizontal	Pass
3	1465.300	53.58	-19.71	74.0	-20.42	Peak	261.00	100	Horizontal	Pass
3**	1465.300	48.96	-19.71	54.0	-5.04	AV	261.00	100	Horizontal	Pass
4	5499.500	98.49	-3.62	--	--	Peak	277.00	200	Horizontal	N/A
4**	5499.500	89.94	-3.62	--	--	AV	277.00	200	Horizontal	N/A
5	7590.500	54.68	-0.43	74.0	-19.32	Peak	294.00	400	Horizontal	Pass
5**	7590.500	45.36	-0.43	54.0	-8.64	AV	294.00	400	Horizontal	Pass
6	12420.350	52.44	0.54	74.0	-21.56	Peak	359.00	300	Horizontal	Pass
6**	12420.350	43.12	0.54	54.0	-10.88	AV	359.00	300	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.900	51.14	-19.41	74.0	-22.86	Peak	303.00	100	Vertical	Pass
1**	1329.900	47.51	-19.41	54.0	-6.49	AV	303.00	100	Vertical	Pass
2	1460.500	47.51	-19.91	74.0	-26.49	Peak	312.00	300	Vertical	Pass
2**	1460.500	45.06	-19.91	54.0	-8.94	AV	312.00	300	Vertical	Pass
3	1599.000	52.54	-19.49	74.0	-21.46	Peak	0.00	200	Vertical	Pass
3**	1599.000	47.89	-19.49	54.0	-6.11	AV	0.00	200	Vertical	Pass
4	5498.000	104.94	-3.39	--	--	Peak	202.00	100	Vertical	N/A
4**	5498.000	96.79	-3.39	--	--	AV	202.00	100	Vertical	N/A
5	7340.000	54.56	-1.75	74.0	-19.44	Peak	52.00	200	Vertical	Pass
5**	7340.000	44.58	-1.75	54.0	-9.42	AV	52.00	200	Vertical	Pass
6	12577.100	52.87	1.36	74.0	-21.13	Peak	224.00	400	Vertical	Pass
6**	12577.100	43.99	1.36	54.0	-10.01	AV	224.00	400	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.100	48.24	-21.06	74.0	-25.76	Peak	126.00	100	Horizontal	Pass
1**	1064.100	45.80	-21.06	54.0	-8.20	AV	126.00	100	Horizontal	Pass
2	1332.200	47.16	-19.91	74.0	-26.84	Peak	41.00	100	Horizontal	Pass
2**	1332.200	45.54	-19.91	54.0	-8.46	AV	41.00	100	Horizontal	Pass
3	1465.100	49.10	-19.82	74.0	-24.90	Peak	252.00	200	Horizontal	Pass
3**	1465.100	46.61	-19.82	54.0	-7.39	AV	252.00	200	Horizontal	Pass
4	5596.750	99.02	-3.98	--	--	Peak	268.00	100	Horizontal	N/A
4**	5596.750	90.32	-3.98	--	--	AV	268.00	100	Horizontal	N/A
5	7617.250	54.03	-1.19	74.0	-19.97	Peak	268.00	300	Horizontal	Pass
5**	7617.250	44.57	-1.19	54.0	-9.43	AV	268.00	300	Horizontal	Pass
6	12579.951	53.17	1.34	74.0	-20.83	Peak	206.00	400	Horizontal	Pass
6**	12579.951	44.13	1.34	54.0	-9.87	AV	206.00	400	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.500	48.27	-19.53	74.0	-25.73	Peak	306.00	200	Vertical	Pass
1**	1328.500	46.84	-19.53	54.0	-7.16	AV	306.00	200	Vertical	Pass
2	1461.000	48.70	-20.06	74.0	-25.30	Peak	280.00	400	Vertical	Pass
2**	1461.000	47.58	-20.06	54.0	-6.42	AV	280.00	400	Vertical	Pass
3	1593.600	52.35	-19.75	74.0	-21.65	Peak	147.00	200	Vertical	Pass
3**	1593.600	47.70	-19.75	54.0	-6.30	AV	147.00	200	Vertical	Pass
4	5597.250	106.44	-4.33	--	--	Peak	239.00	100	Vertical	N/A
4**	5597.250	97.06	-4.33	--	--	AV	239.00	100	Vertical	N/A
5	7583.000	54.87	0.28	74.0	-19.13	Peak	65.00	400	Vertical	Pass
5**	7583.000	46.28	0.28	54.0	-7.72	AV	65.00	400	Vertical	Pass
6	12550.025	53.08	1.61	74.0	-20.92	Peak	81.00	300	Vertical	Pass
6**	12550.025	43.33	1.61	54.0	-10.67	AV	81.00	300	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.400	55.37	-20.51	74.0	-18.63	Peak	107.00	100	Horizontal	Pass
1**	1062.400	48.52	-20.51	54.0	-5.48	AV	107.00	100	Horizontal	Pass
2	1328.100	52.45	-19.51	74.0	-21.55	Peak	279.00	200	Horizontal	Pass
2**	1328.100	45.33	-19.51	54.0	-8.67	AV	279.00	200	Horizontal	Pass
3	4958.750	50.47	-3.72	74.0	-23.53	Peak	101.00	400	Horizontal	Pass
3**	4958.750	41.17	-3.72	54.0	-12.83	AV	101.00	400	Horizontal	Pass
4	5669.500	95.25	-5.39	--	--	Peak	277.00	200	Horizontal	N/A
4**	5669.500	86.85	-5.39	--	--	AV	277.00	200	Horizontal	N/A
5	7503.500	53.97	-0.65	74.0	-20.03	Peak	154.00	300	Horizontal	Pass
5**	7503.500	44.93	-0.65	54.0	-9.07	AV	154.00	300	Horizontal	Pass
6	12398.975	53.87	0.32	74.0	-20.13	Peak	171.00	100	Horizontal	Pass
6**	12398.975	44.86	0.32	54.0	-9.14	AV	171.00	100	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.700	50.10	-20.67	74.0	-23.90	Peak	189.00	200	Vertical	Pass
1**	1062.700	44.67	-20.67	54.0	-9.33	AV	189.00	200	Vertical	Pass
2	1328.800	52.84	-19.30	74.0	-21.16	Peak	263.00	100	Vertical	Pass
2**	1328.800	47.55	-19.30	54.0	-6.45	AV	263.00	100	Vertical	Pass
3	1599.200	52.56	-19.60	74.0	-21.44	Peak	138.00	400	Vertical	Pass
3**	1599.200	48.12	-19.60	54.0	-5.88	AV	138.00	400	Vertical	Pass
4	5681.500	105.60	-4.73	--	--	Peak	239.00	200	Vertical	N/A
4**	5681.500	96.71	-4.73	--	--	AV	239.00	200	Vertical	N/A
5	7589.250	54.68	-0.47	74.0	-19.32	Peak	14.00	300	Vertical	Pass
5**	7589.250	45.53	-0.47	54.0	-8.47	AV	14.00	300	Vertical	Pass
6	12368.099	52.68	0.58	74.0	-21.32	Peak	155.00	300	Vertical	Pass
6**	12368.099	43.35	0.58	54.0	-10.65	AV	155.00	300	Vertical	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.100	53.57	-20.50	74.0	-20.43	Peak	272.00	100	Horizontal	Pass
1**	1063.100	46.74	-20.50	54.0	-7.26	AV	272.00	100	Horizontal	Pass
2	1329.900	54.14	-19.41	74.0	-19.86	Peak	288.00	400	Horizontal	Pass
2**	1329.900	47.43	-19.41	54.0	-6.57	AV	288.00	400	Horizontal	Pass
3	1466.100	55.06	-19.40	74.0	-18.94	Peak	264.00	200	Horizontal	Pass
3**	1466.100	48.09	-19.40	54.0	-5.91	AV	264.00	200	Horizontal	Pass
4	5555.500	96.57	-4.97	--	--	Peak	278.00	400	Horizontal	N/A
4**	5555.500	86.84	-4.97	--	--	AV	278.00	400	Horizontal	N/A
5	7575.750	55.00	-0.53	74.0	-19.00	Peak	13.00	200	Horizontal	Pass
5**	7575.750	45.47	-0.53	54.0	-8.53	AV	13.00	200	Horizontal	Pass
6	12602.988	53.32	1.13	74.0	-20.68	Peak	11.00	100	Horizontal	Pass
6**	12602.988	43.08	1.13	54.0	-10.92	AV	11.00	100	Horizontal	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.300	46.15	-20.50	74.0	-27.85	Peak	120.00	100	Vertical	Pass
1**	1066.300	45.64	-20.50	54.0	-8.36	AV	120.00	100	Vertical	Pass
2	1461.400	48.85	-19.28	74.0	-25.15	Peak	178.00	300	Vertical	Pass
2**	1461.400	47.11	-19.28	54.0	-6.89	AV	178.00	300	Vertical	Pass
3	1594.200	48.34	-19.47	74.0	-25.66	Peak	240.00	400	Vertical	Pass
3**	1594.200	46.85	-19.47	54.0	-7.15	AV	240.00	400	Vertical	Pass
4	5509.750	102.80	-3.89	--	--	Peak	134.00	300	Vertical	N/A
4**	5509.750	93.22	-3.89	--	--	AV	134.00	300	Vertical	N/A
5	7581.750	53.97	-0.34	74.0	-20.03	Peak	99.00	200	Vertical	Pass
5**	7581.750	46.28	-0.34	54.0	-7.72	AV	99.00	200	Vertical	Pass
6	12587.550	52.56	1.27	74.0	-21.44	Peak	360.00	100	Vertical	Pass
6**	12587.550	43.06	1.27	54.0	-10.94	AV	360.00	100	Vertical	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.600	47.64	-20.62	74.0	-26.36	Peak	140.00	100	Horizontal	Pass
1**	1062.600	47.45	-20.62	54.0	-6.55	AV	140.00	100	Horizontal	Pass
2	1327.700	53.28	-19.34	74.0	-20.72	Peak	282.00	400	Horizontal	Pass
2**	1327.700	45.46	-19.34	54.0	-8.54	AV	282.00	400	Horizontal	Pass
3	1463.800	52.23	-19.61	74.0	-21.77	Peak	316.00	200	Horizontal	Pass
3**	1463.800	34.08	-19.61	54.0	-19.92	AV	316.00	200	Horizontal	Pass
4	5615.750	94.80	-4.41	--	--	Peak	79.00	300	Horizontal	N/A
4**	5615.750	86.66	-4.41	--	--	AV	79.00	300	Horizontal	N/A
5	7577.750	54.82	-0.00	74.0	-19.18	Peak	0.00	100	Horizontal	Pass
5**	7577.750	46.33	-0.00	54.0	-7.67	AV	0.00	100	Horizontal	Pass
6	12282.838	52.36	0.56	74.0	-21.64	Peak	138.00	200	Horizontal	Pass
6**	12282.838	43.14	0.56	54.0	-10.86	AV	138.00	200	Horizontal	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.400	50.23	-19.89	74.0	-23.77	Peak	332.00	200	Vertical	Pass
1**	1332.400	46.17	-19.89	54.0	-7.83	AV	332.00	200	Vertical	Pass
2	1465.000	50.85	-19.89	74.0	-23.15	Peak	299.00	300	Vertical	Pass
2**	1465.000	46.81	-19.89	54.0	-7.19	AV	299.00	300	Vertical	Pass
3	1593.900	52.86	-19.37	74.0	-21.14	Peak	165.00	100	Vertical	Pass
3**	1593.900	48.33	-19.37	54.0	-5.67	AV	165.00	100	Vertical	Pass
4	5593.500	104.08	-4.53	--	--	Peak	223.00	200	Vertical	N/A
4**	5593.500	93.16	-4.53	--	--	AV	223.00	200	Vertical	N/A
5	7582.750	54.23	0.29	74.0	-19.77	Peak	135.00	300	Vertical	Pass
5**	7582.750	45.46	0.29	54.0	-8.54	AV	135.00	300	Vertical	Pass
6	12243.412	52.49	0.26	74.0	-21.51	Peak	317.00	200	Vertical	Pass
6**	12243.412	42.75	0.26	54.0	-11.25	AV	317.00	200	Vertical	Pass

11ax160 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.900	52.55	-21.03	74.0	-21.45	Peak	273.00	200	Horizontal	Pass
1**	1066.900	34.33	-21.03	54.0	-19.67	AV	273.00	200	Horizontal	Pass
2	1327.700	54.20	-19.34	74.0	-19.80	Peak	273.00	100	Horizontal	Pass
2**	1327.700	48.58	-19.34	54.0	-5.42	AV	273.00	100	Horizontal	Pass
3	1464.000	53.95	-19.56	74.0	-20.05	Peak	298.00	400	Horizontal	Pass
3**	1464.000	46.24	-19.56	54.0	-7.76	AV	298.00	400	Horizontal	Pass
4	5553.000	92.61	-4.99	--	--	Peak	253.00	300	Horizontal	N/A
4**	5553.000	82.62	-4.99	--	--	AV	253.00	300	Horizontal	N/A
5	7350.500	54.49	-1.15	74.0	-19.51	Peak	142.00	200	Horizontal	Pass
5**	7350.500	44.83	-1.15	54.0	-9.17	AV	142.00	200	Horizontal	Pass
6	12374.988	52.62	0.52	74.0	-21.38	Peak	169.00	200	Horizontal	Pass
6**	12374.988	42.39	0.52	54.0	-11.61	AV	169.00	200	Horizontal	Pass

11ax160 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.600	49.99	-19.30	74.0	-24.01	Peak	235.00	400	Vertical	Pass
1**	1327.600	44.76	-19.30	54.0	-9.24	AV	235.00	400	Vertical	Pass
2	1462.700	46.65	-19.46	74.0	-27.35	Peak	326.00	200	Vertical	Pass
2**	1462.700	45.89	-19.46	54.0	-8.11	AV	326.00	200	Vertical	Pass
3	1598.800	47.04	-19.24	74.0	-26.96	Peak	185.00	300	Vertical	Pass
3**	1598.800	46.80	-19.24	54.0	-7.20	AV	185.00	300	Vertical	Pass
4	5617.250	99.69	-4.34	--	--	Peak	224.00	100	Vertical	N/A
4**	5617.250	92.87	-4.34	--	--	AV	224.00	100	Vertical	N/A
5	7585.750	54.37	0.05	74.0	-19.63	Peak	12.00	200	Vertical	Pass
5**	7585.750	45.86	0.05	54.0	-8.14	AV	12.00	200	Vertical	Pass
6	12274.288	52.50	0.51	74.0	-21.50	Peak	280.00	400	Vertical	Pass
6**	12274.288	43.97	0.51	54.0	-10.03	AV	280.00	400	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.800	52.97	-20.39	74.0	-21.03	Peak	291.00	300	Horizontal	Pass
1**	1065.800	48.65	-20.39	54.0	-5.35	AV	291.00	300	Horizontal	Pass
2	1329.800	47.16	-19.60	74.0	-26.84	Peak	299.00	400	Horizontal	Pass
2**	1329.800	45.06	-19.60	54.0	-8.94	AV	299.00	400	Horizontal	Pass
3	1462.000	45.29	-19.36	74.0	-28.71	Peak	324.00	100	Horizontal	Pass
3**	1462.000	43.40	-19.36	54.0	-10.60	AV	324.00	100	Horizontal	Pass
4	5746.500	95.29	-6.13	--	--	Peak	259.00	400	Horizontal	N/A
4**	5746.500	86.97	-6.13	--	--	AV	259.00	400	Horizontal	N/A
5	7586.000	54.60	-0.09	74.0	-19.40	Peak	102.00	300	Horizontal	Pass
5**	7586.000	45.88	-0.09	54.0	-8.12	AV	102.00	300	Horizontal	Pass
6	12550.974	52.64	1.60	74.0	-21.36	Peak	208.00	100	Horizontal	Pass
6**	12550.974	43.97	1.60	54.0	-10.03	AV	208.00	100	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.900	49.03	-19.41	74.0	-24.97	Peak	357.00	100	Vertical	Pass
1**	1329.900	45.73	-19.41	54.0	-8.27	AV	357.00	100	Vertical	Pass
2	1463.200	48.49	-19.92	74.0	-25.51	Peak	348.00	200	Vertical	Pass
2**	1463.200	46.09	-19.92	54.0	-7.91	AV	348.00	200	Vertical	Pass
3	1598.700	50.91	-19.11	74.0	-23.09	Peak	6.00	200	Vertical	Pass
3**	1598.700	47.74	-19.11	54.0	-6.26	AV	6.00	200	Vertical	Pass
4	5745.750	103.99	-5.78	--	--	Peak	253.00	100	Vertical	N/A
4**	5745.750	96.34	-5.78	--	--	AV	253.00	100	Vertical	N/A
5	7583.000	54.56	0.28	74.0	-19.44	Peak	34.00	300	Vertical	Pass
5**	7583.000	46.04	0.28	54.0	-7.96	AV	34.00	300	Vertical	Pass
6	12588.500	53.30	1.26	74.0	-20.70	Peak	343.00	400	Vertical	Pass
6**	12588.500	43.15	1.26	54.0	-10.85	AV	343.00	400	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.800	50.33	-20.68	74.0	-23.67	Peak	141.00	100	Horizontal	Pass
1**	1062.800	48.07	-20.68	54.0	-5.93	AV	141.00	100	Horizontal	Pass
2	1329.700	50.37	-19.80	74.0	-23.63	Peak	344.00	200	Horizontal	Pass
2**	1329.700	33.08	-19.80	54.0	-20.92	AV	344.00	200	Horizontal	Pass
3	1461.900	46.92	-19.33	74.0	-27.08	Peak	286.00	300	Horizontal	Pass
3**	1461.900	44.27	-19.33	54.0	-9.73	AV	286.00	300	Horizontal	Pass
4	5788.750	97.53	-4.45	--	--	Peak	260.00	300	Horizontal	N/A
4**	5788.750	90.35	-4.45	--	--	AV	260.00	300	Horizontal	N/A
5	7577.500	54.28	-0.31	74.0	-19.72	Peak	172.00	200	Horizontal	Pass
5**	7577.500	45.50	-0.31	54.0	-8.50	AV	172.00	200	Horizontal	Pass
6	12365.250	52.12	0.61	74.0	-21.88	Peak	208.00	100	Horizontal	Pass
6**	12365.250	43.46	0.61	54.0	-10.54	AV	208.00	100	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.500	46.47	-20.85	74.0	-27.53	Peak	137.00	100	Vertical	Pass
1**	1066.500	45.08	-20.85	54.0	-8.92	AV	137.00	100	Vertical	Pass
2	1328.900	45.89	-19.31	74.0	-28.11	Peak	188.00	200	Vertical	Pass
2**	1328.900	45.76	-19.31	54.0	-8.24	AV	188.00	200	Vertical	Pass
3	1466.400	47.17	-19.67	74.0	-26.83	Peak	171.00	400	Vertical	Pass
3**	1466.400	46.71	-19.67	54.0	-7.29	AV	171.00	400	Vertical	Pass
4	5787.750	107.14	-3.97	--	--	Peak	243.00	300	Vertical	N/A
4**	5787.750	100.01	-3.97	--	--	AV	243.00	300	Vertical	N/A
5	7590.750	54.85	-0.86	74.0	-19.15	Peak	243.00	100	Vertical	Pass
5**	7590.750	44.58	-0.86	54.0	-9.42	AV	243.00	100	Vertical	Pass
6	12581.375	52.83	1.32	74.0	-21.17	Peak	321.00	200	Vertical	Pass
6**	12581.375	44.32	1.32	54.0	-9.68	AV	321.00	200	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.300	50.20	-20.50	74.0	-23.80	Peak	272.00	300	Horizontal	Pass
1**	1066.300	47.08	-20.50	54.0	-6.92	AV	272.00	300	Horizontal	Pass
2	1331.900	46.61	-19.93	74.0	-27.39	Peak	272.00	200	Horizontal	Pass
2**	1331.900	42.79	-19.93	54.0	-11.21	AV	272.00	200	Horizontal	Pass
3	1465.900	48.49	-19.45	74.0	-25.51	Peak	263.00	300	Horizontal	Pass
3**	1465.900	43.94	-19.45	54.0	-10.06	AV	263.00	300	Horizontal	Pass
4	5822.500	101.01	-3.98	--	--	Peak	251.00	100	Horizontal	N/A
4**	5822.500	92.23	-3.98	--	--	AV	251.00	100	Horizontal	N/A
5	7591.750	54.48	-1.10	74.0	-19.52	Peak	7.00	200	Horizontal	Pass
5**	7591.750	44.58	-1.10	54.0	-9.42	AV	7.00	200	Horizontal	Pass
6	12336.275	52.60	0.71	74.0	-21.40	Peak	94.00	400	Horizontal	Pass
6**	12336.275	43.52	0.71	54.0	-10.48	AV	94.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.500	48.53	-19.28	74.0	-25.47	Peak	336.00	200	Vertical	Pass
1**	1327.500	47.38	-19.28	54.0	-6.62	AV	336.00	200	Vertical	Pass
2	1464.900	48.65	-19.95	74.0	-25.35	Peak	173.00	100	Vertical	Pass
2**	1464.900	47.68	-19.95	54.0	-6.32	AV	173.00	100	Vertical	Pass
3	1595.100	51.21	-19.83	74.0	-22.79	Peak	352.00	200	Vertical	Pass
3**	1595.100	47.11	-19.83	54.0	-6.89	AV	352.00	200	Vertical	Pass
4	5830.000	108.50	-4.37	--	--	Peak	155.00	300	Vertical	N/A
4**	5830.000	100.42	-4.37	--	--	AV	155.00	300	Vertical	N/A
5	7579.000	54.62	0.18	74.0	-19.38	Peak	86.00	200	Vertical	Pass
5**	7579.000	46.57	0.18	54.0	-7.43	AV	86.00	200	Vertical	Pass
6	12581.850	53.26	1.32	74.0	-20.74	Peak	68.00	300	Vertical	Pass
6**	12581.850	44.17	1.32	54.0	-9.83	AV	68.00	300	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.900	47.75	-20.62	74.0	-26.25	Peak	0.00	400	Horizontal	Pass
1**	1062.900	46.35	-20.62	54.0	-7.65	AV	0.00	400	Horizontal	Pass
2	1327.600	49.25	-19.30	74.0	-24.75	Peak	285.00	200	Horizontal	Pass
2**	1327.600	48.46	-19.30	54.0	-5.54	AV	285.00	200	Horizontal	Pass
3	1466.300	45.25	-19.58	74.0	-28.75	Peak	268.00	300	Horizontal	Pass
3**	1466.300	44.41	-19.58	54.0	-9.59	AV	268.00	300	Horizontal	Pass
4	5744.750	92.92	-6.07	--	--	Peak	252.00	200	Horizontal	N/A
4**	5744.750	84.87	-6.07	--	--	AV	252.00	200	Horizontal	N/A
5	7570.750	54.51	-0.74	74.0	-19.49	Peak	234.00	100	Horizontal	Pass
5**	7570.750	45.18	-0.74	54.0	-8.82	AV	234.00	100	Horizontal	Pass
6	12364.063	52.86	0.62	74.0	-21.14	Peak	0.00	400	Horizontal	Pass
6**	12364.063	43.54	0.62	54.0	-10.46	AV	0.00	400	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.400	51.16	-19.34	74.0	-22.84	Peak	320.00	200	Vertical	Pass
1**	1327.400	46.79	-19.34	54.0	-7.21	AV	320.00	200	Vertical	Pass
2	1460.300	52.20	-19.67	74.0	-21.80	Peak	360.00	100	Vertical	Pass
2**	1460.300	45.30	-19.67	54.0	-8.70	AV	360.00	100	Vertical	Pass
3	1593.900	49.58	-19.37	74.0	-24.42	Peak	218.00	400	Vertical	Pass
3**	1593.900	46.61	-19.37	54.0	-7.39	AV	218.00	400	Vertical	Pass
4	5751.750	102.27	-5.84	--	--	Peak	220.00	400	Vertical	N/A
4**	5751.750	94.84	-5.84	--	--	AV	220.00	400	Vertical	N/A
5	7498.750	54.36	0.09	74.0	-19.64	Peak	22.00	300	Vertical	Pass
5**	7498.750	46.02	0.09	54.0	-7.98	AV	22.00	300	Vertical	Pass
6	12550.263	52.91	1.61	74.0	-21.09	Peak	154.00	100	Vertical	Pass
6**	12550.263	42.80	1.61	54.0	-11.20	AV	154.00	100	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.800	50.66	-20.70	74.0	-23.34	Peak	257.00	300	Horizontal	Pass
1**	1063.800	47.49	-20.70	54.0	-6.51	AV	257.00	300	Horizontal	Pass
2	1327.900	51.81	-19.42	74.0	-22.19	Peak	273.00	100	Horizontal	Pass
2**	1327.900	45.67	-19.42	54.0	-8.33	AV	273.00	100	Horizontal	Pass
3	1463.700	46.41	-19.65	74.0	-27.59	Peak	291.00	100	Horizontal	Pass
3**	1463.700	45.45	-19.65	54.0	-8.55	AV	291.00	100	Horizontal	Pass
4	5798.500	95.19	-3.49	--	--	Peak	259.00	200	Horizontal	N/A
4**	5798.500	88.56	-3.49	--	--	AV	259.00	200	Horizontal	N/A
5	7604.500	54.92	-0.83	74.0	-19.08	Peak	51.00	100	Horizontal	Pass
5**	7604.500	45.06	-0.83	54.0	-8.94	AV	51.00	100	Horizontal	Pass
6	12338.175	52.80	0.72	74.0	-21.20	Peak	25.00	400	Horizontal	Pass
6**	12338.175	43.80	0.72	54.0	-10.20	AV	25.00	400	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.100	44.66	-21.06	74.0	-29.34	Peak	167.00	200	Vertical	Pass
1**	1064.100	43.26	-21.06	54.0	-10.74	AV	167.00	200	Vertical	Pass
2	1462.600	50.41	-19.42	74.0	-23.59	Peak	201.00	300	Vertical	Pass
2**	1462.600	45.68	-19.42	54.0	-8.32	AV	201.00	300	Vertical	Pass
3	1593.600	51.42	-19.75	74.0	-22.58	Peak	0.00	200	Vertical	Pass
3**	1593.600	47.62	-19.75	54.0	-6.38	AV	0.00	200	Vertical	Pass
4	5804.500	105.63	-3.56	--	--	Peak	219.00	400	Vertical	N/A
4**	5804.500	96.69	-3.56	--	--	AV	219.00	400	Vertical	N/A
5	7542.500	54.73	-1.06	74.0	-19.27	Peak	130.00	300	Vertical	Pass
5**	7542.500	45.31	-1.06	54.0	-8.69	AV	130.00	300	Vertical	Pass
6	12578.525	52.71	1.35	74.0	-21.29	Peak	202.00	100	Vertical	Pass
6**	12578.525	44.47	1.35	54.0	-9.53	AV	202.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.100	49.26	-20.27	74.0	-24.74	Peak	115.00	400	Horizontal	Pass
1**	1066.100	47.77	-20.27	54.0	-6.23	AV	115.00	400	Horizontal	Pass
2	1327.300	47.53	-19.40	74.0	-26.47	Peak	44.00	100	Horizontal	Pass
2**	1327.300	45.35	-19.40	54.0	-8.65	AV	44.00	100	Horizontal	Pass
3	1466.100	48.80	-19.40	74.0	-25.20	Peak	267.00	200	Horizontal	Pass
3**	1466.100	46.49	-19.40	54.0	-7.51	AV	267.00	200	Horizontal	Pass
4	5749.000	95.85	-5.99	--	--	Peak	252.00	100	Horizontal	N/A
4**	5749.000	88.28	-5.99	--	--	AV	252.00	100	Horizontal	N/A
5	7617.000	54.98	-1.03	74.0	-19.02	Peak	326.00	200	Horizontal	Pass
5**	7617.000	45.28	-1.03	54.0	-8.72	AV	326.00	200	Horizontal	Pass
6	12431.513	52.43	0.67	74.0	-21.57	Peak	226.00	300	Horizontal	Pass
6**	12431.513	43.65	0.67	54.0	-10.35	AV	226.00	300	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.300	47.30	-19.18	74.0	-26.70	Peak	156.00	300	Vertical	Pass
1**	1330.300	44.41	-19.18	54.0	-9.59	AV	156.00	300	Vertical	Pass
2	1461.400	47.26	-19.28	74.0	-26.74	Peak	71.00	100	Vertical	Pass
2**	1461.400	44.06	-19.28	54.0	-9.94	AV	71.00	100	Vertical	Pass
3	1598.700	50.89	-19.11	74.0	-23.11	Peak	139.00	200	Vertical	Pass
3**	1598.700	47.07	-19.11	54.0	-6.93	AV	139.00	200	Vertical	Pass
4	5743.750	104.15	-5.76	--	--	Peak	203.00	100	Vertical	N/A
4**	5743.750	96.69	-5.76	--	--	AV	203.00	100	Vertical	N/A
5	7625.500	54.84	-1.18	74.0	-19.16	Peak	95.00	400	Vertical	Pass
5**	7625.500	44.42	-1.18	54.0	-9.58	AV	95.00	400	Vertical	Pass
6	12587.076	53.19	1.27	74.0	-20.81	Peak	144.00	100	Vertical	Pass
6**	12587.076	44.23	1.27	54.0	-9.77	AV	144.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.400	49.46	-20.51	74.0	-24.54	Peak	112.00	100	Horizontal	Pass
1**	1062.400	45.92	-20.51	54.0	-8.08	AV	112.00	100	Horizontal	Pass
2	1328.300	48.62	-19.59	74.0	-25.38	Peak	35.00	400	Horizontal	Pass
2**	1328.300	44.45	-19.59	54.0	-9.55	AV	35.00	400	Horizontal	Pass
3	1465.500	51.41	-19.62	74.0	-22.59	Peak	282.00	200	Horizontal	Pass
3**	1465.500	47.89	-19.62	54.0	-6.11	AV	282.00	200	Horizontal	Pass
4	5789.250	98.03	-4.47	--	--	Peak	256.00	300	Horizontal	N/A
4**	5789.250	90.08	-4.47	--	--	AV	256.00	300	Horizontal	N/A
5	7578.750	54.77	0.13	74.0	-19.23	Peak	95.00	300	Horizontal	Pass
5**	7578.750	46.07	0.13	54.0	-7.93	AV	95.00	300	Horizontal	Pass
6	12242.938	52.50	0.25	74.0	-21.50	Peak	33.00	200	Horizontal	Pass
6**	12242.938	42.65	0.25	54.0	-11.35	AV	33.00	200	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.300	53.09	-19.53	74.0	-20.91	Peak	333.00	100	Vertical	Pass
1**	1331.300	46.17	-19.53	54.0	-7.83	AV	333.00	100	Vertical	Pass
2	1464.500	46.94	-19.71	74.0	-27.06	Peak	166.00	100	Vertical	Pass
2**	1464.500	45.29	-19.71	54.0	-8.71	AV	166.00	100	Vertical	Pass
3	1598.500	49.80	-19.43	74.0	-24.20	Peak	0.00	200	Vertical	Pass
3**	1598.500	47.20	-19.43	54.0	-6.80	AV	0.00	200	Vertical	Pass
4	5787.500	106.37	-4.35	--	--	Peak	219.00	300	Vertical	N/A
4**	5787.500	98.76	-4.35	--	--	AV	219.00	300	Vertical	N/A
5	7573.250	54.68	-0.59	74.0	-19.32	Peak	59.00	100	Vertical	Pass
5**	7573.250	45.28	-0.59	54.0	-8.72	AV	59.00	100	Vertical	Pass
6	12304.451	52.84	0.66	74.0	-21.16	Peak	51.00	200	Vertical	Pass
6**	12304.451	42.45	0.66	54.0	-11.55	AV	51.00	200	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.000	52.73	-20.56	74.0	-21.27	Peak	273.00	200	Horizontal	Pass
1**	1063.000	37.39	-20.56	54.0	-16.61	AV	273.00	200	Horizontal	Pass
2	1327.900	51.65	-19.42	74.0	-22.35	Peak	293.00	400	Horizontal	Pass
2**	1327.900	49.74	-19.42	54.0	-4.26	AV	293.00	400	Horizontal	Pass
3	1463.800	48.80	-19.61	74.0	-25.20	Peak	265.00	300	Horizontal	Pass
3**	1463.800	46.81	-19.61	54.0	-7.19	AV	265.00	300	Horizontal	Pass
4	5825.750	98.77	-4.26	--	N/A	Peak	254.00	200	Horizontal	N/A
4**	5825.750	91.25	-4.26	--	N/A	AV	254.00	200	Horizontal	N/A
5	7545.500	53.91	-0.58	74.0	-20.09	Peak	6.00	300	Horizontal	Pass
5**	7545.500	46.23	-0.58	54.0	-7.77	AV	6.00	300	Horizontal	Pass
6	12277.375	52.15	0.52	74.0	-21.85	Peak	360.00	100	Horizontal	Pass
6**	12277.375	43.37	0.52	54.0	-10.63	AV	360.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.000	51.25	-20.31	74.0	-22.75	Peak	354.00	400	Vertical	Pass
1**	1066.000	45.63	-20.31	54.0	-8.37	AV	354.00	400	Vertical	Pass
2	1465.500	52.00	-19.62	74.0	-22.00	Peak	254.00	200	Vertical	Pass
2**	1465.500	46.42	-19.62	54.0	-7.58	AV	254.00	200	Vertical	Pass
3	1594.600	53.13	-19.75	74.0	-20.87	Peak	221.00	300	Vertical	Pass
3**	1594.600	47.39	-19.75	54.0	-6.61	AV	221.00	300	Vertical	Pass
4	5827.750	108.03	-4.47	--	-52.97	Peak	161.00	400	Vertical	N/A
4**	5827.750	101.39	-4.47	--	101.39	AV	161.00	400	Vertical	N/A
5	7463.750	54.39	-1.26	74.0	-19.61	Peak	179.00	200	Vertical	Pass
5**	7463.750	44.78	-1.26	54.0	-9.22	AV	179.00	200	Vertical	Pass
6	12577.338	52.55	1.36	74.0	-21.45	Peak	312.00	400	Vertical	Pass
6**	12577.338	43.92	1.36	54.0	-10.08	AV	312.00	400	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.200	49.24	-20.32	74.0	-24.76	Peak	169.00	400	Horizontal	Pass
1**	1066.200	48.85	-20.32	54.0	-5.15	AV	169.00	400	Horizontal	Pass
2	1329.300	47.00	-19.44	74.0	-27.00	Peak	43.00	200	Horizontal	Pass
2**	1329.300	46.66	-19.44	54.0	-7.34	AV	43.00	200	Horizontal	Pass
3	1465.000	48.08	-19.89	74.0	-25.92	Peak	277.00	300	Horizontal	Pass
3**	1465.000	47.45	-19.89	54.0	-6.55	AV	277.00	300	Horizontal	Pass
4	5746.000	93.50	-5.96	--	--	Peak	260.00	200	Horizontal	N/A
4**	5746.000	84.77	-5.96	--	--	AV	260.00	200	Horizontal	N/A
5	7584.750	54.96	-0.47	74.0	-19.04	Peak	260.00	300	Horizontal	Pass
5**	7584.750	44.93	-0.47	54.0	-9.07	AV	260.00	300	Horizontal	Pass
6	12370.475	52.84	0.56	74.0	-21.16	Peak	353.00	100	Horizontal	Pass
6**	12370.475	42.68	0.56	54.0	-11.32	AV	353.00	100	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.600	50.06	-20.44	74.0	-23.94	Peak	340.00	200	Vertical	Pass
1**	1065.600	46.36	-20.44	54.0	-7.64	AV	340.00	200	Vertical	Pass
2	1328.300	52.93	-19.59	74.0	-21.07	Peak	323.00	300	Vertical	Pass
2**	1328.300	48.15	-19.59	54.0	-5.85	AV	323.00	300	Vertical	Pass
3	1593.800	53.53	-19.50	74.0	-20.47	Peak	230.00	400	Vertical	Pass
3**	1593.800	47.86	-19.50	54.0	-6.14	AV	230.00	400	Vertical	Pass
4	5759.250	102.38	-5.37	--	--	Peak	242.00	400	Vertical	N/A
4**	5759.250	94.31	-5.37	--	--	AV	242.00	400	Vertical	N/A
5	7624.000	54.61	-0.87	74.0	-19.39	Peak	360.00	300	Vertical	Pass
5**	7624.000	44.51	-0.87	54.0	-9.49	AV	360.00	300	Vertical	Pass
6	12613.437	53.22	1.04	74.0	-20.78	Peak	222.00	100	Vertical	Pass
6**	12613.437	43.79	1.04	54.0	-10.21	AV	222.00	100	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.400	48.72	-20.51	74.0	-25.28	Peak	289.00	300	Horizontal	Pass
1**	1062.400	47.44	-20.51	54.0	-6.56	AV	289.00	300	Horizontal	Pass
2	1331.000	48.87	-19.52	74.0	-25.13	Peak	269.00	100	Horizontal	Pass
2**	1331.000	46.76	-19.52	54.0	-7.24	AV	269.00	100	Horizontal	Pass
3	1460.900	53.47	-20.09	74.0	-20.53	Peak	251.00	200	Horizontal	Pass
3**	1460.900	47.57	-20.09	54.0	-6.43	AV	251.00	200	Horizontal	Pass
4	5803.000	95.53	-3.76	--	--	Peak	281.00	100	Horizontal	N/A
4**	5803.000	87.49	-3.76	--	--	AV	281.00	100	Horizontal	N/A
5	12408.001	52.30	0.40	74.0	-21.70	Peak	44.00	400	Horizontal	Pass
5**	12408.001	43.02	0.40	54.0	-10.98	AV	44.00	400	Horizontal	Pass
6	17796.563	47.07	6.42	74.0	-26.93	Peak	151.00	100	Horizontal	Pass
6**	17796.563	40.66	6.42	54.0	-13.34	AV	151.00	100	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.200	51.74	-20.45	74.0	-22.26	Peak	261.00	100	Vertical	Pass
1**	1063.200	40.22	-20.45	54.0	-13.78	AV	261.00	100	Vertical	Pass
2	1327.700	48.26	-19.34	74.0	-25.74	Peak	343.00	300	Vertical	Pass
2**	1327.700	46.38	-19.34	54.0	-7.62	AV	343.00	300	Vertical	Pass
3	1595.100	52.72	-19.83	74.0	-21.28	Peak	201.00	200	Vertical	Pass
3**	1595.100	38.44	-19.83	54.0	-15.56	AV	201.00	200	Vertical	Pass
4	5789.500	105.38	-4.39	--	--	Peak	248.00	100	Vertical	N/A
4**	5789.500	96.38	-4.39	--	--	AV	248.00	100	Vertical	N/A
5	12258.850	52.20	0.42	74.0	-21.80	Peak	241.00	300	Vertical	Pass
5**	12258.850	42.43	0.42	54.0	-11.57	AV	241.00	300	Vertical	Pass
6	17789.999	47.13	6.22	74.0	-26.87	Peak	25.00	100	Vertical	Pass
6**	17789.999	39.33	6.22	54.0	-14.67	AV	25.00	100	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.700	50.61	-20.67	74.0	-23.39	Peak	99.00	200	Horizontal	Pass
1**	1062.700	49.63	-20.67	54.0	-4.37	AV	99.00	200	Horizontal	Pass
2	1331.100	50.67	-19.52	74.0	-23.33	Peak	284.00	100	Horizontal	Pass
2**	1331.100	31.60	-19.52	54.0	-22.40	AV	284.00	100	Horizontal	Pass
3	1465.000	50.17	-19.89	74.0	-23.83	Peak	284.00	400	Horizontal	Pass
3**	1465.000	36.18	-19.89	54.0	-17.82	AV	284.00	400	Horizontal	Pass
4	5792.750	91.14	-4.28	--	--	Peak	284.00	200	Horizontal	N/A
4**	5792.750	83.07	-4.28	--	--	AV	284.00	200	Horizontal	N/A
5	12255.526	52.17	0.40	74.0	-21.83	Peak	140.00	100	Horizontal	Pass
5**	12255.526	42.51	0.40	54.0	-11.49	AV	140.00	100	Horizontal	Pass
6	17796.563	47.73	6.42	74.0	-26.27	Peak	141.00	100	Horizontal	Pass
6**	17796.563	40.63	6.42	54.0	-13.37	AV	141.00	100	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.400	52.77	-19.57	74.0	-21.23	Peak	327.00	300	Vertical	Pass
1**	1329.400	43.46	-19.57	54.0	-10.54	AV	327.00	300	Vertical	Pass
2	1466.100	52.53	-19.40	74.0	-21.47	Peak	163.00	100	Vertical	Pass
2**	1466.100	37.84	-19.40	54.0	-16.16	AV	163.00	100	Vertical	Pass
3	1594.100	51.73	-19.36	74.0	-22.27	Peak	218.00	200	Vertical	Pass
3**	1594.100	42.81	-19.36	54.0	-11.19	AV	218.00	200	Vertical	Pass
4	5791.250	101.06	-3.87	--	--	Peak	181.00	200	Vertical	N/A
4**	5791.250	93.37	-3.87	--	--	AV	181.00	200	Vertical	N/A
5	12403.250	51.93	0.34	74.0	-22.07	Peak	273.00	100	Vertical	Pass
5**	12403.250	43.05	0.34	54.0	-10.95	AV	273.00	100	Vertical	Pass
6	17834.625	46.97	5.58	74.0	-27.03	Peak	9.00	100	Vertical	Pass
6**	17834.625	39.57	5.58	54.0	-14.43	AV	9.00	100	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.600	51.68	-20.46	74.0	-22.32	Peak	111.00	100	Horizontal	Pass
1**	1063.600	46.51	-20.46	54.0	-7.49	AV	111.00	100	Horizontal	Pass
2	1327.600	51.76	-19.30	74.0	-22.24	Peak	274.00	400	Horizontal	Pass
2**	1327.600	33.49	-19.30	54.0	-20.51	AV	274.00	400	Horizontal	Pass
3	1465.400	51.60	-19.67	74.0	-22.40	Peak	254.00	100	Horizontal	Pass
3**	1465.400	38.60	-19.67	54.0	-15.40	AV	254.00	100	Horizontal	Pass
4	5747.250	96.13	-5.63	--	--	Peak	270.00	200	Horizontal	N/A
4**	5747.250	88.05	-5.63	--	--	AV	270.00	200	Horizontal	N/A
5	12301.362	52.32	0.66	74.0	-21.68	Peak	31.00	300	Horizontal	Pass
5**	12301.362	43.22	0.66	54.0	-10.78	AV	31.00	300	Horizontal	Pass
6	17826.750	47.16	5.80	74.0	-26.84	Peak	196.00	100	Horizontal	Pass
6**	17826.750	40.07	5.80	54.0	-13.93	AV	196.00	100	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.400	51.85	-19.23	74.0	-22.15	Peak	213.00	300	Vertical	Pass
1**	1330.400	40.19	-19.23	54.0	-13.81	AV	213.00	300	Vertical	Pass
2	1465.500	52.16	-19.62	74.0	-21.84	Peak	0.00	100	Vertical	Pass
2**	1465.500	43.66	-19.62	54.0	-10.34	AV	0.00	100	Vertical	Pass
3	1593.800	52.24	-19.50	74.0	-21.76	Peak	145.00	200	Vertical	Pass
3**	1593.800	38.98	-19.50	54.0	-15.02	AV	145.00	200	Vertical	Pass
4	5746.750	105.20	-5.92	--	--	Peak	244.00	100	Vertical	N/A
4**	5746.750	96.67	-5.92	--	--	AV	244.00	100	Vertical	N/A
5	12414.175	52.80	0.47	74.0	-21.20	Peak	85.00	400	Vertical	Pass
5**	12414.175	42.26	0.47	54.0	-11.74	AV	85.00	400	Vertical	Pass
6	17828.063	47.37	5.76	74.0	-26.63	Peak	107.00	100	Vertical	Pass
6**	17828.063	38.91	5.76	54.0	-15.09	AV	107.00	100	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.900	50.20	-20.83	74.0	-23.80	Peak	259.00	300	Horizontal	Pass
1**	1063.900	49.67	-20.83	54.0	-4.33	AV	259.00	300	Horizontal	Pass
2	1329.800	49.19	-19.60	74.0	-24.81	Peak	259.00	100	Horizontal	Pass
2**	1329.800	41.87	-19.60	54.0	-12.13	AV	259.00	100	Horizontal	Pass
3	1465.800	50.27	-19.49	74.0	-23.73	Peak	267.00	200	Horizontal	Pass
3**	1465.800	33.17	-19.49	54.0	-20.83	AV	267.00	200	Horizontal	Pass
4	5787.750	97.54	-3.97	--	--	Peak	264.00	100	Horizontal	N/A
4**	5787.750	89.50	-3.97	--	--	AV	264.00	100	Horizontal	N/A
5	12245.550	52.34	0.29	74.0	-21.66	Peak	196.00	400	Horizontal	Pass
5**	12245.550	42.71	0.29	54.0	-11.29	AV	196.00	400	Horizontal	Pass
6	17799.188	46.97	6.50	74.0	-27.03	Peak	191.00	100	Horizontal	Pass
6**	17799.188	40.04	6.50	54.0	-13.96	AV	191.00	100	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.600	53.13	-19.33	74.0	-20.87	Peak	212.00	100	Vertical	Pass
1**	1330.600	37.11	-19.33	54.0	-16.89	AV	212.00	100	Vertical	Pass
2	1463.400	54.55	-19.79	74.0	-19.45	Peak	168.00	400	Vertical	Pass
2**	1463.400	42.36	-19.79	54.0	-11.64	AV	168.00	400	Vertical	Pass
3	1593.800	48.63	-19.50	74.0	-25.37	Peak	352.00	100	Vertical	Pass
3**	1593.800	46.94	-19.50	54.0	-7.06	AV	352.00	100	Vertical	Pass
4	5783.500	106.99	-4.74	--	--	Peak	270.00	200	Vertical	N/A
4**	5783.500	98.56	-4.74	--	--	AV	270.00	200	Vertical	N/A
5	12300.650	53.08	0.66	74.0	-20.92	Peak	283.00	200	Vertical	Pass
5**	12300.650	43.10	0.66	54.0	-10.90	AV	283.00	200	Vertical	Pass
6	17828.063	47.36	5.76	74.0	-26.64	Peak	196.00	100	Vertical	Pass
6**	17828.063	39.82	5.76	54.0	-14.18	AV	196.00	100	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.200	53.13	-20.50	74.0	-20.87	Peak	138.00	100	Horizontal	Pass
1**	1065.200	36.92	-20.50	54.0	-17.08	AV	138.00	100	Horizontal	Pass
2	1333.200	49.67	-19.55	74.0	-24.33	Peak	286.00	400	Horizontal	Pass
2**	1333.200	47.59	-19.55	54.0	-6.41	AV	286.00	400	Horizontal	Pass
3	1463.800	52.65	-19.61	74.0	-21.35	Peak	260.00	100	Horizontal	Pass
3**	1463.800	30.61	-19.61	54.0	-23.39	AV	260.00	100	Horizontal	Pass
4	5830.250	99.52	-4.42	--	--	Peak	268.00	200	Horizontal	N/A
4**	5830.250	90.73	-4.42	--	--	AV	268.00	200	Horizontal	N/A
5	12303.737	52.28	0.66	74.0	-21.72	Peak	93.00	100	Horizontal	Pass
5**	12303.737	43.17	0.66	54.0	-10.83	AV	93.00	100	Horizontal	Pass
6	17796.563	47.85	6.42	74.0	-26.15	Peak	137.00	300	Horizontal	Pass
6**	17796.563	39.82	6.42	54.0	-14.18	AV	137.00	300	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.100	53.05	-19.52	74.0	-20.95	Peak	328.00	200	Vertical	Pass
1**	1331.100	42.76	-19.52	54.0	-11.24	AV	328.00	200	Vertical	Pass
2	1463.500	53.39	-19.73	74.0	-20.61	Peak	171.00	100	Vertical	Pass
2**	1463.500	35.10	-19.73	54.0	-18.90	AV	171.00	100	Vertical	Pass
3	1595.200	52.39	-19.83	74.0	-21.61	Peak	346.00	300	Vertical	Pass
3**	1595.200	40.34	-19.83	54.0	-13.66	AV	346.00	300	Vertical	Pass
4	5823.500	110.00	-4.39	--	--	Peak	176.00	100	Vertical	N/A
4**	5823.500	100.71	-4.39	--	--	AV	176.00	100	Vertical	N/A
5	12248.875	52.16	0.35	74.0	-21.84	Peak	286.00	200	Vertical	Pass
5**	12248.875	42.74	0.35	54.0	-11.26	AV	286.00	200	Vertical	Pass
6	17821.499	47.34	5.94	74.0	-26.66	Peak	86.00	100	Vertical	Pass
6**	17821.499	38.98	5.94	54.0	-15.02	AV	86.00	100	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.600	48.39	-20.62	74.0	-25.61	Peak	257.00	200	Horizontal	Pass
1**	1062.600	47.52	-20.62	54.0	-6.48	AV	257.00	200	Horizontal	Pass
2	1327.800	52.66	-19.38	74.0	-21.34	Peak	277.00	100	Horizontal	Pass
2**	1327.800	32.03	-19.38	54.0	-21.97	AV	277.00	100	Horizontal	Pass
3	1465.700	52.15	-19.53	74.0	-21.85	Peak	286.00	300	Horizontal	Pass
3**	1465.700	29.47	-19.53	54.0	-24.53	AV	286.00	300	Horizontal	Pass
4	5744.250	93.47	-5.76	--	--	Peak	105.00	100	Horizontal	N/A
4**	5744.250	85.07	-5.76	--	--	AV	105.00	100	Horizontal	N/A
5	12365.013	53.73	0.61	74.0	-20.27	Peak	177.00	300	Horizontal	Pass
5**	12365.013	43.81	0.61	54.0	-10.19	AV	177.00	300	Horizontal	Pass
6	17803.125	47.71	6.44	74.0	-26.29	Peak	47.00	100	Horizontal	Pass
6**	17803.125	39.98	6.44	54.0	-14.02	AV	47.00	100	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.500	48.81	-20.46	74.0	-25.19	Peak	242.00	300	Vertical	Pass
1**	1063.500	47.76	-20.46	54.0	-6.24	AV	242.00	300	Vertical	Pass
2	1329.600	52.32	-19.82	74.0	-21.68	Peak	323.00	100	Vertical	Pass
2**	1329.600	44.92	-19.82	54.0	-9.08	AV	323.00	100	Vertical	Pass
3	1465.800	51.31	-19.49	74.0	-22.69	Peak	164.00	200	Vertical	Pass
3**	1465.800	50.14	-19.49	54.0	-3.86	AV	164.00	200	Vertical	Pass
4	5762.750	101.98	-5.81	--	--	Peak	266.00	200	Vertical	N/A
4**	5762.750	94.19	-5.81	--	--	AV	266.00	200	Vertical	N/A
5	12303.500	52.81	0.66	74.0	-21.19	Peak	346.00	100	Vertical	Pass
5**	12303.500	43.11	0.66	54.0	-10.89	AV	346.00	100	Vertical	Pass
6	17797.876	47.39	6.46	74.0	-26.61	Peak	219.00	100	Vertical	Pass
6**	17797.876	39.83	6.46	54.0	-14.17	AV	219.00	100	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.400	51.01	-20.51	74.0	-22.99	Peak	345.00	100	Horizontal	Pass
1**	1062.400	47.90	-20.51	54.0	-6.10	AV	345.00	100	Horizontal	Pass
2	1327.900	51.98	-19.42	74.0	-22.02	Peak	286.00	400	Horizontal	Pass
2**	1327.900	32.81	-19.42	54.0	-21.19	AV	286.00	400	Horizontal	Pass
3	1465.000	50.47	-19.89	74.0	-23.53	Peak	276.00	100	Horizontal	Pass
3**	1465.000	43.50	-19.89	54.0	-10.50	AV	276.00	100	Horizontal	Pass
4	5797.000	96.46	-3.84	--	--	Peak	271.00	200	Horizontal	N/A
4**	5797.000	86.68	-3.84	--	--	AV	271.00	200	Horizontal	N/A
5	12401.112	52.38	0.32	74.0	-21.62	Peak	279.00	300	Horizontal	Pass
5**	12401.112	43.21	0.32	54.0	-10.79	AV	279.00	300	Horizontal	Pass
6	17812.312	48.12	6.19	74.0	-25.88	Peak	322.00	100	Horizontal	Pass
6**	17812.312	40.16	6.19	54.0	-13.84	AV	322.00	100	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.300	52.49	-20.50	74.0	-21.51	Peak	315.00	200	Vertical	Pass
1**	1066.300	33.75	-20.50	54.0	-20.25	AV	315.00	200	Vertical	Pass
2	1461.400	49.53	-19.28	74.0	-24.47	Peak	163.00	100	Vertical	Pass
2**	1461.400	47.18	-19.28	54.0	-6.82	AV	163.00	100	Vertical	Pass
3	1593.800	49.24	-19.50	74.0	-24.76	Peak	0.00	300	Vertical	Pass
3**	1593.800	47.29	-19.50	54.0	-6.71	AV	0.00	300	Vertical	Pass
4	5798.750	106.36	-3.39	--	--	Peak	267.00	100	Vertical	N/A
4**	5798.750	97.55	-3.39	--	--	AV	267.00	100	Vertical	N/A
5	12247.451	52.50	0.32	74.0	-21.50	Peak	357.00	200	Vertical	Pass
5**	12247.451	43.05	0.32	54.0	-10.95	AV	357.00	200	Vertical	Pass
6	17808.376	46.66	6.30	74.0	-27.34	Peak	81.00	100	Vertical	Pass
6**	17808.376	39.67	6.30	54.0	-14.33	AV	81.00	100	Vertical	Pass

11ax80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.800	50.50	-20.70	74.0	-23.50	Peak	295.00	200	Horizontal	Pass
1**	1063.800	49.68	-20.70	54.0	-4.32	AV	295.00	200	Horizontal	Pass
2	1329.700	51.04	-19.80	74.0	-22.96	Peak	286.00	100	Horizontal	Pass
2**	1329.700	36.61	-19.80	54.0	-17.39	AV	286.00	100	Horizontal	Pass
3	1464.500	49.20	-19.71	74.0	-24.80	Peak	269.00	300	Horizontal	Pass
3**	1464.500	29.51	-19.71	54.0	-24.49	AV	269.00	300	Horizontal	Pass
4	5790.250	92.41	-4.30	--	--	Peak	268.00	100	Horizontal	N/A
4**	5790.250	83.03	-4.30	--	--	AV	268.00	100	Horizontal	N/A
5	12302.788	52.47	0.66	74.0	-21.53	Peak	179.00	400	Horizontal	Pass
5**	12302.788	42.72	0.66	54.0	-11.28	AV	179.00	400	Horizontal	Pass
6	17791.312	46.95	6.26	74.0	-27.05	Peak	54.00	100	Horizontal	Pass
6**	17791.312	39.89	6.26	54.0	-14.11	AV	54.00	100	Horizontal	Pass

11ax80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.300	51.99	-20.49	74.0	-22.01	Peak	335.00	300	Vertical	Pass
1**	1065.300	31.90	-20.49	54.0	-22.10	AV	335.00	300	Vertical	Pass
2	1465.900	53.17	-19.45	74.0	-20.83	Peak	187.00	100	Vertical	Pass
2**	1465.900	38.33	-19.45	54.0	-15.67	AV	187.00	100	Vertical	Pass
3	1596.000	52.16	-19.49	74.0	-21.84	Peak	0.00	200	Vertical	Pass
3**	1596.000	37.98	-19.49	54.0	-16.02	AV	0.00	200	Vertical	Pass
4	5791.750	101.50	-3.96	--	--	Peak	173.00	200	Vertical	N/A
4**	5791.750	93.32	-3.96	--	--	AV	173.00	200	Vertical	N/A
5	12302.312	52.83	0.66	74.0	-21.17	Peak	189.00	100	Vertical	Pass
5**	12302.312	44.42	0.66	54.0	-9.58	AV	189.00	100	Vertical	Pass
6	17799.188	46.95	6.50	74.0	-27.05	Peak	71.00	400	Vertical	Pass
6**	17799.188	39.89	6.50	54.0	-14.11	AV	71.00	400	Vertical	Pass

Simultaneous transmission

MAIN antenna: 5G 802.11n20 mode + AUX antenna: BLE mode and 5G 802.11n20 mode

1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.000	52.92	-17.59	74.0	-21.08	Peak	115.00	400	Horizontal	Pass
1**	1597.000	42.28	-17.59	54.0	-11.72	AV	115.00	400	Horizontal	Pass
2	2401.800	100.06	-13.35	--	--	Peak	246.00	150	Horizontal	N/A
2**	2401.800	98.92	-13.35	--	--	AV	246.00	150	Horizontal	N/A
3	5183.250	100.23	-2.11	--	--	Peak	91.00	200	Horizontal	N/A
3**	5183.250	93.00	-2.11	--	--	AV	91.00	200	Horizontal	N/A
4	7450.250	53.16	0.68	74.0	-20.84	Peak	281.00	200	Horizontal	Pass
4**	7450.250	44.07	0.68	54.0	-9.93	AV	281.00	200	Horizontal	Pass
5	11794.300	49.56	-3.59	74.0	-24.44	Peak	160.00	100	Horizontal	Pass
5**	11794.300	40.84	-3.59	54.0	-13.16	AV	160.00	100	Horizontal	Pass
6	16138.613	51.68	-0.58	74.0	-22.32	Peak	8.00	300	Horizontal	Pass
6**	16138.613	42.21	-0.58	54.0	-11.79	AV	8.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.100	55.76	-17.49	74.0	-18.24	Peak	226.00	100	Vertical	Pass
1**	1594.100	46.05	-17.49	54.0	-7.95	AV	226.00	100	Vertical	Pass
2	2401.800	96.71	-13.35	--	--	Peak	89.00	150	Vertical	N/A
2**	2401.800	95.76	-13.35	--	--	AV	89.00	150	Vertical	N/A
3	5178.750	108.55	-2.25	--	--	Peak	150.00	200	Vertical	N/A
3**	5178.750	102.06	-2.25	--	--	AV	150.00	200	Vertical	N/A
4	7509.750	54.00	0.56	74.0	-20.00	Peak	46.00	300	Vertical	Pass
4**	7509.750	44.21	0.56	54.0	-9.79	AV	46.00	300	Vertical	Pass
5	12244.362	49.07	-2.92	74.0	-24.93	Peak	136.00	200	Vertical	Pass
5**	12244.362	37.79	-2.92	54.0	-16.21	AV	136.00	200	Vertical	Pass
6	16174.576	51.62	-0.45	74.0	-22.38	Peak	192.00	100	Vertical	Pass
6**	16174.576	43.27	-0.45	54.0	-10.73	AV	192.00	100	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Main Antenna/ Aux. Antenna

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		Low	Pass

		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Middle	Pass

MIMO

Test Band	Mode	Channel	Verdict
U-NII-1	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
U-NII-2A	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
U-NII-2C	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ac(VHT160)	Middle	Pass


	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Low	Pass
		High	Pass
	802.11ax(HE160) (SU)	Middle	Pass
U-NII-3	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Middle	Pass

Note: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data and Plots


Main Antenna

U-NII-1 11a CH36



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.76	0.44	74.0	-17.24	Peak	183.00	150	Vertical	Pass
1**	5150.000	46.98	0.44	54.0	-7.02	AV	183.00	150	Vertical	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.94	0.88	74.0	-20.06	Peak	86.00	100	Vertical	Pass
1**	5350.000	44.06	0.88	54.0	-9.94	AV	86.00	100	Vertical	Pass
2	5454.317	56.59	0.81	74.0	-17.41	Peak	320.00	150	Vertical	Pass
2**	5454.317	43.85	0.81	54.0	-10.15	AV	320.00	150	Vertical	Pass
3	5389.967	55.49	2.35	74.0	-18.51	Peak	47.00	150	Vertical	Pass
3**	5389.967	45.31	2.35	54.0	-8.69	AV	47.00	150	Vertical	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.31	0.44	74.0	-18.69	Peak	181.00	100	Vertical	Pass
1**	5150.000	46.78	0.44	54.0	-7.22	AV	181.00	100	Vertical	Pass
2	5148.050	54.99	0.46	74.0	-19.01	Peak	190.00	150	Vertical	Pass
2**	5148.050	47.05	0.46	54.0	-6.95	AV	190.00	150	Vertical	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.10	0.88	74.0	-18.90	Peak	165.00	150	Vertical	Pass
1**	5350.000	43.88	0.88	54.0	-10.12	AV	165.00	150	Vertical	Pass
2	5358.617	56.48	0.65	74.0	-17.52	Peak	249.00	200	Vertical	Pass
2**	5358.617	43.51	0.65	54.0	-10.49	AV	249.00	200	Vertical	Pass
3	5395.467	55.29	2.09	74.0	-18.71	Peak	253.00	100	Vertical	Pass
3**	5395.467	45.22	2.09	54.0	-8.78	AV	253.00	100	Vertical	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.95	0.44	74.0	-15.05	Peak	172.00	100	Vertical	Pass
1**	5150.000	50.17	0.44	54.0	-3.83	AV	172.00	100	Vertical	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.30	0.88	74.0	-19.70	Peak	311.00	100	Vertical	Pass
1**	5350.000	43.86	0.88	54.0	-10.14	AV	311.00	100	Vertical	Pass
2	5386.300	56.95	1.88	74.0	-17.05	Peak	157.00	200	Vertical	Pass
2**	5386.300	44.78	1.88	54.0	-9.22	AV	157.00	200	Vertical	Pass
3	5387.217	56.18	2.01	74.0	-17.82	Peak	360.00	200	Vertical	Pass
3**	5387.217	45.25	2.01	54.0	-8.75	AV	360.00	200	Vertical	Pass

U-NII-1 11ac20 CH36



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.99	0.44	74.0	-18.01	Peak	188.00	200	Vertical	Pass
1**	5150.000	46.62	0.44	54.0	-7.38	AV	188.00	200	Vertical	Pass
2	5147.725	56.29	0.34	74.0	-17.71	Peak	171.00	150	Vertical	Pass
2**	5147.725	46.27	0.34	54.0	-7.73	AV	171.00	150	Vertical	Pass
3	5146.750	54.69	0.32	74.0	-19.31	Peak	188.00	100	Vertical	Pass
3**	5146.750	46.89	0.32	54.0	-7.11	AV	188.00	100	Vertical	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.52	0.88	74.0	-19.48	Peak	316.00	100	Vertical	Pass
1**	5350.000	43.95	0.88	54.0	-10.05	AV	316.00	100	Vertical	Pass
2	5395.467	57.08	2.09	74.0	-16.92	Peak	95.00	100	Vertical	Pass
2**	5395.467	45.39	2.09	54.0	-8.61	AV	95.00	100	Vertical	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.99	0.44	74.0	-16.01	Peak	185.00	150	Vertical	Pass
1**	5150.000	48.88	0.44	54.0	-5.12	AV	185.00	150	Vertical	Pass
2	5142.850	58.40	-0.07	74.0	-15.60	Peak	185.00	150	Vertical	Pass
2**	5142.850	47.08	-0.07	54.0	-6.92	AV	185.00	150	Vertical	Pass
3	5149.675	58.36	0.55	74.0	-15.64	Peak	177.00	200	Vertical	Pass
3**	5149.675	49.09	0.55	54.0	-4.91	AV	177.00	200	Vertical	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.02	0.88	74.0	-18.98	Peak	47.00	150	Vertical	Pass
1**	5350.000	43.91	0.88	54.0	-10.09	AV	47.00	150	Vertical	Pass
2	5395.467	57.47	2.09	74.0	-16.53	Peak	47.00	100	Vertical	Pass
2**	5395.467	45.17	2.09	54.0	-8.83	AV	47.00	100	Vertical	Pass
3	5389.967	56.79	2.35	74.0	-17.21	Peak	109.00	200	Vertical	Pass
3**	5389.967	45.51	2.35	54.0	-8.49	AV	109.00	200	Vertical	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.10	0.44	74.0	-14.90	Peak	181.00	100	Vertical	Pass
1**	5150.000	50.67	0.44	54.0	-3.33	AV	181.00	100	Vertical	Pass
2	5145.775	61.83	0.08	74.0	-12.17	Peak	186.00	150	Vertical	Pass
2**	5145.775	50.81	0.08	54.0	-3.19	AV	186.00	150	Vertical	Pass
3	5147.075	59.54	0.35	74.0	-14.46	Peak	186.00	100	Vertical	Pass
3**	5147.075	51.15	0.35	54.0	-2.85	AV	186.00	100	Vertical	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.48	0.88	74.0	-19.52	Peak	215.00	100	Vertical	Pass
1**	5350.000	44.19	0.88	54.0	-9.81	AV	215.00	100	Vertical	Pass
2	5457.250	56.67	1.37	74.0	-17.33	Peak	176.00	150	Vertical	Pass
2**	5457.250	44.31	1.37	54.0	-9.69	AV	176.00	150	Vertical	Pass
3	5389.967	55.45	2.35	74.0	-18.55	Peak	1.00	200	Vertical	Pass
3**	5389.967	45.56	2.35	54.0	-8.44	AV	1.00	200	Vertical	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	64.33	0.44	74.0	-9.67	Peak	173.00	150	Vertical	Pass
1**	5150.000	52.12	0.44	54.0	-1.88	AV	173.00	150	Vertical	Pass
2	5142.200	64.32	0.20	74.0	-9.68	Peak	173.00	100	Vertical	Pass
2**	5142.200	50.93	0.20	54.0	-3.07	AV	173.00	100	Vertical	Pass
3	5148.050	63.49	0.46	74.0	-10.51	Peak	173.00	100	Vertical	Pass
3**	5148.050	52.39	0.46	54.0	-1.61	AV	173.00	100	Vertical	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	63.40	0.88	74.0	-10.60	Peak	191.00	150	Vertical	Pass
1**	5350.000	51.66	0.88	54.0	-2.34	AV	191.00	150	Vertical	Pass
2	5394.916	65.99	1.73	74.0	-8.01	Peak	191.00	100	Vertical	Pass
2**	5394.916	51.74	1.73	54.0	-2.26	AV	191.00	100	Vertical	Pass
3	5394.916	65.99	1.73	74.0	-8.01	Peak	191.00	100	Vertical	Pass
3**	5394.916	51.74	1.73	54.0	-2.26	AV	191.00	100	Vertical	Pass

U-NII-1 11ax20 (SU) CH36



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.61	0.44	74.0	-18.39	Peak	172.00	100	Vertical	Pass
1**	5150.000	47.77	0.44	54.0	-6.23	AV	172.00	100	Vertical	Pass
2	5144.800	56.72	0.15	74.0	-17.28	Peak	184.00	200	Vertical	Pass
2**	5144.800	46.32	0.15	54.0	-7.68	AV	184.00	200	Vertical	Pass

U-NII-1 11ax20 (SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.62	0.88	74.0	-18.38	Peak	334.00	100	Vertical	Pass
1**	5350.000	44.26	0.88	54.0	-9.74	AV	334.00	100	Vertical	Pass
2	5387.950	57.35	1.99	74.0	-16.65	Peak	43.00	200	Vertical	Pass
2**	5387.950	45.32	1.99	54.0	-8.68	AV	43.00	200	Vertical	Pass
3	5385.017	56.88	2.14	74.0	-17.12	Peak	345.00	100	Vertical	Pass
3**	5385.017	45.60	2.14	54.0	-8.40	AV	345.00	100	Vertical	Pass

U-NII-1 11ax40 (SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	61.28	0.44	74.0	-12.72	Peak	177.00	150	Vertical	Pass
1**	5150.000	51.23	0.44	54.0	-2.77	AV	177.00	150	Vertical	Pass
2	5148.375	62.76	0.33	74.0	-11.24	Peak	185.00	100	Vertical	Pass
2**	5148.375	50.93	0.33	54.0	-3.07	AV	185.00	100	Vertical	Pass

U-NII-1 11ax40 (SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.77	0.88	74.0	-19.23	Peak	69.00	150	Vertical	Pass
1**	5350.000	44.00	0.88	54.0	-10.00	AV	69.00	150	Vertical	Pass
2	5379.334	57.06	1.82	74.0	-16.94	Peak	15.00	100	Vertical	Pass
2**	5379.334	44.89	1.82	54.0	-9.11	AV	15.00	100	Vertical	Pass
3	5389.967	56.45	2.35	74.0	-17.55	Peak	144.00	200	Vertical	Pass
3**	5389.967	45.47	2.35	54.0	-8.53	AV	144.00	200	Vertical	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	63.48	0.44	74.0	-10.52	Peak	187.00	150	Vertical	Pass
1**	5150.000	51.53	0.44	54.0	-2.47	AV	187.00	150	Vertical	Pass
2	5148.050	62.74	0.46	74.0	-11.26	Peak	187.00	200	Vertical	Pass
2**	5148.050	51.99	0.46	54.0	-2.01	AV	187.00	200	Vertical	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.89	0.88	74.0	-19.11	Peak	91.00	150	Vertical	Pass
1**	5350.000	44.96	0.88	54.0	-9.04	AV	91.00	150	Vertical	Pass
2	5376.766	57.06	1.88	74.0	-16.94	Peak	192.00	200	Vertical	Pass
2**	5376.766	45.67	1.88	54.0	-8.33	AV	192.00	200	Vertical	Pass
3	5390.517	56.65	1.87	74.0	-17.35	Peak	189.00	100	Vertical	Pass
3**	5390.517	46.00	1.87	54.0	-8.00	AV	189.00	100	Vertical	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	66.06	0.44	74.0	-7.94	Peak	183.00	150	Vertical	Pass
1**	5150.000	52.46	0.44	54.0	-1.54	AV	183.00	150	Vertical	Pass
2	5147.725	64.56	0.34	74.0	-9.44	Peak	183.00	150	Vertical	Pass
2**	5147.725	52.60	0.34	54.0	-1.40	AV	183.00	150	Vertical	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.84	0.88	74.0	-13.16	Peak	173.00	150	Vertical	Pass
1**	5350.000	51.20	0.88	54.0	-2.80	AV	173.00	150	Vertical	Pass
2	5412.883	63.18	0.77	74.0	-10.82	Peak	221.00	150	Vertical	Pass
2**	5412.883	50.22	0.77	54.0	-3.78	AV	221.00	150	Vertical	Pass
3	5426.267	61.34	1.07	74.0	-12.66	Peak	176.00	200	Vertical	Pass
3**	5426.267	51.76	1.07	54.0	-2.24	AV	176.00	200	Vertical	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.60	0.44	74.0	-20.40	Peak	196.00	400	Vertical	Pass
1**	5150.000	44.47	0.44	54.0	-9.53	AV	196.00	400	Vertical	Pass
2	4993.025	56.58	1.14	74.0	-17.42	Peak	280.00	200	Vertical	Pass
2**	4993.025	45.31	1.14	54.0	-8.69	AV	280.00	200	Vertical	Pass
3	4984.575	54.92	1.56	74.0	-19.08	Peak	33.00	100	Vertical	Pass
3**	4984.575	45.73	1.56	54.0	-8.27	AV	33.00	100	Vertical	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.73	0.88	74.0	-18.27	Peak	218.00	100	Vertical	Pass
1**	5350.000	46.24	0.88	54.0	-7.76	AV	218.00	100	Vertical	Pass
2	5391.250	57.39	1.86	74.0	-16.61	Peak	221.00	300	Vertical	Pass
2**	5391.250	45.76	1.86	54.0	-8.24	AV	221.00	300	Vertical	Pass
3	5390.883	56.64	2.07	74.0	-17.36	Peak	175.00	300	Vertical	Pass
3**	5390.883	46.37	2.07	54.0	-7.63	AV	175.00	300	Vertical	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.62	0.44	74.0	-19.38	Peak	350.00	100	Vertical	Pass
1**	5150.000	44.55	0.44	54.0	-9.45	AV	350.00	100	Vertical	Pass
2	4989.775	56.00	1.18	74.0	-18.00	Peak	135.00	200	Vertical	Pass
2**	4989.775	44.85	1.18	54.0	-9.15	AV	135.00	200	Vertical	Pass
3	4981.000	54.22	1.64	74.0	-19.78	Peak	166.00	200	Vertical	Pass
3**	4981.000	45.53	1.64	54.0	-8.47	AV	166.00	200	Vertical	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.80	0.88	74.0	-18.20	Peak	219.00	300	Vertical	Pass
1**	5350.000	45.90	0.88	54.0	-8.10	AV	219.00	300	Vertical	Pass
2	5398.033	57.55	1.65	74.0	-16.45	Peak	180.00	400	Vertical	Pass
2**	5398.033	45.78	1.65	54.0	-8.22	AV	180.00	400	Vertical	Pass
3	5379.334	55.35	1.82	74.0	-18.65	Peak	236.00	300	Vertical	Pass
3**	5379.334	46.49	1.82	54.0	-7.51	AV	236.00	300	Vertical	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.48	0.44	74.0	-19.52	Peak	250.00	100	Vertical	Pass
1**	5150.000	44.41	0.44	54.0	-9.59	AV	250.00	100	Vertical	Pass
2	5003.100	55.70	0.80	74.0	-18.30	Peak	76.00	100	Vertical	Pass
2**	5003.100	44.37	0.80	54.0	-9.63	AV	76.00	100	Vertical	Pass
3	4988.475	53.86	1.31	74.0	-20.14	Peak	139.00	300	Vertical	Pass
3**	4988.475	45.38	1.31	54.0	-8.62	AV	139.00	300	Vertical	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.48	0.88	74.0	-11.52	Peak	223.00	200	Vertical	Pass
1**	5350.000	51.48	0.88	54.0	-2.52	AV	223.00	200	Vertical	Pass
2	5353.117	62.58	0.51	74.0	-11.42	Peak	223.00	200	Vertical	Pass
2**	5353.117	49.52	0.51	54.0	-4.48	AV	223.00	200	Vertical	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.39	0.44	74.0	-19.61	Peak	274.00	300	Vertical	Pass
1**	5150.000	44.65	0.44	54.0	-9.35	AV	274.00	300	Vertical	Pass
2	4981.975	56.09	1.63	74.0	-17.91	Peak	166.00	100	Vertical	Pass
2**	4981.975	45.03	1.63	54.0	-8.97	AV	166.00	100	Vertical	Pass
3	4984.250	54.48	1.72	74.0	-19.52	Peak	302.00	400	Vertical	Pass
3**	4984.250	45.95	1.72	54.0	-8.05	AV	302.00	400	Vertical	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.45	0.88	74.0	-18.55	Peak	144.00	300	Vertical	Pass
1**	5350.000	46.22	0.88	54.0	-7.78	AV	144.00	300	Vertical	Pass
2	5389.050	57.63	2.16	74.0	-16.37	Peak	162.00	300	Vertical	Pass
2**	5389.050	46.11	2.16	54.0	-7.89	AV	162.00	300	Vertical	Pass
3	5395.650	56.44	1.92	74.0	-17.56	Peak	250.00	100	Vertical	Pass
3**	5395.650	46.38	1.92	54.0	-7.62	AV	250.00	100	Vertical	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.78	0.44	74.0	-20.22	Peak	348.00	200	Vertical	Pass
1**	5150.000	44.32	0.44	54.0	-9.68	AV	348.00	200	Vertical	Pass
2	4979.050	55.87	1.60	74.0	-18.13	Peak	36.00	100	Vertical	Pass
2**	4979.050	44.78	1.60	54.0	-9.22	AV	36.00	100	Vertical	Pass
3	4991.075	54.33	1.18	74.0	-19.67	Peak	271.00	400	Vertical	Pass
3**	4991.075	45.39	1.18	54.0	-8.61	AV	271.00	400	Vertical	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.56	0.88	74.0	-11.44	Peak	226.00	100	Vertical	Pass
1**	5350.000	52.44	0.88	54.0	-1.56	AV	226.00	100	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.26	0.44	74.0	-19.74	Peak	146.00	100	Vertical	Pass
1**	5150.000	44.88	0.44	54.0	-9.12	AV	146.00	100	Vertical	Pass
2	4982.950	55.93	1.72	74.0	-18.07	Peak	360.00	100	Vertical	Pass
2**	4982.950	45.02	1.72	54.0	-8.98	AV	360.00	100	Vertical	Pass
3	4981.325	54.76	1.49	74.0	-19.24	Peak	135.00	200	Vertical	Pass
3**	4981.325	45.40	1.49	54.0	-8.60	AV	135.00	200	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.96	0.88	74.0	-13.04	Peak	219.00	200	Vertical	Pass
1**	5350.000	51.65	0.88	54.0	-2.35	AV	219.00	200	Vertical	Pass
2	5351.467	62.78	0.57	74.0	-11.22	Peak	219.00	200	Vertical	Pass
2**	5351.467	51.16	0.57	54.0	-2.84	AV	219.00	200	Vertical	Pass
3	5350.917	61.36	0.62	74.0	-12.64	Peak	219.00	200	Vertical	Pass
3**	5350.917	51.74	0.62	54.0	-2.26	AV	219.00	200	Vertical	Pass

U-NII-2A 11ax20 (SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.78	0.44	74.0	-20.22	Peak	167.00	200	Vertical	Pass
1**	5150.000	44.49	0.44	54.0	-9.51	AV	167.00	200	Vertical	Pass
2	4986.200	56.42	1.24	74.0	-17.58	Peak	171.00	400	Vertical	Pass
2**	4986.200	44.27	1.24	54.0	-9.73	AV	171.00	400	Vertical	Pass
3	4984.250	54.38	1.72	74.0	-19.62	Peak	14.00	400	Vertical	Pass
3**	4984.250	45.41	1.72	54.0	-8.59	AV	14.00	400	Vertical	Pass

U-NII-2A 11ax20 (SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.79	0.88	74.0	-18.21	Peak	217.00	100	Vertical	Pass
1**	5350.000	45.86	0.88	54.0	-8.14	AV	217.00	100	Vertical	Pass
2	5378.050	57.43	1.58	74.0	-16.57	Peak	217.00	100	Vertical	Pass
2**	5378.050	45.68	1.58	54.0	-8.32	AV	217.00	100	Vertical	Pass
3	5389.967	56.30	2.35	74.0	-17.70	Peak	190.00	200	Vertical	Pass
3**	5389.967	46.67	2.35	54.0	-7.33	AV	190.00	200	Vertical	Pass

U-NII-2A 11ax40 (SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.35	0.44	74.0	-19.65	Peak	353.00	200	Vertical	Pass
1**	5150.000	44.33	0.44	54.0	-9.67	AV	353.00	200	Vertical	Pass
2	4984.250	55.77	1.72	74.0	-18.23	Peak	360.00	300	Vertical	Pass
2**	4984.250	45.04	1.72	54.0	-8.96	AV	360.00	300	Vertical	Pass
3	4981.000	54.77	1.64	74.0	-19.23	Peak	0.00	300	Vertical	Pass
3**	4981.000	45.37	1.64	54.0	-8.63	AV	0.00	300	Vertical	Pass

U-NII-2A 11ax40 (SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.21	0.88	74.0	-12.79	Peak	224.00	400	Vertical	Pass
1**	5350.000	51.69	0.88	54.0	-2.31	AV	224.00	400	Vertical	Pass
2	5350.367	63.27	0.66	74.0	-10.73	Peak	225.00	200	Vertical	Pass
2**	5350.367	51.92	0.66	54.0	-2.08	AV	225.00	200	Vertical	Pass
3	5350.367	63.27	0.66	74.0	-10.73	Peak	225.00	200	Vertical	Pass
3**	5350.367	51.92	0.66	54.0	-2.08	AV	225.00	200	Vertical	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.29	0.44	74.0	-19.71	Peak	277.00	150	Vertical	Pass
1**	5150.000	44.32	0.44	54.0	-9.68	AV	277.00	150	Vertical	Pass
2	5003.100	56.22	0.80	74.0	-17.78	Peak	56.00	150	Vertical	Pass
2**	5003.100	44.25	0.80	54.0	-9.75	AV	56.00	150	Vertical	Pass
3	5002.450	53.75	0.81	74.0	-20.25	Peak	233.00	100	Vertical	Pass
3**	5002.450	45.52	0.81	54.0	-8.48	AV	233.00	100	Vertical	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.42	0.88	74.0	-14.58	Peak	220.00	200	Vertical	Pass
1**	5350.000	50.68	0.88	54.0	-3.32	AV	220.00	200	Vertical	Pass
2	5359.900	61.21	0.66	74.0	-12.79	Peak	223.00	100	Vertical	Pass
2**	5359.900	49.27	0.66	54.0	-4.73	AV	223.00	100	Vertical	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	63.76	1.09	68.2	-4.44	Peak	177.00	200	Vertical	Pass
1**	5470.000	54.04	1.09	--	--	AV	177.00	200	Vertical	N/A
2	5460.000	61.13	1.37	74.0	-12.87	Peak	177.00	200	Vertical	Pass
2**	5460.000	51.81	1.37	54.0	-2.19	AV	177.00	200	Vertical	Pass
3	5469.600	65.51	0.87	68.2	-2.69	Peak	221.00	300	Vertical	Pass
3**	5469.600	53.66	0.87	--	--	AV	221.00	300	Vertical	N/A
4	5457.600	63.08	1.25	74.0	-10.92	Peak	221.00	300	Vertical	Pass
4**	5457.600	51.14	1.25	54.0	-2.86	AV	221.00	300	Vertical	Pass
5	5459.800	61.47	1.28	74.0	-12.53	Peak	177.00	200	Vertical	Pass
5**	5459.800	51.93	1.28	54.0	-2.07	AV	177.00	200	Vertical	Pass

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.58	-0.08	68.2	-4.62	Peak	235.00	100	Vertical	Pass
2	5725.416	64.95	-0.29	68.2	-3.25	Peak	239.00	200	Vertical	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.29	1.09	68.2	-9.91	Peak	219.00	200	Vertical	Pass
1**	5470.000	47.66	1.09	--	--	AV	219.00	200	Vertical	N/A
2	5460.000	56.00	1.37	74.0	-18.00	Peak	287.00	400	Vertical	Pass
2**	5460.000	45.87	1.37	54.0	-8.13	AV	287.00	400	Vertical	Pass
3	5469.200	59.49	0.96	68.2	-8.71	Peak	179.00	400	Vertical	Pass
3**	5469.200	46.85	0.96	--	--	AV	179.00	400	Vertical	N/A
4	5385.800	57.40	1.84	74.0	-16.60	Peak	328.00	300	Vertical	Pass
4**	5385.800	45.20	1.84	54.0	-8.80	AV	328.00	300	Vertical	Pass
5	5456.600	55.96	1.60	74.0	-18.04	Peak	123.00	100	Vertical	Pass
5**	5456.600	46.21	1.60	54.0	-7.79	AV	123.00	100	Vertical	Pass

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	64.57	-0.08	68.2	-3.63	Peak	230.00	100	Vertical	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	65.96	1.09	68.2	-2.24	Peak	179.00	200	Vertical	Pass
1**	5470.000	53.00	1.09	--	--	AV	179.00	200	Vertical	N/A
2	5460.000	61.46	1.37	74.0	-12.54	Peak	176.00	100	Vertical	Pass
2**	5460.000	50.60	1.37	54.0	-3.40	AV	176.00	100	Vertical	Pass
3	5468.800	66.77	1.29	68.2	-1.43	Peak	182.00	300	Vertical	Pass
3**	5468.800	53.07	1.29	--	--	AV	182.00	300	Vertical	N/A
4	5458.000	64.69	0.99	74.0	-9.31	Peak	176.00	100	Vertical	Pass
4**	5458.000	50.34	0.99	54.0	-3.66	AV	176.00	100	Vertical	Pass
5	5457.400	61.50	1.34	74.0	-12.50	Peak	182.00	300	Vertical	Pass
5**	5457.400	50.95	1.34	54.0	-3.05	AV	182.00	300	Vertical	Pass

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.58	-0.08	68.2	-12.62	Peak	228.00	300	Vertical	Pass
2	5726.458	57.98	0.26	68.2	-10.22	Peak	231.00	300	Vertical	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	63.99	1.09	68.2	-4.21	Peak	179.00	300	Vertical	Pass
1**	5470.000	54.30	1.09	--	--	AV	179.00	300	Vertical	N/A
2	5460.000	64.70	1.37	74.0	-9.30	Peak	219.00	100	Vertical	Pass
2**	5460.000	51.64	1.37	54.0	-2.36	AV	219.00	100	Vertical	Pass
3	5467.800	65.66	1.15	68.2	-2.54	Peak	182.00	300	Vertical	Pass
3**	5467.800	53.73	1.15	--	--	AV	182.00	300	Vertical	N/A

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.79	-0.08	68.2	-6.41	Peak	71.00	150	Vertical	Pass
2	5725.209	62.10	-0.29	68.2	-6.10	Peak	237.00	150	Vertical	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	60.62	1.09	68.2	-7.58	Peak	177.00	300	Vertical	Pass
1**	5470.000	50.80	1.09	--	--	AV	177.00	300	Vertical	N/A
2	5460.000	57.98	1.37	74.0	-16.02	Peak	219.00	100	Vertical	Pass
2**	5460.000	49.37	1.37	54.0	-4.63	AV	219.00	100	Vertical	Pass
3	5468.800	64.42	1.29	68.2	-3.78	Peak	177.00	200	Vertical	Pass
3**	5468.800	50.48	1.29	--	--	AV	177.00	200	Vertical	N/A
4	5455.600	61.87	0.92	74.0	-12.13	Peak	219.00	200	Vertical	Pass
4**	5455.600	48.51	0.92	54.0	-5.49	AV	219.00	200	Vertical	Pass
5	5456.400	58.88	1.53	74.0	-15.12	Peak	177.00	400	Vertical	Pass
5**	5456.400	49.58	1.53	54.0	-4.42	AV	177.00	400	Vertical	Pass

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.07	-0.08	68.2	-11.13	Peak	228.00	300	Vertical	Pass
2	5725.209	58.13	-0.29	68.2	-10.07	Peak	231.00	100	Vertical	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	62.50	1.09	68.2	-5.70	Peak	222.00	100	Vertical	Pass
1**	5470.000	53.08	1.09	--	--	AV	222.00	100	Vertical	N/A
2	5460.000	61.65	1.37	74.0	-12.35	Peak	191.00	300	Vertical	Pass
2**	5460.000	51.82	1.37	54.0	-2.18	AV	191.00	300	Vertical	Pass
3	5466.200	64.88	1.05	68.2	-3.32	Peak	178.00	200	Vertical	Pass
3**	5466.200	51.82	1.05	--	--	AV	178.00	200	Vertical	N/A
4	5452.000	64.00	1.28	74.0	-10.00	Peak	219.00	100	Vertical	Pass
4**	5452.000	50.79	1.28	54.0	-3.21	AV	219.00	100	Vertical	Pass
5	5457.200	61.62	1.38	74.0	-12.38	Peak	181.00	400	Vertical	Pass
5**	5457.200	52.31	1.38	54.0	-1.69	AV	181.00	400	Vertical	Pass

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.43	-0.08	68.2	-13.77	Peak	339.00	100	Vertical	Pass
2	5805.834	57.29	1.65	68.2	-10.91	Peak	14.00	300	Vertical	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	62.11	1.09	68.2	-6.09	Peak	219.00	100	Vertical	Pass
1**	5470.000	52.36	1.09	--	--	AV	219.00	100	Vertical	N/A
2	5460.000	60.88	1.37	74.0	-13.12	Peak	130.00	400	Vertical	Pass
2**	5460.000	51.78	1.37	54.0	-2.22	AV	130.00	400	Vertical	Pass
3	5468.600	63.59	1.43	68.2	-4.61	Peak	219.00	100	Vertical	Pass
3**	5468.600	52.86	1.43	--	--	AV	219.00	100	Vertical	N/A
4	5408.000	62.39	0.70	74.0	-11.61	Peak	175.00	200	Vertical	Pass
4**	5408.000	49.71	0.70	54.0	-4.29	AV	175.00	200	Vertical	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.48	-0.08	68.2	-4.72	Peak	230.00	100	Vertical	Pass
2	5725.834	66.08	-0.12	68.2	-2.12	Peak	159.00	400	Vertical	Pass

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	64.95	1.09	68.2	-3.25	Peak	219.00	100	Vertical	Pass
1**	5470.000	53.88	1.09	--	--	AV	219.00	100	Vertical	N/A
2	5460.000	60.95	1.37	74.0	-13.05	Peak	219.00	300	Vertical	Pass
2**	5460.000	51.52	1.37	54.0	-2.48	AV	219.00	300	Vertical	Pass
3	5467.000	65.93	1.48	68.2	-2.27	Peak	179.00	100	Vertical	Pass
3**	5467.000	53.57	1.48	--	--	AV	179.00	100	Vertical	N/A
4	5458.800	62.75	1.32	74.0	-11.25	Peak	179.00	200	Vertical	Pass
4**	5458.800	51.11	1.32	54.0	-2.89	AV	179.00	200	Vertical	Pass
5	5459.600	61.54	1.23	74.0	-12.46	Peak	179.00	200	Vertical	Pass
5**	5459.600	51.58	1.23	54.0	-2.42	AV	179.00	200	Vertical	Pass

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.85	-0.08	68.2	-4.35	Peak	231.00	100	Vertical	Pass
2	5725.834	64.58	-0.12	68.2	-3.62	Peak	225.00	300	Vertical	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	62.84	1.09	68.2	-5.36	Peak	182.00	100	Vertical	Pass
1**	5470.000	52.37	1.09	--	--	AV	182.00	100	Vertical	N/A
2	5460.000	62.26	1.37	74.0	-11.74	Peak	179.00	400	Vertical	Pass
2**	5460.000	50.57	1.37	54.0	-3.43	AV	179.00	400	Vertical	Pass
3	5468.200	66.15	1.49	68.2	-2.05	Peak	179.00	100	Vertical	Pass
3**	5468.200	52.35	1.49	--	--	AV	179.00	100	Vertical	N/A
4	5457.200	63.30	1.38	74.0	-10.70	Peak	222.00	300	Vertical	Pass
4**	5457.200	50.63	1.38	54.0	-3.37	AV	222.00	300	Vertical	Pass
5	5458.800	61.24	1.32	74.0	-12.76	Peak	224.00	200	Vertical	Pass
5**	5458.800	50.68	1.32	54.0	-3.32	AV	224.00	200	Vertical	Pass

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.72	-0.08	68.2	-12.48	Peak	233.00	100	Vertical	Pass
2	5726.042	57.62	-0.07	68.2	-10.58	Peak	228.00	300	Vertical	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	63.76	1.09	68.2	-4.44	Peak	222.00	300	Vertical	Pass
1**	5470.000	51.98	1.09	--	--	AV	222.00	300	Vertical	N/A
2	5460.000	63.04	1.37	74.0	-10.96	Peak	180.00	100	Vertical	Pass
2**	5460.000	52.23	1.37	54.0	-1.77	AV	180.00	100	Vertical	Pass
3	5467.600	64.55	1.14	68.2	-3.65	Peak	177.00	400	Vertical	Pass
3**	5467.600	52.31	1.14	--	--	AV	177.00	400	Vertical	N/A
4	5458.400	63.78	1.23	74.0	-10.22	Peak	182.00	100	Vertical	Pass
4**	5458.400	52.29	1.23	54.0	-1.71	AV	182.00	100	Vertical	Pass
5	5456.800	62.30	1.57	74.0	-11.70	Peak	177.00	200	Vertical	Pass
5**	5456.800	52.75	1.57	54.0	-1.25	AV	177.00	200	Vertical	Pass

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.55	-0.08	68.2	-13.65	Peak	233.00	300	Vertical	Pass
2	5806.667	57.79	2.06	68.2	-10.41	Peak	131.00	100	Vertical	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	62.26	1.09	68.2	-5.94	Peak	219.00	300	Vertical	Pass
1**	5470.000	53.91	1.09	--	--	AV	219.00	300	Vertical	N/A
2	5460.000	62.51	1.37	74.0	-11.49	Peak	219.00	100	Vertical	Pass
2**	5460.000	52.08	1.37	54.0	-1.92	AV	219.00	100	Vertical	Pass
3	5467.200	65.48	1.34	68.2	-2.72	Peak	219.00	200	Vertical	Pass
3**	5467.200	53.66	1.34	--	--	AV	219.00	200	Vertical	N/A
4	5457.600	62.85	1.25	74.0	-11.15	Peak	219.00	100	Vertical	Pass
4**	5457.600	52.07	1.25	54.0	-1.93	AV	219.00	100	Vertical	Pass
5	5459.600	62.03	1.23	74.0	-11.97	Peak	180.00	400	Vertical	Pass
5**	5459.600	52.58	1.23	54.0	-1.42	AV	180.00	400	Vertical	Pass

U-NII-2C 11ax160 (SU) CH114



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.85	-0.08	68.2	-4.35	Peak	159.00	400	Vertical	Pass
2	5734.167	66.43	-0.36	68.2	-1.77	Peak	159.00	100	Vertical	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.06	-0.21	68.2	-14.14	Peak	187.00	200	Vertical	Pass
2	5602.500	56.60	0.98	68.2	-11.60	Peak	5.00	100	Vertical	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.30	0.01	68.2	-13.90	Peak	169.00	100	Vertical	Pass
2	5999.500	56.54	0.72	68.2	-11.66	Peak	137.00	300	Vertical	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	53.79	-0.21	68.2	-14.41	Peak	298.00	100	Vertical	Pass
2	5618.750	56.34	1.03	68.2	-11.86	Peak	293.00	200	Vertical	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.16	0.01	68.2	-14.04	Peak	192.00	200	Vertical	Pass
2	5992.000	56.87	0.68	68.2	-11.33	Peak	165.00	300	Vertical	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.09	-0.21	68.2	-14.11	Peak	93.00	200	Vertical	Pass
2	5603.125	56.51	1.17	68.2	-11.69	Peak	85.00	100	Vertical	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.65	0.01	68.2	-14.55	Peak	67.00	300	Vertical	Pass
2	5973.500	56.49	0.31	68.2	-11.71	Peak	63.00	100	Vertical	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.09	-0.21	68.2	-13.11	Peak	180.00	200	Vertical	Pass
2	5605.834	56.50	1.00	68.2	-11.70	Peak	293.00	300	Vertical	Pass

U-NII-3 11ac20 CH165



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.79	0.01	68.2	-13.41	Peak	162.00	100	Vertical	Pass
2	5988.750	56.58	0.80	68.2	-11.62	Peak	114.00	300	Vertical	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.42	-0.21	68.2	-13.78	Peak	350.00	100	Vertical	Pass
2	5620.625	56.86	1.03	68.2	-11.34	Peak	258.00	300	Vertical	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.77	0.01	68.2	-14.43	Peak	338.00	200	Vertical	Pass
2	5993.750	56.74	0.86	68.2	-11.46	Peak	195.00	100	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	53.89	-0.21	68.2	-14.31	Peak	145.00	100	Vertical	Pass
2	5606.667	56.91	1.15	68.2	-11.29	Peak	0.00	200	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.59	0.01	68.2	-13.61	Peak	176.00	300	Vertical	Pass
2	5988.750	56.43	0.80	68.2	-11.77	Peak	26.00	100	Vertical	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.46	-0.21	68.2	-13.74	Peak	144.00	300	Vertical	Pass
2	5616.250	56.80	1.11	68.2	-11.40	Peak	121.00	100	Vertical	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.67	0.01	68.2	-13.53	Peak	0.00	100	Vertical	Pass
2	5988.500	57.67	0.62	68.2	-10.53	Peak	172.00	200	Vertical	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.24	-0.21	68.2	-13.96	Peak	47.00	100	Vertical	Pass
2	5612.292	56.93	1.24	68.2	-11.27	Peak	121.00	300	Vertical	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.20	0.01	68.2	-13.00	Peak	168.00	200	Vertical	Pass
2	5998.750	56.60	0.46	68.2	-11.60	Peak	73.00	100	Vertical	Pass

U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.88	-0.21	68.2	-13.32	Peak	239.00	300	Vertical	Pass
2	5618.542	56.66	1.13	68.2	-11.54	Peak	331.00	100	Vertical	Pass


U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.17	0.01	68.2	-14.03	Peak	163.00	100	Vertical	Pass
2	5996.500	57.72	0.67	68.2	-10.48	Peak	138.00	100	Vertical	Pass


Aux. Antenna

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.25	0.44	74.0	-19.75	Peak	225.00	100	Vertical	Pass
1**	5150.000	45.10	0.44	54.0	-8.90	AV	225.00	100	Vertical	Pass
2	4984.250	56.51	1.72	74.0	-17.49	Peak	221.00	100	Vertical	Pass
2**	4984.250	45.45	1.72	54.0	-8.55	AV	221.00	100	Vertical	Pass
3	4982.950	54.89	1.72	74.0	-19.11	Peak	201.00	150	Vertical	Pass
3**	4982.950	46.08	1.72	54.0	-7.92	AV	201.00	150	Vertical	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.23	0.88	74.0	-18.77	Peak	219.00	100	Vertical	Pass
1**	5350.000	44.90	0.88	54.0	-9.10	AV	219.00	100	Vertical	Pass
2	5389.783	57.65	2.19	74.0	-16.35	Peak	182.00	200	Vertical	Pass
2**	5389.783	45.73	2.19	54.0	-8.27	AV	182.00	200	Vertical	Pass
3	5389.967	55.95	2.35	74.0	-18.05	Peak	192.00	100	Vertical	Pass
3**	5389.967	46.11	2.35	54.0	-7.89	AV	192.00	100	Vertical	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.40	0.44	74.0	-19.60	Peak	234.00	100	Vertical	Pass
1**	5150.000	45.27	0.44	54.0	-8.73	AV	234.00	100	Vertical	Pass
2	4989.450	55.71	1.32	74.0	-18.29	Peak	146.00	150	Vertical	Pass
2**	4989.450	45.15	1.32	54.0	-8.85	AV	146.00	150	Vertical	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.94	0.88	74.0	-19.06	Peak	259.00	200	Vertical	Pass
1**	5350.000	44.43	0.88	54.0	-9.57	AV	259.00	200	Vertical	Pass
2	5395.283	57.16	1.86	74.0	-16.84	Peak	183.00	100	Vertical	Pass
2**	5395.283	45.36	1.86	54.0	-8.64	AV	183.00	100	Vertical	Pass
3	5389.967	56.20	2.35	74.0	-17.80	Peak	249.00	100	Vertical	Pass
3**	5389.967	45.81	2.35	54.0	-8.19	AV	249.00	100	Vertical	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.59	0.44	74.0	-19.41	Peak	349.00	150	Vertical	Pass
1**	5150.000	45.09	0.44	54.0	-8.91	AV	349.00	150	Vertical	Pass
2	4871.475	55.95	0.11	74.0	-18.05	Peak	295.00	200	Vertical	Pass
2**	4871.475	44.42	0.11	54.0	-9.58	AV	295.00	200	Vertical	Pass
3	5148.700	54.58	0.17	74.0	-19.42	Peak	152.00	200	Vertical	Pass
3**	5148.700	45.32	0.17	54.0	-8.68	AV	152.00	200	Vertical	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.02	0.88	74.0	-18.98	Peak	100.00	150	Vertical	Pass
1**	5350.000	44.65	0.88	54.0	-9.35	AV	100.00	150	Vertical	Pass
2	5389.967	57.20	2.35	74.0	-16.80	Peak	30.00	200	Vertical	Pass
2**	5389.967	45.76	2.35	54.0	-8.24	AV	30.00	200	Vertical	Pass
3	5394.550	56.14	1.96	74.0	-17.86	Peak	235.00	150	Vertical	Pass
3**	5394.550	45.86	1.96	54.0	-8.14	AV	235.00	150	Vertical	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.35	0.44	74.0	-19.65	Peak	235.00	100	Vertical	Pass
1**	5150.000	45.34	0.44	54.0	-8.66	AV	235.00	100	Vertical	Pass
2	4982.625	55.86	1.65	74.0	-18.14	Peak	333.00	150	Vertical	Pass
2**	4982.625	44.73	1.65	54.0	-9.27	AV	333.00	150	Vertical	Pass
3	5146.425	53.09	0.19	74.0	-20.91	Peak	235.00	200	Vertical	Pass
3**	5146.425	45.58	0.19	54.0	-8.42	AV	235.00	200	Vertical	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.96	0.88	74.0	-19.04	Peak	254.00	100	Vertical	Pass
1**	5350.000	44.54	0.88	54.0	-9.46	AV	254.00	100	Vertical	Pass
2	5387.217	57.42	2.01	74.0	-16.58	Peak	180.00	200	Vertical	Pass
2**	5387.217	45.38	2.01	54.0	-8.62	AV	180.00	200	Vertical	Pass
3	5395.467	55.76	2.09	74.0	-18.24	Peak	140.00	100	Vertical	Pass
3**	5395.467	45.94	2.09	54.0	-8.06	AV	140.00	100	Vertical	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.79	0.44	74.0	-19.21	Peak	152.00	100	Vertical	Pass
1**	5150.000	45.85	0.44	54.0	-8.15	AV	152.00	100	Vertical	Pass
2	5147.400	56.02	0.34	74.0	-17.98	Peak	180.00	200	Vertical	Pass
2**	5147.400	45.45	0.34	54.0	-8.55	AV	180.00	200	Vertical	Pass
3	5149.350	54.69	0.41	74.0	-19.31	Peak	224.00	100	Vertical	Pass
3**	5149.350	46.05	0.41	54.0	-7.95	AV	224.00	100	Vertical	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.42	0.88	74.0	-19.58	Peak	65.00	100	Vertical	Pass
1**	5350.000	44.68	0.88	54.0	-9.32	AV	65.00	100	Vertical	Pass
2	5390.150	57.11	2.09	74.0	-16.89	Peak	172.00	150	Vertical	Pass
2**	5390.150	45.58	2.09	54.0	-8.42	AV	172.00	150	Vertical	Pass
3	5389.967	56.69	2.35	74.0	-17.31	Peak	333.00	200	Vertical	Pass
3**	5389.967	46.00	2.35	54.0	-8.00	AV	333.00	200	Vertical	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.32	0.44	74.0	-19.68	Peak	183.00	100	Vertical	Pass
1**	5150.000	45.70	0.44	54.0	-8.30	AV	183.00	100	Vertical	Pass
2	5131.800	57.72	-0.09	74.0	-16.28	Peak	230.00	200	Vertical	Pass
2**	5131.800	44.51	-0.09	54.0	-9.49	AV	230.00	200	Vertical	Pass
3	5149.350	54.77	0.41	74.0	-19.23	Peak	226.00	100	Vertical	Pass
3**	5149.350	46.19	0.41	54.0	-7.81	AV	226.00	100	Vertical	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.08	0.88	74.0	-18.92	Peak	228.00	100	Vertical	Pass
1**	5350.000	44.94	0.88	54.0	-9.06	AV	228.00	100	Vertical	Pass
2	5394.916	58.13	1.73	74.0	-15.87	Peak	50.00	200	Vertical	Pass
2**	5394.916	45.62	1.73	54.0	-8.38	AV	50.00	200	Vertical	Pass
3	5389.967	56.23	2.35	74.0	-17.77	Peak	263.00	100	Vertical	Pass
3**	5389.967	46.25	2.35	54.0	-7.75	AV	263.00	100	Vertical	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.80	0.44	74.0	-16.20	Peak	211.00	100	Vertical	Pass
1**	5150.000	49.38	0.44	54.0	-4.62	AV	211.00	100	Vertical	Pass
2	5137.000	59.63	0.09	74.0	-14.37	Peak	227.00	150	Vertical	Pass
2**	5137.000	48.79	0.09	54.0	-5.21	AV	227.00	150	Vertical	Pass
3	5148.050	57.54	0.46	74.0	-16.46	Peak	231.00	200	Vertical	Pass
3**	5148.050	50.29	0.46	54.0	-3.71	AV	231.00	200	Vertical	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.90	0.88	74.0	-12.10	Peak	177.00	100	Vertical	Pass
1**	5350.000	50.99	0.88	54.0	-3.01	AV	177.00	100	Vertical	Pass
2	5396.200	65.76	1.60	74.0	-8.24	Peak	177.00	150	Vertical	Pass
2**	5396.200	52.39	1.60	54.0	-1.61	AV	177.00	150	Vertical	Pass
3	5395.467	64.08	2.09	74.0	-9.92	Peak	177.00	100	Vertical	Pass
3**	5395.467	52.90	2.09	54.0	-1.10	AV	177.00	100	Vertical	Pass

U-NII-1 11ax20 (SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.23	0.44	74.0	-19.77	Peak	230.00	150	Vertical	Pass
1**	5150.000	45.16	0.44	54.0	-8.84	AV	230.00	150	Vertical	Pass
2	4984.250	56.49	1.72	74.0	-17.51	Peak	169.00	200	Vertical	Pass
2**	4984.250	45.23	1.72	54.0	-8.77	AV	169.00	200	Vertical	Pass
3	5146.750	54.95	0.32	74.0	-19.05	Peak	190.00	200	Vertical	Pass
3**	5146.750	45.50	0.32	54.0	-8.50	AV	190.00	200	Vertical	Pass

U-NII-1 11ax20 (SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.30	0.88	74.0	-19.70	Peak	207.00	100	Vertical	Pass
1**	5350.000	44.31	0.88	54.0	-9.69	AV	207.00	100	Vertical	Pass
2	5384.650	57.08	2.15	74.0	-16.92	Peak	168.00	100	Vertical	Pass
2**	5384.650	45.50	2.15	54.0	-8.50	AV	168.00	100	Vertical	Pass
3	5389.967	56.31	2.35	74.0	-17.69	Peak	244.00	200	Vertical	Pass
3**	5389.967	45.88	2.35	54.0	-8.12	AV	244.00	200	Vertical	Pass

U-NII-1 11ax40 (SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.80	0.44	74.0	-19.20	Peak	224.00	150	Vertical	Pass
1**	5150.000	46.12	0.44	54.0	-7.88	AV	224.00	150	Vertical	Pass
2	4989.450	56.04	1.32	74.0	-17.96	Peak	7.00	200	Vertical	Pass
2**	4989.450	44.77	1.32	54.0	-9.23	AV	7.00	200	Vertical	Pass

U-NII-1 11ax40 (SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.12	0.88	74.0	-19.88	Peak	329.00	150	Vertical	Pass
1**	5350.000	44.37	0.88	54.0	-9.63	AV	329.00	150	Vertical	Pass
2	5381.533	57.72	1.80	74.0	-16.28	Peak	219.00	200	Vertical	Pass
2**	5381.533	45.17	1.80	54.0	-8.83	AV	219.00	200	Vertical	Pass
3	5389.783	56.22	2.19	74.0	-17.78	Peak	60.00	100	Vertical	Pass
3**	5389.783	45.80	2.19	54.0	-8.20	AV	60.00	100	Vertical	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.76	0.44	74.0	-18.24	Peak	215.00	100	Vertical	Pass
1**	5150.000	46.20	0.44	54.0	-7.80	AV	215.00	100	Vertical	Pass
2	5138.950	56.92	-0.09	74.0	-17.08	Peak	135.00	100	Vertical	Pass
2**	5138.950	45.53	-0.09	54.0	-8.47	AV	135.00	100	Vertical	Pass
3	5149.350	54.35	0.41	74.0	-19.65	Peak	199.00	150	Vertical	Pass
3**	5149.350	46.52	0.41	54.0	-7.48	AV	199.00	150	Vertical	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.71	0.88	74.0	-18.29	Peak	215.00	100	Vertical	Pass
1**	5350.000	45.64	0.88	54.0	-8.36	AV	215.00	100	Vertical	Pass
2	5380.250	57.23	1.93	74.0	-16.77	Peak	178.00	100	Vertical	Pass
2**	5380.250	46.26	1.93	54.0	-7.74	AV	178.00	100	Vertical	Pass
3	5394.366	56.44	1.85	74.0	-17.56	Peak	63.00	150	Vertical	Pass
3**	5394.366	46.67	1.85	54.0	-7.33	AV	63.00	150	Vertical	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.86	0.44	74.0	-16.14	Peak	225.00	200	Vertical	Pass
1**	5150.000	49.17	0.44	54.0	-4.83	AV	225.00	200	Vertical	Pass
2	5147.725	60.62	0.34	74.0	-13.38	Peak	225.00	150	Vertical	Pass
2**	5147.725	48.74	0.34	54.0	-5.26	AV	225.00	150	Vertical	Pass
3	5148.050	58.74	0.46	74.0	-15.26	Peak	233.00	150	Vertical	Pass
3**	5148.050	49.85	0.46	54.0	-4.15	AV	233.00	150	Vertical	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.08	0.88	74.0	-12.92	Peak	212.00	200	Vertical	Pass
1**	5350.000	51.17	0.88	54.0	-2.83	AV	212.00	200	Vertical	Pass
2	5395.467	63.54	2.09	74.0	-10.46	Peak	179.00	100	Vertical	Pass
2**	5395.467	52.37	2.09	54.0	-1.63	AV	179.00	100	Vertical	Pass
3	5395.650	60.77	1.92	74.0	-13.23	Peak	191.00	150	Vertical	Pass
3**	5395.650	52.44	1.92	54.0	-1.56	AV	191.00	150	Vertical	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.55	0.44	74.0	-20.45	Peak	244.00	100	Vertical	Pass
1**	5150.000	44.03	0.44	54.0	-9.97	AV	244.00	100	Vertical	Pass
2	4964.100	56.13	1.80	74.0	-17.87	Peak	41.00	150	Vertical	Pass
2**	4964.100	45.00	1.80	54.0	-9.00	AV	41.00	150	Vertical	Pass
3	4983.275	54.06	1.60	74.0	-19.94	Peak	212.00	150	Vertical	Pass
3**	4983.275	45.58	1.60	54.0	-8.42	AV	212.00	150	Vertical	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.82	0.88	74.0	-19.18	Peak	177.00	100	Vertical	Pass
1**	5350.000	45.35	0.88	54.0	-8.65	AV	177.00	100	Vertical	Pass
2	5390.150	58.36	2.09	74.0	-15.64	Peak	219.00	150	Vertical	Pass
2**	5390.150	45.65	2.09	54.0	-8.35	AV	219.00	150	Vertical	Pass
3	5385.017	55.64	2.14	74.0	-18.36	Peak	261.00	200	Vertical	Pass
3**	5385.017	45.67	2.14	54.0	-8.33	AV	261.00	200	Vertical	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.31	0.44	74.0	-19.69	Peak	359.00	100	Vertical	Pass
1**	5150.000	44.10	0.44	54.0	-9.90	AV	359.00	100	Vertical	Pass
2	4984.250	55.63	1.72	74.0	-18.37	Peak	193.00	150	Vertical	Pass
2**	4984.250	44.89	1.72	54.0	-9.11	AV	193.00	150	Vertical	Pass
3	4988.150	53.65	1.38	74.0	-20.35	Peak	213.00	200	Vertical	Pass
3**	4988.150	45.37	1.38	54.0	-8.63	AV	213.00	200	Vertical	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.00	0.88	74.0	-19.00	Peak	313.00	100	Vertical	Pass
1**	5350.000	45.80	0.88	54.0	-8.20	AV	313.00	100	Vertical	Pass
2	5387.217	57.31	2.01	74.0	-16.69	Peak	112.00	200	Vertical	Pass
2**	5387.217	45.45	2.01	54.0	-8.55	AV	112.00	200	Vertical	Pass
3	5389.967	56.23	2.35	74.0	-17.77	Peak	149.00	100	Vertical	Pass
3**	5389.967	45.90	2.35	54.0	-8.10	AV	149.00	100	Vertical	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.85	0.44	74.0	-20.15	Peak	314.00	150	Vertical	Pass
1**	5150.000	44.29	0.44	54.0	-9.71	AV	314.00	150	Vertical	Pass
2	4751.550	55.73	0.67	74.0	-18.27	Peak	48.00	150	Vertical	Pass
2**	4751.550	44.05	0.67	54.0	-9.95	AV	48.00	150	Vertical	Pass
3	4989.450	54.06	1.32	74.0	-19.94	Peak	24.00	200	Vertical	Pass
3**	4989.450	45.06	1.32	54.0	-8.94	AV	24.00	200	Vertical	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.30	0.88	74.0	-17.70	Peak	217.00	150	Vertical	Pass
1**	5350.000	46.45	0.88	54.0	-7.55	AV	217.00	150	Vertical	Pass
2	5351.834	59.20	0.61	74.0	-14.80	Peak	179.00	150	Vertical	Pass
2**	5351.834	45.76	0.61	54.0	-8.24	AV	179.00	150	Vertical	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.85	0.44	74.0	-20.15	Peak	249.00	100	Vertical	Pass
1**	5150.000	44.35	0.44	54.0	-9.65	AV	249.00	100	Vertical	Pass
2	4962.150	55.89	1.65	74.0	-18.11	Peak	116.00	100	Vertical	Pass
2**	4962.150	43.86	1.65	54.0	-10.14	AV	116.00	100	Vertical	Pass
3	4982.950	54.28	1.72	74.0	-19.72	Peak	100.00	150	Vertical	Pass
3**	4982.950	45.47	1.72	54.0	-8.53	AV	100.00	150	Vertical	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.23	0.88	74.0	-18.77	Peak	193.00	100	Vertical	Pass
1**	5350.000	45.46	0.88	54.0	-8.54	AV	193.00	100	Vertical	Pass
2	5378.967	56.83	1.62	74.0	-17.17	Peak	197.00	100	Vertical	Pass
2**	5378.967	45.19	1.62	54.0	-8.81	AV	197.00	100	Vertical	Pass
3	5384.650	56.71	2.15	74.0	-17.29	Peak	222.00	200	Vertical	Pass
3**	5384.650	46.09	2.15	54.0	-7.91	AV	222.00	200	Vertical	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.24	0.44	74.0	-19.76	Peak	360.00	100	Vertical	Pass
1**	5150.000	44.26	0.44	54.0	-9.74	AV	360.00	100	Vertical	Pass
2	4994.975	56.88	1.14	74.0	-17.12	Peak	176.00	200	Vertical	Pass
2**	4994.975	44.76	1.14	54.0	-9.24	AV	176.00	200	Vertical	Pass
3	4990.750	54.07	1.22	74.0	-19.93	Peak	124.00	100	Vertical	Pass
3**	4990.750	45.34	1.22	54.0	-8.66	AV	124.00	100	Vertical	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.16	0.88	74.0	-15.84	Peak	185.00	100	Vertical	Pass
1**	5350.000	45.97	0.88	54.0	-8.03	AV	185.00	100	Vertical	Pass
2	5350.367	59.21	0.66	74.0	-14.79	Peak	227.00	150	Vertical	Pass
2**	5350.367	45.72	0.66	54.0	-8.28	AV	227.00	150	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.77	0.44	74.0	-19.23	Peak	311.00	150	Vertical	Pass
1**	5150.000	44.13	0.44	54.0	-9.87	AV	311.00	150	Vertical	Pass
2	4999.200	56.04	0.78	74.0	-17.96	Peak	176.00	200	Vertical	Pass
2**	4999.200	43.99	0.78	54.0	-10.01	AV	176.00	200	Vertical	Pass
3	4984.250	54.09	1.72	74.0	-19.91	Peak	264.00	200	Vertical	Pass
3**	4984.250	45.11	1.72	54.0	-8.89	AV	264.00	200	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.58	0.88	74.0	-16.42	Peak	180.00	150	Vertical	Pass
1**	5350.000	47.56	0.88	54.0	-6.44	AV	180.00	150	Vertical	Pass
2	5350.183	59.24	0.78	74.0	-14.76	Peak	177.00	200	Vertical	Pass
2**	5350.183	47.49	0.78	54.0	-6.51	AV	177.00	200	Vertical	Pass

U-NII-2A 11ax20 (SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.88	0.44	74.0	-19.12	Peak	43.00	200	Vertical	Pass
1**	5150.000	44.24	0.44	54.0	-9.76	AV	43.00	200	Vertical	Pass
2	5005.700	55.72	0.86	74.0	-18.28	Peak	268.00	150	Vertical	Pass
2**	5005.700	44.15	0.86	54.0	-9.85	AV	268.00	150	Vertical	Pass
3	4980.350	54.31	1.72	74.0	-19.69	Peak	182.00	100	Vertical	Pass
3**	4980.350	45.28	1.72	54.0	-8.72	AV	182.00	100	Vertical	Pass

U-NII-2A 11ax20 (SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.89	0.88	74.0	-18.11	Peak	181.00	200	Vertical	Pass
1**	5350.000	45.47	0.88	54.0	-8.53	AV	181.00	200	Vertical	Pass
2	5389.967	57.65	2.35	74.0	-16.35	Peak	126.00	100	Vertical	Pass
2**	5389.967	46.12	2.35	54.0	-7.88	AV	126.00	100	Vertical	Pass

U-NII-2A 11ax40 (SU) CH54



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.52	0.44	74.0	-20.48	Peak	0.00	200	Vertical	Pass
1**	5150.000	44.34	0.44	54.0	-9.66	AV	0.00	200	Vertical	Pass
2	4999.850	56.89	0.78	74.0	-17.11	Peak	53.00	150	Vertical	Pass
2**	4999.850	44.47	0.78	54.0	-9.53	AV	53.00	150	Vertical	Pass
3	5002.775	53.35	1.17	74.0	-20.65	Peak	324.00	150	Vertical	Pass
3**	5002.775	45.28	1.17	54.0	-8.72	AV	324.00	150	Vertical	Pass

U-NII-2A 11ax40 (SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.52	0.88	74.0	-16.48	Peak	155.00	200	Vertical	Pass
1**	5350.000	47.02	0.88	54.0	-6.98	AV	155.00	200	Vertical	Pass
2	5350.917	59.85	0.62	74.0	-14.15	Peak	183.00	150	Vertical	Pass
2**	5350.917	46.97	0.62	54.0	-7.03	AV	183.00	150	Vertical	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.87	0.44	74.0	-20.13	Peak	155.00	100	Vertical	Pass
1**	5150.000	44.24	0.44	54.0	-9.76	AV	155.00	100	Vertical	Pass
2	5072.650	56.01	0.13	74.0	-17.99	Peak	240.00	150	Vertical	Pass
2**	5072.650	43.91	0.13	54.0	-10.09	AV	240.00	150	Vertical	Pass
3	4984.250	54.09	1.72	74.0	-19.91	Peak	360.00	150	Vertical	Pass
3**	4984.250	45.55	1.72	54.0	-8.45	AV	360.00	150	Vertical	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.12	0.88	74.0	-14.88	Peak	215.00	100	Vertical	Pass
1**	5350.000	47.00	0.88	54.0	-7.00	AV	215.00	100	Vertical	Pass
2	5368.333	60.19	0.57	74.0	-13.81	Peak	223.00	200	Vertical	Pass
2**	5368.333	45.18	0.57	54.0	-8.82	AV	223.00	200	Vertical	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	55.42	1.09	68.2	-12.78	Peak	168.00	100	Vertical	Pass
1**	5470.000	45.34	1.09	--	--	AV	168.00	100	Vertical	N/A
2	5460.000	55.05	1.37	74.0	-18.95	Peak	268.00	400	Vertical	Pass
2**	5460.000	45.38	1.37	54.0	-8.62	AV	268.00	400	Vertical	Pass
3	5460.400	56.63	1.33	68.2	-11.57	Peak	291.00	200	Vertical	Pass
3**	5460.400	45.26	1.33	--	--	AV	291.00	200	Vertical	N/A
4	5385.000	57.22	2.15	74.0	-16.78	Peak	360.00	200	Vertical	Pass
4**	5385.000	45.77	2.15	54.0	-8.23	AV	360.00	200	Vertical	Pass
5	5389.400	55.93	2.02	74.0	-18.07	Peak	143.00	200	Vertical	Pass
5**	5389.400	45.88	2.02	54.0	-8.12	AV	143.00	200	Vertical	Pass

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.39	-0.08	68.2	-9.81	Peak	157.00	200	Vertical	Pass
2	5725.209	60.43	-0.29	68.2	-7.77	Peak	159.00	300	Vertical	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	55.13	1.09	68.2	-13.07	Peak	286.00	100	Vertical	Pass
1**	5470.000	45.87	1.09	--	--	AV	286.00	100	Vertical	N/A
2	5460.000	56.17	1.37	74.0	-17.83	Peak	181.00	100	Vertical	Pass
2**	5460.000	45.51	1.37	54.0	-8.49	AV	181.00	100	Vertical	Pass
3	5463.000	57.09	1.45	68.2	-11.11	Peak	175.00	200	Vertical	Pass
3**	5463.000	45.97	1.45	--	--	AV	175.00	200	Vertical	N/A
4	5390.000	57.28	2.31	74.0	-16.72	Peak	226.00	300	Vertical	Pass
4**	5390.000	46.00	2.31	54.0	-8.00	AV	226.00	300	Vertical	Pass

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.56	-0.08	68.2	-7.64	Peak	159.00	200	Vertical	Pass
2	5725.209	61.36	-0.29	68.2	-6.84	Peak	159.00	400	Vertical	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	62.10	1.09	68.2	-6.10	Peak	181.00	300	Vertical	Pass
1**	5470.000	51.36	1.09	--	--	AV	181.00	300	Vertical	N/A
2	5460.000	56.36	1.37	74.0	-17.64	Peak	178.00	400	Vertical	Pass
2**	5460.000	45.90	1.37	54.0	-8.10	AV	178.00	400	Vertical	Pass
3	5468.000	63.79	1.34	68.2	-4.41	Peak	178.00	100	Vertical	Pass
3**	5468.000	50.17	1.34	--	--	AV	178.00	100	Vertical	N/A
4	5387.400	57.25	2.13	74.0	-16.75	Peak	108.00	300	Vertical	Pass
4**	5387.400	45.49	2.13	54.0	-8.51	AV	108.00	300	Vertical	Pass

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.59	-0.08	68.2	-12.61	Peak	238.00	100	Vertical	Pass
2	5726.667	57.39	0.33	68.2	-10.81	Peak	234.00	200	Vertical	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	55.73	1.09	68.2	-12.47	Peak	164.00	300	Vertical	Pass
1**	5470.000	45.72	1.09	--	--	AV	164.00	300	Vertical	N/A
2	5460.000	55.23	1.37	74.0	-18.77	Peak	347.00	200	Vertical	Pass
2**	5460.000	45.54	1.37	54.0	-8.46	AV	347.00	200	Vertical	Pass
3	5469.000	56.51	1.16	68.2	-11.69	Peak	178.00	200	Vertical	Pass
3**	5469.000	45.72	1.16	--	--	AV	178.00	200	Vertical	N/A
4	5456.800	56.53	1.57	74.0	-17.47	Peak	268.00	300	Vertical	Pass
4**	5456.800	45.33	1.57	54.0	-8.67	AV	268.00	300	Vertical	Pass
5	5386.600	55.40	1.87	74.0	-18.60	Peak	164.00	150	Vertical	Pass
5**	5386.600	45.93	1.87	54.0	-8.07	AV	164.00	150	Vertical	Pass

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.17	-0.08	68.2	-5.03	Peak	159.00	200	Vertical	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	62.29	1.09	68.2	-5.91	Peak	176.00	100	Vertical	Pass
1**	5470.000	51.04	1.09	--	--	AV	176.00	100	Vertical	N/A
2	5460.000	55.90	1.37	74.0	-18.10	Peak	178.00	400	Vertical	Pass
2**	5460.000	45.82	1.37	54.0	-8.18	AV	178.00	400	Vertical	Pass
3	5468.200	63.98	1.49	68.2	-4.22	Peak	178.00	100	Vertical	Pass
3**	5468.200	50.29	1.49	--	--	AV	178.00	100	Vertical	N/A
4	5457.400	57.68	1.34	74.0	-16.32	Peak	192.00	400	Vertical	Pass
4**	5457.400	45.36	1.34	54.0	-8.64	AV	192.00	400	Vertical	Pass
5	5458.800	56.05	1.32	74.0	-17.95	Peak	208.00	200	Vertical	Pass
5**	5458.800	45.91	1.32	54.0	-8.09	AV	208.00	200	Vertical	Pass

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.15	-0.08	68.2	-12.05	Peak	259.00	200	Vertical	Pass
2	5725.416	59.18	-0.29	68.2	-9.02	Peak	238.00	100	Vertical	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	60.41	1.09	68.2	-7.79	Peak	178.00	200	Vertical	Pass
1**	5470.000	50.69	1.09	--	--	AV	178.00	200	Vertical	N/A
2	5460.000	58.27	1.37	74.0	-15.73	Peak	242.00	300	Vertical	Pass
2**	5460.000	49.57	1.37	54.0	-4.43	AV	242.00	300	Vertical	Pass
3	5464.800	61.76	1.60	68.2	-6.44	Peak	178.00	150	Vertical	Pass
3**	5464.800	50.44	1.60	--	--	AV	178.00	150	Vertical	N/A
4	5436.800	59.68	0.85	74.0	-14.32	Peak	181.00	200	Vertical	Pass
4**	5436.800	45.94	0.85	54.0	-8.06	AV	181.00	200	Vertical	Pass
5	5456.600	59.77	1.60	74.0	-14.23	Peak	197.00	100	Vertical	Pass
5**	5456.600	49.60	1.60	54.0	-4.40	AV	197.00	100	Vertical	Pass

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.17	-0.08	68.2	-14.03	Peak	82.00	400	Vertical	Pass
2	5800.208	57.23	2.02	68.2	-10.97	Peak	189.00	100	Vertical	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	59.95	1.09	68.2	-8.25	Peak	179.00	100	Vertical	Pass
1**	5470.000	50.49	1.09	--	--	AV	179.00	100	Vertical	N/A
2	5460.000	59.16	1.37	74.0	-14.84	Peak	216.00	400	Vertical	Pass
2**	5460.000	50.37	1.37	54.0	-3.63	AV	216.00	400	Vertical	Pass
3	5463.600	62.10	1.33	68.2	-6.10	Peak	179.00	200	Vertical	Pass
3**	5463.600	49.92	1.33	--	--	AV	179.00	200	Vertical	N/A
4	5377.000	63.87	1.80	74.0	-10.13	Peak	179.00	200	Vertical	Pass
4**	5377.000	50.14	1.80	54.0	-3.86	AV	179.00	200	Vertical	Pass
5	5395.600	61.23	1.98	74.0	-12.77	Peak	179.00	100	Vertical	Pass
5**	5395.600	51.15	1.98	54.0	-2.85	AV	179.00	100	Vertical	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	64.11	-0.08	68.2	-4.09	Peak	233.00	100	Vertical	Pass
2	5745.417	65.71	-0.50	68.2	-2.49	Peak	239.00	300	Vertical	Pass

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	55.59	1.09	68.2	-12.61	Peak	177.00	400	Vertical	Pass
1**	5470.000	46.06	1.09	--	--	AV	177.00	400	Vertical	N/A
2	5460.000	55.39	1.37	74.0	-18.61	Peak	76.00	300	Vertical	Pass
2**	5460.000	45.76	1.37	54.0	-8.24	AV	76.00	300	Vertical	Pass
3	5468.600	57.76	1.43	68.2	-10.44	Peak	179.00	150	Vertical	Pass
3**	5468.600	46.34	1.43	--	--	AV	179.00	150	Vertical	N/A
4	5379.000	57.59	1.64	74.0	-16.41	Peak	171.00	100	Vertical	Pass
4**	5379.000	45.08	1.64	54.0	-8.92	AV	171.00	100	Vertical	Pass
5	5390.000	55.95	2.31	74.0	-18.05	Peak	48.00	100	Vertical	Pass
5**	5390.000	45.93	2.31	54.0	-8.07	AV	48.00	100	Vertical	Pass

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	66.09	-0.08	68.2	-2.11	Peak	159.00	200	Vertical	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	59.55	1.09	68.2	-8.65	Peak	180.00	300	Vertical	Pass
1**	5470.000	49.69	1.09	--	--	AV	180.00	300	Vertical	N/A
2	5460.000	56.09	1.37	74.0	-17.91	Peak	211.00	100	Vertical	Pass
2**	5460.000	45.85	1.37	54.0	-8.15	AV	211.00	100	Vertical	Pass
3	5469.200	61.37	0.96	68.2	-6.83	Peak	180.00	100	Vertical	Pass
3**	5469.200	49.22	0.96	--	--	AV	180.00	100	Vertical	N/A
4	5386.200	57.08	1.88	74.0	-16.92	Peak	183.00	200	Vertical	Pass
4**	5386.200	45.28	1.88	54.0	-8.72	AV	183.00	200	Vertical	Pass

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.26	-0.08	68.2	-12.94	Peak	64.00	300	Vertical	Pass
2	5790.416	57.66	1.65	68.2	-10.54	Peak	261.00	200	Vertical	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	60.05	1.09	68.2	-8.15	Peak	218.00	300	Vertical	Pass
1**	5470.000	49.52	1.09	--	--	AV	218.00	300	Vertical	N/A
2	5460.000	57.18	1.37	74.0	-16.82	Peak	214.00	300	Vertical	Pass
2**	5460.000	48.99	1.37	54.0	-5.01	AV	214.00	300	Vertical	Pass
3	5464.800	61.03	1.60	68.2	-7.17	Peak	218.00	100	Vertical	Pass
3**	5464.800	49.84	1.60	--	--	AV	218.00	100	Vertical	N/A
4	5458.000	59.65	0.99	74.0	-14.35	Peak	177.00	200	Vertical	Pass
4**	5458.000	48.13	0.99	54.0	-5.87	AV	177.00	200	Vertical	Pass

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.98	-0.08	68.2	-14.22	Peak	72.00	400	Vertical	Pass
2	5790.209	57.86	1.64	68.2	-10.34	Peak	26.00	200	Vertical	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	60.08	1.09	68.2	-8.12	Peak	181.00	200	Vertical	Pass
1**	5470.000	50.16	1.09	--	--	AV	181.00	200	Vertical	N/A
2	5460.000	60.60	1.37	74.0	-13.40	Peak	216.00	100	Vertical	Pass
2**	5460.000	51.41	1.37	54.0	-2.59	AV	216.00	100	Vertical	Pass
3	5467.400	63.48	1.23	68.2	-4.72	Peak	219.00	100	Vertical	Pass
3**	5467.400	51.10	1.23	--	--	AV	219.00	100	Vertical	N/A
4	5379.600	64.80	1.75	74.0	-9.20	Peak	229.00	200	Vertical	Pass
4**	5379.600	51.11	1.75	54.0	-2.89	AV	229.00	200	Vertical	Pass
5	5395.400	61.20	2.01	74.0	-12.80	Peak	181.00	150	Vertical	Pass
5**	5395.400	52.13	2.01	54.0	-1.87	AV	181.00	150	Vertical	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.60	-0.08	68.2	-4.60	Peak	233.00	100	Vertical	Pass
2	5747.708	65.76	-0.63	68.2	-2.44	Peak	238.00	300	Vertical	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.27	-0.21	68.2	-13.93	Peak	200.00	100	Vertical	Pass
2	5615.416	56.31	1.11	68.2	-11.89	Peak	0.00	100	Vertical	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.93	0.01	68.2	-13.27	Peak	89.00	200	Vertical	Pass
2	5978.250	56.57	0.51	68.2	-11.63	Peak	146.00	300	Vertical	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.19	-0.21	68.2	-14.01	Peak	317.00	150	Vertical	Pass
2	5613.125	56.83	1.33	68.2	-11.37	Peak	305.00	300	Vertical	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.14	0.01	68.2	-13.06	Peak	0.00	100	Vertical	Pass
2	5990.500	56.61	1.00	68.2	-11.59	Peak	42.00	100	Vertical	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.06	-0.21	68.2	-14.14	Peak	293.00	100	Vertical	Pass
2	5624.584	56.79	1.14	68.2	-11.41	Peak	231.00	200	Vertical	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.76	0.01	68.2	-14.44	Peak	248.00	200	Vertical	Pass
2	5988.000	56.55	0.68	68.2	-11.65	Peak	248.00	100	Vertical	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.06	-0.21	68.2	-14.14	Peak	360.00	200	Vertical	Pass
2	5602.916	56.53	1.33	68.2	-11.67	Peak	360.00	100	Vertical	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.59	0.01	68.2	-13.61	Peak	243.00	100	Vertical	Pass
2	5975.000	56.88	0.55	68.2	-11.32	Peak	97.00	300	Vertical	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	53.86	-0.21	68.2	-14.34	Peak	318.00	100	Vertical	Pass
2	5620.209	56.35	0.90	68.2	-11.85	Peak	321.00	120	Vertical	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.84	0.01	68.2	-14.36	Peak	132.00	200	Vertical	Pass
2	5970.000	56.54	0.15	68.2	-11.66	Peak	245.00	300	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.25	-0.21	68.2	-13.95	Peak	337.00	100	Vertical	Pass
2	5617.500	56.69	0.95	68.2	-11.51	Peak	28.00	200	Vertical	Pass

U-NII-3 11ac80 CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.48	0.01	68.2	-13.72	Peak	204.00	200	Vertical	Pass
2	5999.250	56.80	0.76	68.2	-11.40	Peak	350.00	150	Vertical	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.69	-0.21	68.2	-13.51	Peak	360.00	200	Vertical	Pass
2	5601.459	56.77	0.99	68.2	-11.43	Peak	345.00	100	Vertical	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.05	0.01	68.2	-14.15	Peak	106.00	200	Vertical	Pass
2	5963.500	56.16	0.06	68.2	-12.04	Peak	191.00	300	Vertical	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.63	-0.21	68.2	-13.57	Peak	271.00	100	Vertical	Pass
2	5607.500	56.26	1.15	68.2	-11.94	Peak	181.00	100	Vertical	Pass

U-NII-3 11ax40 (SU) CH159



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.20	0.01	68.2	-14.00	Peak	156.00	200	Vertical	Pass
2	5975.500	56.52	0.26	68.2	-11.68	Peak	326.00	150	Vertical	Pass

U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.64	-0.21	68.2	-13.56	Peak	74.00	150	Vertical	Pass
2	5624.584	56.67	1.14	68.2	-11.53	Peak	240.00	200	Vertical	Pass


U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.32	0.01	68.2	-13.88	Peak	360.00	100	Vertical	Pass
2	5991.000	56.54	0.68	68.2	-11.66	Peak	360.00	100	Vertical	Pass


MIMO

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.69	0.44	74.0	-20.31	Peak	228.00	150	Vertical	Pass
1**	5150.000	44.64	0.44	54.0	-9.36	AV	228.00	150	Vertical	Pass
2	4980.675	56.32	1.56	74.0	-17.68	Peak	220.00	100	Vertical	Pass
2**	4980.675	44.97	1.56	54.0	-9.03	AV	220.00	100	Vertical	Pass
3	4977.750	54.42	1.67	74.0	-19.58	Peak	24.00	100	Vertical	Pass
3**	4977.750	45.73	1.67	54.0	-8.27	AV	24.00	100	Vertical	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.68	0.88	74.0	-19.32	Peak	30.00	100	Vertical	Pass
1**	5350.000	44.30	0.88	54.0	-9.70	AV	30.00	100	Vertical	Pass
2	5394.550	57.62	1.96	74.0	-16.38	Peak	65.00	100	Vertical	Pass
2**	5394.550	45.50	1.96	54.0	-8.50	AV	65.00	100	Vertical	Pass
3	5395.467	55.85	2.09	74.0	-18.15	Peak	39.00	200	Vertical	Pass
3**	5395.467	45.61	2.09	54.0	-8.39	AV	39.00	200	Vertical	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.69	0.44	74.0	-19.31	Peak	172.00	100	Vertical	Pass
1**	5150.000	46.93	0.44	54.0	-7.07	AV	172.00	100	Vertical	Pass
2	5149.350	57.23	0.41	74.0	-16.77	Peak	168.00	150	Vertical	Pass
2**	5149.350	46.54	0.41	54.0	-7.46	AV	168.00	150	Vertical	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.86	0.88	74.0	-19.14	Peak	184.00	100	Vertical	Pass
1**	5350.000	44.35	0.88	54.0	-9.65	AV	184.00	100	Vertical	Pass
2	5394.183	56.88	1.75	74.0	-17.12	Peak	137.00	150	Vertical	Pass
2**	5394.183	45.16	1.75	54.0	-8.84	AV	137.00	150	Vertical	Pass
3	5389.967	55.65	2.35	74.0	-18.35	Peak	360.00	200	Vertical	Pass
3**	5389.967	45.94	2.35	54.0	-8.06	AV	360.00	200	Vertical	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.19	0.44	74.0	-19.81	Peak	166.00	100	Vertical	Pass
1**	5150.000	44.91	0.44	54.0	-9.09	AV	166.00	100	Vertical	Pass
2	4861.725	55.64	-0.20	74.0	-18.36	Peak	360.00	200	Vertical	Pass
2**	4861.725	43.77	-0.20	54.0	-10.23	AV	360.00	200	Vertical	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.60	0.88	74.0	-18.40	Peak	184.00	100	Vertical	Pass
1**	5350.000	44.54	0.88	54.0	-9.46	AV	184.00	100	Vertical	Pass
2	5386.850	56.94	1.87	74.0	-17.06	Peak	199.00	200	Vertical	Pass
2**	5386.850	45.21	1.87	54.0	-8.79	AV	199.00	200	Vertical	Pass
3	5389.967	56.39	2.35	74.0	-17.61	Peak	96.00	150	Vertical	Pass
3**	5389.967	45.84	2.35	54.0	-8.16	AV	96.00	150	Vertical	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.28	0.44	74.0	-17.72	Peak	171.00	200	Vertical	Pass
1**	5150.000	46.57	0.44	54.0	-7.43	AV	171.00	200	Vertical	Pass
2	5149.350	57.98	0.41	74.0	-16.02	Peak	171.00	150	Vertical	Pass
2**	5149.350	46.51	0.41	54.0	-7.49	AV	171.00	150	Vertical	Pass
3	5149.675	55.99	0.55	74.0	-18.01	Peak	183.00	100	Vertical	Pass
3**	5149.675	47.13	0.55	54.0	-6.87	AV	183.00	100	Vertical	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.27	0.88	74.0	-19.73	Peak	198.00	200	Vertical	Pass
1**	5350.000	44.38	0.88	54.0	-9.62	AV	198.00	200	Vertical	Pass
2	5384.467	57.55	2.09	74.0	-16.45	Peak	34.00	100	Vertical	Pass
2**	5384.467	45.31	2.09	54.0	-8.69	AV	34.00	100	Vertical	Pass
3	5389.967	55.54	2.35	74.0	-18.46	Peak	180.00	100	Vertical	Pass
3**	5389.967	45.71	2.35	54.0	-8.29	AV	180.00	100	Vertical	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.71	0.44	74.0	-17.29	Peak	183.00	100	Vertical	Pass
1**	5150.000	48.27	0.44	54.0	-5.73	AV	183.00	100	Vertical	Pass
2	5144.475	57.57	0.10	74.0	-16.43	Peak	183.00	200	Vertical	Pass
2**	5144.475	46.94	0.10	54.0	-7.06	AV	183.00	200	Vertical	Pass
3	5148.050	56.25	0.46	74.0	-17.75	Peak	175.00	300	Vertical	Pass
3**	5148.050	49.19	0.46	54.0	-4.81	AV	175.00	300	Vertical	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.56	0.88	74.0	-19.44	Peak	178.00	100	Vertical	Pass
1**	5350.000	44.60	0.88	54.0	-9.40	AV	178.00	100	Vertical	Pass
2	5390.150	57.98	2.09	74.0	-16.02	Peak	251.00	300	Vertical	Pass
2**	5390.150	45.54	2.09	54.0	-8.46	AV	251.00	300	Vertical	Pass
3	5391.617	55.44	2.02	74.0	-18.56	Peak	187.00	400	Vertical	Pass
3**	5391.617	45.80	2.02	54.0	-8.20	AV	187.00	400	Vertical	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.37	0.44	74.0	-16.63	Peak	171.00	100	Vertical	Pass
1**	5150.000	50.10	0.44	54.0	-3.90	AV	171.00	100	Vertical	Pass
2	5145.450	61.06	0.04	74.0	-12.94	Peak	186.00	100	Vertical	Pass
2**	5145.450	49.47	0.04	54.0	-4.53	AV	186.00	100	Vertical	Pass
3	5145.775	58.23	0.08	74.0	-15.77	Peak	175.00	150	Vertical	Pass
3**	5145.775	50.92	0.08	54.0	-3.08	AV	175.00	150	Vertical	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.09	0.88	74.0	-13.91	Peak	221.00	100	Vertical	Pass
1**	5350.000	50.01	0.88	54.0	-3.99	AV	221.00	100	Vertical	Pass
2	5402.433	64.23	1.19	74.0	-9.77	Peak	176.00	150	Vertical	Pass
2**	5402.433	48.75	1.19	54.0	-5.25	AV	176.00	150	Vertical	Pass
3	5396.567	59.51	1.49	74.0	-14.49	Peak	179.00	200	Vertical	Pass
3**	5396.567	51.12	1.49	54.0	-2.88	AV	179.00	200	Vertical	Pass

U-NII-1 11ax20 (SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.06	0.44	74.0	-17.94	Peak	170.00	150	Vertical	Pass
1**	5150.000	45.11	0.44	54.0	-8.89	AV	170.00	150	Vertical	Pass

U-NII-1 11ax20 (SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.65	0.88	74.0	-19.35	Peak	34.00	150	Vertical	Pass
1**	5350.000	44.27	0.88	54.0	-9.73	AV	34.00	150	Vertical	Pass
2	5399.683	56.81	1.58	74.0	-17.19	Peak	29.00	200	Vertical	Pass
2**	5399.683	44.97	1.58	54.0	-9.03	AV	29.00	200	Vertical	Pass
3	5389.967	55.89	2.35	74.0	-18.11	Peak	152.00	100	Vertical	Pass
3**	5389.967	45.71	2.35	54.0	-8.29	AV	152.00	100	Vertical	Pass

U-NII-1 11ax40 (SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.57	0.44	74.0	-17.43	Peak	179.00	100	Vertical	Pass
1**	5150.000	47.27	0.44	54.0	-6.73	AV	179.00	100	Vertical	Pass
2	5149.350	57.44	0.41	74.0	-16.56	Peak	172.00	150	Vertical	Pass
2**	5149.350	46.76	0.41	54.0	-7.24	AV	172.00	150	Vertical	Pass

U-NII-1 11ax40 (SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.36	0.88	74.0	-19.64	Peak	360.00	200	Vertical	Pass
1**	5350.000	44.29	0.88	54.0	-9.71	AV	360.00	200	Vertical	Pass
2	5399.683	57.00	1.58	74.0	-17.00	Peak	328.00	100	Vertical	Pass
2**	5399.683	45.04	1.58	54.0	-8.96	AV	328.00	100	Vertical	Pass
3	5389.050	56.42	2.16	74.0	-17.58	Peak	136.00	100	Vertical	Pass
3**	5389.050	45.58	2.16	54.0	-8.42	AV	136.00	100	Vertical	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.73	0.44	74.0	-19.27	Peak	72.00	100	Vertical	Pass
1**	5150.000	46.80	0.44	54.0	-7.20	AV	72.00	100	Vertical	Pass
2	5146.750	56.87	0.32	74.0	-17.13	Peak	182.00	200	Vertical	Pass
2**	5146.750	46.92	0.32	54.0	-7.08	AV	182.00	200	Vertical	Pass
3	5147.400	56.03	0.34	74.0	-17.97	Peak	186.00	100	Vertical	Pass
3**	5147.400	47.21	0.34	54.0	-6.79	AV	186.00	100	Vertical	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.23	0.88	74.0	-18.77	Peak	312.00	100	Vertical	Pass
1**	5350.000	44.42	0.88	54.0	-9.58	AV	312.00	100	Vertical	Pass
2	5386.850	57.47	1.87	74.0	-16.53	Peak	189.00	200	Vertical	Pass
2**	5386.850	45.20	1.87	54.0	-8.80	AV	189.00	200	Vertical	Pass
3	5389.967	56.29	2.35	74.0	-17.71	Peak	360.00	100	Vertical	Pass
3**	5389.967	45.76	2.35	54.0	-8.24	AV	360.00	100	Vertical	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.19	0.44	74.0	-14.81	Peak	185.00	100	Vertical	Pass
1**	5150.000	49.29	0.44	54.0	-4.71	AV	185.00	100	Vertical	Pass
2	5147.400	56.46	0.34	74.0	-17.54	Peak	189.00	100	Vertical	Pass
2**	5147.400	49.44	0.34	54.0	-4.56	AV	189.00	100	Vertical	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.41	0.88	74.0	-16.59	Peak	185.00	100	Vertical	Pass
1**	5350.000	48.89	0.88	54.0	-5.11	AV	185.00	100	Vertical	Pass
2	5402.983	61.44	0.71	74.0	-12.56	Peak	178.00	100	Vertical	Pass
2**	5402.983	47.68	0.71	54.0	-6.32	AV	178.00	100	Vertical	Pass
3	5377.500	58.20	1.73	74.0	-15.80	Peak	182.00	150	Vertical	Pass
3**	5377.500	49.38	1.73	54.0	-4.62	AV	182.00	150	Vertical	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.56	0.44	74.0	-20.44	Peak	126.00	100	Vertical	Pass
1**	5150.000	44.64	0.44	54.0	-9.36	AV	126.00	100	Vertical	Pass
2	5093.450	56.07	-0.28	74.0	-17.93	Peak	221.00	200	Vertical	Pass
2**	5093.450	43.85	-0.28	54.0	-10.15	AV	221.00	200	Vertical	Pass
3	4968.325	54.76	1.84	74.0	-19.24	Peak	34.00	100	Vertical	Pass
3**	4968.325	45.67	1.84	54.0	-8.33	AV	34.00	100	Vertical	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.39	0.88	74.0	-15.61	Peak	184.00	200	Vertical	Pass
1**	5350.000	48.10	0.88	54.0	-5.90	AV	184.00	200	Vertical	Pass
2	5350.733	59.52	0.63	74.0	-14.48	Peak	184.00	100	Vertical	Pass
2**	5350.733	47.51	0.63	54.0	-6.49	AV	184.00	100	Vertical	Pass
3	5350.183	57.52	0.78	74.0	-16.48	Peak	184.00	200	Vertical	Pass
3**	5350.183	48.25	0.78	54.0	-5.75	AV	184.00	200	Vertical	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.60	0.44	74.0	-20.40	Peak	87.00	300	Vertical	Pass
1**	5150.000	44.29	0.44	54.0	-9.71	AV	87.00	300	Vertical	Pass
2	4982.950	55.76	1.72	74.0	-18.24	Peak	320.00	100	Vertical	Pass
2**	4982.950	45.10	1.72	54.0	-8.90	AV	320.00	100	Vertical	Pass
3	4984.250	54.85	1.72	74.0	-19.15	Peak	96.00	100	Vertical	Pass
3**	4984.250	45.34	1.72	54.0	-8.66	AV	96.00	100	Vertical	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	64.38	0.88	74.0	-9.62	Peak	184.00	100	Vertical	Pass
1**	5350.000	52.32	0.88	54.0	-1.68	AV	184.00	100	Vertical	Pass
2	5351.834	64.83	0.61	74.0	-9.17	Peak	184.00	200	Vertical	Pass
2**	5351.834	48.51	0.61	54.0	-5.49	AV	184.00	200	Vertical	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.93	0.44	74.0	-20.07	Peak	155.00	100	Vertical	Pass
1**	5150.000	44.12	0.44	54.0	-9.88	AV	155.00	100	Vertical	Pass
2	5077.850	56.28	0.13	74.0	-17.72	Peak	351.00	300	Vertical	Pass
2**	5077.850	43.87	0.13	54.0	-10.13	AV	351.00	300	Vertical	Pass
3	4990.750	54.24	1.22	74.0	-19.76	Peak	48.00	200	Vertical	Pass
3**	4990.750	45.26	1.22	54.0	-8.74	AV	48.00	200	Vertical	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.33	0.88	74.0	-16.67	Peak	187.00	100	Vertical	Pass
1**	5350.000	46.98	0.88	54.0	-7.02	AV	187.00	100	Vertical	Pass
2	5380.250	57.55	1.93	74.0	-16.45	Peak	178.00	200	Vertical	Pass
2**	5380.250	45.61	1.93	54.0	-8.39	AV	178.00	200	Vertical	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.90	0.44	74.0	-20.10	Peak	300.00	200	Vertical	Pass
1**	5150.000	44.29	0.44	54.0	-9.71	AV	300.00	200	Vertical	Pass
2	4980.350	56.55	1.72	74.0	-17.45	Peak	328.00	100	Vertical	Pass
2**	4980.350	45.22	1.72	54.0	-8.78	AV	328.00	100	Vertical	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.49	0.88	74.0	-12.51	Peak	167.00	100	Vertical	Pass
1**	5350.000	51.46	0.88	54.0	-2.54	AV	167.00	100	Vertical	Pass
2	5350.733	63.93	0.63	74.0	-10.07	Peak	182.00	200	Vertical	Pass
2**	5350.733	50.69	0.63	54.0	-3.31	AV	182.00	200	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.22	0.44	74.0	-19.78	Peak	76.00	200	Vertical	Pass
1**	5150.000	44.55	0.44	54.0	-9.45	AV	76.00	200	Vertical	Pass
2	5046.975	55.52	0.43	74.0	-18.48	Peak	119.00	300	Vertical	Pass
2**	5046.975	44.20	0.43	54.0	-9.80	AV	119.00	300	Vertical	Pass
3	4992.050	54.17	0.88	74.0	-19.83	Peak	48.00	100	Vertical	Pass
3**	4992.050	45.21	0.88	54.0	-8.79	AV	48.00	100	Vertical	Pass

U-NII-2A 11ac80 CH58



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.30	0.88	74.0	-14.70	Peak	173.00	300	Vertical	Pass
1**	5350.000	50.37	0.88	54.0	-3.63	AV	173.00	300	Vertical	Pass
2	5355.500	62.11	0.71	74.0	-11.89	Peak	176.00	100	Vertical	Pass
2**	5355.500	50.79	0.71	54.0	-3.21	AV	176.00	100	Vertical	Pass
3	5354.584	60.84	0.68	74.0	-13.16	Peak	176.00	200	Vertical	Pass
3**	5354.584	51.49	0.68	54.0	-2.51	AV	176.00	200	Vertical	Pass

U-NII-2A 11ax20 (SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.65	0.44	74.0	-20.35	Peak	84.00	200	Vertical	Pass
1**	5150.000	44.17	0.44	54.0	-9.83	AV	84.00	200	Vertical	Pass
2	4979.050	55.73	1.60	74.0	-18.27	Peak	227.00	100	Vertical	Pass
2**	4979.050	44.61	1.60	54.0	-9.39	AV	227.00	100	Vertical	Pass
3	5004.725	53.53	0.81	74.0	-20.47	Peak	156.00	200	Vertical	Pass
3**	5004.725	45.38	0.81	54.0	-8.62	AV	156.00	200	Vertical	Pass

U-NII-2A 11ax20 (SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.40	0.88	74.0	-16.60	Peak	179.00	300	Vertical	Pass
1**	5350.000	47.87	0.88	54.0	-6.13	AV	179.00	300	Vertical	Pass
2	5350.550	60.18	0.62	74.0	-13.82	Peak	185.00	100	Vertical	Pass
2**	5350.550	47.71	0.62	54.0	-6.29	AV	185.00	100	Vertical	Pass
3	5350.367	56.85	0.66	74.0	-17.15	Peak	185.00	200	Vertical	Pass
3**	5350.367	48.26	0.66	54.0	-5.74	AV	185.00	200	Vertical	Pass

U-NII-2A 11ax40 (SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.95	0.44	74.0	-20.05	Peak	289.00	100	Vertical	Pass
1**	5150.000	44.56	0.44	54.0	-9.44	AV	289.00	100	Vertical	Pass
2	4997.900	56.48	1.14	74.0	-17.52	Peak	226.00	100	Vertical	Pass
2**	4997.900	44.88	1.14	54.0	-9.12	AV	226.00	100	Vertical	Pass

U-NII-2A 11ax40 (SU) CH62



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.11	0.88	74.0	-12.89	Peak	180.00	100	Vertical	Pass
1**	5350.000	50.77	0.88	54.0	-3.23	AV	180.00	100	Vertical	Pass
2	5350.183	62.58	0.78	74.0	-11.42	Peak	180.00	200	Vertical	Pass
2**	5350.183	50.86	0.78	54.0	-3.14	AV	180.00	200	Vertical	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.92	0.44	74.0	-19.08	Peak	179.00	300	Vertical	Pass
1**	5150.000	44.25	0.44	54.0	-9.75	AV	179.00	300	Vertical	Pass
2	4970.600	56.39	1.60	74.0	-17.61	Peak	176.00	200	Vertical	Pass
2**	4970.600	44.10	1.60	54.0	-9.90	AV	176.00	200	Vertical	Pass
3	5002.775	53.86	1.17	74.0	-20.14	Peak	161.00	100	Vertical	Pass
3**	5002.775	44.97	1.17	54.0	-9.03	AV	161.00	100	Vertical	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.98	0.88	74.0	-12.02	Peak	180.00	100	Vertical	Pass
1**	5350.000	51.70	0.88	54.0	-2.30	AV	180.00	100	Vertical	Pass
2	5351.467	62.05	0.57	74.0	-11.95	Peak	180.00	200	Vertical	Pass
2**	5351.467	51.07	0.57	54.0	-2.93	AV	180.00	200	Vertical	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	59.20	1.09	68.2	-9.00	Peak	218.00	200	Vertical	Pass
1**	5470.000	48.33	1.09	--	--	AV	218.00	200	Vertical	N/A
2	5460.000	55.37	1.37	74.0	-18.63	Peak	12.00	100	Vertical	Pass
2**	5460.000	45.28	1.37	54.0	-8.72	AV	12.00	100	Vertical	Pass
3	5469.800	60.79	1.02	68.2	-7.41	Peak	221.00	300	Vertical	Pass
3**	5469.800	47.77	1.02	--	--	AV	221.00	300	Vertical	N/A
4	5394.000	57.10	1.73	74.0	-16.90	Peak	37.00	100	Vertical	Pass
4**	5394.000	45.08	1.73	54.0	-8.92	AV	37.00	100	Vertical	Pass
5	5389.800	57.03	2.21	74.0	-16.97	Peak	303.00	200	Vertical	Pass
5**	5389.800	45.67	2.21	54.0	-8.33	AV	303.00	200	Vertical	Pass

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	64.54	-0.08	68.2	-3.66	Peak	254.00	100	Vertical	Pass
2	5726.458	65.11	0.26	68.2	-3.09	Peak	255.00	200	Vertical	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	65.31	1.09	68.2	-2.89	Peak	214.00	200	Vertical	Pass
1**	5470.000	52.70	1.09	--	--	AV	214.00	200	Vertical	N/A
2	5460.000	58.08	1.37	74.0	-15.92	Peak	223.00	100	Vertical	Pass
2**	5460.000	47.42	1.37	54.0	-6.58	AV	223.00	100	Vertical	Pass
3	5459.800	59.78	1.28	74.0	-14.22	Peak	220.00	300	Vertical	Pass
3**	5459.800	47.00	1.28	54.0	-7.00	AV	220.00	300	Vertical	Pass

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.97	-0.08	68.2	-13.23	Peak	86.00	200	Vertical	Pass
2	5792.916	57.32	1.62	68.2	-10.88	Peak	88.00	100	Vertical	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.82	1.09	68.2	-10.38	Peak	173.00	100	Vertical	Pass
1**	5470.000	47.01	1.09	--	--	AV	173.00	100	Vertical	N/A
2	5460.000	55.00	1.37	74.0	-19.00	Peak	183.00	200	Vertical	Pass
2**	5460.000	44.99	1.37	54.0	-9.01	AV	183.00	200	Vertical	Pass
3	5469.200	59.07	0.96	68.2	-9.13	Peak	214.00	300	Vertical	Pass
3**	5469.200	46.33	0.96	--	--	AV	214.00	300	Vertical	N/A
4	5384.400	57.11	2.07	74.0	-16.89	Peak	180.00	100	Vertical	Pass
4**	5384.400	45.49	2.07	54.0	-8.51	AV	180.00	100	Vertical	Pass
5	5389.200	55.67	2.14	74.0	-18.33	Peak	173.00	100	Vertical	Pass
5**	5389.200	45.62	2.14	54.0	-8.38	AV	173.00	100	Vertical	Pass

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.70	-0.08	68.2	-6.50	Peak	250.00	100	Vertical	Pass
2	5725.834	63.37	-0.12	68.2	-4.83	Peak	252.00	100	Vertical	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	63.40	1.09	68.2	-4.80	Peak	176.00	300	Vertical	Pass
1**	5470.000	53.77	1.09	--	--	AV	176.00	300	Vertical	N/A
2	5460.000	58.76	1.37	74.0	-15.24	Peak	217.00	100	Vertical	Pass
2**	5460.000	48.14	1.37	54.0	-5.86	AV	217.00	100	Vertical	Pass
3	5469.800	65.77	1.02	68.2	-2.43	Peak	220.00	200	Vertical	Pass
3**	5469.800	53.92	1.02	--	--	AV	220.00	200	Vertical	N/A
4	5459.200	59.07	1.29	74.0	-14.93	Peak	220.00	100	Vertical	Pass
4**	5459.200	48.19	1.29	54.0	-5.81	AV	220.00	100	Vertical	Pass
5	5459.200	59.07	1.29	74.0	-14.93	Peak	220.00	200	Vertical	Pass
5**	5459.200	48.19	1.29	54.0	-5.81	AV	220.00	200	Vertical	Pass

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.27	-0.08	68.2	-12.93	Peak	243.00	100	Vertical	Pass
2	5796.250	57.77	2.30	68.2	-10.43	Peak	190.00	300	Vertical	Pass

U-NII-2C 11ac80 CH106



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	64.30	1.09	68.2	-3.90	Peak	216.00	100	Vertical	Pass
1**	5470.000	53.90	1.09	--	--	AV	216.00	100	Vertical	N/A
2	5460.000	63.82	1.37	74.0	-10.18	Peak	216.00	200	Vertical	Pass
2**	5460.000	51.12	1.37	54.0	-2.88	AV	216.00	200	Vertical	Pass
3	5467.600	65.63	1.14	68.2	-2.57	Peak	216.00	100	Vertical	Pass
3**	5467.600	52.23	1.14	--	--	AV	216.00	100	Vertical	N/A
4	5459.800	61.60	1.28	74.0	-12.40	Peak	216.00	200	Vertical	Pass
4**	5459.800	51.23	1.28	54.0	-2.77	AV	216.00	200	Vertical	Pass

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.17	-0.08	68.2	-13.03	Peak	229.00	200	Vertical	Pass
2	5808.542	57.74	1.55	68.2	-10.46	Peak	234.00	100	Vertical	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	61.48	1.09	68.2	-6.72	Peak	214.00	100	Vertical	Pass
1**	5470.000	52.72	1.09	--	--	AV	214.00	100	Vertical	N/A
2	5460.000	60.50	1.37	74.0	-13.50	Peak	218.00	300	Vertical	Pass
2**	5460.000	51.58	1.37	54.0	-2.42	AV	218.00	300	Vertical	Pass
3	5464.000	64.30	1.50	68.2	-3.90	Peak	190.00	100	Vertical	Pass
3**	5464.000	51.52	1.50	--	--	AV	190.00	100	Vertical	N/A
4	5455.000	62.23	1.06	74.0	-11.77	Peak	196.00	300	Vertical	Pass
4**	5455.000	50.36	1.06	54.0	-3.64	AV	196.00	300	Vertical	Pass
5	5459.400	60.83	1.26	74.0	-13.17	Peak	218.00	200	Vertical	Pass
5**	5459.400	51.60	1.26	54.0	-2.40	AV	218.00	200	Vertical	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.81	-0.08	68.2	-4.39	Peak	158.00	100	Vertical	Pass
2	5729.791	66.24	0.04	68.2	-1.96	Peak	163.00	100	Vertical	Pass

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	60.94	1.09	68.2	-7.26	Peak	221.00	200	Vertical	Pass
1**	5470.000	48.52	1.09	--	--	AV	221.00	200	Vertical	N/A
2	5460.000	55.20	1.37	74.0	-18.80	Peak	58.00	100	Vertical	Pass
2**	5460.000	45.37	1.37	54.0	-8.63	AV	58.00	100	Vertical	Pass
3	5468.400	61.13	1.46	68.2	-7.07	Peak	219.00	300	Vertical	Pass
3**	5468.400	48.43	1.46	--	--	AV	219.00	300	Vertical	N/A
4	5381.400	56.81	1.75	74.0	-17.19	Peak	203.00	100	Vertical	Pass
4**	5381.400	45.17	1.75	54.0	-8.83	AV	203.00	100	Vertical	Pass
5	5390.000	56.22	2.31	74.0	-17.78	Peak	46.00	200	Vertical	Pass
5**	5390.000	45.97	2.31	54.0	-8.03	AV	46.00	200	Vertical	Pass

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.64	-0.08	68.2	-4.56	Peak	82.00	100	Vertical	Pass
2	5725.416	64.68	-0.29	68.2	-3.52	Peak	60.00	300	Vertical	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	64.31	1.09	68.2	-3.89	Peak	221.00	200	Vertical	Pass
1**	5470.000	53.76	1.09	--	--	AV	221.00	200	Vertical	N/A
2	5460.000	59.16	1.37	74.0	-14.84	Peak	224.00	100	Vertical	Pass
2**	5460.000	48.62	1.37	54.0	-5.38	AV	224.00	100	Vertical	Pass
3	5469.600	64.97	0.87	68.2	-3.23	Peak	221.00	300	Vertical	Pass
3**	5469.600	52.99	0.87	--	--	AV	221.00	300	Vertical	N/A
4	5459.600	60.14	1.23	74.0	-13.86	Peak	221.00	100	Vertical	Pass
4**	5459.600	48.31	1.23	54.0	-5.69	AV	221.00	100	Vertical	Pass

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.62	-0.08	68.2	-13.58	Peak	1.00	300	Vertical	Pass
2	5793.958	57.59	1.98	68.2	-10.61	Peak	335.00	100	Vertical	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	61.78	1.09	68.2	-6.42	Peak	138.00	200	Vertical	Pass
1**	5470.000	52.84	1.09	--	--	AV	138.00	200	Vertical	N/A
2	5460.000	59.49	1.37	74.0	-14.51	Peak	199.00	100	Vertical	Pass
2**	5460.000	49.93	1.37	54.0	-4.07	AV	199.00	100	Vertical	Pass
3	5465.000	63.59	1.49	68.2	-4.61	Peak	194.00	300	Vertical	Pass
3**	5465.000	51.43	1.49	--	--	AV	194.00	300	Vertical	N/A
4	5458.600	60.85	1.28	74.0	-13.15	Peak	223.00	100	Vertical	Pass
4**	5458.600	49.72	1.28	54.0	-4.28	AV	223.00	100	Vertical	Pass
5	5459.000	59.51	1.31	74.0	-14.49	Peak	220.00	100	Vertical	Pass
5**	5459.000	50.19	1.31	54.0	-3.81	AV	220.00	100	Vertical	Pass

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.63	-0.08	68.2	-13.57	Peak	229.00	100	Vertical	Pass
2	5790.625	57.62	1.63	68.2	-10.58	Peak	229.00	200	Vertical	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	64.14	1.09	68.2	-4.06	Peak	217.00	100	Vertical	Pass
1**	5470.000	51.89	1.09	--	--	AV	217.00	100	Vertical	N/A
2	5460.000	62.78	1.37	74.0	-11.22	Peak	217.00	300	Vertical	Pass
2**	5460.000	50.18	1.37	54.0	-3.82	AV	217.00	300	Vertical	Pass
3	5466.600	64.93	1.45	68.2	-3.27	Peak	217.00	100	Vertical	Pass
3**	5466.600	52.82	1.45	--	--	AV	217.00	200	Vertical	N/A
4	5456.600	65.97	1.60	74.0	-8.03	Peak	217.00	200	Vertical	Pass
4**	5456.600	51.28	1.60	54.0	-2.72	AV	217.00	100	Vertical	Pass
5	5454.600	62.27	1.21	74.0	-11.73	Peak	217.00	100	Vertical	Pass
5**	5454.600	51.51	1.21	54.0	-2.49	AV	217.00	100	Vertical	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.26	-0.08	68.2	-7.94	Peak	162.00	300	Vertical	Pass
2	5750.416	61.93	-0.10	68.2	-6.27	Peak	234.00	100	Vertical	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.95	-0.21	68.2	-13.25	Peak	264.00	300	Vertical	Pass
2	5624.166	57.17	0.94	68.2	-11.03	Peak	194.00	100	Vertical	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.09	0.01	68.2	-14.11	Peak	69.00	100	Vertical	Pass
2	5991.000	56.52	0.68	68.2	-11.68	Peak	320.00	200	Vertical	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.10	-0.21	68.2	-13.10	Peak	219.00	100	Vertical	Pass
2	5617.083	56.66	0.90	68.2	-11.54	Peak	75.00	300	Vertical	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.37	0.01	68.2	-13.83	Peak	215.00	200	Vertical	Pass
2	5999.000	56.42	0.73	68.2	-11.78	Peak	141.00	100	Vertical	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.39	-0.21	68.2	-13.81	Peak	13.00	200	Vertical	Pass
2	5615.208	56.83	1.31	68.2	-11.37	Peak	236.00	300	Vertical	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.03	0.01	68.2	-14.17	Peak	319.00	200	Vertical	Pass
2	5976.500	56.17	0.54	68.2	-12.03	Peak	0.00	100	Vertical	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.69	-0.21	68.2	-13.51	Peak	40.00	300	Vertical	Pass
2	5624.584	56.51	1.14	68.2	-11.69	Peak	212.00	100	Vertical	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.64	0.01	68.2	-14.56	Peak	255.00	200	Vertical	Pass
2	5982.500	56.67	0.74	68.2	-11.53	Peak	195.00	300	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.96	-0.21	68.2	-13.24	Peak	297.00	200	Vertical	Pass
2	5613.959	56.87	1.00	68.2	-11.33	Peak	56.00	100	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.47	0.01	68.2	-13.73	Peak	281.00	100	Vertical	Pass
2	5975.250	56.49	0.61	68.2	-11.71	Peak	176.00	300	Vertical	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.54	-0.21	68.2	-13.66	Peak	57.00	200	Vertical	Pass
2	5618.125	56.79	1.02	68.2	-11.41	Peak	237.00	100	Vertical	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.95	0.01	68.2	-14.25	Peak	286.00	100	Vertical	Pass
2	5988.750	57.16	0.80	68.2	-11.04	Peak	347.00	300	Vertical	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.61	-0.21	68.2	-13.59	Peak	177.00	100	Vertical	Pass
2	5604.791	57.17	1.09	68.2	-11.03	Peak	4.00	100	Vertical	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.94	0.01	68.2	-14.26	Peak	341.00	200	Vertical	Pass
2	5982.500	56.73	0.74	68.2	-11.47	Peak	115.00	300	Vertical	Pass

U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	53.88	-0.21	68.2	-14.32	Peak	55.00	200	Vertical	Pass
2	5610.208	56.69	1.25	68.2	-11.51	Peak	178.00	100	Vertical	Pass

U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.17	0.01	68.2	-14.03	Peak	190.00	100	Vertical	Pass
2	5999.750	56.39	0.60	68.2	-11.81	Peak	184.00	300	Vertical	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2280937-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2280937-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2280937-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--