



Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	14.31	0.29	14.6	24	Pass
NVNT	a	5200	Ant1	14.26	0.29	14.55	24	Pass
NVNT	a	5240	Ant1	14.31	0.29	14.6	24	Pass
NVNT	a	5260	Ant1	14.88	0.29	15.17	24	Pass
NVNT	a	5300	Ant1	14.82	0.29	15.11	24	Pass
NVNT	a	5320	Ant1	14.78	0.29	15.07	24	Pass
NVNT	a	5500	Ant1	15.53	0.29	15.82	24	Pass
NVNT	a	5580	Ant1	15.51	0.29	15.8	24	Pass
NVNT	a	5700	Ant1	15	0.29	15.29	24	Pass
NVNT	a	5745	Ant1	14.15	0.29	14.44	30	Pass
NVNT	a	5785	Ant1	14.13	0.29	14.42	30	Pass
NVNT	a	5825	Ant1	14.02	0.29	14.31	30	Pass
NVNT	a	5180	Ant2	14.36	0.29	14.65	24	Pass
NVNT	a	5200	Ant2	13.99	0.29	14.28	24	Pass
NVNT	a	5240	Ant2	14.2	0.29	14.49	24	Pass
NVNT	a	5260	Ant2	14.21	0.29	14.5	24	Pass
NVNT	a	5300	Ant2	14.25	0.29	14.54	24	Pass
NVNT	a	5320	Ant2	14.05	0.29	14.34	24	Pass
NVNT	a	5500	Ant2	14.09	0.29	14.38	24	Pass
NVNT	a	5580	Ant2	14.2	0.29	14.49	24	Pass
NVNT	a	5700	Ant2	13.78	0.29	14.07	24	Pass
NVNT	a	5745	Ant2	13.61	0.29	13.9	30	Pass
NVNT	a	5785	Ant2	13.53	0.29	13.82	30	Pass
NVNT	a	5825	Ant2	13.15	0.29	13.44	30	Pass
NVNT	n20	5180	Ant1	12.88	2	14.88	24	Pass
NVNT	n20	5200	Ant1	12.03	2	14.03	24	Pass
NVNT	n20	5240	Ant1	12.02	2	14.02	24	Pass
NVNT	n20	5260	Ant1	12.45	2	14.45	24	Pass
NVNT	n20	5300	Ant1	12.29	2.01	14.3	24	Pass
NVNT	n20	5320	Ant1	12.34	2	14.34	24	Pass
NVNT	n20	5500	Ant1	12.69	2	14.69	24	Pass
NVNT	n20	5580	Ant1	12.79	2	14.79	24	Pass
NVNT	n20	5700	Ant1	12.42	2	14.42	24	Pass
NVNT	n20	5745	Ant1	11.66	2.02	13.68	30	Pass
NVNT	n20	5785	Ant1	11.79	2	13.79	30	Pass
NVNT	n20	5825	Ant1	11.3	2	13.3	30	Pass
NVNT	n20	5180	Ant2	11.99	2.02	14.01	24	Pass
NVNT	n20	5200	Ant2	11.54	2.02	13.56	24	Pass
NVNT	n20	5240	Ant2	11.51	2.02	13.53	24	Pass
NVNT	n20	5260	Ant2	11.63	2.02	13.65	24	Pass
NVNT	n20	5300	Ant2	11.68	2.02	13.7	24	Pass
NVNT	n20	5320	Ant2	11.46	2.02	13.48	24	Pass
NVNT	n20	5500	Ant2	11.9	2.02	13.92	24	Pass
NVNT	n20	5580	Ant2	11.66	2.02	13.68	24	Pass
NVNT	n20	5700	Ant2	11.01	2.02	13.03	24	Pass
NVNT	n20	5745	Ant2	10.81	2.02	12.83	30	Pass
NVNT	n20	5785	Ant2	10.84	2.02	12.86	30	Pass
NVNT	n20	5825	Ant2	10.54	2.02	12.56	30	Pass
NVNT	n20	5180	Ant1	12.48	2.02	14.5	24	Pass
NVNT	n20	5180	Ant2	3.98	2.02	6	24	Pass



NVNT	n20	5180	Sum	13.05	2.02	15.07	24	Pass
NVNT	n20	5200	Ant1	12.16	2.02	14.18	24	Pass
NVNT	n20	5200	Ant2	4.13	2.02	6.15	24	Pass
NVNT	n20	5200	Sum	12.79	2.02	14.81	24	Pass
NVNT	n20	5240	Ant1	12.13	2.02	14.15	24	Pass
NVNT	n20	5240	Ant2	3.97	2.02	5.99	24	Pass
NVNT	n20	5240	Sum	12.75	2.02	14.77	24	Pass
NVNT	n20	5260	Ant1	12.47	2.01	14.48	24	Pass
NVNT	n20	5260	Ant2	3.98	2.01	5.99	24	Pass
NVNT	n20	5260	Sum	13.05	2.01	15.06	24	Pass
NVNT	n20	5300	Ant1	12.58	2.01	14.59	24	Pass
NVNT	n20	5300	Ant2	4.11	2.01	6.12	24	Pass
NVNT	n20	5300	Sum	13.16	2.01	15.17	24	Pass
NVNT	n20	5320	Ant1	12.39	2.01	14.4	24	Pass
NVNT	n20	5320	Ant2	4.12	2.01	6.13	24	Pass
NVNT	n20	5320	Sum	12.99	2.01	15	24	Pass
NVNT	n20	5500	Ant1	12.55	2.01	14.56	24	Pass
NVNT	n20	5500	Ant2	4.24	2.01	6.25	24	Pass
NVNT	n20	5500	Sum	13.15	2.01	15.16	24	Pass
NVNT	n20	5580	Ant1	12.91	2.02	14.93	24	Pass
NVNT	n20	5580	Ant2	4.06	2.02	6.08	24	Pass
NVNT	n20	5580	Sum	13.44	2.02	15.46	24	Pass
NVNT	n20	5700	Ant1	12.55	2.01	14.56	24	Pass
NVNT	n20	5700	Ant2	3.56	2.01	5.57	24	Pass
NVNT	n20	5700	Sum	13.07	2.01	15.08	24	Pass
NVNT	n20	5745	Ant1	11.9	2.02	13.92	30	Pass
NVNT	n20	5745	Ant2	3.21	2.02	5.23	30	Pass
NVNT	n20	5745	Sum	12.45	2.02	14.47	30	Pass
NVNT	n20	5785	Ant1	11.82	2.01	13.83	30	Pass
NVNT	n20	5785	Ant2	3.17	2.01	5.18	30	Pass
NVNT	n20	5785	Sum	12.38	2.01	14.39	30	Pass
NVNT	n20	5825	Ant1	11.58	2.01	13.59	30	Pass
NVNT	n20	5825	Ant2	3.04	2.01	5.05	30	Pass
NVNT	n20	5825	Sum	12.15	2.01	14.16	30	Pass
NVNT	n40	5190	Ant1	11.12	2.88	14	24	Pass
NVNT	n40	5230	Ant1	11.04	2.88	13.92	24	Pass
NVNT	n40	5270	Ant1	11.55	2.88	14.43	24	Pass
NVNT	n40	5310	Ant1	11.1	2.86	13.96	24	Pass
NVNT	n40	5510	Ant1	10.99	2.88	13.87	24	Pass
NVNT	n40	5550	Ant1	10.96	2.86	13.82	24	Pass
NVNT	n40	5670	Ant1	11.47	2.86	14.33	24	Pass
NVNT	n40	5755	Ant1	10.51	2.86	13.37	30	Pass
NVNT	n40	5795	Ant1	10.33	2.87	13.2	30	Pass
NVNT	n40	5190	Ant2	10.54	2.88	13.42	24	Pass
NVNT	n40	5230	Ant2	10.4	2.88	13.28	24	Pass
NVNT	n40	5270	Ant2	10.46	2.87	13.33	24	Pass
NVNT	n40	5310	Ant2	10.1	2.87	12.97	24	Pass
NVNT	n40	5510	Ant2	10.07	2.88	12.95	24	Pass
NVNT	n40	5550	Ant2	10.02	2.88	12.9	24	Pass
NVNT	n40	5670	Ant2	10.36	2.88	13.24	24	Pass
NVNT	n40	5755	Ant2	9.9	2.88	12.78	30	Pass
NVNT	n40	5795	Ant2	9.93	2.89	12.82	30	Pass
NVNT	n40	5190	Ant1	11.24	2.87	14.11	24	Pass
NVNT	n40	5190	Ant2	4.87	2.87	7.74	24	Pass
NVNT	n40	5190	Sum	12.14	2.87	15.01	24	Pass



NVNT	n40	5230	Ant1	11.01	2.86	13.87	24	Pass
NVNT	n40	5230	Ant2	4.81	2.86	7.67	24	Pass
NVNT	n40	5230	Sum	11.94	2.86	14.8	24	Pass
NVNT	n40	5270	Ant1	11.47	2.86	14.33	24	Pass
NVNT	n40	5270	Ant2	5.01	2.86	7.87	24	Pass
NVNT	n40	5270	Sum	12.35	2.86	15.21	24	Pass
NVNT	n40	5310	Ant1	11.24	2.86	14.1	24	Pass
NVNT	n40	5310	Ant2	4.6	2.86	7.46	24	Pass
NVNT	n40	5310	Sum	12.09	2.86	14.95	24	Pass
NVNT	n40	5510	Ant1	10.78	2.88	13.66	24	Pass
NVNT	n40	5510	Ant2	4.47	2.88	7.35	24	Pass
NVNT	n40	5510	Sum	11.69	2.88	14.57	24	Pass
NVNT	n40	5550	Ant1	10.89	2.87	13.76	24	Pass
NVNT	n40	5550	Ant2	4.55	2.87	7.42	24	Pass
NVNT	n40	5550	Sum	11.8	2.87	14.67	24	Pass
NVNT	n40	5670	Ant1	11.41	2.87	14.28	24	Pass
NVNT	n40	5670	Ant2	4.61	2.87	7.48	24	Pass
NVNT	n40	5670	Sum	12.23	2.87	15.1	24	Pass
NVNT	n40	5755	Ant1	10.51	2.88	13.39	30	Pass
NVNT	n40	5755	Ant2	4.29	2.88	7.17	30	Pass
NVNT	n40	5755	Sum	11.44	2.88	14.32	30	Pass
NVNT	n40	5795	Ant1	10.24	2.86	13.1	30	Pass
NVNT	n40	5795	Ant2	4.2	2.86	7.06	30	Pass
NVNT	n40	5795	Sum	11.21	2.86	14.07	30	Pass
NVNT	ac80	5210	Ant1	10.05	3.87	13.92	24	Pass
NVNT	ac80	5290	Ant1	9.95	3.87	13.82	24	Pass
NVNT	ac80	5530	Ant1	10.17	3.87	14.04	24	Pass
NVNT	ac80	5610	Ant1	10.45	3.87	14.32	24	Pass
NVNT	ac80	5775	Ant1	9.44	3.86	13.3	30	Pass
NVNT	ac80	5210	Ant2	9.36	3.87	13.23	24	Pass
NVNT	ac80	5290	Ant2	9.26	3.86	13.12	24	Pass
NVNT	ac80	5530	Ant2	9.24	3.89	13.13	24	Pass
NVNT	ac80	5610	Ant2	9.37	3.89	13.26	24	Pass
NVNT	ac80	5775	Ant2	9.05	3.87	12.92	30	Pass
NVNT	ac80	5210	Ant1	10.04	3.87	13.91	24	Pass
NVNT	ac80	5210	Ant2	5.91	3.87	9.78	24	Pass
NVNT	ac80	5210	Sum	11.46	3.87	15.33	24	Pass
NVNT	ac80	5290	Ant1	9.86	3.87	13.73	24	Pass
NVNT	ac80	5290	Ant2	5.71	3.87	9.58	24	Pass
NVNT	ac80	5290	Sum	11.27	3.87	15.14	24	Pass
NVNT	ac80	5530	Ant1	10.38	3.87	14.25	24	Pass
NVNT	ac80	5530	Ant2	5.84	3.87	9.71	24	Pass
NVNT	ac80	5530	Sum	11.69	3.87	15.56	24	Pass
NVNT	ac80	5610	Ant1	10.64	3.86	14.5	24	Pass
NVNT	ac80	5610	Ant2	5.83	3.86	9.69	24	Pass
NVNT	ac80	5610	Sum	11.88	3.86	15.74	24	Pass
NVNT	ac80	5775	Ant1	9.56	3.87	13.43	30	Pass
NVNT	ac80	5775	Ant2	5.72	3.87	9.59	30	Pass
NVNT	ac80	5775	Sum	11.06	3.87	14.93	30	Pass






-26dB Bandwidth




Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	21.456	0.5	Pass
NVNT	a	5200	Ant1	21.072	0.5	Pass
NVNT	a	5240	Ant1	21.241	0.5	Pass
NVNT	a	5260	Ant1	21.557	0.5	Pass
NVNT	a	5300	Ant1	21.48	0.5	Pass
NVNT	a	5320	Ant1	21.332	0.5	Pass
NVNT	a	5500	Ant1	21.182	0.5	Pass
NVNT	a	5580	Ant1	21.831	0.5	Pass
NVNT	a	5700	Ant1	22.513	0.5	Pass
NVNT	a	5180	Ant2	21.625	0.5	Pass
NVNT	a	5200	Ant2	21.197	0.5	Pass
NVNT	a	5240	Ant2	21.406	0.5	Pass
NVNT	a	5260	Ant2	21.271	0.5	Pass
NVNT	a	5300	Ant2	21.527	0.5	Pass
NVNT	a	5320	Ant2	21.312	0.5	Pass
NVNT	a	5500	Ant2	21.651	0.5	Pass
NVNT	a	5580	Ant2	25.59	0.5	Pass
NVNT	a	5700	Ant2	21.732	0.5	Pass
NVNT	n20	5180	Ant1	27.341	0.5	Pass
NVNT	n20	5200	Ant1	21.497	0.5	Pass
NVNT	n20	5240	Ant1	21.398	0.5	Pass
NVNT	n20	5260	Ant1	21.66	0.5	Pass
NVNT	n20	5300	Ant1	21.468	0.5	Pass
NVNT	n20	5320	Ant1	21.554	0.5	Pass
NVNT	n20	5500	Ant1	21.451	0.5	Pass
NVNT	n20	5580	Ant1	22.089	0.5	Pass
NVNT	n20	5700	Ant1	22.593	0.5	Pass
NVNT	n20	5180	Ant2	29.442	0.5	Pass
NVNT	n20	5200	Ant2	21.36	0.5	Pass
NVNT	n20	5240	Ant2	21.37	0.5	Pass
NVNT	n20	5260	Ant2	21.599	0.5	Pass
NVNT	n20	5300	Ant2	21.354	0.5	Pass
NVNT	n20	5320	Ant2	21.871	0.5	Pass
NVNT	n20	5500	Ant2	21.687	0.5	Pass
NVNT	n20	5580	Ant2	21.509	0.5	Pass
NVNT	n20	5700	Ant2	22	0.5	Pass
NVNT	n40	5190	Ant1	39.178	0.5	Pass
NVNT	n40	5230	Ant1	38.914	0.5	Pass
NVNT	n40	5270	Ant1	39.287	0.5	Pass
NVNT	n40	5310	Ant1	39.072	0.5	Pass
NVNT	n40	5510	Ant1	39.032	0.5	Pass
NVNT	n40	5550	Ant1	39.629	0.5	Pass
NVNT	n40	5670	Ant1	38.863	0.5	Pass
NVNT	n40	5190	Ant2	46.891	0.5	Pass
NVNT	n40	5230	Ant2	39.272	0.5	Pass
NVNT	n40	5270	Ant2	39.245	0.5	Pass
NVNT	n40	5310	Ant2	39.003	0.5	Pass
NVNT	n40	5510	Ant2	39.507	0.5	Pass
NVNT	n40	5550	Ant2	39.529	0.5	Pass
NVNT	n40	5670	Ant2	39.715	0.5	Pass





NVNT	ac80	5210	Ant1	80.071	0.5	Pass
NVNT	ac80	5290	Ant1	79.431	0.5	Pass
NVNT	ac80	5530	Ant1	79.764	0.5	Pass
NVNT	ac80	5610	Ant1	80.834	0.5	Pass
NVNT	ac80	5210	Ant2	80.023	0.5	Pass
NVNT	ac80	5290	Ant2	79.789	0.5	Pass
NVNT	ac80	5530	Ant2	79.763	0.5	Pass
NVNT	ac80	5610	Ant2	79.099	0.5	Pass






































































Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.593
NVNT	a	5200	Ant1	16.557
NVNT	a	5240	Ant1	16.559
NVNT	a	5260	Ant1	16.596
NVNT	a	5300	Ant1	16.575
NVNT	a	5320	Ant1	16.568
NVNT	a	5500	Ant1	16.599
NVNT	a	5580	Ant1	16.578
NVNT	a	5700	Ant1	16.577
NVNT	a	5745	Ant1	16.577
NVNT	a	5785	Ant1	16.58
NVNT	a	5825	Ant1	16.55
NVNT	a	5180	Ant2	16.657
NVNT	a	5200	Ant2	16.574
NVNT	a	5240	Ant2	16.59
NVNT	a	5260	Ant2	16.581
NVNT	a	5300	Ant2	16.593
NVNT	a	5320	Ant2	16.616
NVNT	a	5500	Ant2	16.635
NVNT	a	5580	Ant2	16.608
NVNT	a	5700	Ant2	16.623
NVNT	a	5745	Ant2	16.558
NVNT	a	5785	Ant2	16.595
NVNT	a	5825	Ant2	16.576
NVNT	n20	5180	Ant1	17.857
NVNT	n20	5200	Ant1	17.718
NVNT	n20	5240	Ant1	17.76
NVNT	n20	5260	Ant1	17.748
NVNT	n20	5300	Ant1	17.749
NVNT	n20	5320	Ant1	17.758
NVNT	n20	5500	Ant1	17.758
NVNT	n20	5580	Ant1	17.771
NVNT	n20	5700	Ant1	17.77
NVNT	n20	5745	Ant1	17.742
NVNT	n20	5785	Ant1	17.679
NVNT	n20	5825	Ant1	17.751
NVNT	n20	5180	Ant2	17.959
NVNT	n20	5200	Ant2	17.723
NVNT	n20	5240	Ant2	17.716
NVNT	n20	5260	Ant2	17.744
NVNT	n20	5300	Ant2	17.758
NVNT	n20	5320	Ant2	17.749
NVNT	n20	5500	Ant2	17.745
NVNT	n20	5580	Ant2	17.777
NVNT	n20	5700	Ant2	17.785
NVNT	n20	5745	Ant2	17.776
NVNT	n20	5785	Ant2	17.756
NVNT	n20	5825	Ant2	17.754
NVNT	n40	5190	Ant1	36.265
NVNT	n40	5230	Ant1	36.28
NVNT	n40	5270	Ant1	36.323
NVNT	n40	5310	Ant1	36.305



NVNT	n40	5510	Ant1	36.275
NVNT	n40	5550	Ant1	36.394
NVNT	n40	5670	Ant1	36.337
NVNT	n40	5755	Ant1	36.232
NVNT	n40	5795	Ant1	36.271
NVNT	n40	5190	Ant2	36.489
NVNT	n40	5230	Ant2	36.305
NVNT	n40	5270	Ant2	36.267
NVNT	n40	5310	Ant2	36.271
NVNT	n40	5510	Ant2	36.355
NVNT	n40	5550	Ant2	36.354
NVNT	n40	5670	Ant2	36.34
NVNT	n40	5755	Ant2	36.31
NVNT	n40	5795	Ant2	36.246
NVNT	ac80	5210	Ant1	75.809
NVNT	ac80	5290	Ant1	75.813
NVNT	ac80	5530	Ant1	75.933
NVNT	ac80	5610	Ant1	75.838
NVNT	ac80	5775	Ant1	75.767
NVNT	ac80	5210	Ant2	75.796
NVNT	ac80	5290	Ant2	75.86
NVNT	ac80	5530	Ant2	75.897
NVNT	ac80	5610	Ant2	75.898
NVNT	ac80	5775	Ant2	75.818





