









Novgen®

SG501-2

RTL8367S
18T12E1
QSI TAIWAN


G2401
2202W


G2401
2202W

G2401
2202W


G2401
2202W

G2401
2202W






Naygen®










Novgen®

846815E850
00A7D2C8
19A377-006

intel







Switching Power Supply
交換式電源供應器/开关电源供应器

MODEL NO (型號/型号): FSP400-50UCB

AC INPUT 交流輸入/交流線輸入	100-240V~, 8-4A, 60-50Hz					
DC OUTPUT 直流輸出/直流輸出	+3.3V	+5V	+12V	+5Vsb	-12V	-5V
	14.0A	16.0A	33.0A	3.0A	0.3A	0.1A
Max. Wattage 最大輸出功率/最大輸出功率	90W Max					
Total output continuous shall not exceed 總輸出不可持續超過/總輸出不可持續超過	400W					

WARNING! HAZARDOUS AREA

SAFETY INSTRUCTIONS:
DO NOT REMOVE THE COVER.
NO SERVICEABLE COMPONENTS INSIDE.
REFER SERVICING TO QUALIFIED SERVICE PERSONNEL.

WARNUNG! GEFÄHRZONE

SICHERHEITSHINWEISE:
VOR DEM ÖFFNEN DES GERÄTES
NETZSTECKER ZIEHEN.
KEINE SERVICEFÄHIGEN BAUTEILE
ENTHALTEN.
SERVICEARBEITEN SOLLTEN NUR VON
AUTORISIERTEN
FACHPERSONAL DURCHFÜHRT WERDEN.

警告! 請勿打開盒蓋, 內有危險高壓。
請退回代理商維修。

警告! 請勿打開盒蓋, 內有危險高壓。
請退回代理商維修。

This device complies with part 15 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

Attention :
Pour les équipements de traitement de l'information

CAN ICES-3(B) / NMB-3(B)



E160414



FSP (UK) LTD.
UNIT 8, LINDA PARK,
FARMHILL, ST ALBANS,
HERTFORDSHIRE,
AL1 1SD,
United Kingdom



製造商: 台達電子股份有限公司
MADE IN CHINA 中國製造


BALL BEARING FAN / ErP 5Vsb <0.5W Input / Active PFC / RoHS


6LL2108602GP FJ



4 713224 523595







Elus Research
USRP B210
H 94V-0
1562298-01L
3205515

