







Band40(2350-2360) QPSK BW=10MHz Channel=39200 RB Size=1 Position=#0




Band40(2350-2360) QPSK BW=5MHz Channel=39175 RB Size=1 Position=#0




Band40(2350-2360) QPSK BW=5MHz Channel=39200 RB Size=1 Position=#0




Band40(2350-2360) QPSK BW=5MHz Channel=39225 RB Size=1 Position=#0




Band41(2555-2655) 16QAM BW=10MHz Channel=40290 RB Size=50 Position=#0




Band41(2555-2655) 16QAM BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2555-2655) 16QAM BW=15MHz Channel=40315 RB Size=75 Position=#0




Band41(2555-2655) 16QAM BW=15MHz Channel=41165 RB Size=75 Position=#0



Band41(2555-2655) 16QAM BW=20MHz Channel=40340 RB Size=100 Position=#0




Band41(2555-2655) 16QAM BW=20MHz Channel=41140 RB Size=100 Position=#0




Band41(2555-2655) 16QAM BW=5MHz Channel=40265 RB Size=25 Position=#0



Band41(2555-2655) 16QAM BW=5MHz Channel=41215 RB Size=25 Position=#0




Band41(2555-2655) QPSK BW=10MHz Channel=40290 RB Size=50 Position=#0




Band41(2555-2655) QPSK BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2555-2655) QPSK BW=15MHz Channel=40315 RB Size=75 Position=#0




Band41(2555-2655) QPSK BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41(2555-2655) QPSK BW=20MHz Channel=40340 RB Size=100 Position=#0




Band41(2555-2655) QPSK BW=20MHz Channel=41140 RB Size=100 Position=#0



Band41(2555-2655) QPSK BW=5MHz Channel=40265 RB Size=25 Position=#0




Band41(2555-2655) QPSK BW=5MHz Channel=41215 RB Size=25 Position=#0




LTE Duty Cycle

Band	Bandwidth (MHz)	UL Channel	Ton (ms)	Tn (ms)	Duty Cycle (%)	high Limit (%)	Verdict
Band40(2305-2315)	10	38750	2.970	9.990	29.73	38	PASS
Band40(2350-2360)	10	39200	3.000	10.020	29.94	38	PASS

Band40(2305-2315) QPSK BW=10MHz Channel=38750 RB Size=50 Position=#0



Band40(2350-2360) QPSK BW=10MHz Channel=39200 RB Size=50 Position=#0



RADIATED SPURIOUS EMISSION

Note:

(1) Spurious emissions which are attenuated by more than 20dB below the permissible value for frequency below 1000MHz.

(2) Test is divided into three directions, X/Y/Z. X pattern for the worst.

LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.91	-31.82	7.00	12.93	-37.75	-13.00	-24.75	H
5640.01	-26.15	8.40	17.11	-34.86	-13.00	-21.86	H
7520.12	-20.03	8.10	22.20	-34.13	-13.00	-21.13	H
3759.91	-31.83	7.00	12.93	-37.76	-13.00	-24.76	V
5640.01	-26.13	8.40	17.11	-34.84	-13.00	-21.84	V
7520.12	-20.87	8.10	22.20	-34.97	-13.00	-21.97	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.80	-32.07	7.00	12.93	-38.00	-13.00	-25.00	H
5639.92	-26.31	8.40	17.11	-35.02	-13.00	-22.02	H
7520.26	-20.31	8.10	22.20	-34.41	-13.00	-21.41	H
3759.80	-32.37	7.00	12.93	-38.30	-13.00	-25.30	V
5639.92	-26.84	8.40	17.11	-35.55	-13.00	-22.55	V
7520.26	-20.20	8.10	22.20	-34.30	-13.00	-21.30	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3800.09	-32.03	7.00	12.93	-37.96	-13.00	-24.96	H
5699.77	-26.94	8.40	17.11	-35.65	-13.00	-22.65	H
7600.09	-20.67	8.10	22.20	-34.77	-13.00	-21.77	H
3800.09	-31.42	7.00	12.93	-37.35	-13.00	-24.35	V
5699.77	-26.99	8.40	17.11	-35.70	-13.00	-22.70	V
7600.09	-20.10	8.10	22.20	-34.20	-13.00	-21.20	V

LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3440.15	-31.84	7.20	12.56	-37.20	-13.00	-24.20	H
5160.09	-26.88	8.10	16.32	-35.10	-13.00	-22.10	H
6880.75	-20.25	8.30	21.13	-33.08	-13.00	-20.08	H
3440.15	-31.86	7.20	12.56	-37.22	-13.00	-24.22	V
5160.09	-26.54	8.10	16.32	-34.76	-13.00	-21.76	V
6880.75	-20.47	8.30	21.13	-33.30	-13.00	-20.30	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3465.06	-32.32	7.20	12.56	-37.68	-13.00	-24.68	H
5196.33	-26.92	8.10	16.32	-35.14	-13.00	-22.14	H
6929.67	-20.55	8.30	21.13	-33.38	-13.00	-20.38	H
3465.06	-32.12	7.20	12.56	-37.48	-13.00	-24.48	V
5196.33	-26.54	8.10	16.32	-34.76	-13.00	-21.76	V
6929.67	-20.01	8.30	21.13	-32.84	-13.00	-19.84	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.50	-31.36	7.20	12.56	-36.72	-13.00	-23.72	H
5234.93	-26.54	8.10	16.32	-34.76	-13.00	-21.76	H
6979.83	-20.84	8.30	21.13	-33.67	-13.00	-20.67	H
3490.50	-32.37	7.20	12.56	-37.73	-13.00	-24.73	V
5234.93	-26.84	8.10	16.32	-35.06	-13.00	-22.06	V
6979.83	-20.18	8.30	21.13	-33.01	-13.00	-20.01	V

LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1657.96	-33.73	7.40	9.72	-36.05	-13.00	-23.05	H
2486.32	-32.04	8.30	10.86	-34.60	-13.00	-21.60	H
3315.27	-29.75	7.20	11.57	-34.12	-13.00	-21.12	H
1657.96	-34.12	7.40	9.72	-36.44	-13.00	-23.44	V
2486.32	-32.78	8.30	10.86	-35.34	-13.00	-22.34	V
3315.27	-29.74	7.20	11.57	-34.11	-13.00	-21.11	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.13	-33.87	7.40	9.72	-36.19	-13.00	-23.19	H
2508.94	-32.35	8.30	10.86	-34.91	-13.00	-21.91	H
3345.47	-29.63	7.20	11.57	-34.00	-13.00	-21.00	H
1672.13	-33.77	7.40	9.72	-36.09	-13.00	-23.09	V
2508.94	-33.06	8.30	10.86	-35.62	-13.00	-22.62	V
3345.47	-29.96	7.20	11.57	-34.33	-13.00	-21.33	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1687.63	-34.28	7.40	9.72	-36.60	-13.00	-23.60	H
2531.52	-32.36	8.30	10.86	-34.92	-13.00	-21.92	H
3375.41	-29.08	7.20	11.57	-33.45	-13.00	-20.45	H
1687.63	-34.31	7.40	9.72	-36.63	-13.00	-23.63	V
2531.52	-32.48	8.30	10.86	-35.04	-13.00	-22.04	V
3375.41	-29.87	7.20	11.57	-34.24	-13.00	-21.24	V

LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5021.04	-30.43	8.00	15.86	-38.29	-25.00	-13.29	H
7531.16	-28.60	8.30	19.28	-39.58	-25.00	-14.58	H
10258.56	-25.54	8.10	23.19	-40.63	-25.00	-15.63	H
5021.04	-30.05	8.00	15.86	-37.91	-25.00	-12.91	V
7531.16	-28.07	8.30	19.28	-39.05	-25.00	-14.05	V
10258.56	-26.42	8.10	23.19	-41.51	-25.00	-16.51	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5021.06	-40.50	8.00	15.86	-48.36	-25.00	-23.36	H
7531.02	-36.37	8.30	19.28	-47.35	-25.00	-22.35	H
10258.89	-32.07	8.10	23.19	-47.16	-25.00	-22.16	H
5021.06	-40.59	8.00	15.86	-48.45	-25.00	-23.45	V
7531.02	-37.22	8.30	19.28	-48.20	-25.00	-23.20	V
10258.89	-31.29	8.10	23.19	-46.38	-25.00	-21.38	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5118.57	-41.27	8.00	15.86	-49.13	-25.00	-24.13	H
7678.03	-37.04	8.30	19.28	-48.02	-25.00	-23.02	H
10237.76	-31.25	8.10	23.19	-46.34	-25.00	-21.34	H
5118.57	-40.72	8.00	15.86	-48.58	-25.00	-23.58	V
7678.03	-36.64	8.30	19.28	-47.62	-25.00	-22.62	V
10237.76	-31.28	8.10	23.19	-46.37	-25.00	-21.37	V

LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1407.97	-33.20	6.70	9.34	-35.84	-13.00	-22.84	H
2111.52	-32.21	7.80	10.42	-34.83	-13.00	-21.83	H
2815.75	-32.23	8.00	11.12	-35.35	-13.00	-22.35	H
1407.97	-33.51	6.70	9.34	-36.15	-13.00	-23.15	V
2111.52	-32.14	7.80	10.42	-34.76	-13.00	-21.76	V
2815.75	-31.34	8.00	11.12	-34.46	-13.00	-21.46	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.85	-33.81	6.70	9.34	-36.45	-13.00	-23.45	H
2122.41	-32.33	7.80	10.42	-34.95	-13.00	-21.95	H
2829.91	-31.26	8.00	11.12	-34.38	-13.00	-21.38	H
1414.85	-33.43	6.70	9.34	-36.07	-13.00	-23.07	V
2122.41	-33.27	7.80	10.42	-35.89	-13.00	-22.89	V
2829.91	-31.24	8.00	11.12	-34.36	-13.00	-21.36	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.99	-27.06	6.70	9.34	-29.70	-13.00	-16.70	H
2132.91	-27.42	7.80	10.42	-30.04	-13.00	-17.04	H
2843.92	-25.44	8.00	11.12	-28.56	-13.00	-15.56	H
1421.99	-28.64	6.70	9.34	-31.28	-13.00	-18.28	V
2132.91	-25.56	7.80	10.42	-28.18	-13.00	-15.18	V
2843.92	-29.14	8.00	11.12	-32.26	-13.00	-19.26	V

LTE Band 13 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1563.83	-59.12	7.40	9.72	-61.44	-40.00	-21.44	H
2345.80	-53.06	8.30	10.86	-55.62	-13.00	-42.62	H
3127.79	-47.02	7.70	11.57	-50.89	-13.00	-37.89	H
1563.83	-60.40	7.40	9.72	-62.72	-40.00	-22.72	V
2345.80	-52.11	8.30	10.86	-54.67	-13.00	-41.67	V
3127.79	-48.46	7.70	11.57	-52.33	-13.00	-39.33	V

LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1418.37	-34.39	6.90	9.34	-36.83	-13.00	-23.83	H
2127.31	-32.78	8.00	10.42	-35.20	-13.00	-22.20	H
2836.46	-31.24	8.00	11.12	-34.36	-13.00	-21.36	H
1418.37	-34.31	6.90	9.34	-36.75	-13.00	-23.75	V
2127.31	-32.79	8.00	10.42	-35.21	-13.00	-22.21	V
2836.46	-31.28	8.00	11.12	-34.40	-13.00	-21.40	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1420.02	-33.68	6.90	9.34	-36.12	-13.00	-23.12	H
2130.15	-32.89	8.00	10.42	-35.31	-13.00	-22.31	H
2839.87	-31.97	8.00	11.12	-35.09	-13.00	-22.09	H
1420.02	-34.13	6.90	9.34	-36.57	-13.00	-23.57	V
2130.15	-33.12	8.00	10.42	-35.54	-13.00	-22.54	V
2839.87	-31.45	8.00	11.12	-34.57	-13.00	-21.57	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.17	-33.22	6.90	9.34	-35.66	-13.00	-22.66	H
2132.12	-33.29	8.00	10.42	-35.71	-13.00	-22.71	H
2842.38	-31.22	8.00	11.12	-34.34	-13.00	-21.34	H
1421.17	-34.05	6.90	9.34	-36.49	-13.00	-23.49	V
2132.12	-32.62	8.00	10.42	-35.04	-13.00	-22.04	V
2842.38	-32.05	8.00	11.12	-35.17	-13.00	-22.17	V

LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3720.28	-24.22	7.00	12.93	-30.15	-13.00	-17.15	H
5580.20	-29.03	8.40	17.11	-37.74	-13.00	-24.74	H
7440.15	-24.37	8.10	22.20	-38.47	-13.00	-25.47	H
3720.28	-25.83	7.00	12.93	-31.76	-13.00	-18.76	V
5580.20	-26.07	8.40	17.11	-34.78	-13.00	-21.78	V
7440.15	-23.50	8.10	22.20	-37.60	-13.00	-24.60	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.13	-24.15	7.00	12.93	-30.08	-13.00	-17.08	H
5639.99	-27.13	8.40	17.11	-35.84	-13.00	-22.84	H
7520.20	-22.99	8.10	22.20	-37.09	-13.00	-24.09	H
3760.13	-25.11	7.00	12.93	-31.04	-13.00	-18.04	V
5639.99	-25.93	8.40	17.11	-34.64	-13.00	-21.64	V
7520.20	-24.02	8.10	22.20	-38.12	-13.00	-25.12	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3799.81	-26.41	7.00	12.93	-32.34	-13.00	-19.34	H
5700.21	-25.12	8.40	17.11	-33.83	-13.00	-20.83	H
7600.22	-23.83	8.10	22.20	-37.93	-13.00	-24.93	H
3799.81	-29.88	7.00	12.93	-35.81	-13.00	-22.81	V
5700.21	-28.04	8.40	17.11	-36.75	-13.00	-23.75	V
7600.22	-25.62	8.10	22.20	-39.72	-13.00	-26.72	V

LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1663.19	-33.07	7.40	9.72	-35.39	-13.00	-22.39	H
2494.25	-32.29	8.30	10.86	-34.85	-13.00	-21.85	H
3325.86	-32.16	7.20	11.57	-36.53	-13.00	-23.53	H
1663.19	-33.78	7.40	9.72	-36.10	-13.00	-23.10	V
2494.25	-33.14	8.30	10.86	-35.70	-13.00	-22.70	V
3325.86	-32.13	7.20	11.57	-36.50	-13.00	-23.50	V
LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.94	-34.25	7.40	9.72	-36.57	-13.00	-23.57	H
2509.07	-32.58	8.30	10.86	-35.14	-13.00	-22.14	H
3346.19	-31.68	7.20	11.57	-36.05	-13.00	-23.05	H
1672.94	-34.14	7.40	9.72	-36.46	-13.00	-23.46	V
2509.07	-32.13	8.30	10.86	-34.69	-13.00	-21.69	V
3346.19	-31.01	7.20	11.57	-35.38	-13.00	-22.38	V
LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1683.51	-33.49	7.40	9.72	-35.81	-13.00	-22.81	H
2524.36	-32.61	8.30	10.86	-35.17	-13.00	-22.17	H
3366.26	-32.19	7.20	11.57	-36.56	-13.00	-23.56	H
1683.51	-34.07	7.40	9.72	-36.39	-13.00	-23.39	V
2524.36	-32.04	8.30	10.86	-34.60	-13.00	-21.60	V
3366.26	-31.25	7.20	11.57	-35.62	-13.00	-22.62	V

LTE Band 26(814-824MHz)/ 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1672.82	-27.02	7.40	9.72	-29.34	-13.00	-16.34	H
2509.27	-27.05	8.30	10.86	-29.61	-13.00	-16.61	H
3346.15	-24.79	7.20	11.57	-29.16	-13.00	-16.16	H
1672.82	-29.79	7.40	9.72	-32.11	-13.00	-19.11	V
2509.27	-27.77	8.30	10.86	-30.33	-13.00	-17.33	V
3346.15	-28.91	7.20	11.57	-33.28	-13.00	-20.28	V

LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5130.11	-40.08	8.10	15.86	-47.84	-25.00	-22.84	H
7694.96	-36.84	9.00	19.28	-47.12	-25.00	-22.12	H
10260.11	-32.28	8.70	23.19	-46.77	-25.00	-21.77	H
5130.11	-40.10	8.10	15.86	-47.86	-25.00	-22.86	V
7694.96	-37.19	9.00	19.28	-47.47	-25.00	-22.47	V
10260.11	-32.82	8.70	23.19	-47.31	-25.00	-22.31	V
LTE Band 38 /20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5209.85	-41.35	8.10	15.86	-49.11	-25.00	-24.11	H
7815.11	-36.42	9.00	19.28	-46.70	-25.00	-21.70	H
10420.24	-32.92	8.70	23.19	-47.41	-25.00	-22.41	H
5209.85	-41.19	8.10	15.86	-48.95	-25.00	-23.95	V
7815.11	-36.92	9.00	19.28	-47.20	-25.00	-22.20	V
10420.24	-33.25	8.70	23.19	-47.74	-25.00	-22.74	V
LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5289.98	-40.31	8.10	15.86	-48.07	-25.00	-23.07	H
7935.13	-36.81	9.00	19.28	-47.09	-25.00	-22.09	H
10579.98	-32.03	8.70	23.19	-46.52	-25.00	-21.52	H
5289.98	-40.73	8.10	15.86	-48.49	-25.00	-23.49	V
7935.13	-37.22	9.00	19.28	-47.50	-25.00	-22.50	V
10579.98	-32.66	8.70	23.19	-47.15	-25.00	-22.15	V

LTE Band 40(2305-2315MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
4620.07	-43.11	8.20	12.95	-47.86	-40.00	-7.86	H
6930.14	-40.58	8.10	17.02	-49.50	-40.00	-9.50	H
9240.08	-31.97	8.20	21.78	-45.55	-40.00	-5.55	H
4620.07	-45.09	8.20	12.95	-49.84	-40.00	-9.84	V
6930.14	-39.34	8.10	17.02	-48.26	-40.00	-8.26	V
9240.08	-35.22	8.20	21.78	-48.80	-40.00	-8.80	V

LTE Band 40(2350-2360MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
4709.93	-41.19	8.20	12.95	-45.94	-40.00	-5.94	H
7065.00	-37.95	8.10	17.02	-46.87	-40.00	-6.87	H
9420.30	-31.69	8.20	21.78	-45.27	-40.00	-5.27	H
4709.93	-44.78	8.20	12.95	-49.53	-40.00	-9.53	V
7065.00	-41.31	8.10	17.02	-50.23	-40.00	-10.23	V
9420.30	-32.14	8.20	21.78	-45.72	-40.00	-5.72	V

LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5129.95	-40.86	7.90	15.86	-48.82	-25.00	-23.82	H
7694.86	-36.68	9.00	19.28	-46.96	-25.00	-21.96	H
10260.29	-33.04	8.70	23.19	-47.53	-25.00	-22.53	H
5129.95	-40.28	7.90	15.86	-48.24	-25.00	-23.24	V
7694.86	-36.61	9.00	19.28	-46.89	-25.00	-21.89	V
10260.29	-32.30	8.70	23.19	-46.79	-25.00	-21.79	V
LTE Band 41 /20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5210.15	-41.35	7.90	15.86	-49.31	-25.00	-24.31	H
7815.20	-37.04	9.00	19.28	-47.32	-25.00	-22.32	H
10420.14	-33.12	8.70	23.19	-47.61	-25.00	-22.61	H
5210.15	-40.52	7.90	15.86	-48.48	-25.00	-23.48	V
7815.20	-36.10	9.00	19.28	-46.38	-25.00	-21.38	V
10420.14	-32.20	8.70	23.19	-46.69	-25.00	-21.69	V
LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5289.79	-40.49	7.90	15.86	-48.45	-25.00	-23.45	H
7935.12	-36.74	9.00	19.28	-47.02	-25.00	-22.02	H
10580.00	-32.42	8.70	23.19	-46.91	-25.00	-21.91	H
5289.79	-41.12	7.90	15.86	-49.08	-25.00	-24.08	V
7935.12	-36.57	9.00	19.28	-46.85	-25.00	-21.85	V
10580.00	-32.94	8.70	23.19	-47.43	-25.00	-22.43	V

※※※※※END OF THE REPORT※※※※※