



















































Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant1	5.97	0	5.97	11	Pass
NVNT	a	5200	Ant1	6.43	0	6.43	11	Pass
NVNT	a	5240	Ant1	7.33	0	7.33	11	Pass
NVNT	a	5260	Ant1	7.07	0	7.07	11	Pass
NVNT	a	5300	Ant1	6.9	0	6.9	11	Pass
NVNT	a	5320	Ant1	7.25	0	7.25	11	Pass
NVNT	a	5500	Ant1	7.54	0	7.54	11	Pass
NVNT	a	5580	Ant1	7.81	0	7.81	11	Pass
NVNT	a	5700	Ant1	7.31	0	7.31	11	Pass
NVNT	a	5180	Ant2	4.43	0	4.43	11	Pass
NVNT	a	5200	Ant2	5.36	0	5.36	11	Pass
NVNT	a	5240	Ant2	5.4	0	5.4	11	Pass
NVNT	a	5260	Ant2	5.97	0	5.97	11	Pass
NVNT	a	5300	Ant2	5.98	0	5.98	11	Pass
NVNT	a	5320	Ant2	5.85	0	5.85	11	Pass
NVNT	a	5500	Ant2	5.54	0	5.54	11	Pass
NVNT	a	5580	Ant2	5.73	0	5.73	11	Pass
NVNT	a	5700	Ant2	5.34	0	5.34	11	Pass
NVNT	n20	5180	Ant1	2.42	0	2.42	11	Pass
NVNT	n20	5200	Ant1	2.71	0	2.71	11	Pass
NVNT	n20	5240	Ant1	3.2	0	3.2	11	Pass
NVNT	n20	5260	Ant1	3.79	0	3.79	11	Pass
NVNT	n20	5300	Ant1	3.26	0	3.26	11	Pass
NVNT	n20	5320	Ant1	3.17	0	3.17	11	Pass
NVNT	n20	5500	Ant1	3.96	0	3.96	11	Pass
NVNT	n20	5580	Ant1	4.05	0	4.05	11	Pass
NVNT	n20	5700	Ant1	3.76	0	3.76	11	Pass
NVNT	n20	5180	Ant2	1.49	0	1.49	11	Pass
NVNT	n20	5200	Ant2	1.71	0	1.71	11	Pass
NVNT	n20	5240	Ant2	1.74	0	1.74	11	Pass
NVNT	n20	5260	Ant2	2.42	0	2.42	11	Pass
NVNT	n20	5300	Ant2	2.09	0	2.09	11	Pass
NVNT	n20	5320	Ant2	2.26	0	2.26	11	Pass
NVNT	n20	5500	Ant2	2.11	0	2.11	11	Pass
NVNT	n20	5580	Ant2	1.96	0	1.96	11	Pass
NVNT	n20	5700	Ant2	1.64	0	1.64	11	Pass
NVNT	n20	5180	Ant1	-0.67	0	-0.67	11	Pass
NVNT	n20	5180	Ant2	0.26	0	0.26	11	Pass
NVNT	n20	5180	MIMO	2.83	0	2.83	11	Pass
NVNT	n20	5200	Ant1	1.19	0	1.19	11	Pass
NVNT	n20	5200	Ant2	0.66	0	0.66	11	Pass
NVNT	n20	5200	MIMO	3.94	0	3.94	11	Pass
NVNT	n20	5240	Ant1	5.59	0	5.59	11	Pass
NVNT	n20	5240	Ant2	1.16	0	1.16	11	Pass
NVNT	n20	5240	MIMO	6.93	0	6.93	11	Pass
NVNT	n20	5260	Ant1	5.73	0	5.73	11	Pass
NVNT	n20	5260	Ant2	1.56	0	1.56	11	Pass
NVNT	n20	5260	MIMO	7.14	0	7.14	11	Pass
NVNT	n20	5300	Ant1	-0.01	0	-0.01	11	Pass
NVNT	n20	5300	Ant2	1.07	0	1.07	11	Pass



NVNT	n20	5300	MIMO	3.57	0	3.57	11	Pass
NVNT	n20	5320	Ant1	1.87	0	1.87	11	Pass
NVNT	n20	5320	Ant2	1.17	0	1.17	11	Pass
NVNT	n20	5320	MIMO	4.54	0	4.54	11	Pass
NVNT	n20	5500	Ant1	4.89	0	4.89	11	Pass
NVNT	n20	5500	Ant2	1.52	0	1.52	11	Pass
NVNT	n20	5500	MIMO	6.53	0	6.53	11	Pass
NVNT	n20	5580	Ant1	6.34	0	6.34	11	Pass
NVNT	n20	5580	Ant2	0.85	0	0.85	11	Pass
NVNT	n20	5580	MIMO	7.42	0	7.42	11	Pass
NVNT	n20	5700	Ant1	5.97	0	5.97	11	Pass
NVNT	n20	5700	Ant2	0.19	0	0.19	11	Pass
NVNT	n20	5700	MIMO	6.99	0	6.99	11	Pass
NVNT	n40	5190	Ant1	0.33	0	0.33	11	Pass
NVNT	n40	5230	Ant1	0.94	0	0.94	11	Pass
NVNT	n40	5270	Ant1	1.32	0	1.32	11	Pass
NVNT	n40	5310	Ant1	1.21	0	1.21	11	Pass
NVNT	n40	5510	Ant1	1.79	0	1.79	11	Pass
NVNT	n40	5550	Ant1	1.9	0	1.9	11	Pass
NVNT	n40	5670	Ant1	1.48	0	1.48	11	Pass
NVNT	n40	5190	Ant2	-0.39	0	-0.39	11	Pass
NVNT	n40	5230	Ant2	-0.17	0	-0.17	11	Pass
NVNT	n40	5270	Ant2	0.04	0	0.04	11	Pass
NVNT	n40	5310	Ant2	0.24	0	0.24	11	Pass
NVNT	n40	5510	Ant2	0.05	0	0.05	11	Pass
NVNT	n40	5550	Ant2	-0.16	0	-0.16	11	Pass
NVNT	n40	5670	Ant2	-0.43	0	-0.43	11	Pass
NVNT	n40	5190	Ant1	-2.31	0	-2.31	11	Pass
NVNT	n40	5190	Ant2	-1.73	0	-1.73	11	Pass
NVNT	n40	5190	MIMO	1	0	1	11	Pass
NVNT	n40	5230	Ant1	2.38	0	2.38	11	Pass
NVNT	n40	5230	Ant2	-1.24	0	-1.24	11	Pass
NVNT	n40	5230	MIMO	3.95	0	3.95	11	Pass
NVNT	n40	5270	Ant1	2.82	0	2.82	11	Pass
NVNT	n40	5270	Ant2	-0.99	0	-0.99	11	Pass
NVNT	n40	5270	MIMO	4.33	0	4.33	11	Pass
NVNT	n40	5310	Ant1	-1.4	0	-1.4	11	Pass
NVNT	n40	5310	Ant2	-1.23	0	-1.23	11	Pass
NVNT	n40	5310	MIMO	1.7	0	1.7	11	Pass
NVNT	n40	5510	Ant1	1.46	0	1.46	11	Pass
NVNT	n40	5510	Ant2	-1.39	0	-1.39	11	Pass
NVNT	n40	5510	MIMO	3.28	0	3.28	11	Pass
NVNT	n40	5550	Ant1	0.36	0	0.36	11	Pass
NVNT	n40	5550	Ant2	-1.31	0	-1.31	11	Pass
NVNT	n40	5550	MIMO	2.62	0	2.62	11	Pass
NVNT	n40	5670	Ant1	0.69	0	0.69	11	Pass
NVNT	n40	5670	Ant2	-1.75	0	-1.75	11	Pass
NVNT	n40	5670	MIMO	2.65	0	2.65	11	Pass
NVNT	ac20	5180	Ant1	5.36	0	5.36	11	Pass
NVNT	ac20	5200	Ant1	2.74	0	2.74	11	Pass
NVNT	ac20	5240	Ant1	3.49	0	3.49	11	Pass
NVNT	ac20	5260	Ant1	3.89	0	3.89	11	Pass
NVNT	ac20	5300	Ant1	3.19	0	3.19	11	Pass
NVNT	ac20	5320	Ant1	3.66	0	3.66	11	Pass
NVNT	ac20	5500	Ant1	4.08	0	4.08	11	Pass
NVNT	ac20	5580	Ant1	4.29	0	4.29	11	Pass



NVNT	ac20	5700	Ant1	3.66	0	3.66	11	Pass
NVNT	ac20	5180	Ant2	1.64	0	1.64	11	Pass
NVNT	ac20	5200	Ant2	1.98	0	1.98	11	Pass
NVNT	ac20	5240	Ant2	2.23	0	2.23	11	Pass
NVNT	ac20	5260	Ant2	2.8	0	2.8	11	Pass
NVNT	ac20	5300	Ant2	2.33	0	2.33	11	Pass
NVNT	ac20	5320	Ant2	2.67	0	2.67	11	Pass
NVNT	ac20	5500	Ant2	2.27	0	2.27	11	Pass
NVNT	ac20	5580	Ant2	2.29	0	2.29	11	Pass
NVNT	ac20	5700	Ant2	1.87	0	1.87	11	Pass
NVNT	ac20	5180	Ant1	-0.86	0	-0.86	11	Pass
NVNT	ac20	5180	Ant2	-0.01	0	-0.01	11	Pass
NVNT	ac20	5180	MIMO	2.6	0	2.6	11	Pass
NVNT	ac20	5200	Ant1	1.12	0	1.12	11	Pass
NVNT	ac20	5200	Ant2	0.44	0	0.44	11	Pass
NVNT	ac20	5200	MIMO	3.8	0	3.8	11	Pass
NVNT	ac20	5240	Ant1	5.23	0	5.23	11	Pass
NVNT	ac20	5240	Ant2	0.75	0	0.75	11	Pass
NVNT	ac20	5240	MIMO	6.55	0	6.55	11	Pass
NVNT	ac20	5260	Ant1	5.57	0	5.57	11	Pass
NVNT	ac20	5260	Ant2	1.54	0	1.54	11	Pass
NVNT	ac20	5260	MIMO	7.02	0	7.02	11	Pass
NVNT	ac20	5300	Ant1	-0.25	0	-0.25	11	Pass
NVNT	ac20	5300	Ant2	0.78	0	0.78	11	Pass
NVNT	ac20	5300	MIMO	3.31	0	3.31	11	Pass
NVNT	ac20	5320	Ant1	1.77	0	1.77	11	Pass
NVNT	ac20	5320	Ant2	1.14	0	1.14	11	Pass
NVNT	ac20	5320	MIMO	4.48	0	4.48	11	Pass
NVNT	ac20	5500	Ant1	4.94	0	4.94	11	Pass
NVNT	ac20	5500	Ant2	0.6	0	0.6	11	Pass
NVNT	ac20	5500	MIMO	6.3	0	6.3	11	Pass
NVNT	ac20	5580	Ant1	6.22	0	6.22	11	Pass
NVNT	ac20	5580	Ant2	0.77	0	0.77	11	Pass
NVNT	ac20	5580	MIMO	7.31	0	7.31	11	Pass
NVNT	ac20	5700	Ant1	5.63	0	5.63	11	Pass
NVNT	ac20	5700	Ant2	0.14	0	0.14	11	Pass
NVNT	ac20	5700	MIMO	6.71	0	6.71	11	Pass
NVNT	ac40	5190	Ant1	0.09	0	0.09	11	Pass
NVNT	ac40	5230	Ant1	0.53	0	0.53	11	Pass
NVNT	ac40	5270	Ant1	0.65	0	0.65	11	Pass
NVNT	ac40	5310	Ant1	0.64	0	0.64	11	Pass
NVNT	ac40	5510	Ant1	1.48	0	1.48	11	Pass
NVNT	ac40	5550	Ant1	1.69	0	1.69	11	Pass
NVNT	ac40	5670	Ant1	1.51	0	1.51	11	Pass
NVNT	ac40	5190	Ant2	-0.38	0	-0.38	11	Pass
NVNT	ac40	5230	Ant2	-0.11	0	-0.11	11	Pass
NVNT	ac40	5270	Ant2	-0.18	0	-0.18	11	Pass
NVNT	ac40	5310	Ant2	0.31	0	0.31	11	Pass
NVNT	ac40	5510	Ant2	0.27	0	0.27	11	Pass
NVNT	ac40	5550	Ant2	-0.05	0	-0.05	11	Pass
NVNT	ac40	5670	Ant2	-0.44	0	-0.44	11	Pass
NVNT	ac40	5190	Ant1	-2.33	0	-2.33	11	Pass
NVNT	ac40	5190	Ant2	-1.86	0	-1.86	11	Pass
NVNT	ac40	5190	MIMO	0.92	0	0.92	11	Pass
NVNT	ac40	5230	Ant1	0.3	0	0.3	11	Pass
NVNT	ac40	5230	Ant2	-0.63	0	-0.63	11	Pass



NVNT	ac40	5230	MIMO	2.87	0	2.87	11	Pass
NVNT	ac40	5270	Ant1	2.74	0	2.74	11	Pass
NVNT	ac40	5270	Ant2	-1.28	0	-1.28	11	Pass
NVNT	ac40	5270	MIMO	4.19	0	4.19	11	Pass
NVNT	ac40	5310	Ant1	-1.54	0	-1.54	11	Pass
NVNT	ac40	5310	Ant2	-1.03	0	-1.03	11	Pass
NVNT	ac40	5310	MIMO	1.73	0	1.73	11	Pass
NVNT	ac40	5510	Ant1	1.41	0	1.41	11	Pass
NVNT	ac40	5510	Ant2	-1.27	0	-1.27	11	Pass
NVNT	ac40	5510	MIMO	3.28	0	3.28	11	Pass
NVNT	ac40	5550	Ant1	0.27	0	0.27	11	Pass
NVNT	ac40	5550	Ant2	-1.4	0	-1.4	11	Pass
NVNT	ac40	5550	MIMO	2.53	0	2.53	11	Pass
NVNT	ac40	5670	Ant1	0.25	0	0.25	11	Pass
NVNT	ac40	5670	Ant2	-1.68	0	-1.68	11	Pass
NVNT	ac40	5670	MIMO	2.4	0	2.4	11	Pass
NVNT	ac80	5210	Ant1	-4.33	0	-4.33	11	Pass
NVNT	ac80	5290	Ant1	-4.05	0	-4.05	11	Pass
NVNT	ac80	5530	Ant1	-3.22	0	-3.22	11	Pass
NVNT	ac80	5610	Ant1	-3.38	0	-3.38	11	Pass
NVNT	ac80	5210	Ant2	-5.27	0	-5.27	11	Pass
NVNT	ac80	5290	Ant2	-4.44	0	-4.44	11	Pass
NVNT	ac80	5530	Ant2	-4.71	0	-4.71	11	Pass
NVNT	ac80	5610	Ant2	-5.04	0	-5.04	11	Pass
NVNT	ac80	5210	Ant1	-3.3	0	-3.3	11	Pass
NVNT	ac80	5210	Ant2	-6.82	0	-6.82	11	Pass
NVNT	ac80	5210	MIMO	-1.7	0	-1.7	11	Pass
NVNT	ac80	5290	Ant1	-2.41	0	-2.41	11	Pass
NVNT	ac80	5290	Ant2	-5.83	0	-5.83	11	Pass
NVNT	ac80	5290	MIMO	-0.78	0	-0.78	11	Pass
NVNT	ac80	5530	Ant1	-2.16	0	-2.16	11	Pass
NVNT	ac80	5530	Ant2	-6.17	0	-6.17	11	Pass
NVNT	ac80	5530	MIMO	-0.71	0	-0.71	11	Pass
NVNT	ac80	5610	Ant1	-0.75	0	-0.75	11	Pass
NVNT	ac80	5610	Ant2	-6.12	0	-6.12	11	Pass
NVNT	ac80	5610	MIMO	0.36	0	0.36	11	Pass
NVNT	ax20	5180	Ant1	1.67	0	1.67	11	Pass
NVNT	ax20	5200	Ant1	1.97	0	1.97	11	Pass
NVNT	ax20	5240	Ant1	2.65	0	2.65	11	Pass
NVNT	ax20	5260	Ant1	2.94	0	2.94	11	Pass
NVNT	ax20	5300	Ant1	5.73	0	5.73	11	Pass
NVNT	ax20	5320	Ant1	3.21	0	3.21	11	Pass
NVNT	ax20	5500	Ant1	3.61	0	3.61	11	Pass
NVNT	ax20	5580	Ant1	4.31	0	4.31	11	Pass
NVNT	ax20	5700	Ant1	3.61	0	3.61	11	Pass
NVNT	ax20	5180	Ant2	1.38	0	1.38	11	Pass
NVNT	ax20	5200	Ant2	1.71	0	1.71	11	Pass
NVNT	ax20	5240	Ant2	2.26	0	2.26	11	Pass
NVNT	ax20	5260	Ant2	2.49	0	2.49	11	Pass
NVNT	ax20	5300	Ant2	1.09	0	1.09	11	Pass
NVNT	ax20	5320	Ant2	2.38	0	2.38	11	Pass
NVNT	ax20	5500	Ant2	2.1	0	2.1	11	Pass
NVNT	ax20	5580	Ant2	2.03	0	2.03	11	Pass
NVNT	ax20	5700	Ant2	1.57	0	1.57	11	Pass
NVNT	ax20	5180	Ant1	-1.2	0	-1.2	11	Pass
NVNT	ax20	5180	Ant2	-0.42	0	-0.42	11	Pass



NVNT	ax20	5180	MIMO	2.22	0	2.22	11	Pass
NVNT	ax20	5200	Ant1	1.01	0	1.01	11	Pass
NVNT	ax20	5200	Ant2	0.45	0	0.45	11	Pass
NVNT	ax20	5200	MIMO	3.75	0	3.75	11	Pass
NVNT	ax20	5240	Ant1	5.14	0	5.14	11	Pass
NVNT	ax20	5240	Ant2	0.7	0	0.7	11	Pass
NVNT	ax20	5240	MIMO	6.47	0	6.47	11	Pass
NVNT	ax20	5260	Ant1	5.48	0	5.48	11	Pass
NVNT	ax20	5260	Ant2	1.38	0	1.38	11	Pass
NVNT	ax20	5260	MIMO	6.91	0	6.91	11	Pass
NVNT	ax20	5300	Ant1	-0.24	0	-0.24	11	Pass
NVNT	ax20	5300	Ant2	1.02	0	1.02	11	Pass
NVNT	ax20	5300	MIMO	3.45	0	3.45	11	Pass
NVNT	ax20	5320	Ant1	1.57	0	1.57	11	Pass
NVNT	ax20	5320	Ant2	0.88	0	0.88	11	Pass
NVNT	ax20	5320	MIMO	4.25	0	4.25	11	Pass
NVNT	ax20	5500	Ant1	4.75	0	4.75	11	Pass
NVNT	ax20	5500	Ant2	0.49	0	0.49	11	Pass
NVNT	ax20	5500	MIMO	6.13	0	6.13	11	Pass
NVNT	ax20	5580	Ant1	5.89	0	5.89	11	Pass
NVNT	ax20	5580	Ant2	0.67	0	0.67	11	Pass
NVNT	ax20	5580	MIMO	7.03	0	7.03	11	Pass
NVNT	ax20	5700	Ant1	5.62	0	5.62	11	Pass
NVNT	ax20	5700	Ant2	1.19	0	1.19	11	Pass
NVNT	ax20	5700	MIMO	6.96	0	6.96	11	Pass
NVNT	ax40	5190	Ant1	0.79	0	0.79	11	Pass
NVNT	ax40	5230	Ant1	1.28	0	1.28	11	Pass
NVNT	ax40	5270	Ant1	1.36	0	1.36	11	Pass
NVNT	ax40	5310	Ant1	1.25	0	1.25	11	Pass
NVNT	ax40	5510	Ant1	2.13	0	2.13	11	Pass
NVNT	ax40	5550	Ant1	2.24	0	2.24	11	Pass
NVNT	ax40	5670	Ant1	2.05	0	2.05	11	Pass
NVNT	ax40	5190	Ant2	-0.24	0	-0.24	11	Pass
NVNT	ax40	5230	Ant2	0.14	0	0.14	11	Pass
NVNT	ax40	5270	Ant2	0.51	0	0.51	11	Pass
NVNT	ax40	5310	Ant2	0.73	0	0.73	11	Pass
NVNT	ax40	5510	Ant2	0.24	0	0.24	11	Pass
NVNT	ax40	5550	Ant2	0.17	0	0.17	11	Pass
NVNT	ax40	5670	Ant2	-0.31	0	-0.31	11	Pass
NVNT	ax40	5190	Ant1	-2.41	0	-2.41	11	Pass
NVNT	ax40	5190	Ant2	-1.86	0	-1.86	11	Pass
NVNT	ax40	5190	MIMO	0.88	0	0.88	11	Pass
NVNT	ax40	5230	Ant1	2.28	0	2.28	11	Pass
NVNT	ax40	5230	Ant2	-1.64	0	-1.64	11	Pass
NVNT	ax40	5230	MIMO	3.76	0	3.76	11	Pass
NVNT	ax40	5270	Ant1	2.55	0	2.55	11	Pass
NVNT	ax40	5270	Ant2	-1	0	-1	11	Pass
NVNT	ax40	5270	MIMO	4.14	0	4.14	11	Pass
NVNT	ax40	5310	Ant1	-1.16	0	-1.16	11	Pass
NVNT	ax40	5310	Ant2	-0.95	0	-0.95	11	Pass
NVNT	ax40	5310	MIMO	1.96	0	1.96	11	Pass
NVNT	ax40	5510	Ant1	1.6	0	1.6	11	Pass
NVNT	ax40	5510	Ant2	-1.41	0	-1.41	11	Pass
NVNT	ax40	5510	MIMO	3.36	0	3.36	11	Pass
NVNT	ax40	5550	Ant1	0.51	0	0.51	11	Pass
NVNT	ax40	5550	Ant2	-1.31	0	-1.31	11	Pass



NVNT	ax40	5550	MIMO	2.7	0	2.7	11	Pass
NVNT	ax40	5670	Ant1	0.58	0	0.58	11	Pass
NVNT	ax40	5670	Ant2	-1.49	0	-1.49	11	Pass
NVNT	ax40	5670	MIMO	2.68	0	2.68	11	Pass
NVNT	ax80	5210	Ant1	-3.88	0	-3.88	11	Pass
NVNT	ax80	5290	Ant1	-3.4	0	-3.4	11	Pass
NVNT	ax80	5530	Ant1	-2.74	0	-2.74	11	Pass
NVNT	ax80	5610	Ant1	-2.8	0	-2.8	11	Pass
NVNT	ax80	5210	Ant2	-4.76	0	-4.76	11	Pass
NVNT	ax80	5290	Ant2	-4.02	0	-4.02	11	Pass
NVNT	ax80	5530	Ant2	-4.34	0	-4.34	11	Pass
NVNT	ax80	5610	Ant2	-4.9	0	-4.9	11	Pass
NVNT	ax80	5210	Ant1	-2.97	0	-2.97	11	Pass
NVNT	ax80	5210	Ant2	-6.47	0	-6.47	11	Pass
NVNT	ax80	5210	MIMO	-1.37	0	-1.37	11	Pass
NVNT	ax80	5290	Ant1	-2.05	0	-2.05	11	Pass
NVNT	ax80	5290	Ant2	-5.41	0	-5.41	11	Pass
NVNT	ax80	5290	MIMO	-0.4	0	-0.4	11	Pass
NVNT	ax80	5530	Ant1	-1.93	0	-1.93	11	Pass
NVNT	ax80	5530	Ant2	-5.9	0	-5.9	11	Pass
NVNT	ax80	5530	MIMO	-0.47	0	-0.47	11	Pass
NVNT	ax80	5610	Ant1	-0.69	0	-0.69	11	Pass
NVNT	ax80	5610	Ant2	-6.2	0	-6.2	11	Pass
NVNT	ax80	5610	MIMO	0.39	0	0.39	11	Pass

Condi tion	Mod e	Frequen cy (MHz)	Anten na	Conducted PSD (dBm/500k Hz)	Duty Fact or (dB)	Total PSD (dBm/500k Hz)	Limit (dBm/500k Hz)	Verdi ct
NVNT	a	5745	Ant1	4.43	0	4.43	30	Pass
NVNT	a	5785	Ant1	4.06	0	4.06	30	Pass
NVNT	a	5825	Ant1	4.03	0	4.03	30	Pass
NVNT	a	5745	Ant2	2.55	0	2.55	30	Pass
NVNT	a	5785	Ant2	2.48	0	2.48	30	Pass
NVNT	a	5825	Ant2	2.56	0	2.56	30	Pass
NVNT	n20	5745	Ant1	1.09	0	1.09	30	Pass
NVNT	n20	5785	Ant1	1.62	0	1.62	30	Pass
NVNT	n20	5825	Ant1	1	0	1	30	Pass
NVNT	n20	5745	Ant2	-1.35	0	-1.35	30	Pass
NVNT	n20	5785	Ant2	-1.09	0	-1.09	30	Pass
NVNT	n20	5825	Ant2	-0.91	0	-0.91	30	Pass
NVNT	n20	5745	Ant1	-0.36	0	-0.36	30	Pass
NVNT	n20	5745	Ant2	-2.45	0	-2.45	30	Pass
NVNT	n20	5745	MIMO	1.73	0	1.73	30	Pass
NVNT	n20	5785	Ant1	0.51	0	0.51	30	Pass
NVNT	n20	5785	Ant2	-2.15	0	-2.15	30	Pass
NVNT	n20	5785	MIMO	2.39	0	2.39	30	Pass
NVNT	n20	5825	Ant1	2.64	0	2.64	30	Pass
NVNT	n20	5825	Ant2	-2.44	0	-2.44	30	Pass
NVNT	n20	5825	MIMO	3.81	0	3.81	30	Pass
NVNT	n40	5755	Ant1	-1.24	0	-1.24	30	Pass
NVNT	n40	5795	Ant1	-1.45	0	-1.45	30	Pass
NVNT	n40	5755	Ant2	-3.83	0	-3.83	30	Pass
NVNT	n40	5795	Ant2	-3.45	0	-3.45	30	Pass
NVNT	n40	5755	Ant1	-3.48	0	-3.48	30	Pass
NVNT	n40	5755	Ant2	-4.89	0	-4.89	30	Pass



NVNT	n40	5755	MIMO	-1.12	0	-1.12	30	Pass
NVNT	n40	5795	Ant1	-0.51	0	-0.51	30	Pass
NVNT	n40	5795	Ant2	-4.7	0	-4.7	30	Pass
NVNT	n40	5795	MIMO	0.89	0	0.89	30	Pass
NVNT	ac20	5745	Ant1	1.21	0	1.21	30	Pass
NVNT	ac20	5785	Ant1	1.07	0	1.07	30	Pass
NVNT	ac20	5825	Ant1	0.7	0	0.7	30	Pass
NVNT	ac20	5745	Ant2	-1.29	0	-1.29	30	Pass
NVNT	ac20	5785	Ant2	-1.15	0	-1.15	30	Pass
NVNT	ac20	5825	Ant2	0.11	0	0.11	30	Pass
NVNT	ac20	5745	Ant1	-0.35	0	-0.35	30	Pass
NVNT	ac20	5745	Ant2	-2.47	0	-2.47	30	Pass
NVNT	ac20	5745	MIMO	1.73	0	1.73	30	Pass
NVNT	ac20	5785	Ant1	0.12	0	0.12	30	Pass
NVNT	ac20	5785	Ant2	-2.43	0	-2.43	30	Pass
NVNT	ac20	5785	MIMO	2.04	0	2.04	30	Pass
NVNT	ac20	5825	Ant1	2.43	0	2.43	30	Pass
NVNT	ac20	5825	Ant2	-1.35	0	-1.35	30	Pass
NVNT	ac20	5825	MIMO	3.95	0	3.95	30	Pass
NVNT	ac40	5755	Ant1	-1.77	0	-1.77	30	Pass
NVNT	ac40	5795	Ant1	-1.75	0	-1.75	30	Pass
NVNT	ac40	5755	Ant2	-3.57	0	-3.57	30	Pass
NVNT	ac40	5795	Ant2	-3.24	0	-3.24	30	Pass
NVNT	ac40	5755	Ant1	-3.95	0	-3.95	30	Pass
NVNT	ac40	5755	Ant2	-4.93	0	-4.93	30	Pass
NVNT	ac40	5755	MIMO	-1.4	0	-1.4	30	Pass
NVNT	ac40	5795	Ant1	-0.77	0	-0.77	30	Pass
NVNT	ac40	5795	Ant2	-4.82	0	-4.82	30	Pass
NVNT	ac40	5795	MIMO	0.67	0	0.67	30	Pass
NVNT	ac80	5775	Ant1	-5.93	0	-5.93	30	Pass
NVNT	ac80	5775	Ant2	-8.14	0	-8.14	30	Pass
NVNT	ac80	5775	Ant1	-4.62	0	-4.62	30	Pass
NVNT	ac80	5775	Ant2	-9.2	0	-9.2	30	Pass
NVNT	ac80	5775	MIMO	-3.32	0	-3.32	30	Pass
NVNT	ax20	5745	Ant1	0.98	0	0.98	30	Pass
NVNT	ax20	5785	Ant1	0.91	0	0.91	30	Pass
NVNT	ax20	5825	Ant1	0.45	0	0.45	30	Pass
NVNT	ax20	5745	Ant2	-1.15	0	-1.15	30	Pass
NVNT	ax20	5785	Ant2	-0.87	0	-0.87	30	Pass
NVNT	ax20	5825	Ant2	-0.62	0	-0.62	30	Pass
NVNT	ax20	5745	Ant1	-0.56	0	-0.56	30	Pass
NVNT	ax20	5745	Ant2	-2.48	0	-2.48	30	Pass
NVNT	ax20	5745	MIMO	1.6	0	1.6	30	Pass
NVNT	ax20	5785	Ant1	0.18	0	0.18	30	Pass
NVNT	ax20	5785	Ant2	-2.51	0	-2.51	30	Pass
NVNT	ax20	5785	MIMO	2.05	0	2.05	30	Pass
NVNT	ax20	5825	Ant1	2.71	0	2.71	30	Pass
NVNT	ax20	5825	Ant2	-2.51	0	-2.51	30	Pass
NVNT	ax20	5825	MIMO	3.85	0	3.85	30	Pass
NVNT	ax40	5755	Ant1	-0.61	0	-0.61	30	Pass
NVNT	ax40	5795	Ant1	-1.02	0	-1.02	30	Pass
NVNT	ax40	5755	Ant2	-3.04	0	-3.04	30	Pass
NVNT	ax40	5795	Ant2	-3.13	0	-3.13	30	Pass
NVNT	ax40	5755	Ant1	-3.38	0	-3.38	30	Pass
NVNT	ax40	5755	Ant2	-4.85	0	-4.85	30	Pass
NVNT	ax40	5755	MIMO	-1.04	0	-1.04	30	Pass



NVNT	ax40	5795	Ant1	-0.76	0	-0.76	30	Pass
NVNT	ax40	5795	Ant2	-4.76	0	-4.76	30	Pass
NVNT	ax40	5795	MIMO	0.7	0	0.7	30	Pass
NVNT	ax80	5775	Ant1	-5.44	0	-5.44	30	Pass
NVNT	ax80	5775	Ant2	-7.48	0	-7.48	30	Pass
NVNT	ax80	5775	Ant1	-4.21	0	-4.21	30	Pass
NVNT	ax80	5775	Ant2	-9.16	0	-9.16	30	Pass
NVNT	ax80	5775	MIMO	-3	0	-3	30	Pass

