


5.2G WIFI

Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant1	99.66	0.01	0.48
NVNT	a	5200	Ant1	99.65	0.02	0.48
NVNT	a	5240	Ant1	99.67	0.01	0.24
NVNT	n20	5180	Ant1	99.91	0	0.09
NVNT	n20	5200	Ant1	99.88	0.01	0.09
NVNT	n20	5240	Ant1	99.91	0	0.09
NVNT	n40	5190	Ant1	99.89	0	0.19
NVNT	n40	5230	Ant1	99.88	0.01	0.19
NVNT	ac20	5180	Ant1	99.86	0.01	0.19
NVNT	ac20	5200	Ant1	99.87	0.01	0.19
NVNT	ac20	5240	Ant1	99.88	0.01	0.19
NVNT	ac40	5190	Ant1	99.87	0.01	0.19
NVNT	ac40	5230	Ant1	99.88	0.01	0.19
NVNT	ac80	5210	Ant1	99.81	0.01	0.32
NVNT	ax20	5180	Ant1	99.86	0.01	0.19
NVNT	ax20	5200	Ant1	99.87	0.01	0.19
NVNT	ax20	5240	Ant1	99.87	0.01	0.19
NVNT	ax40	5190	Ant1	99.85	0.01	0.21
NVNT	ax40	5230	Ant1	99.89	0	0.1
NVNT	ax80	5210	Ant1	99.78	0.01	0.19



Test Graphs



Duty Cycle NVNT a 5180MHz Ant1







Duty Cycle NVNT a 5200MHz Ant1






























Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	12.39	24	Pass
NVNT	a	5200	Ant1	12.44	24	Pass
NVNT	a	5240	Ant1	11.89	24	Pass
NVNT	n20	5180	Ant1	12.12	24	Pass
NVNT	n20	5200	Ant1	12	24	Pass
NVNT	n20	5240	Ant1	11.93	24	Pass
NVNT	n40	5190	Ant1	12.78	24	Pass
NVNT	n40	5230	Ant1	12.54	24	Pass
NVNT	ac20	5180	Ant1	12.02	24	Pass
NVNT	ac20	5200	Ant1	11.99	24	Pass
NVNT	ac20	5240	Ant1	11.46	24	Pass
NVNT	ac40	5190	Ant1	12.86	24	Pass
NVNT	ac40	5230	Ant1	12.48	24	Pass
NVNT	ac80	5210	Ant1	12.43	24	Pass
NVNT	ax20	5180	Ant1	12.16	24	Pass
NVNT	ax20	5200	Ant1	12.37	24	Pass
NVNT	ax20	5240	Ant1	11.83	24	Pass
NVNT	ax40	5190	Ant1	12.6	24	Pass
NVNT	ax40	5230	Ant1	12.42	24	Pass
NVNT	ax80	5210	Ant1	12.35	24	Pass

-26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	19.707	0.5	Pass
NVNT	a	5200	Ant1	19.098	0.5	Pass
NVNT	a	5240	Ant1	19.185	0.5	Pass
NVNT	n20	5180	Ant1	19.986	0.5	Pass
NVNT	n20	5200	Ant1	20.46	0.5	Pass
NVNT	n20	5240	Ant1	20.145	0.5	Pass
NVNT	n40	5190	Ant1	40.368	0.5	Pass
NVNT	n40	5230	Ant1	40.026	0.5	Pass
NVNT	ac20	5180	Ant1	20.013	0.5	Pass
NVNT	ac20	5200	Ant1	20.244	0.5	Pass
NVNT	ac20	5240	Ant1	19.929	0.5	Pass
NVNT	ac40	5190	Ant1	40.032	0.5	Pass
NVNT	ac40	5230	Ant1	39.87	0.5	Pass
NVNT	ac80	5210	Ant1	81.996	0.5	Pass
NVNT	ax20	5180	Ant1	20.367	0.5	Pass
NVNT	ax20	5200	Ant1	20.814	0.5	Pass
NVNT	ax20	5240	Ant1	20.802	0.5	Pass
NVNT	ax40	5190	Ant1	40.254	0.5	Pass
NVNT	ax40	5230	Ant1	40.392	0.5	Pass
NVNT	ax80	5210	Ant1	82.116	0.5	Pass



Test Graphs



-26dB Bandwidth NVNT a 5180MHz Ant1







-26dB Bandwidth NVNT a 5200MHz Ant1































Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.276
NVNT	a	5200	Ant1	16.294
NVNT	a	5240	Ant1	16.249
NVNT	n20	5180	Ant1	17.518
NVNT	n20	5200	Ant1	17.56
NVNT	n20	5240	Ant1	17.548
NVNT	n40	5190	Ant1	36.008
NVNT	n40	5230	Ant1	35.984
NVNT	ac20	5180	Ant1	17.548
NVNT	ac20	5200	Ant1	17.551
NVNT	ac20	5240	Ant1	17.557
NVNT	ac40	5190	Ant1	36.002
NVNT	ac40	5230	Ant1	35.966
NVNT	ac80	5210	Ant1	75.112
NVNT	ax20	5180	Ant1	18.904
NVNT	ax20	5200	Ant1	18.904
NVNT	ax20	5240	Ant1	18.883
NVNT	ax40	5190	Ant1	37.718
NVNT	ax40	5230	Ant1	37.676
NVNT	ax80	5210	Ant1	76.912



Test Graphs



OBW NVNT a 5180MHz Ant1







OBW NVNT a 5200MHz Ant1
































Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	0.67	0.01	0.68	11	Pass
NVNT	a	5200	Ant1	0.63	0.02	0.65	11	Pass
NVNT	a	5240	Ant1	1.17	0.01	1.18	11	Pass
NVNT	n20	5180	Ant1	0.33	0	0.33	11	Pass
NVNT	n20	5200	Ant1	0	0.01	0.01	11	Pass
NVNT	n20	5240	Ant1	0.96	0	0.96	11	Pass
NVNT	n40	5190	Ant1	-2.47	0	-2.47	11	Pass
NVNT	n40	5230	Ant1	-1.66	0.01	-1.65	11	Pass
NVNT	ac20	5180	Ant1	0.14	0.01	0.15	11	Pass
NVNT	ac20	5200	Ant1	0.19	0.01	0.2	11	Pass
NVNT	ac20	5240	Ant1	0.56	0.01	0.57	11	Pass
NVNT	ac40	5190	Ant1	-2.55	0.01	-2.54	11	Pass
NVNT	ac40	5230	Ant1	-1.6	0.01	-1.59	11	Pass
NVNT	ac80	5210	Ant1	-4.77	0.01	-4.76	11	Pass
NVNT	ax20	5180	Ant1	-0.13	0.01	-0.12	11	Pass
NVNT	ax20	5200	Ant1	-0.12	0.01	-0.11	11	Pass
NVNT	ax20	5240	Ant1	0.77	0.01	0.78	11	Pass
NVNT	ax40	5190	Ant1	-2.93	0.01	-2.92	11	Pass
NVNT	ax40	5230	Ant1	-2.19	0	-2.19	11	Pass
NVNT	ax80	5210	Ant1	-5.12	0.01	-5.11	11	Pass



Test Graphs



PSD NVNT a 5180MHz Ant1







PSD NVNT a 5200MHz Ant1
































Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-42.17	-27	Pass
NVNT	a	5240	Ant1	-42.61	-27	Pass
NVNT	n20	5180	Ant1	-41.95	-27	Pass
NVNT	n20	5240	Ant1	-42.15	-27	Pass
NVNT	n40	5190	Ant1	-38.93	-27	Pass
NVNT	n40	5230	Ant1	-43.06	-27	Pass
NVNT	ac20	5180	Ant1	-42.15	-27	Pass
NVNT	ac20	5240	Ant1	-42.21	-27	Pass
NVNT	ac40	5190	Ant1	-38.99	-27	Pass
NVNT	ac40	5230	Ant1	-42.6	-27	Pass
NVNT	ac80	5210	Ant1	-42.52	-27	Pass
NVNT	ac80	5210	Ant1	-35.97	-27	Pass
NVNT	ax20	5180	Ant1	-42.39	-27	Pass
NVNT	ax20	5240	Ant1	-42.43	-27	Pass
NVNT	ax40	5190	Ant1	-35.78	-27	Pass
NVNT	ax40	5230	Ant1	-43.02	-27	Pass
NVNT	ax80	5210	Ant1	-42.32	-27	Pass
NVNT	ax80	5210	Ant1	-35.31	-27	Pass



Test Graphs


Band Edge NVNT a 5180MHz Low Ant1







Band Edge NVNT a 5240MHz High Ant1




























Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-34.46	-27	Pass
NVNT	a	5200	Ant1	-34.74	-27	Pass
NVNT	a	5240	Ant1	-34.26	-27	Pass
NVNT	n20	5180	Ant1	-34.28	-27	Pass
NVNT	n20	5200	Ant1	-33.19	-27	Pass
NVNT	n20	5240	Ant1	-34.16	-27	Pass
NVNT	n40	5190	Ant1	-34.19	-27	Pass
NVNT	n40	5230	Ant1	-33.46	-27	Pass
NVNT	ac20	5180	Ant1	-34.07	-27	Pass
NVNT	ac20	5200	Ant1	-33.93	-27	Pass
NVNT	ac20	5240	Ant1	-34.48	-27	Pass
NVNT	ac40	5190	Ant1	-34.19	-27	Pass
NVNT	ac40	5230	Ant1	-34.17	-27	Pass
NVNT	ac80	5210	Ant1	-28.25	-27	Pass
NVNT	ax20	5180	Ant1	-34.25	-27	Pass
NVNT	ax20	5200	Ant1	-34.25	-27	Pass
NVNT	ax20	5240	Ant1	-32.55	-27	Pass
NVNT	ax40	5190	Ant1	-33.68	-27	Pass
NVNT	ax40	5230	Ant1	-33.78	-27	Pass
NVNT	ax80	5210	Ant1	-34.21	-27	Pass



Test Graphs



Tx. Spurious NVNT a 5180MHz Ant1 Emission







Tx. Spurious NVNT a 5200MHz Ant1 Emission
































5.3G WIFI

Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5260	Ant1	99.64	0.02	0.48
NVNT	a	5280	Ant1	99.67	0.01	0.48
NVNT	a	5320	Ant1	99.65	0.02	0.48
NVNT	n20	5260	Ant1	99.82	0.01	0.09
NVNT	n20	5280	Ant1	99.89	0	0.09
NVNT	n20	5320	Ant1	99.9	0	0.09
NVNT	n40	5270	Ant1	99.88	0.01	0.19
NVNT	n40	5310	Ant1	99.88	0.01	0.19
NVNT	ac20	5260	Ant1	99.87	0.01	0.19
NVNT	ac20	5280	Ant1	99.86	0.01	0.19
NVNT	ac20	5320	Ant1	99.86	0.01	0.19
NVNT	ac40	5270	Ant1	99.89	0	0.19
NVNT	ac40	5310	Ant1	99.88	0.01	0.19
NVNT	ac80	5290	Ant1	99.8	0.01	0.32
NVNT	ax20	5260	Ant1	99.87	0.01	0.09
NVNT	ax20	5280	Ant1	99.88	0.01	0.09
NVNT	ax20	5320	Ant1	99.86	0.01	0.19
NVNT	ax40	5270	Ant1	99.88	0.01	0.1
NVNT	ax40	5310	Ant1	99.88	0.01	0.1
NVNT	ax80	5290	Ant1	99.77	0.01	0.39



Test Graphs



Duty Cycle NVNT a 5260MHz Ant1







Duty Cycle NVNT a 5280MHz Ant1






























Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	11.73	24	Pass
NVNT	a	5280	Ant1	11.93	24	Pass
NVNT	a	5320	Ant1	12.09	24	Pass
NVNT	n20	5260	Ant1	11.39	24	Pass
NVNT	n20	5280	Ant1	11.46	24	Pass
NVNT	n20	5320	Ant1	11.59	24	Pass
NVNT	n40	5270	Ant1	12.26	24	Pass
NVNT	n40	5310	Ant1	11.91	24	Pass
NVNT	ac20	5260	Ant1	11.38	24	Pass
NVNT	ac20	5280	Ant1	11.5	24	Pass
NVNT	ac20	5320	Ant1	11.62	24	Pass
NVNT	ac40	5270	Ant1	12.13	24	Pass
NVNT	ac40	5310	Ant1	12.11	24	Pass
NVNT	ac80	5290	Ant1	11.81	24	Pass
NVNT	ax20	5260	Ant1	11.49	24	Pass
NVNT	ax20	5280	Ant1	11.82	24	Pass
NVNT	ax20	5320	Ant1	11.41	24	Pass
NVNT	ax40	5270	Ant1	11.78	24	Pass
NVNT	ax40	5310	Ant1	11.94	24	Pass
NVNT	ax80	5290	Ant1	12.12	24	Pass

-26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5260	Ant1	18.975	0.5	Pass
NVNT	a	5280	Ant1	19.533	0.5	Pass
NVNT	a	5320	Ant1	18.39	0.5	Pass
NVNT	n20	5260	Ant1	20.259	0.5	Pass
NVNT	n20	5280	Ant1	19.77	0.5	Pass
NVNT	n20	5320	Ant1	20.184	0.5	Pass
NVNT	n40	5270	Ant1	40.062	0.5	Pass
NVNT	n40	5310	Ant1	40.512	0.5	Pass
NVNT	ac20	5260	Ant1	19.599	0.5	Pass
NVNT	ac20	5280	Ant1	19.752	0.5	Pass
NVNT	ac20	5320	Ant1	20.925	0.5	Pass
NVNT	ac40	5270	Ant1	40.14	0.5	Pass
NVNT	ac40	5310	Ant1	39.978	0.5	Pass
NVNT	ac80	5290	Ant1	81.48	0.5	Pass
NVNT	ax20	5260	Ant1	20.604	0.5	Pass
NVNT	ax20	5280	Ant1	20.619	0.5	Pass
NVNT	ax20	5320	Ant1	20.022	0.5	Pass
NVNT	ax40	5270	Ant1	40.266	0.5	Pass
NVNT	ax40	5310	Ant1	40.272	0.5	Pass
NVNT	ax80	5290	Ant1	81.588	0.5	Pass



Test Graphs



-26dB Bandwidth NVNT a 5260MHz Ant1







-26dB Bandwidth NVNT a 5280MHz Ant1
































Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5260	Ant1	16.285
NVNT	a	5280	Ant1	16.264
NVNT	a	5320	Ant1	16.264
NVNT	n20	5260	Ant1	17.521
NVNT	n20	5280	Ant1	17.512
NVNT	n20	5320	Ant1	17.506
NVNT	n40	5270	Ant1	35.948
NVNT	n40	5310	Ant1	35.972
NVNT	ac20	5260	Ant1	17.524
NVNT	ac20	5280	Ant1	17.515
NVNT	ac20	5320	Ant1	17.554
NVNT	ac40	5270	Ant1	35.954
NVNT	ac40	5310	Ant1	35.954
NVNT	ac80	5290	Ant1	74.957
NVNT	ax20	5260	Ant1	18.853
NVNT	ax20	5280	Ant1	18.886
NVNT	ax20	5320	Ant1	18.853
NVNT	ax40	5270	Ant1	37.67
NVNT	ax40	5310	Ant1	37.67
NVNT	ax80	5290	Ant1	76.768



Test Graphs



OBW NVNT a 5260MHz Ant1







OBW NVNT a 5280MHz Ant1
































Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	0.32	0.02	0.34	11	Pass
NVNT	a	5280	Ant1	0.53	0.01	0.54	11	Pass
NVNT	a	5320	Ant1	-0.3	0.02	-0.28	11	Pass
NVNT	n20	5260	Ant1	0.18	0.01	0.19	11	Pass
NVNT	n20	5280	Ant1	0.31	0	0.31	11	Pass
NVNT	n20	5320	Ant1	-0.36	0	-0.36	11	Pass
NVNT	n40	5270	Ant1	-1.85	0.01	-1.84	11	Pass
NVNT	n40	5310	Ant1	-2.76	0.01	-2.75	11	Pass
NVNT	ac20	5260	Ant1	0.13	0.01	0.14	11	Pass
NVNT	ac20	5280	Ant1	0.26	0.01	0.27	11	Pass
NVNT	ac20	5320	Ant1	-0.35	0.01	-0.34	11	Pass
NVNT	ac40	5270	Ant1	-2.03	0	-2.03	11	Pass
NVNT	ac40	5310	Ant1	-3.52	0.01	-3.51	11	Pass
NVNT	ac80	5290	Ant1	-5.12	0.01	-5.11	11	Pass
NVNT	ax20	5260	Ant1	0.15	0.01	0.16	11	Pass
NVNT	ax20	5280	Ant1	0.1	0.01	0.11	11	Pass
NVNT	ax20	5320	Ant1	-0.47	0.01	-0.46	11	Pass
NVNT	ax40	5270	Ant1	-2.39	0.01	-2.38	11	Pass
NVNT	ax40	5310	Ant1	-3.31	0.01	-3.3	11	Pass
NVNT	ax80	5290	Ant1	-5.22	0.01	-5.21	11	Pass

Test Graphs

PSD NVNT a 5260MHz Ant1



PSD NVNT a 5280MHz Ant1

