


Antenna specification sheet

Company: Shenzhen Anchuang Zhilian Electronics Co., Ltd
Address: 5F, 5th Floor, Building L, Baicai Technology Park, Bao'an 71
District, Bao'an District, Shenzhen
model: F7NPro V02


宋强


1.Product drawings:



2. Performance testing parameters

Antenna type	Internal Antenna
Antenna material	FPC+coaxial cable
Operating Frequency (MHz)	2400-2500/5100-5850MHz





Inside the darkroom



testing instrument

Frequency / MHz	Efficiency / dB	Efficiency / %	Gain/ dBi
2400	-5.85	26	-1.02
2411	-6.07	24.72	-1.17
2422	-6.13	24.38	-1.82
2433	-5.66	27.16	-0.93
2444	-6.37	23.07	-1.86
2455	-5.92	25.59	-1.2
2466	-5.8	26.3	-0.93
2477	-6	25.12	-1.12
2488	-6.07	24.72	-0.93
2500	-6.23	23.82	-1.19

5100	-3.82	41.5	3.15
5170	-4.6	34.67	2.85
5240	-4.19	38.11	3.71
5310	-4.16	38.37	3.89
5380	-3.73	42.36	3.9
5450	-3.65	43.15	3.24
5520	-4.22	37.84	2.37
5590	-4.65	34.28	2.42
5660	-4.47	35.73	2.44
5730	-4.57	34.91	1.99
5850	-3.93	40.46	2.16

