




Plot 5:

Test Date	2023-06-19
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	Band 2 (1900)
Signal	WCDMA
Frequency	1907.6
SAR 10g (W/Kg)	0.056
SAR 1g (W/Kg)	0.132

Maximum location: X=-64.00, Y=-56.00 ; SAR Peak: 0.39 W/kg






Plot 6:

Test Date	2023-06-19
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	Band 2 (1900)
Signal	WCDMA
Frequency	1907.6
SAR 10g (W/Kg)	0.127
SAR 1g (W/Kg)	0.261

Maximum location: X=-16.00, Y=-56.00 ; SAR Peak: 0.53 W/kg






Plot 7:

Test Date	2023-06-18
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	Band 4 (1700)
Signal	WCDMA
Frequency	1740
SAR 10g (W/Kg)	0.047
SAR 1g (W/Kg)	0.100

Maximum location: X=-32.00, Y=-17.00 ; SAR Peak: 0.27 W/kg






Plot 8:

Test Date	2023-06-18
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	Band 4 (1700)
Signal	WCDMA
Frequency	1740
SAR 10g (W/Kg)	0.091
SAR 1g (W/Kg)	0.184


Maximum location: X=-17.00, Y=-56.00 ; SAR Peak: 0.34 W/kg



Plot 9:

Test Date	2023-06-17
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	Band 5 (850)
Signal	WCDMA
Frequency	846.6
SAR 10g (W/Kg)	0.084
SAR 1g (W/Kg)	0.128

Maximum location: X=-56.00, Y=-33.00 ; SAR Peak: 0.23 W/kg






Plot 10:

Test Date	2023-06-17
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	Band 5 (850)
Signal	WCDMA
Frequency	846.6
SAR 10g (W/Kg)	0.095
SAR 1g (W/Kg)	0.183


Maximum location: X=-8.00, Y=24.00 ; SAR Peak: 0.34 W/kg



Plot 11:

Test Date	2023-06-19
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 2
Signal	LTE FDD
Frequency	1860
SAR 10g (W/Kg)	0.111
SAR 1g (W/Kg)	0.203

Maximum location: X=-49.00, Y=-40.00 ; SAR Peak: 0.35 W/kg






Plot 12:

Test Date	2023-06-19
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 2
Signal	LTE FDD
Frequency	1860
SAR 10g (W/Kg)	0.142
SAR 1g (W/Kg)	0.290

Maximum location: X=5.00, Y=-26.00 ; SAR Peak: 0.10 W/kg






Plot 13:

Test Date	2022-10-24
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 4
Signal	LTE FDD
Frequency	1720
SAR 10g (W/Kg)	0.062
SAR 1g (W/Kg)	0.107

Maximum location: X=-52.00, Y=-40.00 ; SAR Peak: 0.25 W/kg






Plot 14:

Test Date	2023-06-18
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 4
Signal	LTE FDD
Frequency	1720
SAR 10g (W/Kg)	0.075
SAR 1g (W/Kg)	0.177

Maximum location: X=-1.00, Y=-31.00 ; SAR Peak: 0.36 W/kg






Plot 15:

Test Date	2023-06-17
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 5
Signal	LTE FDD
Frequency	829
SAR 10g (W/Kg)	0.129
SAR 1g (W/Kg)	0.204

Maximum location: X=-48.00, Y=-41.00 ; SAR Peak: 0.35 W/kg






Plot 16:

Test Date	2023-06-17
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 5
Signal	LTE FDD
Frequency	829
SAR 10g (W/Kg)	0.091
SAR 1g (W/Kg)	0.171


Maximum location: X=-7.00, Y=49.00 ; SAR Peak: 0.34 W/kg



Plot 17:

Test Date	2023-06-16
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 7
Signal	LTE FDD
Frequency	2535
SAR 10g (W/Kg)	0.096
SAR 1g (W/Kg)	0.147

Maximum location: X=-42.00, Y=-25.00 ; SAR Peak: 0.16 W/kg






Plot 18:

Test Date	2023-06-16
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 7
Signal	LTE FDD
Frequency	2535
SAR 10g (W/Kg)	0.605
SAR 1g (W/Kg)	1.194


Maximum location: X=-2.00, Y=-43.00 ; SAR Peak: 2.04 W/kg



Plot 19:

Test Date	2022-10-27
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 12
Signal	LTE FDD
Frequency	707.5
SAR 10g (W/Kg)	0.103
SAR 1g (W/Kg)	0.173

Maximum location: X=-43.00, Y=-46.00 ; SAR Peak: 0.39 W/kg






Plot 20:

Test Date	2023-06-15
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 12
Signal	LTE FDD
Frequency	707.5
SAR 10g (W/Kg)	0.133
SAR 1g (W/Kg)	0.249

Maximum location: X=8.00, Y=16.00 ; SAR Peak: 0.45 W/kg






Plot 21:

Test Date	2023-06-16
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 13
Signal	LTE FDD
Frequency	782
SAR 10g (W/Kg)	0.083
SAR 1g (W/Kg)	0.133

Maximum location: X=-39.00, Y=-47.00 ; SAR Peak: 0.28 W/kg






Plot 22:

Test Date	2023-06-16
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 13
Signal	LTE FDD
Frequency	782
SAR 10g (W/Kg)	0.104
SAR 1g (W/Kg)	0.190

Maximum location: X=-7.00, Y=32.00 ; SAR Peak: 0.28 W/kg






Plot 23:

Test Date	2023-06-15
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 17
Signal	LTE FDD
Frequency	709
SAR 10g (W/Kg)	0.098
SAR 1g (W/Kg)	0.175

Maximum location: X=-40.00, Y=-32.00 ; SAR Peak: 0.42 W/kg






Plot 24:

Test Date	2023-06-15
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 17
Signal	LTE FDD
Frequency	709
SAR 10g (W/Kg)	0.154
SAR 1g (W/Kg)	0.286

Maximum location: X=1.00, Y=13.00 ; SAR Peak: 0.53 W/kg






Plot 25:

Test Date	2023-06-18
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Tilt
Band	ISM
Signal	IEEE 802.11 b
Frequency	2437
SAR 10g (W/Kg)	0.067
SAR 1g (W/Kg)	0.144

Maximum location: X=-25.00, Y=9.00 ; SAR Peak: 0.29 W/kg






Plot 26:

Test Date	2023-06-18
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	ISM
Signal	IEEE 802.11 b
Frequency	2437
SAR 10g (W/Kg)	0.060
SAR 1g (W/Kg)	0.139

Maximum location: X=0.00, Y=65.00 ; SAR Peak: 0.36 W/kg






Plot 27:

Test Date	2023-06-18
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Tilt
Band	Bluetooth
Signal	Bluetooth
Frequency	2480
SAR 10g (W/Kg)	0.034
SAR 1g (W/Kg)	0.062

Maximum location: X=-8.00, Y=-31.00 ; SAR Peak: 0.20 W/kg






Plot 28:

Test Date	2023-06-18
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	Bluetooth
Signal	Bluetooth
Frequency	2480
SAR 10g (W/Kg)	0.063
SAR 1g (W/Kg)	0.130


Maximum location: X=-17.00, Y=15.00 ; SAR Peak: 0.33 W/kg



Plot 29:

Test Date	2023-06-20
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Tilt
Band	U-NII-1
Signal	IEEE 802.11 n
Frequency	5200
SAR 10g (W/Kg)	0.089
SAR 1g (W/Kg)	0.229

Maximum location: X=-41.00, Y=-16.00 ; SAR Peak: 2.39 W/kg






Plot 30:

Test Date	2023-06-20
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	5.2G WLAN
Signal	IEEE 802.11 n
Frequency	5200
SAR 10g (W/Kg)	0.077
SAR 1g (W/Kg)	0.103

Maximum location: X=-8.00, Y=-63.00 ; SAR Peak: 0.83 W/kg






Plot 31:

Test Date	2023-06-20
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Tilt
Band	5.8G WLAN
Signal	IEEE 802.11 a
Frequency	5745
SAR 10g (W/Kg)	0.161
SAR 1g (W/Kg)	0.486

Maximum location: X=-8.00, Y=0.00 ; SAR Peak: 2.66 W/kg






Plot 32:

Test Date	2023-06-20
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	5.8G WLAN
Signal	IEEE 802.11 a
Frequency	5745
SAR 10g (W/Kg)	0.107
SAR 1g (W/Kg)	0.186

Maximum location: X=-6.00, Y=-55.00 ; SAR Peak: 1.31 W/kg





Appendix C. Probe Calibration and Dipole Calibration Report

Refer the appendix Calibration Report.

※※※※※END OF THE REPORT※※※※※