

System: XD 1000X

# FCC Label

Injektor

## supplementary sheet

<b>Dokument-Nr.:</b>	<b>186415</b>	Revision:	<b>0</b>
<b>Artikel-Nr.:</b>	SP003598	Status:	<b>CAD released</b>
<b>draft from:</b>	koch-to	on:	19.10.23
<b>in approval from:</b>	muell-ad	on:	19.10.23
<b>released from</b>	koch-to	on:	19.10.23

Rev	Änderung	Datum	Name




Abbildung nicht maßstabsgetreu

**FCC Label**

## Injektor

<b>Text / Symbole</b> <i>(es ist die genau definierte Schriftart und Größe einzufügen)</i>	<b>Schriftart und -größe [pt] / Dimensionen [mm]</b>	<b>NAV Parameter</b>	<b>Bedeutung der Feldvariablen</b>
ulrich medical	Arial 8 Pt.	fix	Manufacturer
FCC ID: 2BC9B-XD101X1	Arial 8 Pt.	fix	<p><b>FCC ID: &lt;Grantee&gt;&lt;EPC&gt;</b> is the certification number</p> <p><b>&lt;Grantee&gt;</b> is the Grantee code, made of 3-5 alphanumeric characters (A-Z, 0-9), assigned by FCC.</p> <p><b>&lt;EPC&gt;</b> is the Equipment product code (EPC) assigned by the applicant. Minimum of 1 character and maximum of 14 characters and may consist ONLY of capital letters, Arabic numerals or combination thereof, the hyphen or dash (-). Applicant should assign the least number of characters that will adequately identify the product.</p>
Contains FCC ID: PV7-WIBEAR11N-SF1	Arial 8 Pt.	fix	<p><b>Includes additional radio module:</b></p> <p><b>FCC ID: &lt;Grantee&gt;&lt;EPC&gt;</b> is the certification number</p> <p><b>&lt;Grantee&gt;</b> is the Grantee code, made of 3-5 alphanumeric characters (A-Z, 0-9), assigned by FCC.</p> <p><b>&lt;EPC&gt;</b> is the Equipment product code (EPC) assigned by the applicant. Minimum of 1 character and maximum of 14 characters and may consist ONLY of capital letters, Arabic numerals or combination thereof, the hyphen or dash (-). Applicant should assign the least number of characters that will adequately identify the product.</p>
This device complies with Part 15 of the FCC Rules [ and contains license-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's license-exempt RSS Standard(s)]. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation	Arial 5 Pt.	fix	Explanatory text
	10x14,6mm (HxB)	fix	FCC-Symbol
SP003598	Arial 7 Pt.	fix	Article

System: **XD 1000X**

## **FCC Label**

Injektor

---

### **Eigenschaften:**

Hintergrundfarbe	Weiß
Beschriftung/Bedruckung	Schwarz
Oberfläche	Glänzende Kaschierung
Haftwirkung	Permanent haftend auf Kunststoff, Metall und lackierte (Pulverlack) Oberflächen
Temperaturbeständig	-20°C bis 80°C
Weitere Eigenschaften für Folie und Beschriftung/Bedruckung	wischfest kratzfest abriebfest feuchtigkeitsbeständig Lösungsmittel-/Chemikalienbeständig (Chloride, Alkohole, Säure) wischdesinfektionsbeständig UV-beständig