


































Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	Duty factor(dB)	Total Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	14.14	0.12	14.26	30	Pass
NVNT	ANT2	802.11a	5745.00	14.31	0.12	14.43	30	Pass
NVNT	ANT1	802.11a	5785.00	13.68	0.12	13.80	30	Pass
NVNT	ANT2	802.11a	5785.00	14.21	0.12	14.33	30	Pass
NVNT	ANT1	802.11a	5825.00	13.68	0.12	13.80	30	Pass
NVNT	ANT2	802.11a	5825.00	14.14	0.12	14.26	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	12.11	0.13	12.24	30	Pass
NVNT	ANT2	802.11n(HT20)	5745.00	12.37	0.20	12.57	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	11.81	0.13	11.94	30	Pass
NVNT	ANT2	802.11n(HT20)	5785.00	12.41	0.13	12.54	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	12.34	0.13	12.47	30	Pass
NVNT	ANT2	802.11n(HT20)	5825.00	12.46	0.13	12.59	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	11.68	0.37	12.05	30	Pass
NVNT	ANT2	802.11ac(VHT20)	5745.00	11.70	0.37	12.07	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	11.24	0.25	11.49	30	Pass
NVNT	ANT2	802.11ac(VHT20)	5785.00	11.83	0.25	12.08	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	11.57	0.25	11.82	30	Pass
NVNT	ANT2	802.11ac(VHT20)	5825.00	11.76	0.25	12.01	30	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	11.08	0.25	11.33	30	Pass
NVNT	ANT2	802.11ax(HE20)	5745.00	11.17	0.25	11.42	30	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	10.88	0.25	11.13	30	Pass
NVNT	ANT2	802.11ax(HE20)	5785.00	11.37	0.25	11.62	30	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	11.02	0.25	11.27	30	Pass
NVNT	ANT2	802.11ax(HE20)	5825.00	11.16	0.25	11.41	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	12.31	0.26	12.57	30	Pass
NVNT	ANT2	802.11n(HT40)	5755.00	12.45	0.39	12.84	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	11.85	0.39	12.24	30	Pass
NVNT	ANT2	802.11n(HT40)	5795.00	12.74	0.26	13.00	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	11.33	0.46	11.79	30	Pass
NVNT	ANT2	802.11ac(VHT40)	5755.00	11.56	0.46	12.02	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	11.10	0.46	11.56	30	Pass
NVNT	ANT2	802.11ac(VHT40)	5795.00	11.60	0.46	12.06	30	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	10.83	0.46	11.29	30	Pass
NVNT	ANT2	802.11ax(HE40)	5755.00	11.02	0.48	11.50	30	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	10.50	0.46	10.96	30	Pass
NVNT	ANT2	802.11ax(HE40)	5795.00	11.06	0.71	11.77	30	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	10.77	0.87	11.64	30	Pass
NVNT	ANT2	802.11ac(VHT80)	5775.00	11.22	0.87	12.09	30	Pass
NVNT	ANT1	802.11ax(HE80)	5775.00	10.31	0.87	11.18	30	Pass
NVNT	ANT2	802.11ax(HE80)	5775.00	10.80	1.25	12.05	30	Pass

MIMO_Conducted Power = ANT1_Conducted Power + ANT2_Conducted Power

$W=10^{[(P(\text{dBm})-30)/10]}$

$\text{dBm} = 10\log[P(\text{mw})/1\text{mw}]$

Condition	Antenna	Mode	Frequency(MHz)	MIMO_Conducted_Power(dBm)	Limit(dBm)	Result
NVNT	MIMO_TX	802.11n(HT20)	5745.00	15.25	29.71	Pass
NVNT	MIMO_TX	802.11n(HT20)	5785.00	15.13	29.71	Pass
NVNT	MIMO_TX	802.11n(HT20)	5825.00	15.41	29.71	Pass
NVNT	MIMO_TX	802.11ac(VHT20)	5745.00	14.70	29.71	Pass
NVNT	MIMO_TX	802.11ac(VHT20)	5785.00	14.56	29.71	Pass
NVNT	MIMO_TX	802.11ac(VHT20)	5825.00	14.68	29.71	Pass
NVNT	MIMO_TX	802.11ax(HE20)	5745.00	14.14	29.71	Pass
NVNT	MIMO_TX	802.11ax(HE20)	5785.00	14.14	29.71	Pass
NVNT	MIMO_TX	802.11ax(HE20)	5825.00	14.10	29.71	Pass
NVNT	MIMO_TX	802.11n(HT40)	5755.00	15.39	29.71	Pass
NVNT	MIMO_TX	802.11n(HT40)	5795.00	15.33	29.71	Pass
NVNT	MIMO_TX	802.11ac(VHT40)	5755.00	14.46	29.71	Pass
NVNT	MIMO_TX	802.11ac(VHT40)	5795.00	14.37	29.71	Pass
NVNT	MIMO_TX	802.11ax(HE40)	5755.00	13.94	29.71	Pass
NVNT	MIMO_TX	802.11ax(HE40)	5795.00	13.80	29.71	Pass
NVNT	MIMO_TX	802.11ac(VHT80)	5775.00	14.01	29.71	Pass
NVNT	MIMO_TX	802.11ax(HE80)	5775.00	13.57	29.71	Pass


Power Spectral Density


Condition	Antenna	Modulation	Frequency (MHz)	PSD(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	7.445	30	Pass
NVNT	ANT2	802.11a	5745.00	6.711	30	Pass
NVNT	ANT1	802.11a	5785.00	8.130	30	Pass
NVNT	ANT2	802.11a	5785.00	8.961	30	Pass
NVNT	ANT1	802.11a	5825.00	8.442	30	Pass
NVNT	ANT2	802.11a	5825.00	7.078	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	6.792	30	Pass
NVNT	ANT2	802.11n(HT20)	5745.00	6.105	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	6.517	30	Pass
NVNT	ANT2	802.11n(HT20)	5785.00	5.865	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	6.693	30	Pass
NVNT	ANT2	802.11n(HT20)	5825.00	5.976	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	6.725	30	Pass
NVNT	ANT2	802.11ac(VHT20)	5745.00	4.797	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	5.671	30	Pass
NVNT	ANT2	802.11ac(VHT20)	5785.00	5.767	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	6.266	30	Pass
NVNT	ANT2	802.11ac(VHT20)	5825.00	5.161	30	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	5.313	30	Pass
NVNT	ANT2	802.11ax(HE20)	5745.00	4.679	30	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	5.688	30	Pass
NVNT	ANT2	802.11ax(HE20)	5785.00	4.967	30	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	6.785	30	Pass
NVNT	ANT2	802.11ax(HE20)	5825.00	4.994	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	4.376	30	Pass
NVNT	ANT2	802.11n(HT40)	5755.00	2.205	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	3.465	30	Pass
NVNT	ANT2	802.11n(HT40)	5795.00	2.552	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	3.426	30	Pass
NVNT	ANT2	802.11ac(VHT40)	5755.00	2.345	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	3.158	30	Pass
NVNT	ANT2	802.11ac(VHT40)	5795.00	2.287	30	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	3.288	30	Pass
NVNT	ANT2	802.11ax(HE40)	5755.00	1.395	30	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	2.520	30	Pass
NVNT	ANT2	802.11ax(HE40)	5795.00	1.394	30	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	0.551	30	Pass
NVNT	ANT2	802.11ac(VHT80)	5775.00	-0.462	30	Pass
NVNT	ANT1	802.11ax(HE80)	5775.00	-0.943	30	Pass
NVNT	ANT2	802.11ax(HE80)	5775.00	-1.491	30	Pass


Note: The Duty Cycle Factor is compensated in the test result.




















































MIMO_Max PSD = ANT1_Max PSD + ANT2_Max PSD

$W = 10^{[(P(\text{dBm}) - 30)/10]}$


$\text{dBm} = 10\log[P(\text{mw})/1\text{mw}]$

Condition	Antenna	Mode	Frequency (MHz)	Max PSD(dBm/MHz)	Limit(dBm/MHz)	Result
NVNT	MIMO TX	802.11n(HT20)	5745.00	8.85	29.71	Pass
NVNT	MIMO TX	802.11n(HT20)	5785.00	8.67	29.71	Pass
NVNT	MIMO TX	802.11n(HT20)	5825.00	8.38	29.71	Pass
NVNT	MIMO TX	802.11ac(VHT20)	5745.00	8.79	29.71	Pass
NVNT	MIMO TX	802.11ac(VHT20)	5785.00	7.84	29.71	Pass
NVNT	MIMO TX	802.11ac(VHT20)	5825.00	8.11	29.71	Pass
NVNT	MIMO TX	802.11ax(HE20)	5745.00	7.62	29.71	Pass
NVNT	MIMO TX	802.11ax(HE20)	5785.00	7.92	29.71	Pass
NVNT	MIMO TX	802.11ax(HE20)	5825.00	7.97	29.71	Pass
NVNT	MIMO TX	802.11n(HT40)	5755.00	6.33	29.71	Pass
NVNT	MIMO TX	802.11n(HT40)	5795.00	6.01	29.71	Pass
NVNT	MIMO TX	802.11ac(VHT40)	5755.00	5.19	29.71	Pass
NVNT	MIMO TX	802.11ac(VHT40)	5795.00	5.55	29.71	Pass
NVNT	MIMO TX	802.11ax(HE40)	5755.00	4.79	29.71	Pass
NVNT	MIMO TX	802.11ax(HE40)	5795.00	4.70	29.71	Pass
NVNT	MIMO TX	802.11ac(VHT80)	5775.00	2.22	29.71	Pass
NVNT	MIMO TX	802.11ax(HE80)	5775.00	1.01	29.71	Pass


Note: The Duty Cycle Factor is compensated in the test result.




NVNT_MIMO_TX_802_11n(HT20)_Power_Spectral_Density_5785




NVNT_MIMO_TX_802_11n(HT20)_Power_Spectral_Density_5825




NVNT_MIMO_TX_802_11ac(VHT20)_Power_Spectral_Density_5745




NVNT_MIMO_TX_802_11ac(VHT20)_Power_Spectral_Density_5785




NVNT_MIMO_TX_802_11ac(VHT20)_Power_Spectral_Density_5825




NVNT_MIMO_TX_802_11ax(HE20)_Power_Spectral_Density_5745




NVNT_MIMO_TX_802_11ax(HE20)_Power_Spectral_Density_5785




NVNT_MIMO_TX_802_11ax(HE20)_Power_Spectral_Density_5825




NVNT_MIMO_TX_802_11n(HT40)_Power_Spectral_Density_5755




NVNT_MIMO_TX_802_11n(HT40)_Power_Spectral_Density_5795




NVNT_MIMO_TX_802_11ac(VHT40)_Power_Spectral_Density_5755




NVNT_MIMO_TX_802_11ac(VHT40)_Power_Spectral_Density_5795




NVNT_MIMO_TX_802_11ax(HE40)_Power_Spectral_Density_5755




NVNT_MIMO_TX_802_11ax(HE40)_Power_Spectral_Density_5795



NVNT_MIMO_TX_802_11ac(VHT80)_Power_Spectral_Density_5775



NVNT_MIMO_TX_802_11ax(HE80)_Power_Spectral_Density_5775






Bandedge



Condition	Antenna	Modulation	TX_Frequency (MHz)	Frequency Area(MHz)	Frequency(MHz)	Amplitude(dBm)	Limit(dBm)	Result
NVNT	ANT1	802.11a	LCH	5565-5655	5651.040	-49.32	-27.00	Pass
NVNT	ANT1	802.11a	LCH	5655-5700	5657.700	-48.77	-24.78	Pass
NVNT	ANT1	802.11a	LCH	5700-5720	5719.660	-44.50	15.50	Pass
NVNT	ANT1	802.11a	LCH	5720-5725	5722.990	-38.49	22.42	Pass
NVNT	ANT2	802.11a	LCH	5565-5655	5643.570	-49.27	-27.00	Pass
NVNT	ANT2	802.11a	LCH	5655-5700	5662.830	-48.99	-20.56	Pass
NVNT	ANT2	802.11a	LCH	5700-5720	5718.740	-44.32	15.25	Pass
NVNT	ANT2	802.11a	LCH	5720-5725	5724.690	-34.11	26.29	Pass
NVNT	ANT1	802.11a	HCH	5850-5855	5851.015	-41.33	24.69	Pass
NVNT	ANT1	802.11a	HCH	5855-5875	5860.040	-45.85	14.19	Pass
NVNT	ANT1	802.11a	HCH	5875-5920	5919.235	-49.31	-26.37	Pass
NVNT	ANT1	802.11a	HCH	5920-6005	5985.790	-44.43	-27.00	Pass
NVNT	ANT2	802.11a	HCH	5850-5855	5852.370	-43.54	21.60	Pass
NVNT	ANT2	802.11a	HCH	5855-5875	5858.100	-46.05	14.73	Pass
NVNT	ANT2	802.11a	HCH	5875-5920	5907.580	-49.66	-16.79	Pass
NVNT	ANT2	802.11a	HCH	5920-6005	5954.255	-45.47	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5565-5655	5589.840	-49.24	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5655-5700	5668.545	-48.61	-15.86	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5700-5720	5717.440	-45.15	14.88	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5720-5725	5723.780	-36.72	24.22	Pass
NVNT	ANT2	802.11n(HT20)	LCH	5565-5655	5651.310	-48.44	-27.00	Pass
NVNT	ANT2	802.11n(HT20)	LCH	5655-5700	5658.825	-48.59	-23.86	Pass
NVNT	ANT2	802.11n(HT20)	LCH	5700-5720	5719.540	-44.26	15.47	Pass
NVNT	ANT2	802.11n(HT20)	LCH	5720-5725	5723.655	-37.50	23.93	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5850-5855	5851.895	-43.47	22.68	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5855-5875	5855.940	-46.39	15.34	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5875-5920	5918.200	-49.73	-25.52	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5920-6005	5936.575	-43.49	-27.00	Pass
NVNT	ANT2	802.11n(HT20)	HCH	5850-5855	5851.285	-44.35	24.07	Pass
NVNT	ANT2	802.11n(HT20)	HCH	5855-5875	5857.120	-48.20	15.01	Pass
NVNT	ANT2	802.11n(HT20)	HCH	5875-5920	5916.310	-49.55	-23.97	Pass
NVNT	ANT2	802.11n(HT20)	HCH	5920-6005	5984.855	-44.77	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5565-5655	5587.230	-48.79	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5655-5700	5655.000	-49.63	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5700-5720	5717.600	-46.77	14.93	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5720-5725	5723.930	-41.34	24.56	Pass
NVNT	ANT2	802.11ac(VHT20)	LCH	5565-5655	5614.680	-49.16	-27.00	Pass
NVNT	ANT2	802.11ac(VHT20)	LCH	5655-5700	5655.810	-48.85	-26.33	Pass
NVNT	ANT2	802.11ac(VHT20)	LCH	5700-5720	5701.000	-47.90	10.28	Pass
NVNT	ANT2	802.11ac(VHT20)	LCH	5720-5725	5723.860	-38.34	24.40	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5850-5855	5852.195	-44.96	22.00	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5855-5875	5855.360	-47.48	15.50	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5875-5920	5919.415	-49.29	-26.52	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5920-6005	5990.040	-44.31	-27.00	Pass
NVNT	ANT2	802.11ac(VHT20)	HCH	5850-5855	5853.655	-46.59	18.67	Pass
NVNT	ANT2	802.11ac(VHT20)	HCH	5855-5875	5869.960	-48.70	11.41	Pass
NVNT	ANT2	802.11ac(VHT20)	HCH	5875-5920	5917.390	-49.85	-24.85	Pass
NVNT	ANT2	802.11ac(VHT20)	HCH	5920-6005	5933.430	-44.74	-27.00	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5565-5655	5650.230	-49.63	-27.00	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5655-5700	5666.520	-49.47	-17.53	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5700-5720	5719.960	-45.96	15.59	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5720-5725	5723.205	-41.43	22.91	Pass
NVNT	ANT2	802.11ax(HE20)	LCH	5565-5655	5625.660	-49.45	-27.00	Pass
NVNT	ANT2	802.11ax(HE20)	LCH	5655-5700	5659.140	-49.38	-23.60	Pass
NVNT	ANT2	802.11ax(HE20)	LCH	5700-5720	5717.480	-47.42	14.89	Pass
NVNT	ANT2	802.11ax(HE20)	LCH	5720-5725	5724.980	-37.15	26.95	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5850-5855	5851.575	-45.64	23.41	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5855-5875	5872.200	-48.93	10.78	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5875-5920	5914.825	-49.63	-22.74	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5920-6005	5981.200	-44.33	-27.00	Pass
NVNT	ANT2	802.11ax(HE20)	HCH	5850-5855	5852.980	-47.59	20.21	Pass



NVNT	ANT2	802.11ax(HE20)	HCH	5855-5875	5874.320	-49.23	10.19	Pass
NVNT	ANT2	802.11ax(HE20)	HCH	5875-5920	5911.720	-49.71	-20.19	Pass
NVNT	ANT2	802.11ax(HE20)	HCH	5920-6005	5967.600	-44.51	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5595-5655	5654.520	-48.99	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5655-5700	5687.985	-47.89	0.12	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5700-5720	5718.580	-36.23	15.20	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5720-5725	5720.015	-33.89	15.63	Pass
NVNT	ANT2	802.11n(HT40)	LCH	5595-5655	5646.480	-49.22	-27.00	Pass
NVNT	ANT2	802.11n(HT40)	LCH	5655-5700	5674.395	-48.47	-11.05	Pass
NVNT	ANT2	802.11n(HT40)	LCH	5700-5720	5719.900	-32.63	15.57	Pass
NVNT	ANT2	802.11n(HT40)	LCH	5720-5725	5722.390	-31.82	21.05	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5850-5855	5853.620	-48.92	18.75	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5855-5875	5874.380	-49.38	10.17	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5875-5920	5901.325	-50.25	-11.64	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5920-5955	5944.885	-45.64	-27.00	Pass
NVNT	ANT2	802.11n(HT40)	HCH	5850-5855	5854.715	-48.67	16.25	Pass
NVNT	ANT2	802.11n(HT40)	HCH	5855-5875	5865.420	-48.38	12.68	Pass
NVNT	ANT2	802.11n(HT40)	HCH	5875-5920	5914.600	-49.82	-22.56	Pass
NVNT	ANT2	802.11n(HT40)	HCH	5920-5955	5925.810	-46.23	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5595-5655	5640.900	-49.24	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5655-5700	5673.360	-48.39	-11.90	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5700-5720	5718.600	-38.74	15.21	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5720-5725	5720.105	-36.11	15.84	Pass
NVNT	ANT2	802.11ac(VHT40)	LCH	5595-5655	5603.100	-49.54	-27.00	Pass
NVNT	ANT2	802.11ac(VHT40)	LCH	5655-5700	5656.980	-49.43	-25.37	Pass
NVNT	ANT2	802.11ac(VHT40)	LCH	5700-5720	5719.640	-34.54	15.50	Pass
NVNT	ANT2	802.11ac(VHT40)	LCH	5720-5725	5721.815	-33.08	19.74	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5850-5855	5853.250	-49.21	19.59	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5855-5875	5868.280	-49.50	11.88	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5875-5920	5919.370	-50.13	-26.48	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5920-5955	5953.495	-45.49	-27.00	Pass
NVNT	ANT2	802.11ac(VHT40)	HCH	5850-5855	5854.680	-47.91	16.33	Pass
NVNT	ANT2	802.11ac(VHT40)	HCH	5855-5875	5874.320	-49.21	10.19	Pass
NVNT	ANT2	802.11ac(VHT40)	HCH	5875-5920	5919.775	-49.39	-26.81	Pass
NVNT	ANT2	802.11ac(VHT40)	HCH	5920-5955	5927.875	-45.51	-27.00	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5595-5655	5610.720	-49.23	-27.00	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5655-5700	5665.890	-49.16	-18.05	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5700-5720	5719.840	-40.47	15.56	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5720-5725	5720.110	-38.06	15.85	Pass
NVNT	ANT2	802.11ax(HE40)	LCH	5595-5655	5617.260	-49.41	-27.00	Pass
NVNT	ANT2	802.11ax(HE40)	LCH	5655-5700	5664.180	-49.09	-19.45	Pass
NVNT	ANT2	802.11ax(HE40)	LCH	5700-5720	5719.440	-37.64	15.44	Pass
NVNT	ANT2	802.11ax(HE40)	LCH	5720-5725	5720.245	-36.28	16.16	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5850-5855	5854.150	-48.90	17.54	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5855-5875	5874.220	-49.23	10.22	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5875-5920	5916.355	-49.89	-24.00	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5920-5955	5925.005	-46.14	-27.00	Pass
NVNT	ANT2	802.11ax(HE40)	HCH	5850-5855	5854.570	-48.82	16.58	Pass
NVNT	ANT2	802.11ax(HE40)	HCH	5855-5875	5870.480	-49.48	11.27	Pass
NVNT	ANT2	802.11ax(HE40)	HCH	5875-5920	5917.705	-50.03	-25.11	Pass
NVNT	ANT2	802.11ax(HE40)	HCH	5920-5955	5921.645	-46.26	-27.00	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5650-5655	5652.760	-49.06	-27.00	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5655-5700	5684.790	-44.17	-2.51	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5700-5720	5718.600	-37.01	15.21	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5720-5725	5720.880	-37.54	17.61	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5850-5855	5851.575	-45.08	23.41	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5855-5875	5860.540	-45.11	14.05	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5875-5920	5917.885	-49.65	-25.26	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5920-5925	5920.070	-46.23	-27.00	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5650-5655	5653.115	-48.97	-27.00	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5655-5700	5688.885	-42.84	0.86	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5700-5720	5719.460	-35.71	15.45	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5720-5725	5720.000	-35.68	15.60	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5850-5855	5853.295	-43.34	19.49	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5855-5875	5864.260	-44.99	13.01	Pass



NVNT	ANT2	802.11ac(VHT80)	MCH	5875-5920	5910.415	-49.84	-19.12	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5920-5925	5920.440	-45.40	-27.00	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5650-5655	5651.555	-48.56	-27.00	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5655-5700	5690.865	-44.41	2.49	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5700-5720	5719.080	-38.37	15.34	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5720-5725	5720.075	-38.59	15.77	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5850-5855	5853.780	-47.29	18.38	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5855-5875	5859.860	-46.19	14.24	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5875-5920	5914.150	-49.57	-22.19	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5920-5925	5923.720	-45.34	-27.00	Pass
NVNT	ANT2	802.11ax(HE80)	MCH	5650-5655	5650.550	-48.96	-27.00	Pass
NVNT	ANT2	802.11ax(HE80)	MCH	5655-5700	5691.855	-41.48	3.30	Pass
NVNT	ANT2	802.11ax(HE80)	MCH	5700-5720	5719.700	-37.69	15.52	Pass
NVNT	ANT2	802.11ax(HE80)	MCH	5720-5725	5720.945	-36.71	17.75	Pass
NVNT	ANT2	802.11ax(HE80)	MCH	5850-5855	5852.770	-45.09	20.68	Pass
NVNT	ANT2	802.11ax(HE80)	MCH	5855-5875	5864.980	-46.24	12.81	Pass
NVNT	ANT2	802.11ax(HE80)	MCH	5875-5920	5904.745	-49.89	-14.46	Pass
NVNT	ANT2	802.11ax(HE80)	MCH	5920-5925	5923.280	-46.11	-27.00	Pass


































































Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	26177.07	-50.07	-27	Pass
NVNT	ANT2	802.11a	5745.00	24660.33	-50.42	-27	Pass
NVNT	ANT1	802.11a	5785.00	26206.18	-50.17	-27	Pass
NVNT	ANT2	802.11a	5785.00	26097.66	-46.17	-27	Pass
NVNT	ANT1	802.11a	5825.00	26198.24	-49.89	-27	Pass
NVNT	ANT2	802.11a	5825.00	26285.59	-49.05	-27	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	26248.53	-50.78	-27	Pass
NVNT	ANT2	802.11n(HT20)	5745.00	26298.83	-44.09	-27	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	24816.51	-45.83	-27	Pass
NVNT	ANT2	802.11n(HT20)	5785.00	26145.30	-52.72	-27	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	26267.06	-51.91	-27	Pass
NVNT	ANT2	802.11n(HT20)	5825.00	26267.06	-50.11	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	26158.54	-44.76	-27	Pass
NVNT	ANT2	802.11ac(VHT20)	5745.00	26219.42	-45.39	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	26272.36	-46.20	-27	Pass
NVNT	ANT2	802.11ac(VHT20)	5785.00	26206.18	-45.44	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	26177.07	-50.17	-27	Pass
NVNT	ANT2	802.11ac(VHT20)	5825.00	24790.04	-49.53	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	24670.92	-45.76	-27	Pass
NVNT	ANT2	802.11ax(HE20)	5745.00	26211.48	-50.27	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	26132.07	-45.61	-27	Pass
NVNT	ANT2	802.11ax(HE20)	5785.00	26240.59	-46.22	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	26211.48	-51.36	-27	Pass
NVNT	ANT2	802.11ax(HE20)	5825.00	24861.51	-52.08	-27	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	26320.00	-48.13	-27	Pass
NVNT	ANT2	802.11n(HT40)	5755.00	26253.83	-52.04	-27	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	26208.83	-47.91	-27	Pass
NVNT	ANT2	802.11n(HT40)	5795.00	24790.04	-46.04	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	26473.53	-48.33	-27	Pass
NVNT	ANT2	802.11ac(VHT40)	5755.00	26267.06	-51.49	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	26211.48	-51.59	-27	Pass
NVNT	ANT2	802.11ac(VHT40)	5795.00	898.22	-51.93	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	26216.77	-51.82	-27	Pass
NVNT	ANT2	802.11ax(HE40)	5755.00	26275.01	-47.85	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	26282.95	-48.52	-27	Pass
NVNT	ANT2	802.11ax(HE40)	5795.00	26240.59	-52.43	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	26248.53	-49.93	-27	Pass
NVNT	ANT2	802.11ac(VHT80)	5775.00	26330.59	-49.70	-27	Pass
NVNT	ANT1	802.11ax(HE80)	5775.00	24739.74	-53.26	-27	Pass
NVNT	ANT2	802.11ax(HE80)	5775.00	26150.60	-49.15	-27	Pass


Spurious Emission_NVNT_ANT1_802_11a_5745




Spurious Emission_NVNT_ANT2_802_11a_5745




Spurious Emission_NVNT_ANT1_802_11a_5785




Spurious Emission_NVNT_ANT2_802_11a_5785





Spurious Emission_NVNT_ANT1_802_11a_5825




Spurious Emission_NVNT_ANT2_802_11a_5825










Spurious Emission NVNT_ANT1_802_11ac(VHT20)_5745



Spurious Emission NVNT_ANT2_802_11ac(VHT20)_5745

