


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	4824.000	52.06	-3.64	48.42	74.00	-25.58	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		2310.000	16.28	31.23	47.51	74.00	-26.49	peak	
2		2390.000	37.12	31.59	68.71	74.00	-5.29	peak	
3	*	2390.000	20.10	31.59	51.69	54.00	-2.31	AVG	

Above 1GHz (1GHz~18GHz)


Test mode:11AX40MIMO

Test Channel:6

VERTICAL



HORIZONTAL





Above 1GHz (1GHz~18GHz)

Test mode: 11AX40MIMO


Test Channel:9

VERTICAL



HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	4904.000	53.51	-3.24	50.27	74.00	-23.73	peak	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		2483.500	35.01	32.49	67.50	74.00	-6.50	peak	
2	*	2483.500	19.67	32.49	52.16	54.00	-1.84	AVG	
3		2500.000	16.24	32.65	48.89	74.00	-25.11	peak	

Above 1GHz (1GHz~18GHz)

Test mode: 11BE20MIMO

Test Channel:1

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dBm	dBuV/m	dBuV/m	dB	cm	degree
1	*	4824.000	53.42	-3.64	49.78	74.00	-24.22	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dBm	dBuV/m	dBuV/m	dB	cm	degree
1		2310.000	15.72	31.23	46.95	74.00	-27.05	peak	
2		2390.000	35.15	31.59	66.74	74.00	-7.26	peak	
3	*	2390.000	19.99	31.59	51.58	54.00	-2.42	AVG	

Above 1GHz (1GHz~18GHz)


Test mode:11BE20MIMO

Test Channel:6

VERTICAL



HORIZONTAL





Above 1GHz (1GHz~18GHz)

Test mode: 11BE20MIMO

Test Channel:11

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dBm	dBuV/m	dBuV/m	dB	cm	degree
1	*	4924.000	52.38	-3.33	49.05	74.00	-24.95	peak	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dBm	dBuV/m	dBuV/m	dB	cm	degree
1		2483.500	37.08	32.49	69.57	74.00	-4.43	peak	
2	*	2483.500	19.61	32.49	52.10	54.00	-1.90	AVG	
3		2500.000	14.54	32.65	47.19	74.00	-26.81	peak	

Above 1GHz (1GHz~18GHz)

Test mode: 11BE40MIMO


Test Channel:3

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	4844.000	51.63	-3.82	47.81	74.00	-26.19	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		2310.000	17.35	31.23	48.58	74.00	-25.42	peak	
2		2390.000	36.01	31.59	67.60	74.00	-6.40	peak	
3	*	2390.000	19.99	31.59	51.58	54.00	-2.42	AVG	

Above 1GHz (1GHz~18GHz)


Test mode:11BE40MIMO

Test Channel:6

VERTICAL



HORIZONTAL





Above 1GHz (1GHz~18GHz)



Test mode: 11BE40MIMO

Test Channel:9

VERTICAL



HORIZONTAL



The high frequency, which started from 18GHz to 26.5GHz, was pre-scanned and the result which was 20dB lower than the limit line was not recorded in this report.

3.3 Spurious Emission at Antenna Port

3.3.1 Limit

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak Output Power limits. If the transmitter complies with the Output Power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in Section 15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in Section 15.205(a), must also comply with the radiated emission limits specified in Section 15.209(a) (see Section 15.205(c)).

3.3.2 Test Procedure


Test Method	
☒ Conducted Measurement	☐ Radiated Measurement
Test Channels	
☒ Lowest, Middle and Highest Channel	☐ Lowest and Highest Channel
Environmental conditions	
☒ Normal	☐ Normal and Extreme
Note: ☒ : Test ☐ : No Test	

a) The EUT was directly connected to the tonscond test system and antenna output port as show in the block diagram below.

b) Spectrum Setting as below:

Centre Frequency	The centre frequency of the channel under test
Spectrum Parameters	Setting
Start Frequency	30 MHz
Stop Frequency	26.5 GHz
RBW	100 kHz
VBW	300 kHz
Detector	Peak
Trace	Max Hold
Sweep Time	Auto

3.3.3 Test Setup



3.3.4 The Result

Conducted Spurious Emission

Test Mode	Antenna	Frequency [MHz]	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11B-CDD	Ant1	2412	0~Reference	12.80	12.80	---	PASS
11B-CDD	Ant2	2412	0~Reference	13.15	13.15	---	PASS
11B-CDD	Ant1	2412	30~1000	12.80	-61.6	≤-17.2	PASS
11B-CDD	Ant2	2412	30~1000	13.15	-61.7	≤-16.85	PASS
11B-CDD	Ant1	2412	1000~26500	12.80	-39.31	≤-17.2	PASS
11B-CDD	Ant2	2412	1000~26500	13.15	-39.99	≤-16.85	PASS
11B-CDD	Ant1	2437	0~Reference	17.56	17.56	---	PASS
11B-CDD	Ant2	2437	0~Reference	17.85	17.85	---	PASS
11B-CDD	Ant1	2437	30~1000	17.56	-61.67	≤-12.44	PASS
11B-CDD	Ant2	2437	30~1000	17.85	-61.81	≤-12.15	PASS
11B-CDD	Ant1	2437	1000~26500	17.56	-38.83	≤-12.44	PASS
11B-CDD	Ant2	2437	1000~26500	17.85	-39.8	≤-12.15	PASS
11B-CDD	Ant1	2462	0~Reference	13.75	13.75	---	PASS
11B-CDD	Ant2	2462	0~Reference	15.91	15.91	---	PASS
11B-CDD	Ant1	2462	30~1000	13.75	-62.05	≤-16.25	PASS
11B-CDD	Ant2	2462	30~1000	15.91	-61.77	≤-14.09	PASS
11B-CDD	Ant1	2462	1000~26500	13.75	-39.76	≤-16.25	PASS
11B-CDD	Ant2	2462	1000~26500	15.91	-39.74	≤-14.09	PASS
11G-CDD	Ant1	2412	0~Reference	5.55	5.55	---	PASS
11G-CDD	Ant2	2412	0~Reference	8.60	8.60	---	PASS
11G-CDD	Ant1	2412	30~1000	5.55	-61.86	≤-24.45	PASS
11G-CDD	Ant2	2412	30~1000	8.60	-61.07	≤-21.4	PASS
11G-CDD	Ant1	2412	1000~26500	5.55	-40.17	≤-24.45	PASS
11G-CDD	Ant2	2412	1000~26500	8.60	-39.76	≤-21.4	PASS
11G-CDD	Ant1	2437	0~Reference	12.25	12.25	---	PASS
11G-CDD	Ant2	2437	0~Reference	14.23	14.23	---	PASS
11G-CDD	Ant1	2437	30~1000	12.25	-61.69	≤-17.75	PASS
11G-CDD	Ant2	2437	30~1000	14.23	-60.74	≤-15.77	PASS
11G-CDD	Ant1	2437	1000~26500	12.25	-38.55	≤-17.75	PASS
11G-CDD	Ant2	2437	1000~26500	14.23	-39.59	≤-15.77	PASS
11G-CDD	Ant1	2462	0~Reference	6.73	6.73	---	PASS
11G-CDD	Ant2	2462	0~Reference	7.32	7.32	---	PASS
11G-CDD	Ant1	2462	30~1000	6.73	-62.12	≤-23.27	PASS
11G-CDD	Ant2	2462	30~1000	7.32	-61.81	≤-22.68	PASS
11G-CDD	Ant1	2462	1000~26500	6.73	-39.82	≤-23.27	PASS
11G-CDD	Ant2	2462	1000~26500	7.32	-39.69	≤-22.68	PASS

11N20MIMO	Ant1	2412	0~Reference	5.83	5.83	---	PASS
11N20MIMO	Ant2	2412	0~Reference	6.04	6.04	---	PASS
11N20MIMO	Ant1	2412	30~1000	5.83	-61.71	≤-24.17	PASS
11N20MIMO	Ant2	2412	30~1000	6.04	-61.73	≤-23.96	PASS
11N20MIMO	Ant1	2412	1000~26500	5.83	-39.57	≤-24.17	PASS
11N20MIMO	Ant2	2412	1000~26500	6.04	-39.1	≤-23.96	PASS
11N20MIMO	Ant1	2437	0~Reference	14.44	14.44	---	PASS
11N20MIMO	Ant2	2437	0~Reference	14.63	14.63	---	PASS
11N20MIMO	Ant1	2437	30~1000	14.44	-61.11	≤-15.56	PASS
11N20MIMO	Ant2	2437	30~1000	14.63	-61.41	≤-15.37	PASS
11N20MIMO	Ant1	2437	1000~26500	14.44	-39.79	≤-15.56	PASS
11N20MIMO	Ant2	2437	1000~26500	14.63	-39.01	≤-15.37	PASS
11N20MIMO	Ant1	2462	0~Reference	6.24	6.24	---	PASS
11N20MIMO	Ant2	2462	0~Reference	6.68	6.68	---	PASS
11N20MIMO	Ant1	2462	30~1000	6.24	-61.81	≤-23.76	PASS
11N20MIMO	Ant2	2462	30~1000	6.68	-60.81	≤-23.32	PASS
11N20MIMO	Ant1	2462	1000~26500	6.24	-40.24	≤-23.76	PASS
11N20MIMO	Ant2	2462	1000~26500	6.68	-39.59	≤-23.32	PASS
11N40MIMO	Ant1	2422	0~Reference	1.94	1.94	---	PASS
11N40MIMO	Ant2	2422	0~Reference	2.68	2.68	---	PASS
11N40MIMO	Ant1	2422	30~1000	1.94	-61.93	≤-28.06	PASS
11N40MIMO	Ant2	2422	30~1000	2.68	-62.23	≤-27.32	PASS
11N40MIMO	Ant1	2422	1000~26500	1.94	-38.8	≤-28.06	PASS
11N40MIMO	Ant2	2422	1000~26500	2.68	-40.16	≤-27.32	PASS
11N40MIMO	Ant1	2437	0~Reference	11.12	11.12	---	PASS
11N40MIMO	Ant2	2437	0~Reference	10.83	10.83	---	PASS
11N40MIMO	Ant1	2437	30~1000	11.12	-61.51	≤-18.88	PASS
11N40MIMO	Ant2	2437	30~1000	10.83	-61.38	≤-19.17	PASS
11N40MIMO	Ant1	2437	1000~26500	11.12	-39.25	≤-18.88	PASS
11N40MIMO	Ant2	2437	1000~26500	10.83	-39.03	≤-19.17	PASS
11N40MIMO	Ant1	2452	0~Reference	1.15	1.15	---	PASS
11N40MIMO	Ant2	2452	0~Reference	1.67	1.67	---	PASS
11N40MIMO	Ant1	2452	30~1000	1.15	-62.14	≤-28.85	PASS
11N40MIMO	Ant2	2452	30~1000	1.67	-62.05	≤-28.33	PASS
11N40MIMO	Ant1	2452	1000~26500	1.15	-38.55	≤-28.85	PASS
11N40MIMO	Ant2	2452	1000~26500	1.67	-39.6	≤-28.33	PASS
11AX20MIMO	Ant1	2412	0~Reference	6.82	6.82	---	PASS
11AX20MIMO	Ant2	2412	0~Reference	4.67	4.67	---	PASS
11AX20MIMO	Ant1	2412	30~1000	6.82	-61.93	≤-23.18	PASS
11AX20MIMO	Ant2	2412	30~1000	4.67	-61.22	≤-25.33	PASS
11AX20MIMO	Ant1	2412	1000~26500	6.82	-39.49	≤-23.18	PASS
11AX20MIMO	Ant2	2412	1000~26500	4.67	-39.86	≤-25.33	PASS

11AX20MIMO	Ant1	2437	0~Reference	11.11	11.11	---	PASS
11AX20MIMO	Ant2	2437	0~Reference	11.29	11.29	---	PASS
11AX20MIMO	Ant1	2437	30~1000	11.11	-61.55	≤-18.89	PASS
11AX20MIMO	Ant2	2437	30~1000	11.29	-61.72	≤-18.71	PASS
11AX20MIMO	Ant1	2437	1000~26500	11.11	-39.67	≤-18.89	PASS
11AX20MIMO	Ant2	2437	1000~26500	11.29	-39.82	≤-18.71	PASS
11AX20MIMO	Ant1	2462	0~Reference	7.46	7.46	---	PASS
11AX20MIMO	Ant2	2462	0~Reference	6.81	6.81	---	PASS
11AX20MIMO	Ant1	2462	30~1000	7.46	-61.36	≤-22.54	PASS
11AX20MIMO	Ant2	2462	30~1000	6.81	-61.23	≤-23.19	PASS
11AX20MIMO	Ant1	2462	1000~26500	7.46	-39.37	≤-22.54	PASS
11AX20MIMO	Ant2	2462	1000~26500	6.81	-40.17	≤-23.19	PASS
11AX40MIMO	Ant1	2422	0~Reference	0.55	0.55	---	PASS
11AX40MIMO	Ant2	2422	0~Reference	0.95	0.95	---	PASS
11AX40MIMO	Ant1	2422	30~1000	0.55	-61.05	≤-29.45	PASS
11AX40MIMO	Ant2	2422	30~1000	0.95	-61.24	≤-29.05	PASS
11AX40MIMO	Ant1	2422	1000~26500	0.55	-39.85	≤-29.45	PASS
11AX40MIMO	Ant2	2422	1000~26500	0.95	-39.78	≤-29.05	PASS
11AX40MIMO	Ant1	2437	0~Reference	11.80	11.80	---	PASS
11AX40MIMO	Ant2	2437	0~Reference	11.88	11.88	---	PASS
11AX40MIMO	Ant1	2437	30~1000	11.80	-61.5	≤-18.2	PASS
11AX40MIMO	Ant2	2437	30~1000	11.88	-61.49	≤-18.12	PASS
11AX40MIMO	Ant1	2437	1000~26500	11.80	-39.13	≤-18.2	PASS
11AX40MIMO	Ant2	2437	1000~26500	11.88	-40.08	≤-18.12	PASS
11AX40MIMO	Ant1	2452	0~Reference	1.36	1.36	---	PASS
11AX40MIMO	Ant2	2452	0~Reference	2.78	2.78	---	PASS
11AX40MIMO	Ant1	2452	30~1000	1.36	-61.75	≤-28.64	PASS
11AX40MIMO	Ant2	2452	30~1000	2.78	-61.79	≤-27.22	PASS
11AX40MIMO	Ant1	2452	1000~26500	1.36	-40.05	≤-28.64	PASS
11AX40MIMO	Ant2	2452	1000~26500	2.78	-39.9	≤-27.22	PASS
11BE20MIMO	Ant1	2412	0~Reference	3.92	3.92	---	PASS
11BE20MIMO	Ant2	2412	0~Reference	4.44	4.44	---	PASS
11BE20MIMO	Ant1	2412	30~1000	3.92	-62.09	≤-26.08	PASS
11BE20MIMO	Ant2	2412	30~1000	4.44	-62.29	≤-25.56	PASS
11BE20MIMO	Ant1	2412	1000~26500	3.92	-40.73	≤-26.08	PASS
11BE20MIMO	Ant2	2412	1000~26500	4.44	-41.03	≤-25.56	PASS
11BE20MIMO	Ant1	2437	0~Reference	14.05	14.05	---	PASS
11BE20MIMO	Ant2	2437	0~Reference	13.45	13.45	---	PASS
11BE20MIMO	Ant1	2437	30~1000	14.05	-61.73	≤-15.95	PASS
11BE20MIMO	Ant2	2437	30~1000	13.45	-61.76	≤-16.55	PASS
11BE20MIMO	Ant1	2437	1000~26500	14.05	-38.64	≤-15.95	PASS
11BE20MIMO	Ant2	2437	1000~26500	13.45	-40.21	≤-16.55	PASS

11BE20MIMO	Ant1	2462	0~Reference	5.95	5.95	---	PASS
11BE20MIMO	Ant2	2462	0~Reference	4.54	4.54	---	PASS
11BE20MIMO	Ant1	2462	30~1000	5.95	-61.67	≤-24.05	PASS
11BE20MIMO	Ant2	2462	30~1000	4.54	-61.86	≤-25.46	PASS
11BE20MIMO	Ant1	2462	1000~26500	5.95	-40.74	≤-24.05	PASS
11BE20MIMO	Ant2	2462	1000~26500	4.54	-39.71	≤-25.46	PASS
11BE40MIMO	Ant1	2422	0~Reference	3.58	3.58	---	PASS
11BE40MIMO	Ant2	2422	0~Reference	4.36	4.36	---	PASS
11BE40MIMO	Ant1	2422	30~1000	3.58	-61.58	≤-26.42	PASS
11BE40MIMO	Ant2	2422	30~1000	4.36	-61.96	≤-25.64	PASS
11BE40MIMO	Ant1	2422	1000~26500	3.58	-40.17	≤-26.42	PASS
11BE40MIMO	Ant2	2422	1000~26500	4.36	-40.08	≤-25.64	PASS
11BE40MIMO	Ant1	2437	0~Reference	11.68	11.68	---	PASS
11BE40MIMO	Ant2	2437	0~Reference	11.40	11.40	---	PASS
11BE40MIMO	Ant1	2437	30~1000	11.68	-61.23	≤-18.32	PASS
11BE40MIMO	Ant2	2437	30~1000	11.40	-62.04	≤-18.6	PASS
11BE40MIMO	Ant1	2437	1000~26500	11.68	-39.93	≤-18.32	PASS
11BE40MIMO	Ant2	2437	1000~26500	11.40	-39.38	≤-18.6	PASS
11BE40MIMO	Ant1	2452	0~Reference	1.67	1.67	---	PASS
11BE40MIMO	Ant2	2452	0~Reference	1.51	1.51	---	PASS
11BE40MIMO	Ant1	2452	30~1000	1.67	-61.23	≤-28.33	PASS
11BE40MIMO	Ant2	2452	30~1000	1.51	-51.49	≤-28.49	PASS
11BE40MIMO	Ant1	2452	1000~26500	1.67	-39.96	≤-28.33	PASS
11BE40MIMO	Ant2	2452	1000~26500	1.51	-39.5	≤-28.49	PASS

Band edge

Test Mode	Antenna	ChName	Frequency [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11B-CDD	Ant1	Low	2412	14.83	-30.89	≤-15.17	PASS
11B-CDD	Ant2	Low	2412	15.51	-27.1	≤-14.5	PASS
11B-CDD	Ant1	High	2462	15.19	-39.06	≤-14.81	PASS
11B-CDD	Ant2	High	2462	15.19	-39.5	≤-14.81	PASS
11G-CDD	Ant1	Low	2412	8.54	-24.25	≤-21.46	PASS
11G-CDD	Ant2	Low	2412	8.81	-21.68	≤-21.19	PASS
11G-CDD	Ant1	High	2462	8.57	-35.41	≤-21.43	PASS
11G-CDD	Ant2	High	2462	8.73	-33.41	≤-21.27	PASS
11N20MIMO	Ant1	Low	2412	8.77	-22.39	≤-21.24	PASS
11N20MIMO	Ant2	Low	2412	8.18	-21.84	≤-21.82	PASS
11N20MIMO	Ant1	High	2462	8.89	-35.44	≤-21.11	PASS
11N20MIMO	Ant2	High	2462	7.92	-33.14	≤-22.08	PASS
11N40MIMO	Ant1	Low	2422	3.87	-36	≤-26.13	PASS
11N40MIMO	Ant2	Low	2422	3.71	-35.72	≤-26.29	PASS

11N40MIMO	Ant1	High	2452	2.80	-39.05	≤-27.2	PASS
11N40MIMO	Ant2	High	2452	3.71	-39.43	≤-26.29	PASS
11AX20MIMO	Ant1	Low	2412	6.80	-26.85	≤-23.2	PASS
11AX20MIMO	Ant2	Low	2412	6.24	-26.41	≤-23.76	PASS
11AX20MIMO	Ant1	High	2462	7.46	-38.02	≤-22.54	PASS
11AX20MIMO	Ant2	High	2462	7.79	-37.11	≤-22.22	PASS
11AX40MIMO	Ant1	Low	2422	2.92	-32.37	≤-27.08	PASS
11AX40MIMO	Ant2	Low	2422	3.49	-35.64	≤-26.51	PASS
11AX40MIMO	Ant1	High	2452	3.19	-38.79	≤-26.81	PASS
11AX40MIMO	Ant2	High	2452	3.42	-38.64	≤-26.58	PASS
11BE20MIMO	Ant1	Low	2412	6.73	-27.72	≤-23.27	PASS
11BE20MIMO	Ant2	Low	2412	6.53	-26.05	≤-23.47	PASS
11BE20MIMO	Ant1	High	2462	6.54	-37.83	≤-23.46	PASS
11BE20MIMO	Ant2	High	2462	7.66	-33.66	≤-22.34	PASS
11BE40MIMO	Ant1	Low	2422	3.30	-32.97	≤-26.71	PASS
11BE40MIMO	Ant2	Low	2422	3.18	-29.37	≤-26.82	PASS
11BE40MIMO	Ant1	High	2452	3.18	-37.8	≤-26.82	PASS
11BE40MIMO	Ant2	High	2452	4.00	-32.31	≤-26	PASS

Conducted Spurious Emission




11B-CDD-Ant1-2412-0~Reference-PASS



11B-CDD-Ant2-2412-0~Reference-PASS



11B-CDD-Ant1-2412-30~1000-PASS



11B-CDD-Ant2-2412-30~1000-PASS



11B-CDD-Ant1-2412-1000~26500-PASS




11B-CDD-Ant2-2412-1000~26500-PASS




11B-CDD-Ant1-2437-0~Reference-PASS



11B-CDD-Ant2-2437-0~Reference-PASS



11B-CDD-Ant1-2437-30~1000-PASS



11B-CDD-Ant2-2437-30~1000-PASS



11B-CDD-Ant1-2437-1000~26500-PASS



11B-CDD-Ant2-2437-1000~26500-PASS




11B-CDD-Ant1-2462-0~Reference-PASS



11B-CDD-Ant2-2462-0~Reference-PASS



11B-CDD-Ant1-2462-30~1000-PASS



11B-CDD-Ant2-2462-30~1000-PASS



11B-CDD-Ant1-2462-1000~26500-PASS




11B-CDD-Ant2-2462-1000~26500-PASS




11G-CDD-Ant1-2412-0~Reference-PASS



11G-CDD-Ant2-2412-0~Reference-PASS



11G-CDD-Ant1-2412-30~1000-PASS



11G-CDD-Ant2-2412-30~1000-PASS



11G-CDD-Ant1-2412-1000~26500-PASS




11G-CDD-Ant2-2412-1000~26500-PASS




11G-CDD-Ant1-2437-0~Reference-PASS



11G-CDD-Ant2-2437-0~Reference-PASS



11G-CDD-Ant1-2437-30~1000-PASS



11G-CDD-Ant2-2437-30~1000-PASS



11G-CDD-Ant1-2437-1000~26500-PASS




11G-CDD-Ant2-2437-1000~26500-PASS




11G-CDD-Ant1-2462-0~Reference-PASS



11G-CDD-Ant2-2462-0~Reference-PASS



11G-CDD-Ant1-2462-30~1000-PASS



11G-CDD-Ant2-2462-30~1000-PASS



11G-CDD-Ant1-2462-1000~26500-PASS



11G-CDD-Ant2-2462-1000~26500-PASS



11N20MIMO-Ant1-2412-0~Reference-PASS



11N20MIMO-Ant2-2412-0~Reference-PASS