




Band41 16QAM BW=5MHz Channel=41565 RB Size=25 Position=#0




Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QPSK BW=10MHz Channel=40620 RB Size=50 Position=#0




Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QPSK BW=15MHz Channel=40620 RB Size=75 Position=#0




**Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0**




**Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0**




**Band41 QPSK BW=20MHz Channel=40620 RB Size=100 Position=#0**




**Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0**




**Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0**




**Band41 QPSK BW=5MHz Channel=40620 RB Size=25 Position=#0**




**Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0**




**Band71 16QAM BW=10MHz Channel=133172 RB Size=50 Position=#0**




**Band71 16QAM BW=10MHz Channel=133422 RB Size=50 Position=#0**




Band71 16QAM BW=15MHz Channel=133197 RB Size=75 Position=#0




Band71 16QAM BW=15MHz Channel=133397 RB Size=75 Position=#0




Band71 16QAM BW=20MHz Channel=133222 RB Size=100 Position=#0




Band71 16QAM BW=20MHz Channel=133372 RB Size=100 Position=#0




Band71 16QAM BW=5MHz Channel=133147 RB Size=25 Position=#0




Band71 16QAM BW=5MHz Channel=133447 RB Size=25 Position=#0




Band71 QPSK BW=10MHz Channel=133172 RB Size=50 Position=#0



Band71 QPSK BW=10MHz Channel=133422 RB Size=50 Position=#0




Band71 QPSK BW=15MHz Channel=133197 RB Size=75 Position=#0







**Band71 QPSK BW=15MHz Channel=133397 RB Size=75 Position=#0**




**Band71 QPSK BW=20MHz Channel=133222 RB Size=100 Position=#0**




**Band71 QPSK BW=20MHz Channel=133372 RB Size=100 Position=#0**



Band71 QPSK BW=5MHz Channel=133147 RB Size=25 Position=#0



Band71 QPSK BW=5MHz Channel=133447 RB Size=25 Position=#0



RADIATED SPURIOUS EMISSION

Note:

- (1) Spurious emissions which are attenuated by more than 20dB below the permissible value for frequency below 1000MHz.
- (2) Test is divided into three directions, X/Y/Z. X pattern for the worst.

LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3701.20	-27.47	7.00	12.93	-33.40	-13.00	-20.40	H
5552.05	-27.50	8.40	17.11	-36.21	-13.00	-23.21	H
7402.37	-25.05	8.10	22.20	-39.15	-13.00	-26.15	H
3701.20	-27.97	7.00	12.93	-33.90	-13.00	-20.90	V
5552.05	-29.23	8.40	17.11	-37.94	-13.00	-24.94	V
7402.37	-25.85	8.10	22.20	-39.95	-13.00	-26.95	V
LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.89	-26.01	7.00	12.93	-31.94	-13.00	-18.94	H
5640.24	-26.73	8.40	17.11	-35.44	-13.00	-22.44	H
7520.19	-26.21	8.10	22.20	-40.31	-13.00	-27.31	H
3759.89	-29.03	7.00	12.93	-34.96	-13.00	-21.96	V
5640.24	-27.18	8.40	17.11	-35.89	-13.00	-22.89	V
7520.19	-24.58	8.10	22.20	-38.68	-13.00	-25.68	V
LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3818.48	-28.00	7.00	12.93	-33.93	-13.00	-20.93	H
5727.86	-25.18	8.40	17.11	-33.89	-13.00	-20.89	H
7637.05	-25.58	8.10	22.20	-39.68	-13.00	-26.68	H
3818.48	-27.41	7.00	12.93	-33.34	-13.00	-20.34	V
5727.86	-26.44	8.40	17.11	-35.15	-13.00	-22.15	V
7637.05	-26.23	8.10	22.20	-40.33	-13.00	-27.33	V

LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3703.25	-28.94	7.00	12.93	-34.87	-13.00	-21.87	H
5554.27	-28.63	8.40	17.11	-37.34	-13.00	-24.34	H
7406.05	-26.95	8.10	22.20	-41.05	-13.00	-28.05	H
3703.25	-29.52	7.00	12.93	-35.45	-13.00	-22.45	V
5554.27	-26.07	8.40	17.11	-34.78	-13.00	-21.78	V
7406.05	-25.13	8.10	22.20	-39.23	-13.00	-26.23	V
LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.97	-26.04	7.00	12.93	-31.97	-13.00	-18.97	H
5640.18	-28.24	8.40	17.11	-36.95	-13.00	-23.95	H
7520.21	-25.24	8.10	22.20	-39.34	-13.00	-26.34	H
3759.97	-28.08	7.00	12.93	-34.01	-13.00	-21.01	V
5640.18	-24.40	8.40	17.11	-33.11	-13.00	-20.11	V
7520.21	-25.97	8.10	22.20	-40.07	-13.00	-27.07	V
LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3816.85	-28.90	7.00	12.93	-34.83	-13.00	-21.83	H
5725.71	-25.08	8.40	17.11	-33.79	-13.00	-20.79	H
7634.24	-27.11	8.10	22.20	-41.21	-13.00	-28.21	H
3816.85	-26.40	7.00	12.93	-32.33	-13.00	-19.33	V
5725.71	-28.19	8.40	17.11	-36.90	-13.00	-23.90	V
7634.24	-27.89	8.10	22.20	-41.99	-13.00	-28.99	V

LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3705.48	-26.44	7.00	12.93	-32.37	-13.00	-19.37	H
5557.15	-28.94	8.40	17.11	-37.65	-13.00	-24.65	H
7410.20	-23.45	8.10	22.20	-37.55	-13.00	-24.55	H
3705.48	-25.21	7.00	12.93	-31.14	-13.00	-18.14	V
5557.15	-26.59	8.40	17.11	-35.30	-13.00	-22.30	V
7410.20	-23.52	8.10	22.20	-37.62	-13.00	-24.62	V
LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.81	-26.47	7.00	12.93	-32.40	-13.00	-19.40	H
5640.29	-26.88	8.40	17.11	-35.59	-13.00	-22.59	H
7520.08	-27.63	8.10	22.20	-41.73	-13.00	-28.73	H
3759.81	-29.56	7.00	12.93	-35.49	-13.00	-22.49	V
5640.29	-28.66	8.40	17.11	-37.37	-13.00	-24.37	V
7520.08	-24.96	8.10	22.20	-39.06	-13.00	-26.06	V
LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3815.17	-24.01	7.00	12.93	-29.94	-13.00	-16.94	H
5722.53	-25.57	8.40	17.11	-34.28	-13.00	-21.28	H
7629.86	-26.84	8.10	22.20	-40.94	-13.00	-27.94	H
3815.17	-29.78	7.00	12.93	-35.71	-13.00	-22.71	V
5722.53	-27.48	8.40	17.11	-36.19	-13.00	-23.19	V
7629.86	-23.95	8.10	22.20	-38.05	-13.00	-25.05	V

LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3710.07	-26.88	7.00	12.93	-32.81	-13.00	-19.81	H
5565.02	-26.74	8.40	17.11	-35.45	-13.00	-22.45	H
7419.79	-24.58	8.10	22.20	-38.68	-13.00	-25.68	H
3710.07	-27.95	7.00	12.93	-33.88	-13.00	-20.88	V
5565.02	-25.02	8.40	17.11	-33.73	-13.00	-20.73	V
7419.79	-27.41	8.10	22.20	-41.51	-13.00	-28.51	V
LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.07	-25.71	7.00	12.93	-31.64	-13.00	-18.64	H
5640.02	-27.71	8.40	17.11	-36.42	-13.00	-23.42	H
7519.84	-23.94	8.10	22.20	-38.04	-13.00	-25.04	H
3760.07	-29.83	7.00	12.93	-35.76	-13.00	-22.76	V
5640.02	-26.76	8.40	17.11	-35.47	-13.00	-22.47	V
7519.84	-25.05	8.10	22.20	-39.15	-13.00	-26.15	V
LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3810.38	-28.52	7.00	12.93	-34.45	-13.00	-21.45	H
5714.78	-29.46	8.40	17.11	-38.17	-13.00	-25.17	H
7619.94	-23.36	8.10	22.20	-37.46	-13.00	-24.46	H
3810.38	-25.03	7.00	12.93	-30.96	-13.00	-17.96	V
5714.78	-24.51	8.40	17.11	-33.22	-13.00	-20.22	V
7619.94	-26.79	8.10	22.20	-40.89	-13.00	-27.89	V

LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3714.94	-24.65	7.00	12.93	-30.58	-13.00	-17.58	H
5572.19	-27.51	8.40	17.11	-36.22	-13.00	-23.22	H
7430.82	-25.39	8.10	22.20	-39.49	-13.00	-26.49	H
3714.94	-25.81	7.00	12.93	-31.74	-13.00	-18.74	V
5572.19	-27.61	8.40	17.11	-36.32	-13.00	-23.32	V
7430.82	-24.38	8.10	22.20	-38.48	-13.00	-25.48	V
LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.26	-26.69	7.00	12.93	-32.62	-13.00	-19.62	H
5640.04	-26.82	8.40	17.11	-35.53	-13.00	-22.53	H
7519.93	-24.91	8.10	22.20	-39.01	-13.00	-26.01	H
3760.26	-25.43	7.00	12.93	-31.36	-13.00	-18.36	V
5640.04	-28.30	8.40	17.11	-37.01	-13.00	-24.01	V
7519.93	-25.87	8.10	22.20	-39.97	-13.00	-26.97	V
LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3805.15	-25.73	7.00	12.93	-31.66	-13.00	-18.66	H
5707.52	-26.24	8.40	17.11	-34.95	-13.00	-21.95	H
7610.05	-24.06	8.10	22.20	-38.16	-13.00	-25.16	H
3805.15	-27.39	7.00	12.93	-33.32	-13.00	-20.32	V
5707.52	-26.93	8.40	17.11	-35.64	-13.00	-22.64	V
7610.05	-24.76	8.10	22.20	-38.86	-13.00	-25.86	V

LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3720.46	-25.17	7.00	12.93	-31.10	-13.00	-18.10	H
5580.40	-27.59	8.40	17.11	-36.30	-13.00	-23.30	H
7440.11	-25.42	8.10	22.20	-39.52	-13.00	-26.52	H
3720.46	-27.91	7.00	12.93	-33.84	-13.00	-20.84	V
5580.40	-24.98	8.40	17.11	-33.69	-13.00	-20.69	V
7440.11	-23.44	8.10	22.20	-37.54	-13.00	-24.54	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.85	-27.02	7.00	12.93	-32.95	-13.00	-19.95	H
5639.82	-26.72	8.40	17.11	-35.43	-13.00	-22.43	H
7520.24	-24.52	8.10	22.20	-38.62	-13.00	-25.62	H
3759.85	-27.02	7.00	12.93	-32.95	-13.00	-19.95	V
5639.82	-25.88	8.40	17.11	-34.59	-13.00	-21.59	V
7520.24	-25.71	8.10	22.20	-39.81	-13.00	-26.81	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3799.97	-28.91	7.00	12.93	-34.84	-13.00	-21.84	H
5700.18	-27.50	8.40	17.11	-36.21	-13.00	-23.21	H
7599.92	-23.80	8.10	22.20	-37.90	-13.00	-24.90	H
3799.97	-26.63	7.00	12.93	-32.56	-13.00	-19.56	V
5700.18	-25.27	8.40	17.11	-33.98	-13.00	-20.98	V
7599.92	-23.84	8.10	22.20	-37.94	-13.00	-24.94	V



LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	( dBm )	(dBm)	
3421.01	-25.93	7.20	12.56	-31.29	-13.00	-18.29	H
5131.99	-25.36	8.10	16.32	-33.58	-13.00	-20.58	H
6842.69	-25.18	8.30	21.13	-38.01	-13.00	-25.01	H
3421.01	-27.76	7.20	12.56	-33.12	-13.00	-20.12	V
5131.99	-27.76	8.10	16.32	-35.98	-13.00	-22.98	V
6842.69	-23.52	8.30	21.13	-36.35	-13.00	-23.35	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	( dBm )	(dBm)	
3464.91	-28.18	7.20	12.56	-33.54	-13.00	-20.54	H
5196.75	-28.78	8.10	16.32	-37.00	-13.00	-24.00	H
6930.11	-26.43	8.30	21.13	-39.26	-13.00	-26.26	H
3464.91	-27.01	7.20	12.56	-32.37	-13.00	-19.37	V
5196.75	-28.02	8.10	16.32	-36.24	-13.00	-23.24	V
6930.11	-25.91	8.30	21.13	-38.74	-13.00	-25.74	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	( dBm )	(dBm)	
3508.15	-24.69	7.20	12.56	-30.05	-13.00	-17.05	H
5262.40	-27.29	8.10	16.32	-35.51	-13.00	-22.51	H
7015.54	-24.24	8.30	21.13	-37.07	-13.00	-24.07	H
3508.15	-26.92	7.20	12.56	-32.28	-13.00	-19.28	V
5262.40	-26.11	8.10	16.32	-34.33	-13.00	-21.33	V
7015.54	-27.53	8.30	21.13	-40.36	-13.00	-27.36	V

LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3424.10	-24.90	7.20	12.56	-30.26	-13.00	-17.26	H
5135.84	-28.20	8.10	16.32	-36.42	-13.00	-23.42	H
6848.59	-23.61	8.30	21.13	-36.44	-13.00	-23.44	H
3424.10	-25.09	7.20	12.56	-30.45	-13.00	-17.45	V
5135.84	-26.38	8.10	16.32	-34.60	-13.00	-21.60	V
6848.59	-25.66	8.30	21.13	-38.49	-13.00	-25.49	V
LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.48	-27.42	7.20	12.56	-32.78	-13.00	-19.78	H
5196.82	-28.48	8.10	16.32	-36.70	-13.00	-23.70	H
6930.15	-23.53	8.30	21.13	-36.36	-13.00	-23.36	H
3464.48	-25.65	7.20	12.56	-31.01	-13.00	-18.01	V
5196.82	-26.91	8.10	16.32	-35.13	-13.00	-22.13	V
6930.15	-25.87	8.30	21.13	-38.70	-13.00	-25.70	V
LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3506.14	-27.53	7.20	12.56	-32.89	-13.00	-19.89	H
5261.65	-26.25	8.10	16.32	-34.47	-13.00	-21.47	H
7012.74	-22.85	8.30	21.13	-35.68	-13.00	-22.68	H
3506.14	-27.31	7.20	12.56	-32.67	-13.00	-19.67	V
5261.65	-27.62	8.10	16.32	-35.84	-13.00	-22.84	V
7012.74	-27.86	8.30	21.13	-40.69	-13.00	-27.69	V

LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3424.80	-24.55	7.20	12.56	-29.91	-13.00	-16.91	H
5137.00	-28.10	8.10	16.32	-36.32	-13.00	-23.32	H
6849.93	-25.08	8.30	21.13	-37.91	-13.00	-24.91	H
3424.80	-26.29	7.20	12.56	-31.65	-13.00	-18.65	V
5137.00	-27.00	8.10	16.32	-35.22	-13.00	-22.22	V
6849.93	-25.29	8.30	21.13	-38.12	-13.00	-25.12	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.65	-24.63	7.20	12.56	-29.99	-13.00	-16.99	H
5196.81	-27.52	8.10	16.32	-35.74	-13.00	-22.74	H
6929.79	-22.73	8.30	21.13	-35.56	-13.00	-22.56	H
3464.65	-25.36	7.20	12.56	-30.72	-13.00	-17.72	V
5196.81	-25.30	8.10	16.32	-33.52	-13.00	-20.52	V
6929.79	-24.28	8.30	21.13	-37.11	-13.00	-24.11	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3505.08	-24.91	7.20	12.56	-30.27	-13.00	-17.27	H
5257.02	-26.95	8.10	16.32	-35.17	-13.00	-22.17	H
7010.03	-26.90	8.30	21.13	-39.73	-13.00	-26.73	H
3505.08	-27.80	7.20	12.56	-33.16	-13.00	-20.16	V
5257.02	-26.17	8.10	16.32	-34.39	-13.00	-21.39	V
7010.03	-27.76	8.30	21.13	-40.59	-13.00	-27.59	V

LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3430.16	-28.14	7.20	12.56	-33.50	-13.00	-20.50	H
5145.39	-25.35	8.10	16.32	-33.57	-13.00	-20.57	H
6860.41	-25.02	8.30	21.13	-37.85	-13.00	-24.85	H
3430.16	-25.47	7.20	12.56	-30.83	-13.00	-17.83	V
5145.39	-25.73	8.10	16.32	-33.95	-13.00	-20.95	V
6860.41	-25.39	8.30	21.13	-38.22	-13.00	-25.22	V
LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.37	-25.34	7.20	12.56	-30.70	-13.00	-17.70	H
5196.72	-28.86	8.10	16.32	-37.08	-13.00	-24.08	H
6929.50	-23.49	8.30	21.13	-36.32	-13.00	-23.32	H
3464.37	-26.54	7.20	12.56	-31.90	-13.00	-18.90	V
5196.72	-28.76	8.10	16.32	-36.98	-13.00	-23.98	V
6929.50	-24.78	8.30	21.13	-37.61	-13.00	-24.61	V
LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3500.24	-26.46	7.20	12.56	-31.82	-13.00	-18.82	H
5250.19	-26.60	8.10	16.32	-34.82	-13.00	-21.82	H
6999.89	-26.50	8.30	21.13	-39.33	-13.00	-26.33	H
3500.24	-29.80	7.20	12.56	-35.16	-13.00	-22.16	V
5250.19	-25.77	8.10	16.32	-33.99	-13.00	-20.99	V
6999.89	-24.70	8.30	21.13	-37.53	-13.00	-24.53	V

LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3435.03	-25.90	7.20	12.56	-31.26	-13.00	-18.26	H
5152.39	-26.51	8.10	16.32	-34.73	-13.00	-21.73	H
6870.56	-23.12	8.30	21.13	-35.95	-13.00	-22.95	H
3435.03	-29.08	7.20	12.56	-34.44	-13.00	-21.44	V
5152.39	-26.70	8.10	16.32	-34.92	-13.00	-21.92	V
6870.56	-26.96	8.30	21.13	-39.79	-13.00	-26.79	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.99	-25.04	7.20	12.56	-30.40	-13.00	-17.40	H
5196.74	-28.15	8.10	16.32	-36.37	-13.00	-23.37	H
6930.07	-26.57	8.30	21.13	-39.40	-13.00	-26.40	H
3464.99	-27.10	7.20	12.56	-32.46	-13.00	-19.46	V
5196.74	-25.61	8.10	16.32	-33.83	-13.00	-20.83	V
6930.07	-26.08	8.30	21.13	-38.91	-13.00	-25.91	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3495.27	-28.65	7.20	12.56	-34.01	-13.00	-21.01	H
5242.06	-27.95	8.10	16.32	-36.17	-13.00	-23.17	H
6990.20	-25.46	8.30	21.13	-38.29	-13.00	-25.29	H
3495.27	-28.38	7.20	12.56	-33.74	-13.00	-20.74	V
5242.06	-28.51	8.10	16.32	-36.73	-13.00	-23.73	V
6990.20	-24.66	8.30	21.13	-37.49	-13.00	-24.49	V

LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3440.10	-28.34	7.20	12.56	-33.70	-13.00	-20.70	H
5160.20	-24.66	8.10	16.32	-32.88	-13.00	-19.88	H
6880.50	-26.42	8.30	21.13	-39.25	-13.00	-26.25	H
3440.10	-26.17	7.20	12.56	-31.53	-13.00	-18.53	V
5160.20	-25.51	8.10	16.32	-33.73	-13.00	-20.73	V
6880.50	-24.42	8.30	21.13	-37.25	-13.00	-24.25	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.72	-26.09	7.20	12.56	-31.45	-13.00	-18.45	H
5196.61	-27.59	8.10	16.32	-35.81	-13.00	-22.81	H
6929.90	-25.34	8.30	21.13	-38.17	-13.00	-25.17	H
3464.72	-27.12	7.20	12.56	-32.48	-13.00	-19.48	V
5196.61	-25.99	8.10	16.32	-34.21	-13.00	-21.21	V
6929.90	-27.56	8.30	21.13	-40.39	-13.00	-27.39	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.64	-25.08	7.20	12.56	-30.44	-13.00	-17.44	H
5235.24	-25.18	8.10	16.32	-33.40	-13.00	-20.40	H
6979.55	-27.53	8.30	21.13	-40.36	-13.00	-27.36	H
3490.64	-25.76	7.20	12.56	-31.12	-13.00	-18.12	V
5235.24	-26.60	8.10	16.32	-34.82	-13.00	-21.82	V
6979.55	-25.54	8.30	21.13	-38.37	-13.00	-25.37	V

LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1648.45	-28.38	7.40	9.72	-30.70	-13.00	-17.70	H
2473.53	-25.96	8.30	10.86	-28.52	-13.00	-15.52	H
3298.35	-27.73	7.20	11.57	-32.10	-13.00	-19.10	H
1648.45	-29.48	7.40	9.72	-31.80	-13.00	-18.80	V
2473.53	-26.15	8.30	10.86	-28.71	-13.00	-15.71	V
3298.35	-27.74	7.20	11.57	-32.11	-13.00	-19.11	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.76	-26.64	7.40	9.72	-28.96	-13.00	-15.96	H
2509.26	-27.28	8.30	10.86	-29.84	-13.00	-16.84	H
3345.54	-25.50	7.20	11.57	-29.87	-13.00	-16.87	H
1672.76	-26.97	7.40	9.72	-29.29	-13.00	-16.29	V
2509.26	-25.80	8.30	10.86	-28.36	-13.00	-15.36	V
3345.54	-28.58	7.20	11.57	-32.95	-13.00	-19.95	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1696.02	-25.69	7.40	9.72	-28.01	-13.00	-15.01	H
2544.48	-27.78	8.30	10.86	-30.34	-13.00	-17.34	H
3393.18	-26.79	7.20	11.57	-31.16	-13.00	-18.16	H
1696.02	-26.18	7.40	9.72	-28.50	-13.00	-15.50	V
2544.48	-26.29	8.30	10.86	-28.85	-13.00	-15.85	V
3393.18	-25.30	7.20	11.57	-29.67	-13.00	-16.67	V

LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1650.41	-25.41	7.40	9.72	-27.73	-13.00	-14.73	H
2475.95	-30.49	8.30	10.86	-33.05	-13.00	-20.05	H
3301.26	-27.14	7.20	11.57	-31.51	-13.00	-18.51	H
1650.41	-27.62	7.40	9.72	-29.94	-13.00	-16.94	V
2475.95	-29.19	8.30	10.86	-31.75	-13.00	-18.75	V
3301.26	-26.06	7.20	11.57	-30.43	-13.00	-17.43	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.48	-29.38	7.40	9.72	-31.70	-13.00	-18.70	H
2508.85	-25.92	8.30	10.86	-28.48	-13.00	-15.48	H
3345.49	-25.00	7.20	11.57	-29.37	-13.00	-16.37	H
1672.48	-29.44	7.40	9.72	-31.76	-13.00	-18.76	V
2508.85	-29.32	8.30	10.86	-31.88	-13.00	-18.88	V
3345.49	-24.73	7.20	11.57	-29.10	-13.00	-16.10	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1694.30	-29.37	7.40	9.72	-31.69	-13.00	-18.69	H
2542.02	-26.99	8.30	10.86	-29.55	-13.00	-16.55	H
3389.37	-26.75	7.20	11.57	-31.12	-13.00	-18.12	H
1694.30	-29.49	7.40	9.72	-31.81	-13.00	-18.81	V
2542.02	-29.90	8.30	10.86	-32.46	-13.00	-19.46	V
3389.37	-28.16	7.20	11.57	-32.53	-13.00	-19.53	V



LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1652.51	-27.82	7.40	9.72	-30.14	-13.00	-17.14	H
2478.57	-25.91	8.30	10.86	-28.47	-13.00	-15.47	H
3305.73	-24.11	7.20	11.57	-28.48	-13.00	-15.48	H
1652.51	-27.08	7.40	9.72	-29.40	-13.00	-16.40	V
2478.57	-29.10	8.30	10.86	-31.66	-13.00	-18.66	V
3305.73	-26.46	7.20	11.57	-30.83	-13.00	-17.83	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.42	-29.33	7.40	9.72	-31.65	-13.00	-18.65	H
2508.99	-29.14	8.30	10.86	-31.70	-13.00	-18.70	H
3345.54	-28.24	7.20	11.57	-32.61	-13.00	-19.61	H
1672.42	-27.64	7.40	9.72	-29.96	-13.00	-16.96	V
2508.99	-27.54	8.30	10.86	-30.10	-13.00	-17.10	V
3345.54	-27.09	7.20	11.57	-31.46	-13.00	-18.46	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1692.25	-25.01	7.40	9.72	-27.33	-13.00	-14.33	H
2538.65	-28.29	8.30	10.86	-30.85	-13.00	-17.85	H
3385.92	-27.21	7.20	11.57	-31.58	-13.00	-18.58	H
1692.25	-26.58	7.40	9.72	-28.90	-13.00	-15.90	V
2538.65	-28.33	8.30	10.86	-30.89	-13.00	-17.89	V
3385.92	-28.53	7.20	11.57	-32.90	-13.00	-19.90	V

LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1657.50	-26.60	7.40	9.72	-28.92	-13.00	-15.92	H
2486.14	-27.48	8.30	10.86	-30.04	-13.00	-17.04	H
3315.09	-24.96	7.20	11.57	-29.33	-13.00	-16.33	H
1657.50	-28.77	7.40	9.72	-31.09	-13.00	-18.09	V
2486.14	-26.82	8.30	10.86	-29.38	-13.00	-16.38	V
3315.09	-24.40	7.20	11.57	-28.77	-13.00	-15.77	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.50	-29.79	7.40	9.72	-32.11	-13.00	-19.11	H
2508.74	-25.94	8.30	10.86	-28.50	-13.00	-15.50	H
3345.09	-25.70	7.20	11.57	-30.07	-13.00	-17.07	H
1672.50	-29.98	7.40	9.72	-32.30	-13.00	-19.30	V
2508.74	-29.37	8.30	10.86	-31.93	-13.00	-18.93	V
3345.09	-24.54	7.20	11.57	-28.91	-13.00	-15.91	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1687.50	-25.69	7.40	9.72	-28.01	-13.00	-15.01	H
2531.37	-27.38	8.30	10.86	-29.94	-13.00	-16.94	H
3375.47	-27.55	7.20	11.57	-31.92	-13.00	-18.92	H
1687.50	-27.77	7.40	9.72	-30.09	-13.00	-17.09	V
2531.37	-28.39	8.30	10.86	-30.95	-13.00	-17.95	V
3375.47	-27.09	7.20	11.57	-31.46	-13.00	-18.46	V

LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1399.29	-29.18	6.70	9.34	-31.82	-13.00	-18.82	H
2099.09	-26.88	7.80	10.42	-29.50	-13.00	-16.50	H
2798.62	-28.50	8.00	11.12	-31.62	-13.00	-18.62	H
1399.29	-30.45	6.70	9.34	-33.09	-13.00	-20.09	V
2099.09	-26.16	7.80	10.42	-28.78	-13.00	-15.78	V
2798.62	-27.35	8.00	11.12	-30.47	-13.00	-17.47	V
LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.90	-26.31	6.70	9.34	-28.95	-13.00	-15.95	H
2122.24	-26.45	7.80	10.42	-29.07	-13.00	-16.07	H
2829.85	-27.55	8.00	11.12	-30.67	-13.00	-17.67	H
1414.90	-27.75	6.70	9.34	-30.39	-13.00	-17.39	V
2122.24	-29.28	7.80	10.42	-31.90	-13.00	-18.90	V
2829.85	-25.43	8.00	11.12	-28.55	-13.00	-15.55	V
LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1430.48	-29.67	6.70	9.34	-32.31	-13.00	-19.31	H
2145.45	-29.66	7.80	10.42	-32.28	-13.00	-19.28	H
2860.93	-26.92	8.00	11.12	-30.04	-13.00	-17.04	H
1430.48	-29.84	6.70	9.34	-32.48	-13.00	-19.48	V
2145.45	-29.68	7.80	10.42	-32.30	-13.00	-19.30	V
2860.93	-26.74	8.00	11.12	-29.86	-13.00	-16.86	V

LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1400.93	-29.12	6.70	9.34	-31.76	-13.00	-18.76	H
2101.28	-27.71	7.80	10.42	-30.33	-13.00	-17.33	H
2801.94	-25.94	8.00	11.12	-29.06	-13.00	-16.06	H
1400.93	-27.89	6.70	9.34	-30.53	-13.00	-17.53	V
2101.28	-30.20	7.80	10.42	-32.82	-13.00	-19.82	V
2801.94	-27.59	8.00	11.12	-30.71	-13.00	-17.71	V
LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.62	-27.31	6.70	9.34	-29.95	-13.00	-16.95	H
2122.05	-29.95	7.80	10.42	-32.57	-13.00	-19.57	H
2829.73	-26.07	8.00	11.12	-29.19	-13.00	-16.19	H
1414.62	-30.20	6.70	9.34	-32.84	-13.00	-19.84	V
2122.05	-27.40	7.80	10.42	-30.02	-13.00	-17.02	V
2829.73	-25.66	8.00	11.12	-28.78	-13.00	-15.78	V
LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1428.99	-27.80	6.70	9.34	-30.44	-13.00	-17.44	H
2143.39	-25.92	7.80	10.42	-28.54	-13.00	-15.54	H
2857.60	-28.27	8.00	11.12	-31.39	-13.00	-18.39	H
1428.99	-30.07	6.70	9.34	-32.71	-13.00	-19.71	V
2143.39	-27.87	7.80	10.42	-30.49	-13.00	-17.49	V
2857.60	-25.99	8.00	11.12	-29.11	-13.00	-16.11	V

LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1402.53	-25.86	6.70	9.34	-28.50	-13.00	-15.50	H
2104.01	-27.16	7.80	10.42	-29.78	-13.00	-16.78	H
2805.88	-26.01	8.00	11.12	-29.13	-13.00	-16.13	H
1402.53	-28.73	6.70	9.34	-31.37	-13.00	-18.37	V
2104.01	-29.51	7.80	10.42	-32.13	-13.00	-19.13	V
2805.88	-26.37	8.00	11.12	-29.49	-13.00	-16.49	V
LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.58	-25.45	6.70	9.34	-28.09	-13.00	-15.09	H
2122.19	-30.21	7.80	10.42	-32.83	-13.00	-19.83	H
2829.69	-27.65	8.00	11.12	-30.77	-13.00	-17.77	H
1414.58	-26.44	6.70	9.34	-29.08	-13.00	-16.08	V
2122.19	-26.76	7.80	10.42	-29.38	-13.00	-16.38	V
2829.69	-26.01	8.00	11.12	-29.13	-13.00	-16.13	V
LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1426.75	-26.37	6.70	9.34	-29.01	-13.00	-16.01	H
2140.27	-27.61	7.80	10.42	-30.23	-13.00	-17.23	H
2853.67	-27.17	8.00	11.12	-30.29	-13.00	-17.29	H
1426.75	-27.91	6.70	9.34	-30.55	-13.00	-17.55	V
2140.27	-26.83	7.80	10.42	-29.45	-13.00	-16.45	V
2853.67	-24.85	8.00	11.12	-27.97	-13.00	-14.97	V

LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1407.59	-27.49	6.70	9.34	-30.13	-13.00	-17.13	H
2111.79	-29.26	7.80	10.42	-31.88	-13.00	-18.88	H
2815.90	-27.71	8.00	11.12	-30.83	-13.00	-17.83	H
1407.59	-26.32	6.70	9.34	-28.96	-13.00	-15.96	V
2111.79	-25.91	7.80	10.42	-28.53	-13.00	-15.53	V
2815.90	-25.17	8.00	11.12	-28.29	-13.00	-15.29	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.90	-27.88	6.70	9.34	-30.52	-13.00	-17.52	H
2122.44	-29.51	7.80	10.42	-32.13	-13.00	-19.13	H
2829.87	-24.00	8.00	11.12	-27.12	-13.00	-14.12	H
1414.90	-29.76	6.70	9.34	-32.40	-13.00	-19.40	V
2122.44	-26.79	7.80	10.42	-29.41	-13.00	-16.41	V
2829.87	-28.89	8.00	11.12	-32.01	-13.00	-19.01	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.89	-25.31	6.70	9.34	-27.95	-13.00	-14.95	H
2132.80	-28.87	7.80	10.42	-31.49	-13.00	-18.49	H
2843.53	-28.53	8.00	11.12	-31.65	-13.00	-18.65	H
1421.89	-26.57	6.70	9.34	-29.21	-13.00	-16.21	V
2132.80	-28.39	7.80	10.42	-31.01	-13.00	-18.01	V
2843.53	-28.24	8.00	11.12	-31.36	-13.00	-18.36	V

LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1559.38	-48.86	7.40	9.72	-51.18	-40.00	-11.18	H
2338.13	-38.57	8.30	10.86	-41.13	-13.00	-28.13	H
3118.28	-36.69	7.70	11.57	-40.56	-13.00	-27.56	H
1559.38	-46.92	7.40	9.72	-49.24	-40.00	-9.24	V
2338.13	-38.63	8.30	10.86	-41.19	-13.00	-28.19	V
3118.28	-38.93	7.70	11.57	-42.80	-13.00	-29.80	V
LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1564.13	-44.70	7.40	9.72	-47.02	-40.00	-7.02	H
2346.10	-35.50	8.30	10.86	-38.06	-13.00	-25.06	H
3128.06	-35.44	7.70	11.57	-39.31	-13.00	-26.31	H
1564.13	-48.69	7.40	9.72	-51.01	-40.00	-11.01	V
2346.10	-40.45	8.30	10.86	-43.01	-13.00	-30.01	V
3128.06	-35.47	7.70	11.57	-39.34	-13.00	-26.34	V
LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1569.09	-44.13	7.40	9.72	-46.45	-40.00	-6.45	H
2353.19	-38.43	8.30	10.86	-40.99	-13.00	-27.99	H
3138.43	-38.36	7.70	11.57	-42.23	-13.00	-29.23	H
1569.09	-47.20	7.40	9.72	-49.52	-40.00	-9.52	V
2353.19	-40.33	8.30	10.86	-42.89	-13.00	-29.89	V
3138.43	-35.60	7.70	11.57	-39.47	-13.00	-26.47	V

LTE Band 13 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1563.99	-44.56	7.40	9.72	-46.88	-40.00	-6.88	H
2345.91	-35.59	8.30	10.86	-38.15	-13.00	-25.15	H
3127.82	-39.25	7.70	11.57	-43.12	-13.00	-30.12	H
1563.99	-46.43	7.40	9.72	-48.75	-40.00	-8.75	V
2345.91	-36.89	8.30	10.86	-39.45	-13.00	-26.45	V
3127.82	-36.48	7.70	11.57	-40.35	-13.00	-27.35	V



LTE Band 25 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3701.30	-24.65	7.00	12.93	<b>-30.58</b>	-13.00	-17.58	H
5551.89	-27.64	8.40	17.11	-36.35	-13.00	-23.35	H
7402.67	-24.55	8.10	22.20	-38.65	-13.00	-25.65	H
3701.30	-26.16	7.00	12.93	-32.09	-13.00	-19.09	V
5551.89	-25.45	8.40	17.11	-34.16	-13.00	-21.16	V
7402.67	-26.10	8.10	22.20	-40.20	-13.00	-27.20	V
LTE Band 25 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.26	-24.35	7.00	12.93	<b>-30.28</b>	-13.00	-17.28	H
5640.08	-28.86	8.40	17.11	-37.57	-13.00	-24.57	H
7519.84	-24.02	8.10	22.20	-38.12	-13.00	-25.12	H
3760.26	-28.59	7.00	12.93	-34.52	-13.00	-21.52	V
5640.08	-25.98	8.40	17.11	-34.69	-13.00	-21.69	V
7519.84	-24.14	8.10	22.20	-38.24	-13.00	-25.24	V
LTE Band 25 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3818.39	-24.20	7.00	12.93	<b>-30.13</b>	-13.00	-17.13	H
5727.54	-27.99	8.40	17.11	-36.70	-13.00	-23.70	H
7636.85	-27.17	8.10	22.20	-41.27	-13.00	-28.27	H
3818.39	-27.98	7.00	12.93	-33.91	-13.00	-20.91	V
5727.54	-24.86	8.40	17.11	-33.57	-13.00	-20.57	V
7636.85	-25.59	8.10	22.20	-39.69	-13.00	-26.69	V

LTE Band 25 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3703.11	-28.10	7.00	12.93	-34.03	-13.00	-21.03	H
5554.54	-29.11	8.40	17.11	-37.82	-13.00	-24.82	H
7405.93	-26.49	8.10	22.20	-40.59	-13.00	-27.59	H
3703.11	-29.05	7.00	12.93	-34.98	-13.00	-21.98	V
5554.54	-26.46	8.40	17.11	-35.17	-13.00	-22.17	V
7405.93	-26.26	8.10	22.20	-40.36	-13.00	-27.36	V
LTE Band 25 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.02	-27.58	7.00	12.93	-33.51	-13.00	-20.51	H
5640.06	-25.77	8.40	17.11	-34.48	-13.00	-21.48	H
7520.16	-27.23	8.10	22.20	-41.33	-13.00	-28.33	H
3760.02	-26.75	7.00	12.93	-32.68	-13.00	-19.68	V
5640.06	-27.88	8.40	17.11	-36.59	-13.00	-23.59	V
7520.16	-24.04	8.10	22.20	-38.14	-13.00	-25.14	V
LTE Band 25 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3817.17	-25.33	7.00	12.93	-31.26	-13.00	-18.26	H
5725.53	-25.73	8.40	17.11	-34.44	-13.00	-21.44	H
7633.86	-27.61	8.10	22.20	-41.71	-13.00	-28.71	H
3817.17	-28.34	7.00	12.93	-34.27	-13.00	-21.27	V
5725.53	-25.84	8.40	17.11	-34.55	-13.00	-21.55	V
7633.86	-27.82	8.10	22.20	-41.92	-13.00	-28.92	V

LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3705.42	-24.17	7.00	12.93	-30.10	-13.00	-17.10	H
5557.51	-27.48	8.40	17.11	-36.19	-13.00	-23.19	H
7409.78	-26.72	8.10	22.20	-40.82	-13.00	-27.82	H
3705.42	-27.49	7.00	12.93	-33.42	-13.00	-20.42	V
5557.51	-24.32	8.40	17.11	-33.03	-13.00	-20.03	V
7409.78	-23.97	8.10	22.20	-38.07	-13.00	-25.07	V
LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.16	-28.27	7.00	12.93	-34.20	-13.00	-21.20	H
5640.09	-26.59	8.40	17.11	-35.30	-13.00	-22.30	H
7519.89	-24.57	8.10	22.20	-38.67	-13.00	-25.67	H
3760.16	-25.80	7.00	12.93	-31.73	-13.00	-18.73	V
5640.09	-27.68	8.40	17.11	-36.39	-13.00	-23.39	V
7519.89	-24.61	8.10	22.20	-38.71	-13.00	-25.71	V
LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3815.20	-25.68	7.00	12.93	-31.61	-13.00	-18.61	H
5722.27	-27.31	8.40	17.11	-36.02	-13.00	-23.02	H
7630.05	-25.15	8.10	22.20	-39.25	-13.00	-26.25	H
3815.20	-25.63	7.00	12.93	-31.56	-13.00	-18.56	V
5722.27	-28.17	8.40	17.11	-36.88	-13.00	-23.88	V
7630.05	-25.65	8.10	22.20	-39.75	-13.00	-26.75	V

LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3710.22	-27.64	7.00	12.93	-33.57	-13.00	-20.57	H
5565.22	-27.79	8.40	17.11	-36.50	-13.00	-23.50	H
7419.96	-23.52	8.10	22.20	-37.62	-13.00	-24.62	H
3710.22	-25.69	7.00	12.93	<b>-31.62</b>	-13.00	-18.62	V
5565.22	-26.21	8.40	17.11	-34.92	-13.00	-21.92	V
7419.96	-27.17	8.10	22.20	-41.27	-13.00	-28.27	V
LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.25	-28.34	7.00	12.93	-34.27	-13.00	-21.27	H
5640.09	-26.81	8.40	17.11	-35.52	-13.00	-22.52	H
7519.98	-25.13	8.10	22.20	-39.23	-13.00	-26.23	H
3760.25	-27.05	7.00	12.93	<b>-32.98</b>	-13.00	-19.98	V
5640.09	-28.93	8.40	17.11	-37.64	-13.00	-24.64	V
7519.98	-24.41	8.10	22.20	-38.51	-13.00	-25.51	V
LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3810.05	-25.90	7.00	12.93	<b>-31.83</b>	-13.00	-18.83	H
5715.03	-25.09	8.40	17.11	-33.80	-13.00	-20.80	H
7619.94	-24.88	8.10	22.20	-38.98	-13.00	-25.98	H
3810.05	-27.58	7.00	12.93	-33.51	-13.00	-20.51	V
5715.03	-25.24	8.40	17.11	-33.95	-13.00	-20.95	V
7619.94	-25.66	8.10	22.20	-39.76	-13.00	-26.76	V

LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3714.84	-24.98	7.00	12.93	-30.91	-13.00	-17.91	H
5572.55	-26.14	8.40	17.11	-34.85	-13.00	-21.85	H
7430.74	-24.40	8.10	22.20	-38.50	-13.00	-25.50	H
3714.84	-29.01	7.00	12.93	-34.94	-13.00	-21.94	V
5572.55	-27.96	8.40	17.11	-36.67	-13.00	-23.67	V
7430.74	-24.93	8.10	22.20	-39.03	-13.00	-26.03	V
LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.99	-26.76	7.00	12.93	-32.69	-13.00	-19.69	H
5639.87	-26.22	8.40	17.11	-34.93	-13.00	-21.93	H
7519.81	-25.14	8.10	22.20	-39.24	-13.00	-26.24	H
3759.99	-26.31	7.00	12.93	-32.24	-13.00	-19.24	V
5639.87	-27.71	8.40	17.11	-36.42	-13.00	-23.42	V
7519.81	-23.95	8.10	22.20	-38.05	-13.00	-25.05	V
LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3805.14	-27.83	7.00	12.93	-33.76	-13.00	-20.76	H
5707.58	-26.47	8.40	17.11	-35.18	-13.00	-22.18	H
7610.26	-23.25	8.10	22.20	-37.35	-13.00	-24.35	H
3805.14	-27.63	7.00	12.93	-33.56	-13.00	-20.56	V
5707.58	-25.82	8.40	17.11	-34.53	-13.00	-21.53	V
7610.26	-27.84	8.10	22.20	-41.94	-13.00	-28.94	V

<b>LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3720.34	-26.24	7.00	12.93	<b>-32.17</b>	-13.00	-19.17	H
5580.23	-26.60	8.40	17.11	-35.31	-13.00	-22.31	H
7439.68	-27.48	8.10	22.20	-41.58	-13.00	-28.58	H
3720.34	-28.89	7.00	12.93	-34.82	-13.00	-21.82	V
5580.23	-27.60	8.40	17.11	-36.31	-13.00	-23.31	V
7439.68	-28.19	8.10	22.20	-42.29	-13.00	-29.29	V
<b>LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.95	-26.09	7.00	12.93	<b>-32.02</b>	-13.00	-19.02	H
5640.18	-29.48	8.40	17.11	-38.19	-13.00	-25.19	H
7520.25	-26.00	8.10	22.20	-40.10	-13.00	-27.10	H
3759.95	-29.36	7.00	12.93	-35.29	-13.00	-22.29	V
5640.18	-24.40	8.40	17.11	-33.11	-13.00	-20.11	V
7520.25	-27.89	8.10	22.20	-41.99	-13.00	-28.99	V
<b>LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3800.02	-27.34	7.00	12.93	<b>-33.27</b>	-13.00	-20.27	H
5699.83	-27.59	8.40	17.11	-36.30	-13.00	-23.30	H
7600.22	-24.79	8.10	22.20	-38.89	-13.00	-25.89	H
3800.02	-27.67	7.00	12.93	-33.60	-13.00	-20.60	V
5699.83	-28.79	8.40	17.11	-37.50	-13.00	-24.50	V
7600.22	-27.83	8.10	22.20	-41.93	-13.00	-28.93	V

LTE Band 26(824-849MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for							
Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1649.36	-26.14	7.40	9.72	-28.46	-13.00	-15.46	H
2473.24	-28.23	8.30	10.86	-30.79	-13.00	-17.79	H
3298.54	-27.15	7.20	11.57	-31.52	-13.00	-18.52	H
1649.36	-29.13	7.40	9.72	-31.45	-13.00	-18.45	V
2473.24	-29.16	8.30	10.86	-31.72	-13.00	-18.72	V
3298.54	-28.66	7.20	11.57	-33.03	-13.00	-20.03	V
LTE Band 26(824-849MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for							
Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.91	-26.75	7.40	9.72	-29.07	-13.00	-16.07	H
2508.91	-30.88	8.30	10.86	-33.44	-13.00	-20.44	H
3346.19	-27.59	7.20	11.57	-31.96	-13.00	-18.96	H
1672.91	-30.85	7.40	9.72	-33.17	-13.00	-20.17	V
2508.91	-28.83	8.30	10.86	-31.39	-13.00	-18.39	V
3346.19	-25.95	7.20	11.57	-30.32	-13.00	-17.32	V
LTE Band 26(824-849MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for							
Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1696.58	-30.00	7.40	9.72	-32.32	-13.00	-19.32	H
2544.73	-28.83	8.30	10.86	-31.39	-13.00	-18.39	H
3392.83	-28.22	7.20	11.57	-32.59	-13.00	-19.59	H
1696.58	-31.07	7.40	9.72	-33.39	-13.00	-20.39	V
2544.73	-27.85	8.30	10.86	-30.41	-13.00	-17.41	V
3392.83	-26.77	7.20	11.57	-31.14	-13.00	-18.14	V

LTE Band 26(824-849MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1651.30	-29.30	7.40	9.72	-31.62	-13.00	-18.62	H
2476.36	-27.90	8.30	10.86	-30.46	-13.00	-17.46	H
3301.58	-29.37	7.20	11.57	-33.74	-13.00	-20.74	H
1651.30	-27.49	7.40	9.72	-29.81	-13.00	-16.81	V
2476.36	-27.64	8.30	10.86	-30.20	-13.00	-17.20	V
3301.58	-29.77	7.20	11.57	-34.14	-13.00	-21.14	V
LTE Band 26(824-849MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.17	-29.73	7.40	9.72	-32.05	-13.00	-19.05	H
2509.05	-30.70	8.30	10.86	-33.26	-13.00	-20.26	H
3345.95	-25.03	7.20	11.57	-29.40	-13.00	-16.40	H
1673.17	-29.12	7.40	9.72	-31.44	-13.00	-18.44	V
2509.05	-30.90	8.30	10.86	-33.46	-13.00	-20.46	V
3345.95	-29.73	7.20	11.57	-34.10	-13.00	-21.10	V
LTE Band 26(824-849MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1695.46	-30.51	7.40	9.72	-32.83	-13.00	-19.83	H
2542.10	-28.08	8.30	10.86	-30.64	-13.00	-17.64	H
3390.23	-27.25	7.20	11.57	-31.62	-13.00	-18.62	H
1695.46	-30.59	7.40	9.72	-32.91	-13.00	-19.91	V
2542.10	-28.38	8.30	10.86	-30.94	-13.00	-17.94	V
3390.23	-26.43	7.20	11.57	-30.80	-13.00	-17.80	V



LTE Band 26(824-849MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
1653.02	-26.84	7.40	9.72	-29.16	-13.00	-16.16	H
2479.24	-31.27	8.30	10.86	-33.83	-13.00	-20.83	H
3306.52	-25.97	7.20	11.57	-30.34	-13.00	-17.34	H
1653.02	-27.56	7.40	9.72	-29.88	-13.00	-16.88	V
2479.24	-28.74	8.30	10.86	-31.30	-13.00	-18.30	V
3306.52	-29.13	7.20	11.57	-33.50	-13.00	-20.50	V
LTE Band 26(824-849MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
1673.17	-30.25	7.40	9.72	-32.57	-13.00	-19.57	H
2509.26	-30.19	8.30	10.86	-32.75	-13.00	-19.75	H
3345.89	-24.70	7.20	11.57	-29.07	-13.00	-16.07	H
1673.17	-28.55	7.40	9.72	-30.87	-13.00	-17.87	V
2509.26	-27.15	8.30	10.86	-29.71	-13.00	-16.71	V
3345.89	-27.37	7.20	11.57	-31.74	-13.00	-18.74	V
LTE Band 26(824-849MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
1693.73	-26.72	7.40	9.72	-29.04	-13.00	-16.04	H
2539.22	-31.36	8.30	10.86	-33.92	-13.00	-20.92	H
3386.30	-27.01	7.20	11.57	-31.38	-13.00	-18.38	H
1693.73	-27.92	7.40	9.72	-30.24	-13.00	-17.24	V
2539.22	-29.40	8.30	10.86	-31.96	-13.00	-18.96	V
3386.30	-26.38	7.20	11.57	-30.75	-13.00	-17.75	V

LTE Band 26(824-849MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1657.95	-26.75	7.40	9.72	-29.07	-13.00	-16.07	H
2486.63	-27.85	8.30	10.86	-30.41	-13.00	-17.41	H
3315.96	-24.69	7.20	11.57	-29.06	-13.00	-16.06	H
1657.95	-28.11	7.40	9.72	-30.43	-13.00	-17.43	V
2486.63	-31.06	8.30	10.86	-33.62	-13.00	-20.62	V
3315.96	-28.18	7.20	11.57	-32.55	-13.00	-19.55	V
LTE Band 26(824-849MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.83	-30.27	7.40	9.72	-32.59	-13.00	-19.59	H
2508.98	-27.76	8.30	10.86	-30.32	-13.00	-17.32	H
3346.23	-27.03	7.20	11.57	-31.40	-13.00	-18.40	H
1672.83	-28.10	7.40	9.72	-30.42	-13.00	-17.42	V
2508.98	-28.55	8.30	10.86	-31.11	-13.00	-18.11	V
3346.23	-26.36	7.20	11.57	-30.73	-13.00	-17.73	V
LTE Band 26(824-849MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1688.42	-26.90	7.40	9.72	-29.22	-13.00	-16.22	H
2532.22	-30.39	8.30	10.86	-32.95	-13.00	-19.95	H
3376.17	-28.38	7.20	11.57	-32.75	-13.00	-19.75	H
1688.42	-28.60	7.40	9.72	-30.92	-13.00	-17.92	V
2532.22	-26.81	8.30	10.86	-29.37	-13.00	-16.37	V
3376.17	-28.35	7.20	11.57	-32.72	-13.00	-19.72	V

LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for							
Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1663.31	-28.96	7.40	9.72	-31.28	-13.00	-18.28	H
2494.19	-27.12	8.30	10.86	-29.68	-13.00	-16.68	H
3325.54	-25.47	7.20	11.57	-29.84	-13.00	-16.84	H
1663.31	-28.30	7.40	9.72	-30.62	-13.00	-17.62	V
2494.19	-27.45	8.30	10.86	-30.01	-13.00	-17.01	V
3325.54	-29.51	7.20	11.57	-33.88	-13.00	-20.88	V
LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for							
Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.20	-28.22	7.40	9.72	-30.54	-13.00	-17.54	H
2509.29	-29.31	8.30	10.86	-31.87	-13.00	-18.87	H
3345.97	-25.73	7.20	11.57	-30.10	-13.00	-17.10	H
1673.20	-29.81	7.40	9.72	-32.13	-13.00	-19.13	V
2509.29	-26.69	8.30	10.86	-29.25	-13.00	-16.25	V
3345.97	-28.67	7.20	11.57	-33.04	-13.00	-20.04	V
LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for							
Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1683.50	-26.10	7.40	9.72	-28.42	-13.00	-15.42	H
2524.02	-28.71	8.30	10.86	-31.27	-13.00	-18.27	H
3366.39	-25.84	7.20	11.57	-30.21	-13.00	-17.21	H
1683.50	-29.04	7.40	9.72	-31.36	-13.00	-18.36	V
2524.02	-27.63	8.30	10.86	-30.19	-13.00	-17.19	V
3366.39	-27.93	7.20	11.57	-32.30	-13.00	-19.30	V

LTE Band 26(814-824MHz)/ 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1649.40	-27.60	7.40	9.72	-29.92	-13.00	-16.92	H
2473.39	-28.63	8.30	10.86	-31.19	-13.00	-18.19	H
3298.61	-28.01	7.20	11.57	-32.38	-13.00	-19.38	H
1649.40	-30.00	7.40	9.72	-32.32	-13.00	-19.32	V
2473.39	-29.95	8.30	10.86	-32.51	-13.00	-19.51	V
3298.61	-29.42	7.20	11.57	-33.79	-13.00	-20.79	V
LTE Band 26(814-824MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.23	-29.02	7.40	9.72	-31.34	-13.00	-18.34	H
2508.88	-29.18	8.30	10.86	-31.74	-13.00	-18.74	H
3345.89	-25.90	7.20	11.57	-30.27	-13.00	-17.27	H
1673.23	-29.08	7.40	9.72	-31.40	-13.00	-18.40	V
2508.88	-27.88	8.30	10.86	-30.44	-13.00	-17.44	V
3345.89	-27.13	7.20	11.57	-31.50	-13.00	-18.50	V
LTE Band 26(814-824MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1696.23	-26.87	7.40	9.72	-29.19	-13.00	-16.19	H
2544.87	-29.12	8.30	10.86	-31.68	-13.00	-18.68	H
3393.00	-27.23	7.20	11.57	-31.60	-13.00	-18.60	H
1696.23	-30.66	7.40	9.72	-32.98	-13.00	-19.98	V
2544.87	-29.78	8.30	10.86	-32.34	-13.00	-19.34	V
3393.00	-26.65	7.20	11.57	-31.02	-13.00	-18.02	V

LTE Band 26(814-824MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1651.42	-30.13	7.40	9.72	-32.45	-13.00	-19.45	H
2476.53	-31.43	8.30	10.86	-33.99	-13.00	-20.99	H
3301.73	-29.34	7.20	11.57	-33.71	-13.00	-20.71	H
1651.42	-28.11	7.40	9.72	-30.43	-13.00	-17.43	V
2476.53	-30.71	8.30	10.86	-33.27	-13.00	-20.27	V
3301.73	-29.30	7.20	11.57	-33.67	-13.00	-20.67	V
LTE Band 26(814-824MHz)/ 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.90	-27.28	7.40	9.72	-29.60	-13.00	-16.60	H
2508.93	-29.02	8.30	10.86	-31.58	-13.00	-18.58	H
3345.91	-24.85	7.20	11.57	-29.22	-13.00	-16.22	H
1672.90	-30.73	7.40	9.72	-33.05	-13.00	-20.05	V
2508.93	-29.64	8.30	10.86	-32.20	-13.00	-19.20	V
3345.91	-29.86	7.20	11.57	-34.23	-13.00	-21.23	V
LTE Band 26(814-824MHz)/ 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1695.40	-27.01	7.40	9.72	-29.33	-13.00	-16.33	H
2542.15	-29.29	8.30	10.86	-31.85	-13.00	-18.85	H
3390.08	-26.20	7.20	11.57	-30.57	-13.00	-17.57	H
1695.40	-27.15	7.40	9.72	-29.47	-13.00	-16.47	V
2542.15	-30.00	8.30	10.86	-32.56	-13.00	-19.56	V
3390.08	-29.97	7.20	11.57	-34.34	-13.00	-21.34	V

**LTE Band 26(814-824MHz)/ 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest**

Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1652.96	-27.66	7.40	9.72	-29.98	-13.00	-16.98	H
2479.55	-26.61	8.30	10.86	-29.17	-13.00	-16.17	H
3306.82	-27.50	7.20	11.57	-31.87	-13.00	-18.87	H
1652.96	-30.32	7.40	9.72	-32.64	-13.00	-19.64	V
2479.55	-26.52	8.30	10.86	<b>-29.08</b>	-13.00	-16.08	V
3306.82	-29.07	7.20	11.57	-33.44	-13.00	-20.44	V

**LTE Band 26(814-824MHz)/ 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle**

Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.90	-26.84	7.40	9.72	<b>-29.16</b>	-13.00	-16.16	H
2509.08	-28.33	8.30	10.86	-30.89	-13.00	-17.89	H
3346.23	-25.70	7.20	11.57	-30.07	-13.00	-17.07	H
1672.90	-29.70	7.40	9.72	-32.02	-13.00	-19.02	V
2509.08	-30.84	8.30	10.86	-33.40	-13.00	-20.40	V
3346.23	-28.28	7.20	11.57	-32.65	-13.00	-19.65	V

**LTE Band 26(814-824MHz)/ 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest**

Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1693.66	-30.26	7.40	9.72	-32.58	-13.00	-19.58	H
2539.47	-29.25	8.30	10.86	<b>-31.81</b>	-13.00	-18.81	H
3385.89	-29.03	7.20	11.57	-33.40	-13.00	-20.40	H
1693.66	-29.90	7.40	9.72	-32.22	-13.00	-19.22	V
2539.47	-30.41	8.30	10.86	-32.97	-13.00	-19.97	V
3385.89	-30.08	7.20	11.57	-34.45	-13.00	-21.45	V

**LTE Band 26(814-824MHz)/ 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle**

Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.00	-29.81	7.40	9.72	-32.13	-13.00	-19.13	H
2509.03	-26.67	8.30	10.86	<b>-29.23</b>	-13.00	-16.23	H
3345.88	-27.62	7.20	11.57	-31.99	-13.00	-18.99	H
1673.00	-29.62	7.40	9.72	-31.94	-13.00	-18.94	V
2509.03	-29.88	8.30	10.86	-32.44	-13.00	-19.44	V
3345.88	-29.65	7.20	11.57	-34.02	-13.00	-21.02	V

LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
4997.18	-31.28	7.90	15.86	-39.24	-25.00	-14.24	H
7495.73	-34.44	9.00	19.28	-44.72	-25.00	-19.72	H
9993.91	-31.21	8.70	23.19	-45.70	-25.00	-20.70	H
4997.18	-34.61	7.90	15.86	-42.57	-25.00	-17.57	V
7495.73	-34.47	9.00	19.28	-44.75	-25.00	-19.75	V
9993.91	-30.93	8.70	23.19	-45.42	-25.00	-20.42	V
LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5185.92	-31.41	7.90	15.86	-39.37	-25.00	-14.37	H
7778.91	-30.86	9.00	19.28	-41.14	-25.00	-16.14	H
10372.29	-31.13	8.70	23.19	-45.62	-25.00	-20.62	H
5185.92	-32.73	7.90	15.86	-40.69	-25.00	-15.69	V
7778.91	-34.72	9.00	19.28	-45.00	-25.00	-20.00	V
10372.29	-29.54	8.70	23.19	-44.03	-25.00	-19.03	V
LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5374.86	-32.44	7.90	15.86	-40.40	-25.00	-15.40	H
8062.57	-30.82	9.00	19.28	-41.10	-25.00	-16.10	H
10750.03	-29.94	8.70	23.19	-44.43	-25.00	-19.43	H
5374.86	-35.92	7.90	15.86	-43.88	-25.00	-18.88	V
8062.57	-32.43	9.00	19.28	-42.71	-25.00	-17.71	V
10750.03	-32.59	8.70	23.19	-47.08	-25.00	-22.08	V

LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5001.87	-34.25	7.90	15.86	-42.21	-25.00	-17.21	H
7503.17	-33.94	9.00	19.28	-44.22	-25.00	-19.22	H
10004.12	-32.07	8.70	23.19	-46.56	-25.00	-21.56	H
5001.87	-35.77	7.90	15.86	-43.73	-25.00	-18.73	V
7503.17	-30.73	9.00	19.28	<b>-41.01</b>	-25.00	-16.01	V
10004.12	-31.35	8.70	23.19	-45.84	-25.00	-20.84	V
LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5186.12	-33.38	7.90	15.86	<b>-41.34</b>	-25.00	-16.34	H
7779.21	-35.03	9.00	19.28	-45.31	-25.00	-20.31	H
10372.19	-32.52	8.70	23.19	-47.01	-25.00	-22.01	H
5186.12	-33.92	7.90	15.86	-41.88	-25.00	-16.88	V
7779.21	-32.36	9.00	19.28	-42.64	-25.00	-17.64	V
10372.19	-28.37	8.70	23.19	-42.86	-25.00	-17.86	V
LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5370.00	-33.22	7.90	15.86	-41.18	-25.00	-16.18	H
8054.90	-33.04	9.00	19.28	-43.32	-25.00	-18.32	H
10740.03	-30.81	8.70	23.19	-45.30	-25.00	-20.30	H
5370.00	-32.92	7.90	15.86	<b>-40.88</b>	-25.00	-15.88	V
8054.90	-33.72	9.00	19.28	-44.00	-25.00	-19.00	V
10740.03	-30.03	8.70	23.19	-44.52	-25.00	-19.52	V



LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5006.92	-31.22	7.90	15.86	<b>-39.18</b>	-25.00	-14.18	H
7510.58	-31.28	9.00	19.28	-41.56	-25.00	-16.56	H
10014.37	-33.06	8.70	23.19	-47.55	-25.00	-22.55	H
5006.92	-34.69	7.90	15.86	-42.65	-25.00	-17.65	V
7510.58	-32.94	9.00	19.28	-43.22	-25.00	-18.22	V
10014.37	-32.33	8.70	23.19	-46.82	-25.00	-21.82	V
LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5185.83	-30.95	7.90	15.86	<b>-38.91</b>	-25.00	-13.91	H
7779.17	-33.11	9.00	19.28	-43.39	-25.00	-18.39	H
10372.22	-30.71	8.70	23.19	-45.20	-25.00	-20.20	H
5185.83	-34.08	7.90	15.86	-42.04	-25.00	-17.04	V
7779.17	-34.22	9.00	19.28	-44.50	-25.00	-19.50	V
10372.22	-32.02	8.70	23.19	-46.51	-25.00	-21.51	V
LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5364.85	-31.48	7.90	15.86	<b>-39.44</b>	-25.00	-14.44	H
8047.56	-30.74	9.00	19.28	-41.02	-25.00	-16.02	H
10729.87	-31.69	8.70	23.19	-46.18	-25.00	-21.18	H
5364.85	-34.09	7.90	15.86	-42.05	-25.00	-17.05	V
8047.56	-33.12	9.00	19.28	-43.40	-25.00	-18.40	V
10729.87	-29.02	8.70	23.19	-43.51	-25.00	-18.51	V

LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5012.17	-34.22	7.90	15.86	-42.18	-25.00	-17.18	H
7517.86	-32.69	9.00	19.28	-42.97	-25.00	-17.97	H
10024.31	-28.79	8.70	23.19	-43.28	-25.00	-18.28	H
5012.17	-34.85	7.90	15.86	-42.81	-25.00	-17.81	V
7517.86	-32.01	9.00	19.28	-42.29	-25.00	-17.29	V
10024.31	-31.87	8.70	23.19	-46.36	-25.00	-21.36	V
LTE Band 41 /20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5185.98	-30.27	7.90	15.86	-38.23	-25.00	-13.23	H
7779.16	-32.80	9.00	19.28	-43.08	-25.00	-18.08	H
10371.99	-31.84	8.70	23.19	-46.33	-25.00	-21.33	H
5185.98	-32.97	7.90	15.86	-40.93	-25.00	-15.93	V
7779.16	-33.28	9.00	19.28	-43.56	-25.00	-18.56	V
10371.99	-30.67	8.70	23.19	-45.16	-25.00	-20.16	V
LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5359.86	-33.61	7.90	15.86	-41.57	-25.00	-16.57	H
8039.96	-30.81	9.00	19.28	-41.09	-25.00	-16.09	H
10719.82	-31.65	8.70	23.19	-46.14	-25.00	-21.14	H
5359.86	-31.24	7.90	15.86	-39.20	-25.00	-14.20	V
8039.96	-30.97	9.00	19.28	-41.25	-25.00	-16.25	V
10719.82	-28.90	8.70	23.19	-43.39	-25.00	-18.39	V

LTE Band 71 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1330.89	-30.54	6.50	9.34	-33.38	-13.00	-20.38	H
1966.55	-26.74	7.70	10.42	-29.46	-13.00	-16.46	H
2662.03	-28.39	7.90	11.12	-31.61	-13.00	-18.61	H
1330.89	-31.39	6.50	9.34	-34.23	-13.00	-21.23	V
1966.55	-26.52	7.70	10.42	-29.24	-13.00	-16.24	V
2662.03	-29.44	7.90	11.12	-32.66	-13.00	-19.66	V
LTE Band 71 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1361.04	-30.42	6.50	9.34	-33.26	-13.00	-20.26	H
2041.44	-28.42	7.70	10.42	-31.14	-13.00	-18.14	H
2721.91	-24.71	7.90	11.12	-27.93	-13.00	-14.93	H
1361.04	-28.05	6.50	9.34	-30.89	-13.00	-17.89	V
2041.44	-28.33	7.70	10.42	-31.05	-13.00	-18.05	V
2721.91	-28.04	7.90	11.12	-31.26	-13.00	-18.26	V
LTE Band 71 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1390.80	-28.89	6.50	9.34	-31.73	-13.00	-18.73	H
2085.71	-28.26	7.70	10.42	-30.98	-13.00	-17.98	H
2782.11	-27.52	7.90	11.12	-30.74	-13.00	-17.74	H
1390.80	-29.04	6.50	9.34	-31.88	-13.00	-18.88	V
2085.71	-30.54	7.70	10.42	-33.26	-13.00	-20.26	V
2782.11	-28.29	7.90	11.12	-31.51	-13.00	-18.51	V

LTE Band 71 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1335.88	-29.10	6.50	9.34	-31.94	-13.00	-18.94	H
2004.00	-30.79	7.70	10.42	-33.51	-13.00	-20.51	H
2671.86	-24.67	7.90	11.12	-27.89	-13.00	-14.89	H
1335.88	-28.69	6.50	9.34	-31.53	-13.00	-18.53	V
2004.00	-30.46	7.70	10.42	-33.18	-13.00	-20.18	V
2671.86	-27.12	7.90	11.12	-30.34	-13.00	-17.34	V
LTE Band 71 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1360.95	-26.31	6.50	9.34	-29.15	-13.00	-16.15	H
2041.37	-27.08	7.70	10.42	-29.80	-13.00	-16.80	H
2721.82	-28.83	7.90	11.12	-32.05	-13.00	-19.05	H
1360.95	-28.19	6.50	9.34	-31.03	-13.00	-18.03	V
2041.37	-29.43	7.70	10.42	-32.15	-13.00	-19.15	V
2721.82	-26.88	7.90	11.12	-30.10	-13.00	-17.10	V
LTE Band 71 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1385.78	-26.99	6.50	9.34	-29.83	-13.00	-16.83	H
2079.03	-28.83	7.70	10.42	-31.55	-13.00	-18.55	H
2721.80	-29.64	7.90	11.12	-32.86	-13.00	-19.86	H
1385.78	-30.55	6.50	9.34	-33.39	-13.00	-20.39	V
2079.03	-30.04	7.70	10.42	-32.76	-13.00	-19.76	V
2721.80	-29.89	7.90	11.12	-33.11	-13.00	-20.11	V

LTE Band 71 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1341.18	-30.40	6.50	9.34	-33.24	-13.00	-20.24	H
2010.75	-26.62	7.70	10.42	-29.34	-13.00	-16.34	H
2682.16	-27.11	7.90	11.12	-30.33	-13.00	-17.33	H
1341.18	-27.48	6.50	9.34	-30.32	-13.00	-17.32	V
2010.75	-26.32	7.70	10.42	-29.04	-13.00	-16.04	V
2682.16	-28.78	7.90	11.12	-32.00	-13.00	-19.00	V
LTE Band 71 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1361.11	-29.86	6.50	9.34	-32.70	-13.00	-19.70	H
2041.33	-29.16	7.70	10.42	-31.88	-13.00	-18.88	H
2722.13	-27.00	7.90	11.12	-30.22	-13.00	-17.22	H
1361.11	-29.60	6.50	9.34	-32.44	-13.00	-19.44	V
2041.33	-29.02	7.70	10.42	-31.74	-13.00	-18.74	V
2722.13	-27.21	7.90	11.12	-30.43	-13.00	-17.43	V
LTE Band 71 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1380.93	-27.06	6.50	9.34	-29.90	-13.00	-16.90	H
2070.94	-29.27	7.70	10.42	-31.99	-13.00	-18.99	H
2761.93	-26.79	7.90	11.12	-30.01	-13.00	-17.01	H
1380.93	-31.55	6.50	9.34	-34.39	-13.00	-21.39	V
2070.94	-28.31	7.70	10.42	-31.03	-13.00	-18.03	V
2761.93	-26.58	7.90	11.12	-29.80	-13.00	-16.80	V

LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1346.07	-30.59	6.50	9.34	-33.43	-13.00	-20.43	H
2018.88	-27.07	7.70	10.42	-29.79	-13.00	-16.79	H
2692.17	-28.49	7.90	11.12	-31.71	-13.00	-18.71	H
1346.07	-29.03	6.50	9.34	-31.87	-13.00	-18.87	V
2018.88	-26.69	7.70	10.42	-29.41	-13.00	-16.41	V
2692.17	-29.68	7.90	11.12	-32.90	-13.00	-19.90	V
LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1361.13	-28.32	6.50	9.34	-31.16	-13.00	-18.16	H
2041.53	-28.15	7.70	10.42	-30.87	-13.00	-17.87	H
2721.93	-29.46	7.90	11.12	-32.68	-13.00	-19.68	H
1361.13	-31.70	6.50	9.34	-34.54	-13.00	-21.54	V
2041.53	-29.06	7.70	10.42	-31.78	-13.00	-18.78	V
2721.93	-28.60	7.90	11.12	-31.82	-13.00	-18.82	V
LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1375.75	-28.78	6.50	9.34	-31.62	-13.00	-18.62	H
2064.13	-29.18	7.70	10.42	-31.90	-13.00	-18.90	H
2751.86	-27.56	7.90	11.12	-30.78	-13.00	-17.78	H
1375.75	-30.50	6.50	9.34	-33.34	-13.00	-20.34	V
2064.13	-30.33	7.70	10.42	-33.05	-13.00	-20.05	V
2751.86	-29.26	7.90	11.12	-32.48	-13.00	-19.48	V

\*\*\*\*\*END OF THE REPORT\*\*\*\*\*