

QiFlow

V3-QASF-V1 Wireless Power Amplifier User's Manual



Product Specifications

- QiFlow V3-QASF-V1 is a powerful BT 5.3 HiFi stereo amplifier.
- The V3-QASF-V1 supports BT input, using two low-distortion TPA3116 high-performance chips to display ultra-high-definition sound quality.

Input Interface	BT
Output Interface	Type C Output
Output	Amplifier
SNR	
THD	<0.001%
Power Amplifier Chip	TPA3116x2
Bluetooth Chip	BP1048B2
Power Adapter	100-240VAC, 50/60Hz
DC Input Range	DC 24V
Frequency Response Range	15Hz- 20KHz
Load Impedance	2-8 Ohm
Input Sensitivity	500mV
Support Format	MP3/WMA/APE/ FLAC/WAV
BT Transmission Distance	BT 5.3, up to 50ft/15m

Dimensions


4.25x2.9x1.34 inches
(10.8*7.4*3.4 cm)

Product Weight

0.69b/315g

Product Overview

1. Power swift	2. BT Ant	3. Type C output
4. DC input	Please note: short press power swift to power on, when the light fast pulsing means power on; solid light means BT is connected; slow pulsing means Q-code is in progress.	



Quick Setup

Step 1: Install the BT antenna.

Step 2: Use Type-C cables to connect output A&B of the amplifier.

Step 3: Connect the power adapter to the amplifier; press one time to power on.

Step 4: BT Input: Automatically enter BT mode input when power on(the power swift light fast pulsing).Then turn on the BT on your device,select "V3-QASF-V1ⁿ for pairing, the light would be solid after a successful connection.

Warranty Information

- All our products have an 12-month limited warranty on parts and labor from the date of purchase. Please contact us if you have any problems.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

RF Exposure Information

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.