




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034204
Rev.: 01
Page: 131 of 422





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034204
Rev.: 01
Page: 132 of 422





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034204
Rev.: 01
Page: 133 of 422





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034204
Rev.: 01
Page: 134 of 422





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034204
Rev.: 01
Page: 135 of 422





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034204
Rev.: 01
Page: 136 of 422





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034204
Rev.: 01
Page: 137 of 422





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034204
Rev.: 01
Page: 138 of 422





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034204
Rev.: 01
Page: 139 of 422





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034204
Rev.: 01
Page: 140 of 422





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034204
Rev.: 01
Page: 141 of 422





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034204
Rev.: 01
Page: 142 of 422





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034204
Rev.: 01
Page: 143 of 422





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034204
Rev.: 01
Page: 144 of 422





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034204
Rev.: 01
Page: 145 of 422





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034204
Rev.: 01
Page: 146 of 422





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034204
Rev.: 01
Page: 147 of 422





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 148 of 422





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204


Rev.: 01

Page: 149 of 422

Radiated Spurious Emissions

Radiated emission below 1GHz

Worst case Mode: 802.11ax20 MIMO_Channel 11



Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity
1	44.0009	29.69	-33.79	18.81	14.71	40.00	25.29	Horizontal
2	55.2827	30.23	-33.62	18.20	14.81	40.00	25.19	Horizontal
3	71.6180	26.45	-33.41	16.15	9.19	40.00	30.81	Horizontal
4	138.5607	34.39	-32.78	18.44	20.05	43.50	23.45	Horizontal
5	146.9775	36.73	-32.71	19.10	23.12	43.50	20.38	Horizontal
6	151.1690	35.14	-32.67	19.05	21.52	43.50	21.98	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 150 of 422



Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity
1	34.8803	35.43	-33.95	18.20	19.68	40.00	20.32	Vertical
2	44.1747	37.06	-33.79	18.81	22.08	40.00	17.92	Vertical
3	55.3031	41.52	-33.62	18.20	26.10	40.00	13.90	Vertical
4	60.9707	31.02	-33.54	17.50	14.98	40.00	25.02	Vertical
5	66.3620	37.03	-33.47	17.23	20.79	40.00	19.21	Vertical
6	120.0205	32.31	-32.92	16.79	16.18	43.50	27.32	Vertical

Remark:

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:
Value = Reading(dBμV) + AF(dB/m) + Factor(dB):
AF = Antenna Factor(dB/m)
Factor = Cable Factor(dB) - Preamplifier gain(dB)
Margin = Limit(dBμV/m) – Value(dBμV/m)
- All channels have been tested, but only the worst case data displayed in this report.



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034204

Rev.: 01

Page: 151 of 422

Transmitter emission Above 1GHz

802.11b CDD_Channel 01



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4824.5	47.33	32.81	-41.43	38.72	54.00	15.28	Horizontal
2	7235	46.24	36.28	-37.82	44.71	54.00	9.29	Horizontal
3	12058.5	33.74	38.47	-29.41	42.80	54.00	11.20	Horizontal
4	4824.5	51.30	32.81	-41.43	42.69	74.00	31.31	Horizontal
5	7235	50.57	36.28	-37.82	49.04	74.00	24.96	Horizontal
6	12059	41.31	38.47	-29.41	50.38	74.00	23.62	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 152 of 422

802.11b CDD_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4824.5	41.79	32.81	-41.43	33.18	54.00	20.82	Vertical
2	7235.5	49.20	36.28	-37.81	47.67	54.00	6.33	Vertical
3	12059	41.25	38.47	-29.41	50.32	54.00	3.68	Vertical
4	4824	46.86	32.81	-41.43	38.24	74.00	35.76	Vertical
5	7234.5	53.09	36.28	-37.82	51.55	74.00	22.45	Vertical
6	12058.5	43.67	38.47	-29.41	52.73	74.00	21.27	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 153 of 422

802.11b CDD_Channel 06



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874.5	49.48	32.92	-41.28	41.13	54.00	12.87	Horizontal
2	7310	46.99	36.37	-37.41	45.95	54.00	8.05	Horizontal
3	12184	33.54	38.62	-29.65	42.51	54.00	11.49	Horizontal
4	4874	53.07	32.92	-41.28	44.71	74.00	29.29	Horizontal
5	7309.5	51.64	36.37	-37.41	50.60	74.00	23.40	Horizontal
6	12108.5	39.97	38.53	-29.29	49.21	74.00	24.79	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 154 of 422

802.11b CDD_Channel 06



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874.5	42.47	32.92	-41.28	34.12	54.00	19.88	Vertical
2	7310	51.34	36.37	-37.41	50.30	54.00	3.70	Vertical
3	12184	41.08	38.62	-29.65	50.05	54.00	3.95	Vertical
4	4874	47.70	32.92	-41.28	39.34	74.00	34.66	Vertical
5	7310	54.46	36.37	-37.41	53.42	74.00	20.58	Vertical
6	12184	45.68	38.62	-29.65	54.65	74.00	19.35	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 155 of 422

802.11b CDD_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4924.5	49.56	33.03	-41.27	41.33	54.00	12.67	Horizontal
2	7388.5	45.47	36.47	-37.83	44.11	54.00	9.89	Horizontal
3	4924	53.13	33.03	-41.26	44.90	74.00	29.10	Horizontal
4	7388	50.13	36.47	-37.83	48.77	74.00	25.23	Horizontal
5	9431.5	44.72	37.73	-33.79	48.66	74.00	25.34	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 156 of 422

802.11b CDD_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4924.5	41.80	33.03	-41.27	33.57	54.00	20.43	Vertical
2	7388	51.39	36.47	-37.83	50.03	54.00	3.97	Vertical
3	4925.5	47.95	33.04	-41.27	39.72	74.00	34.28	Vertical
4	7388	55.41	36.47	-37.83	54.05	74.00	18.95	Vertical
5	9425.5	43.88	37.73	-33.78	47.82	74.00	26.18	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 157 of 422

802.11b CDD_Channel 02



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4913	46.96	33.01	-41.24	38.73	74.00	35.27	Horizontal
2	6854	46.27	35.94	-38.39	43.82	74.00	30.18	Horizontal
3	9375.5	43.16	37.71	-33.85	47.02	74.00	26.98	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 158 of 422

802.11b CDD_Channel 02




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7250	46.63	36.30	-37.71	45.22	54.00	8.78	Vertical
2	4779	47.86	32.71	-41.50	39.07	74.00	34.93	Vertical
3	7249	51.91	36.30	-37.72	50.49	74.00	23.51	Vertical
4	9417.5	42.49	37.73	-33.77	46.44	74.00	27.56	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 159 of 422

802.11b CDD_Channel 10



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4914.5	43.70	33.01	-41.24	35.47	54.00	18.53	Horizontal
2	7372.5	39.21	36.45	-37.74	37.91	54.00	16.09	Horizontal
3	4914	49.29	33.01	-41.24	41.06	74.00	32.94	Horizontal
4	7372	45.70	36.45	-37.74	44.40	74.00	29.60	Horizontal
5	9412.5	43.24	37.72	-33.77	47.20	74.00	26.80	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 160 of 422

802.11b CDD_Channel 10



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7372.5	51.75	36.45	-37.74	50.45	54.00	3.55	Vertical
2	5224	48.13	33.16	-40.83	40.45	74.00	33.55	Vertical
3	7372	56.64	36.45	-37.74	55.34	74.00	18.66	Vertical
4	10509	38.78	38.15	-31.18	45.75	74.00	28.25	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 161 of 422

802.11b CDD_Channel 09



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4904.5	45.47	32.99	-41.21	37.25	54.00	16.75	Horizontal
2	4904.5	50.45	32.99	-41.21	42.23	74.00	31.77	Horizontal
3	7194	45.06	36.23	-38.06	43.23	74.00	30.77	Horizontal
4	9437.5	42.63	37.73	-33.80	46.56	74.00	27.44	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 162 of 422

802.11b CDD_Channel 09




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7355	42.09	36.43	-37.65	40.86	54.00	13.14	Vertical
2	4800.5	47.62	32.76	-41.50	38.88	74.00	35.12	Vertical
3	7354.5	47.31	36.43	-37.65	46.09	74.00	27.91	Vertical
4	9411	41.94	37.72	-33.76	45.90	74.00	28.10	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 163 of 422

802.11g CDD_Channel 01



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4902	48.70	32.98	-41.21	40.48	74.00	33.52	Horizontal
2	7786.5	46.14	36.89	-36.85	46.18	74.00	27.82	Horizontal
3	9430.5	43.66	37.73	-33.79	47.60	74.00	26.40	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 164 of 422

802.11g CDD_Channel 01



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7230	42.29	36.28	-37.85	40.72	54.00	13.28	Vertical
2	4345	49.71	31.85	-42.08	39.48	74.00	34.52	Vertical
3	7232.5	51.13	36.28	-37.83	49.58	74.00	24.42	Vertical
4	9371	43.79	37.71	-33.87	47.63	74.00	26.37	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 165 of 422

802.11g CDD_Channel 06



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4876	45.10	32.93	-41.27	36.76	54.00	17.24	Horizontal
2	7309.5	40.39	36.37	-37.41	39.35	54.00	14.65	Horizontal
3	4875	53.35	32.93	-41.28	45.00	74.00	29.00	Horizontal
4	7309.5	48.37	36.37	-37.41	47.33	74.00	26.67	Horizontal
5	9440.5	43.61	37.73	-33.80	47.54	74.00	26.46	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 166 of 422

802.11g CDD_Channel 06



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4876.5	42.83	32.93	-41.27	34.49	54.00	19.51	Vertical
2	7314	45.38	36.38	-37.43	44.32	54.00	9.68	Vertical
3	4879.5	48.70	32.93	-41.26	40.37	74.00	33.63	Vertical
4	7304.5	56.75	36.37	-37.38	55.73	74.00	18.27	Vertical
5	12198	42.48	38.64	-29.72	51.40	74.00	22.60	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 167 of 422

802.11g CDD_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4931.5	45.21	33.05	-41.29	36.97	54.00	17.03	Horizontal
2	4921	53.13	33.03	-41.26	44.90	74.00	29.10	Horizontal
3	7693.5	46.02	36.79	-37.36	45.45	74.00	28.55	Horizontal
4	9413.5	44.34	37.72	-33.77	48.30	74.00	25.70	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 168 of 422

802.11g CDD_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4927	43.19	33.04	-41.27	34.96	54.00	19.04	Vertical
2	7389	40.50	36.47	-37.83	39.14	54.00	14.86	Vertical
3	4925.5	50.42	33.04	-41.27	42.19	74.00	31.81	Vertical
4	7378.5	49.13	36.45	-37.78	47.81	74.00	26.19	Vertical
5	9461.5	43.83	37.74	-33.83	47.74	74.00	26.26	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 169 of 422

802.11g CDD_Channel 02



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4836.5	48.25	32.84	-41.39	39.70	74.00	34.30	Horizontal
2	7259.5	47.87	36.31	-37.64	46.54	74.00	27.46	Horizontal
3	9416.5	43.63	37.72	-33.77	47.58	74.00	26.42	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 170 of 422

802.11g CDD_Channel 02



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7247	45.05	36.30	-37.73	43.62	54.00	10.38	Vertical
2	5035	47.54	33.19	-41.40	39.33	74.00	34.67	Vertical
3	7242.5	54.06	36.29	-37.76	52.59	74.00	21.41	Vertical
4	12073	41.36	38.49	-29.35	50.50	74.00	23.50	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 171 of 422

802.11g CDD_Channel 10




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4921.5	52.06	33.03	-41.26	43.83	74.00	30.17	Horizontal
2	7379	47.99	36.45	-37.78	46.67	74.00	27.33	Horizontal
3	12167.5	38.47	38.60	-29.57	47.50	74.00	26.50	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 172 of 422

802.11g CDD_Channel 10



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7372	44.04	36.45	-37.74	42.74	54.00	11.26	Vertical
2	4836	47.93	32.84	-41.39	39.38	74.00	34.62	Vertical
3	7374.5	53.26	36.45	-37.75	51.95	74.00	22.05	Vertical
4	12271.5	40.71	38.73	-29.91	49.53	74.00	24.47	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 173 of 422

802.11g CDD_Channel 09



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4911.5	49.85	33.01	-41.23	41.62	74.00	32.38	Horizontal
2	7344.5	47.20	36.41	-37.60	46.02	74.00	27.98	Horizontal
3	12021.5	38.60	38.43	-29.55	47.48	74.00	26.52	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 174 of 422

802.11g CDD_Channel 09



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7352	46.02	36.42	-37.64	44.81	54.00	9.19	Vertical
2	4663	47.33	32.46	-41.55	38.24	74.00	35.76	Vertical
3	7348	53.29	36.42	-37.61	52.09	74.00	21.91	Vertical
4	12249	40.23	38.70	-29.85	49.08	74.00	24.92	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 175 of 422

802.11g CDD_Channel 08



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4886.5	43.86	32.95	-41.24	35.57	54.00	18.43	Horizontal
2	7340	40.30	36.41	-37.57	39.14	54.00	14.86	Horizontal
3	4886	51.26	32.95	-41.24	42.97	74.00	31.03	Horizontal
4	7334.5	49.17	36.40	-37.54	48.03	74.00	25.97	Horizontal
5	11185	38.13	38.40	-30.24	46.29	74.00	27.71	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 176 of 422

802.11g CDD_Channel 08



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7335.5	46.24	36.40	-37.55	45.09	54.00	8.91	Vertical
2	12230.5	33.81	38.68	-29.81	42.68	54.00	11.32	Vertical
3	4892.5	47.27	32.96	-41.22	39.01	74.00	34.99	Vertical
4	7336.5	55.17	36.40	-37.55	54.02	74.00	19.98	Vertical
5	12225.5	42.43	38.67	-29.79	51.31	74.00	22.69	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 177 of 422

802.11n20 MIMO_Channel 01



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4820	48.95	32.80	-41.44	40.31	74.00	33.69	Horizontal
2	7236.5	48.20	36.28	-37.80	46.68	74.00	27.32	Horizontal
3	9351	43.61	37.71	-33.95	47.36	74.00	26.64	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 178 of 422

802.11n20 MIMO_Channel 01



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7233	45.19	36.28	-37.83	43.64	54.00	10.36	Vertical
2	4801.5	48.80	32.76	-41.50	40.07	74.00	33.93	Vertical
3	7232.5	52.95	36.28	-37.83	51.40	74.00	22.60	Vertical
4	9418	45.03	37.73	-33.77	48.98	74.00	25.02	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 179 of 422

802.11n20 MIMO_Channel 06



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4872	52.11	32.92	-41.28	43.74	74.00	30.26	Horizontal
2	7313.5	47.09	36.38	-37.43	46.03	74.00	27.97	Horizontal
3	9417.5	43.05	37.73	-33.77	47.00	74.00	27.00	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 180 of 422

802.11n20 MIMO_Channel 06



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7309	44.64	36.37	-37.41	43.60	54.00	10.40	Vertical
2	12190.5	31.77	38.63	-29.68	40.71	54.00	13.29	Vertical
3	4877.5	49.08	32.93	-41.27	40.74	74.00	33.26	Vertical
4	7314	52.81	36.38	-37.43	51.75	74.00	22.25	Vertical
5	12187.5	41.16	38.63	-29.67	50.12	74.00	23.88	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 181 of 422

802.11n20 MIMO_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4925	50.90	33.04	-41.27	42.67	74.00	31.33	Horizontal
2	7941	44.59	37.04	-36.61	45.02	74.00	28.98	Horizontal
3	9435	43.38	37.73	-33.80	47.32	74.00	26.68	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 182 of 422

802.11n20 MIMO_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4924.5	48.64	33.03	-41.27	40.41	74.00	33.59	Vertical
2	7372.5	46.33	36.45	-37.74	45.03	74.00	28.97	Vertical
3	9387	43.39	37.72	-33.80	47.30	74.00	26.70	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 183 of 422

802.11n20 MIMO_Channel 02



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5327	47.90	33.13	-40.91	40.13	74.00	33.87	Horizontal
2	7690	45.24	36.79	-37.38	44.65	74.00	29.35	Horizontal
3	9373.5	42.99	37.71	-33.86	46.84	74.00	27.16	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 184 of 422

802.11n20 MIMO_Channel 02



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7247.5	43.03	36.30	-37.73	41.60	54.00	12.40	Vertical
2	5260.5	47.03	33.15	-40.87	39.31	74.00	34.69	Vertical
3	7245	53.31	36.29	-37.75	51.86	74.00	22.14	Vertical
4	9372	42.55	37.71	-33.86	46.40	74.00	27.60	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 185 of 422

802.11n20 MIMO_Channel 03




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4852.5	49.22	32.88	-41.34	40.75	74.00	33.25	Horizontal
2	7272	48.96	36.33	-37.56	47.73	74.00	26.27	Horizontal
3	12193.5	38.45	38.63	-29.70	47.38	74.00	26.62	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 186 of 422

802.11n20 MIMO_Channel 03



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7262.5	45.27	36.32	-37.62	43.96	54.00	10.04	Vertical
2	12111.5	33.17	38.53	-29.31	42.40	54.00	11.60	Vertical
3	4864.5	46.95	32.90	-41.31	38.55	74.00	35.45	Vertical
4	7271	53.33	36.33	-37.56	52.09	74.00	21.91	Vertical
5	12129.5	41.70	38.56	-29.39	50.86	74.00	23.14	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 187 of 422

802.11n20 MIMO_Channel 10



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4915	49.71	33.01	-41.24	41.48	74.00	32.52	Horizontal
2	7361	46.16	36.43	-37.68	44.91	74.00	29.09	Horizontal
3	10657.5	38.44	38.23	-30.90	45.77	74.00	28.23	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 188 of 422

802.11n20 MIMO_Channel 10



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7366.5	40.45	36.44	-37.71	39.18	54.00	14.82	Vertical
2	5052	47.15	33.19	-41.37	38.97	74.00	35.03	Vertical
3	7376	51.12	36.45	-37.76	49.81	74.00	24.19	Vertical
4	11475.5	37.63	38.40	-30.08	45.95	74.00	28.05	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 189 of 422

802.11n20 MIMO_Channel 09



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4913	47.45	33.01	-41.24	39.22	74.00	34.78	Horizontal
2	7353	46.92	36.42	-37.64	45.70	74.00	28.30	Horizontal
3	9557.5	42.25	37.77	-33.66	46.36	74.00	27.64	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 190 of 422

802.11n20 MIMO_Channel 09



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7354.5	44.09	36.43	-37.65	42.87	54.00	11.13	Vertical
2	4645	47.16	32.42	-41.57	38.01	74.00	35.99	Vertical
3	7355	52.98	36.43	-37.65	51.75	74.00	22.25	Vertical
4	8854	42.59	37.53	-34.96	45.16	74.00	28.84	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 191 of 422

802.11n20 MIMO_Channel 08



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4888	43.03	32.95	-41.24	34.75	54.00	19.25	Horizontal
2	7331.5	40.30	36.40	-37.53	39.17	54.00	14.83	Horizontal
3	4887	51.29	32.95	-41.24	43.00	74.00	31.00	Horizontal
4	7333.5	48.85	36.40	-37.54	47.71	74.00	26.29	Horizontal
5	10438.5	38.77	38.12	-31.34	45.55	74.00	28.45	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 192 of 422

802.11n20 MIMO_Channel 08



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7338	45.96	36.41	-37.56	44.80	54.00	9.20	Vertical
2	5268.5	47.70	33.15	-40.88	39.97	74.00	34.03	Vertical
3	7340.5	54.50	36.41	-37.57	53.33	74.00	20.67	Vertical
4	12226	40.84	38.67	-29.80	49.72	74.00	24.28	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 193 of 422

802.11n40 MIMO_Channel 03



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5933	48.04	34.57	-40.21	42.40	74.00	31.60	Horizontal
2	8472	45.08	37.34	-35.58	46.84	74.00	27.16	Horizontal
3	11386	39.13	38.40	-30.32	47.21	74.00	26.79	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 194 of 422

802.11n40 MIMO_Channel 03




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5371.5	48.88	33.13	-40.90	41.10	74.00	32.90	Vertical
2	8516.5	44.15	37.36	-35.51	46.00	74.00	28.00	Vertical
3	11470	38.98	38.40	-30.10	47.28	74.00	26.72	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 195 of 422

802.11n40 MIMO_Channel 06



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4875.5	50.03	32.93	-41.27	41.68	74.00	32.32	Horizontal
2	7301	46.53	36.36	-37.37	45.53	74.00	28.47	Horizontal
3	9440.5	44.24	37.73	-33.80	48.17	74.00	25.83	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 196 of 422

802.11n40 MIMO_Channel 06




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4579	48.34	32.27	-41.70	38.91	74.00	35.09	Vertical
2	7299	49.03	36.36	-37.37	48.02	74.00	25.98	Vertical
3	9476	44.19	37.74	-33.85	48.08	74.00	25.92	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 197 of 422

802.11n40 MIMO_Channel 09




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5030	48.04	33.19	-41.41	39.82	74.00	34.18	Horizontal
2	6822.5	46.08	35.93	-38.43	43.58	74.00	30.42	Horizontal
3	8592	44.96	37.40	-35.19	47.16	74.00	26.84	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 198 of 422

802.11n40 MIMO_Channel 09



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4798.5	47.82	32.76	-41.50	39.08	74.00	34.92	Vertical
2	7191	46.19	36.23	-38.07	44.35	74.00	29.65	Vertical
3	9398.5	42.94	37.72	-33.76	46.90	74.00	27.10	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 199 of 422

802.11n40 MIMO_Channel 04




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5234.5	48.47	33.15	-40.84	40.78	74.00	33.22	Horizontal
2	9417	42.67	37.73	-33.77	46.62	74.00	27.38	Horizontal
3	12729.5	39.60	39.28	-29.77	49.10	74.00	24.90	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 200 of 422

802.11n40 MIMO_Channel 04



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5390	47.40	33.12	-40.90	39.62	74.00	34.38	Vertical
2	7937	44.33	37.04	-36.62	44.75	74.00	29.25	Vertical
3	9390.5	42.77	37.72	-33.79	46.70	74.00	27.30	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 201 of 422

802.11n40 MIMO_Channel 05



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5107	48.01	33.18	-41.25	39.94	74.00	34.06	Horizontal
2	7166	45.97	36.20	-38.08	44.09	74.00	29.91	Horizontal
3	9416	42.96	37.72	-33.77	46.91	74.00	27.09	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 202 of 422

802.11n40 MIMO_Channel 05



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6119	46.78	35.04	-39.86	41.96	74.00	32.04	Vertical
2	8768	43.68	37.48	-35.07	46.09	74.00	27.91	Vertical
3	10078.5	41.05	37.94	-32.25	46.74	74.00	27.26	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 203 of 422

802.11n40 MIMO_Channel 07




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6313.5	47.00	35.43	-39.50	42.93	74.00	31.07	Horizontal
2	7919	44.98	37.02	-36.64	45.36	74.00	28.64	Horizontal
3	8831	44.56	37.52	-34.93	47.14	74.00	26.86	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 204 of 422

802.11n40 MIMO_Channel 07



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5895	47.41	34.44	-40.18	41.67	74.00	32.33	Vertical
2	8373.5	44.35	37.29	-35.69	45.95	74.00	28.05	Vertical
3	10106.5	40.20	37.95	-32.20	45.95	74.00	28.05	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 205 of 422

802.11n40 MIMO_Channel 08




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4900.5	47.93	32.98	-41.20	39.71	74.00	34.29	Horizontal
2	7359.5	45.03	36.43	-37.68	43.79	74.00	30.21	Horizontal
3	9416.5	42.53	37.72	-33.77	46.48	74.00	27.52	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 206 of 422

802.11n40 MIMO_Channel 08



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4906	47.74	32.99	-41.22	39.52	74.00	34.48	Vertical
2	8024.5	44.93	37.11	-36.57	45.47	74.00	28.53	Vertical
3	9438.5	42.78	37.73	-33.80	46.71	74.00	27.29	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 207 of 422

802.11ax HE20 MIMO_Channel 01



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4814	50.74	32.79	-41.46	42.07	74.00	31.93	Horizontal
2	7296	45.73	36.36	-37.39	44.70	74.00	29.30	Horizontal
3	8740	44.31	37.47	-35.22	46.56	74.00	27.44	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 208 of 422

802.11ax HE20 MIMO_Channel 01



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4869.5	47.45	32.91	-41.29	39.07	74.00	34.93	Vertical
2	7230	48.37	36.28	-37.85	46.80	74.00	27.20	Vertical
3	8769	44.31	37.48	-35.06	46.73	74.00	27.27	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 209 of 422

802.11ax HE20 MIMO_Channel 06




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4880.5	50.27	32.94	-41.26	41.95	74.00	32.05	Horizontal
2	7316	46.73	36.38	-37.44	45.66	74.00	28.34	Horizontal
3	9392.5	42.95	37.72	-33.78	46.89	74.00	27.11	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 210 of 422

802.11ax HE20 MIMO_Channel 06



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7310.5	43.81	36.37	-37.42	42.77	54.00	11.23	Vertical
2	4873	48.06	32.92	-41.28	39.70	74.00	34.30	Vertical
3	7317	53.28	36.38	-37.45	52.21	74.00	21.79	Vertical
4	12189	40.89	38.63	-29.68	49.84	74.00	24.16	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 211 of 422

802.11ax HE20 MIMO_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4915	51.12	33.01	-41.24	42.89	74.00	31.11	Horizontal
2	7812	45.95	36.91	-36.76	46.11	74.00	27.89	Horizontal
3	10039.5	40.37	37.92	-32.33	45.96	74.00	28.04	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 212 of 422

802.11ax HE20 MIMO_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4674	47.60	32.48	-41.54	38.55	74.00	35.45	Vertical
2	7375.5	47.88	36.45	-37.76	46.57	74.00	27.43	Vertical
3	8794.5	43.84	37.50	-34.93	46.41	74.00	27.59	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 213 of 422

802.11ax20 MIMO_Channel 02




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5326	47.81	33.13	-40.91	40.04	74.00	33.96	Horizontal
2	7841	43.96	36.94	-36.72	44.18	74.00	29.82	Horizontal
3	9372	43.50	37.71	-33.86	47.35	74.00	26.65	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 214 of 422

802.11ax20 MIMO_Channel 02



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7246.5	42.05	36.30	-37.73	40.61	54.00	13.39	Vertical
2	5134	47.13	33.17	-41.12	39.18	74.00	34.82	Vertical
3	7241	51.95	36.29	-37.77	50.47	74.00	23.53	Vertical
4	12079	41.17	38.49	-29.33	50.34	74.00	23.66	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 215 of 422

802.11ax20 MIMO_Channel 03



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4853.5	49.82	32.88	-41.34	41.36	74.00	32.64	Horizontal
2	7277.5	49.03	36.33	-37.52	47.85	74.00	26.15	Horizontal
3	12491	40.20	38.99	-29.88	49.31	74.00	24.69	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 216 of 422

802.11ax20 MIMO_Channel 03



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7269	43.41	36.32	-37.58	42.16	54.00	11.84	Vertical
2	12105.5	33.50	38.53	-29.28	42.75	54.00	11.25	Vertical
3	4728.5	47.95	32.60	-41.51	39.05	74.00	34.95	Vertical
4	7261	51.94	36.31	-37.63	50.62	74.00	23.38	Vertical
5	12120.5	42.97	38.54	-29.35	52.17	74.00	21.83	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 217 of 422

802.11ax20 MIMO_Channel 04



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4855.5	43.65	32.88	-41.33	35.20	54.00	18.80	Horizontal
2	7282.5	41.68	36.34	-37.48	40.54	54.00	13.46	Horizontal
3	4852.5	50.81	32.88	-41.34	42.34	74.00	31.66	Horizontal
4	7286	48.76	36.34	-37.46	47.65	74.00	26.35	Horizontal
5	9441	43.09	37.73	-33.80	47.02	74.00	26.98	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 218 of 422

802.11ax20 MIMO_Channel 04



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7282	46.79	36.34	-37.49	45.64	54.00	8.36	Vertical
2	12139	35.76	38.57	-29.44	44.89	54.00	9.11	Vertical
3	4850	48.91	32.87	-41.35	40.43	74.00	33.57	Vertical
4	7282.5	54.87	36.34	-37.48	53.73	74.00	20.27	Vertical
5	10118.5	40.18	37.96	-32.18	45.96	74.00	28.04	Vertical
6	12138.5	43.92	38.57	-29.43	53.05	74.00	20.95	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 219 of 422

802.11ax20 MIMO_Channel 10



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4927	49.82	33.04	-41.27	41.59	74.00	32.41	Horizontal
2	7929.5	44.82	37.03	-36.62	45.22	74.00	28.78	Horizontal
3	9439.5	43.09	37.73	-33.80	47.02	74.00	26.98	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 220 of 422

802.11ax20 MIMO_Channel 10




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5759	48.13	33.98	-40.36	41.75	74.00	32.25	Vertical
2	7384.5	48.35	36.46	-37.81	47.00	74.00	27.00	Vertical
3	9398.5	43.28	37.72	-33.76	47.24	74.00	26.76	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 221 of 422

802.11ax20 MIMO_Channel 09



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4904.5	48.77	32.99	-41.21	40.55	74.00	33.45	Horizontal
2	7352.5	47.08	36.42	-37.64	45.86	74.00	28.14	Horizontal
3	9423	43.34	37.73	-33.78	47.29	74.00	26.71	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 222 of 422

802.11ax20 MIMO_Channel 09



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7351.5	44.96	36.42	-37.63	43.75	54.00	10.25	Vertical
2	4916.5	47.35	33.02	-41.24	39.12	74.00	34.88	Vertical
3	7355	53.88	36.43	-37.65	52.65	74.00	21.35	Vertical
4	10466	38.80	38.13	-31.27	45.67	74.00	28.33	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 223 of 422

802.11ax20 MIMO_Channel 08




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4890.5	43.54	32.96	-41.23	35.27	54.00	18.73	Horizontal
2	7340	41.15	36.41	-37.57	39.99	54.00	14.01	Horizontal
3	4893	50.80	32.96	-41.22	42.54	74.00	31.46	Horizontal
4	7339.5	50.93	36.41	-37.57	49.77	74.00	24.23	Horizontal
5	11350.5	38.72	38.40	-30.21	46.91	74.00	27.09	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 224 of 422

802.11ax20 MIMO_Channel 08



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7334.5	46.70	36.40	-37.54	45.56	54.00	8.44	Vertical
2	12229	34.14	38.67	-29.80	43.01	54.00	10.99	Vertical
3	4896	47.94	32.97	-41.21	39.70	74.00	34.30	Vertical
4	7336	54.33	36.40	-37.55	53.18	74.00	20.82	Vertical
5	12230	41.75	38.68	-29.81	50.62	74.00	23.38	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 225 of 422

802.11ax HE40 MIMO_Channel 03



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4987	48.40	33.17	-41.43	40.14	74.00	33.86	Horizontal
2	6843	46.67	35.94	-38.40	44.20	74.00	29.80	Horizontal
3	7779.5	46.08	36.88	-36.89	46.07	74.00	27.93	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 226 of 422

802.11ax HE40 MIMO_Channel 03



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4807	48.80	32.78	-41.48	40.10	74.00	33.90	Vertical
2	5808	48.69	34.15	-40.26	42.57	74.00	31.43	Vertical
3	7931.5	46.10	37.03	-36.62	46.51	74.00	27.49	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 227 of 422

802.11ax HE40 MIMO_Channel 06



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4873	49.77	32.92	-41.28	41.41	74.00	32.59	Horizontal
2	7354.5	46.20	36.43	-37.65	44.98	74.00	29.02	Horizontal
3	9362	43.28	37.71	-33.91	47.08	74.00	26.92	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 228 of 422

802.11ax HE40 MIMO_Channel 06



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4504.5	48.71	32.11	-42.02	38.80	74.00	35.20	Vertical
2	7327.5	47.25	36.39	-37.51	46.14	74.00	27.86	Vertical
3	8788	44.89	37.49	-34.96	47.42	74.00	26.58	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 229 of 422

802.11ax HE40 MIMO_Channel 09



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4793.5	49.24	32.75	-41.50	40.49	74.00	33.51	Horizontal
2	6747	47.36	35.90	-38.62	44.63	74.00	29.37	Horizontal
3	8841	44.16	37.52	-34.95	46.74	74.00	27.26	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 230 of 422

802.11ax HE40 MIMO_Channel 09



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4901.5	47.49	32.98	-41.20	39.27	74.00	34.73	Vertical
2	6225.5	47.85	35.25	-39.59	43.51	74.00	30.49	Vertical
3	7864.5	45.23	36.96	-36.70	45.50	74.00	28.50	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 231 of 422

802.11ax40 MIMO_Channel 04




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4623.5	47.83	32.37	-41.59	38.62	74.00	35.38	Horizontal
2	7189.5	46.08	36.23	-38.07	44.24	74.00	29.76	Horizontal
3	9386	43.04	37.72	-33.81	46.95	74.00	27.05	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 232 of 422

802.11ax40 MIMO_Channel 04



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4631	46.38	32.39	-41.58	37.19	74.00	36.81	Vertical
2	7281	46.03	36.34	-37.49	44.87	74.00	29.13	Vertical
3	9424.5	41.95	37.73	-33.78	45.90	74.00	28.10	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 233 of 422

802.11ax40 MIMO_Channel 05



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5563.5	46.02	33.32	-40.68	38.66	74.00	35.34	Horizontal
2	8795	42.94	37.50	-34.93	45.51	74.00	28.49	Horizontal
3	11788.5	37.30	38.40	-29.68	46.02	74.00	27.98	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 234 of 422

802.11ax40 MIMO_Channel 05



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5418	46.50	33.12	-40.85	38.77	74.00	35.23	Vertical
2	8369.5	43.33	37.28	-35.70	44.91	74.00	29.09	Vertical
3	11560	38.20	38.40	-29.86	46.74	74.00	27.26	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 235 of 422

802.11ax40 MIMO_Channel 07



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4895	47.29	32.97	-41.22	39.04	74.00	34.96	Horizontal
2	6770.5	46.00	35.91	-38.55	43.36	74.00	30.64	Horizontal
3	8642	43.43	37.42	-35.27	45.58	74.00	28.42	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 236 of 422

802.11ax40 MIMO_Channel 07



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4599.5	46.03	32.32	-41.61	36.74	74.00	37.26	Vertical
2	6834.5	45.20	35.93	-38.42	42.72	74.00	31.28	Vertical
3	9339.5	41.93	37.70	-34.00	45.63	74.00	28.37	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 237 of 422

802.11ax40 MIMO_Channel 08



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4900.5	47.33	32.98	-41.20	39.11	74.00	34.89	Horizontal
2	7950	44.01	37.05	-36.60	44.46	74.00	29.54	Horizontal
3	11839.5	37.28	38.40	-29.65	46.03	74.00	27.97	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 238 of 422

802.11ax40 MIMO_Channel 08



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4882	46.43	32.94	-41.25	38.12	74.00	35.88	Vertical
2	7346	44.70	36.42	-37.60	43.51	74.00	30.49	Vertical
3	9413	42.06	37.72	-33.77	46.02	74.00	27.98	Vertical

Remark:

- 1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:
Level = Reading(dBμV) + AF(dB/m) + Factor(dB):
AF = Antenna Factor(dB/m)
Factor = Cable Factor(dB) - Preamplifier gain(dB)
Margin = Limit(dBμV/m) – Level(dBμV/m)
- 2) All channels have been tested, but only the worst case data displayed in this report.
- 3) Both peak and average measured complies with the limit line, so test result is "PASS"




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 239 of 422

Restricted bands around fundamental frequency

802.11b CDD_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2364.99	49.11	27.10	-23.30	52.92	74.00	21.08	Horizontal
2	2386.05	49.02	27.15	-23.31	52.86	74.00	21.14	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 240 of 422

802.11b CDD_Channel 01



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2380.46	35.91	27.14	-23.31	39.74	54.00	14.26	Horizontal
2	2387.61	37.78	27.15	-23.31	41.62	54.00	12.38	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 241 of 422

802.11b CDD_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2370.06	35.91	27.11	-23.30	39.73	54.00	14.27	Vertical
2	2388.26	36.22	27.15	-23.31	40.06	54.00	13.94	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 242 of 422

802.11b CDD_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2374.74	49.19	27.12	-23.30	53.01	74.00	20.99	Vertical
2	2388.39	48.73	27.15	-23.31	52.57	74.00	21.43	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 243 of 422

802.11b CDD_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2484.04	52.60	27.36	-23.27	56.70	74.00	17.30	Horizontal
2	2485.66	51.00	27.37	-23.27	55.10	74.00	18.90	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 244 of 422

802.11b CDD_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2484.7	43.08	27.37	-23.27	47.18	54.00	6.82	Horizontal
2	2488.84	37.60	27.38	-23.27	41.71	54.00	12.29	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 245 of 422

802.11b CDD_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2484.64	37.92	27.37	-23.27	42.02	54.00	11.98	Vertical
2	2488.6	36.38	27.37	-23.27	40.49	54.00	13.51	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 246 of 422

802.11b CDD_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2484.7	49.18	27.37	-23.27	53.28	74.00	20.72	Vertical
2	2489.2	48.70	27.38	-23.27	52.81	74.00	21.19	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 247 of 422

802.11b CDD_Channel 02



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2379.94	49.93	27.14	-23.31	53.76	74.00	20.24	Horizontal
2	2389.95	49.29	27.16	-23.31	53.13	74.00	20.87	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 248 of 422

802.11b CDD_Channel 02



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.26	38.25	27.15	-23.31	42.09	54.00	11.91	Horizontal
2	2389.95	39.99	27.16	-23.31	43.83	54.00	10.17	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 249 of 422

802.11b CDD_Channel 02



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2383.58	36.00	27.14	-23.31	39.84	54.00	14.16	Vertical
2	2389.95	36.75	27.16	-23.31	40.59	54.00	13.41	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 250 of 422

802.11b CDD_Channel 02




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2367.98	49.37	27.11	-23.30	53.18	74.00	20.82	Vertical
2	2386.7	49.05	27.15	-23.31	52.89	74.00	21.11	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 251 of 422

802.11b CDD_Channel 10




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.8	51.24	27.36	-23.27	55.33	74.00	18.67	Horizontal
2	2485.42	51.46	27.37	-23.27	55.56	74.00	18.44	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 252 of 422

802.11b CDD_Channel 10




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.68	43.13	27.36	-23.27	47.22	54.00	6.78	Horizontal
2	2485.48	42.35	27.37	-23.27	46.45	54.00	7.55	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 253 of 422

802.11b CDD_Channel 10




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.68	39.58	27.36	-23.27	43.67	54.00	10.33	Vertical
2	2485.72	39.41	27.37	-23.27	43.51	54.00	10.49	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 254 of 422

802.11b CDD_Channel 10




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.98	49.86	27.36	-23.27	53.96	74.00	20.04	Vertical
2	2486.38	50.13	27.37	-23.27	54.23	74.00	19.77	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 255 of 422

802.11b CDD_Channel 09




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.92	50.10	27.36	-23.27	54.19	74.00	19.81	Horizontal
2	2489.44	50.24	27.38	-23.27	54.35	74.00	19.65	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 256 of 422

802.11b CDD_Channel 09




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.5	39.38	27.36	-23.27	43.47	54.00	10.53	Horizontal
2	2487.28	37.63	27.37	-23.27	41.73	54.00	12.27	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 257 of 422

802.11b CDD_Channel 09




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.56	36.74	27.36	-23.27	40.83	54.00	13.17	Vertical
2	2487.22	37.29	27.37	-23.27	41.39	54.00	12.61	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 258 of 422

802.11b CDD_Channel 09




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.5	49.99	27.36	-23.27	54.08	74.00	19.92	Vertical
2	2489.08	49.31	27.38	-23.27	53.42	74.00	20.58	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 259 of 422

802.11g CDD_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2383.45	37.54	27.14	-23.31	41.38	54.00	12.62	Horizontal
2	2389.95	47.06	27.16	-23.31	50.90	54.00	3.10	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 260 of 422

802.11g CDD_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2387.22	61.62	27.15	-23.31	65.46	74.00	8.54	Horizontal
2	2389.43	64.92	27.16	-23.31	68.76	74.00	5.24	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 261 of 422

802.11g CDD_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2372.4	47.51	27.12	-23.30	51.33	74.00	22.67	Vertical
2	2389.82	61.88	27.16	-23.31	65.72	74.00	8.28	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 262 of 422

802.11g CDD_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2375.39	35.66	27.13	-23.30	39.48	54.00	14.52	Vertical
2	2389.82	42.23	27.16	-23.31	46.07	54.00	7.93	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 263 of 422

802.11g CDD_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.5	45.94	27.36	-23.27	50.03	54.00	3.97	Horizontal
2	2484.88	44.91	27.37	-23.27	49.01	54.00	4.99	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 264 of 422

802.11g CDD_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2485.06	64.24	27.37	-23.27	68.34	74.00	5.66	Horizontal
2	2491.48	52.44	27.38	-23.27	56.56	74.00	17.44	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 265 of 422

802.11g CDD_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2484.04	66.64	27.36	-23.27	70.74	74.00	3.26	Vertical
2	2484.58	64.93	27.37	-23.27	69.03	74.00	4.97	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 266 of 422

802.11g CDD_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.5	45.60	27.36	-23.27	49.69	54.00	4.31	Vertical
2	2485.36	42.34	27.37	-23.27	46.44	54.00	7.56	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 267 of 422

802.11g CDD_Channel 02




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2384.75	58.76	27.15	-23.31	62.60	74.00	11.40	Horizontal
2	2388.78	67.06	27.16	-23.31	70.90	74.00	3.10	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 268 of 422

802.11g CDD_Channel 02




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2381.37	37.25	27.14	-23.31	41.08	54.00	12.92	Horizontal
2	2388.52	46.14	27.15	-23.31	49.98	54.00	4.02	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 269 of 422

802.11g CDD_Channel 02




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2385.53	61.00	27.15	-23.31	64.84	74.00	9.16	Vertical
2	2389.82	64.35	27.16	-23.31	68.19	74.00	5.81	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 270 of 422

802.11g CDD_Channel 02




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.13	43.50	27.15	-23.31	47.34	54.00	6.66	Vertical
2	2389.95	45.72	27.16	-23.31	49.56	54.00	4.44	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 271 of 422

802.11g CDD_Channel 10




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.5	64.61	27.36	-23.27	68.70	74.00	5.30	Horizontal
2	2487.34	61.88	27.37	-23.27	65.98	74.00	8.02	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 272 of 422

802.11g CDD_Channel 10




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2484.52	46.69	27.37	-23.27	50.79	54.00	3.21	Horizontal
2	2486.32	45.09	27.37	-23.27	49.19	54.00	4.81	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 273 of 422

802.11g CDD_Channel 10




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2484.16	56.70	27.37	-23.27	60.80	74.00	13.20	Vertical
2	2486.26	59.93	27.37	-23.27	64.03	74.00	9.97	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 274 of 422

802.11g CDD_Channel 10




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.56	39.72	27.36	-23.27	43.81	54.00	10.19	Vertical
2	2487.4	38.30	27.37	-23.27	42.40	54.00	11.60	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 275 of 422

802.11g CDD_Channel 09




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.56	46.77	27.36	-23.27	50.86	54.00	3.14	Horizontal
2	2486.2	45.36	27.37	-23.27	49.46	54.00	4.54	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 276 of 422

802.11g CDD_Channel 09




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.62	63.15	27.36	-23.27	67.24	74.00	6.76	Horizontal
2	2486.8	62.79	27.37	-23.27	66.89	74.00	7.11	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 277 of 422

802.11g CDD_Channel 09




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.56	60.74	27.36	-23.27	64.83	74.00	9.17	Vertical
2	2485.3	60.74	27.37	-23.27	64.84	74.00	9.16	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 278 of 422

802.11g CDD_Channel 09



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.56	42.64	27.36	-23.27	46.73	54.00	7.27	Vertical
2	2485.72	42.32	27.37	-23.27	46.42	54.00	7.58	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 279 of 422

802.11g CDD_Channel 08




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.42	38.34	27.16	-23.31	42.18	54.00	11.82	Horizontal
2	2483.85	43.80	27.36	-23.27	47.89	54.00	6.11	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 280 of 422

802.11g CDD_Channel 08



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.42	51.95	27.16	-23.31	55.79	74.00	18.21	Horizontal
2	2483.66	62.25	27.36	-23.27	66.34	74.00	7.66	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 281 of 422

802.11g CDD_Channel 08




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.8	49.13	27.16	-23.31	52.97	74.00	21.03	Vertical
2	2485.18	55.97	27.37	-23.27	60.07	74.00	13.93	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 282 of 422

802.11g CDD_Channel 08




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.61	36.94	27.16	-23.31	40.78	54.00	13.22	Vertical
2	2485.75	40.37	27.37	-23.27	44.47	54.00	9.53	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 283 of 422

802.11n20 MIMO_Channel 01



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2387.09	58.51	27.15	-23.31	62.35	74.00	11.65	Horizontal
2	2389.95	65.26	27.16	-23.31	69.10	74.00	4.90	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 284 of 422

802.11n20 MIMO_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2385.01	39.40	27.15	-23.31	43.24	54.00	10.76	Horizontal
2	2389.95	47.12	27.16	-23.31	50.96	54.00	3.04	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 285 of 422

802.11n20 MIMO_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2363.69	49.24	27.10	-23.29	53.05	74.00	20.95	Vertical
2	2389.3	57.65	27.16	-23.31	61.49	74.00	12.51	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 286 of 422

802.11n20 MIMO_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2377.08	35.81	27.13	-23.30	39.64	54.00	14.36	Vertical
2	2389.95	41.64	27.16	-23.31	45.48	54.00	8.52	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 287 of 422

802.11n20 MIMO_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.92	46.28	27.36	-23.27	50.37	54.00	3.63	Horizontal
2	2486.26	41.24	27.37	-23.27	45.34	54.00	8.66	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 288 of 422

802.11n20 MIMO_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.5	65.32	27.36	-23.27	69.41	74.00	4.59	Horizontal
2	2484.52	63.63	27.37	-23.27	67.73	74.00	6.27	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204
Rev.: 01
Page: 289 of 422

802.11n20 MIMO_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.5	58.52	27.36	-23.27	62.61	74.00	11.39	Vertical
2	2485.36	58.66	27.37	-23.27	62.76	74.00	11.24	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034204

Rev.: 01

Page: 290 of 422

802.11n20 MIMO_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.56	42.34	27.36	-23.27	46.43	54.00	7.57	Vertical
2	2485.06	41.72	27.37	-23.27	45.82	54.00	8.18	Vertical