

Table of Contents



1. -6dB Bandwidth	2
2. 99% Occupied Bandwidth	4
3. Duty Cycle	6
4. Peak Output Power	8
5. Power Spectral Density	10
6. Bandedge	12
7. Spurious Emission	14

FCC ID BLE

FCC_BLE (Part15.247) Test Data

1. -6dB Bandwidth

Condition	Antenna	Rate	Frequency (MHz)	-6dB BW(kHz)	limit(kHz)	Result
NVNT	ANT1	1Mbps	2402.00	502.78	500	Pass
NVNT	ANT1	1Mbps	2440.00	522.55	500	Pass
NVNT	ANT1	1Mbps	2480.00	538.14	500	Pass




-6dB Bandwidth NVNT ANT1 1Mbps 2480




2. 99% Occupied Bandwidth

Condition	Antenna	Rate	Frequency (MHz)	99% BW (MHz)
NVNT	ANT1	1Mbps	2402.00	1.090
NVNT	ANT1	1Mbps	2440.00	1.155
NVNT	ANT1	1Mbps	2480.00	1.204





99% Occupied Bandwidth NVNT ANT1 1Mbps 2480




3. Duty Cycle

Condition	Antenna	Rate	Frequency (MHz)	Dutycycle(%)	Duty_factor
NVNT	ANT1	1Mbps	2402.00	12.90	8.89
NVNT	ANT1	1Mbps	2440.00	15.63	8.06
NVNT	ANT1	1Mbps	2480.00	12.90	8.89





Duty Cycle_NVNT_ANT1_1Mbps_2480




4. Peak Output Power

Condition	Antenna	Rate	Frequency (MHz)	Max. Conducted Power(dBm)	Max. Conducted Power(mW)	Limit(mW)	Result
NVNT	ANT1	1Mbps	2402.00	-0.740	0.84	1000	Pass
NVNT	ANT1	1Mbps	2440.00	-0.563	0.88	1000	Pass
NVNT	ANT1	1Mbps	2480.00	-0.481	0.90	1000	Pass





Peak Output Power_NVNT_ANT1_1Mbps_2480




5. Power Spectral Density

Condition	Antenna	Rate	Frequency (MHz)	Power Spectral Density(dBm/3kHz)	Limit(dBm/3kHz)	Result
NVNT	ANT1	1Mbps	2402.00	-20.70	8	Pass
NVNT	ANT1	1Mbps	2440.00	-20.81	8	Pass
NVNT	ANT1	1Mbps	2480.00	-20.84	8	Pass




Power Spectral Density_NVNT_ANT1_1Mbps_2480




6. Bandedge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark_freq(MHz)	Ref_level(dBm)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	1Mbps	2402.00	2377.925	-0.874	-52.173	-20.874	Pass
NVNT	ANT1	1Mbps	2480.00	2491.650	-0.660	-57.704	-20.660	Pass

1_Reference_Level_NVNT_ANT1_1Mbps_2402




2_Bandedge_NVNT_ANT1_1Mbps_2402



1_Reference_Level_NVNT_ANT1_1Mbps_2480



2_Bandedge_NVNT_ANT1_1Mbps_2480




7. Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Ref_level(dBm)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	1Mbps	2402.00	-0.874	-44.398	-20.874	Pass
NVNT	ANT1	1Mbps	2440.00	-0.704	-44.946	-20.704	Pass
NVNT	ANT1	1Mbps	2480.00	-0.660	-42.850	-20.660	Pass

1 Reference Level NVNT ANT1 1Mbps 2402




2 Spurious Emission NVNT ANT1 1Mbps 2402



1 Reference Level NVNT ANT1 1Mbps 2440



2_Spurious_Emission_NVNT_ANT1_1Mbps_2440



1_Reference_Level_NVNT_ANT1_1Mbps_2480



2_Spurious_Emission_NVNT_ANT1_1Mbps_2480

