


# 1 Photo documentation of the EUT

## 1.1 Scale



1 box  $\cong$  10 cm x 10 cm

2			
1			
cm	1	2	3

or

1 box  $\cong$  1 cm x 1 cm

## 1.2 External views



The test report merely corresponds to the test sample. It is not permitted to copy extracts of these test results without the written permission of the test laboratory.

Front view



The test report merely corresponds to the test sample. It is not permitted to copy extracts of these test results without the written permission of the test laboratory.

Front view (with the doors open)



The test report merely corresponds to the test sample. It is not permitted to copy extracts of these test results without the written permission of the test laboratory.

Left view



Right view



The test report merely corresponds to the test sample. It is not permitted to copy extracts of these test results without the written permission of the test laboratory.

Front view – ext. TAG reader



The test report merely corresponds to the test sample. It is not permitted to copy extracts of these test results without the written permission of the test laboratory.

Rear view



Label view

**Agilent**

Product No.: G7129B

Serial No.: DEBA908663

Manufactured by Agilent Technologies  
Hewlett-Packard-Strasse 8  
76337 Waldbronn, Germany  
For Agilent Technologies Singapore  
(International) Pte. Ltd.  
No. 1 Yishun Ave 7, SINGAPORE 768923  
Singapore

Made in Germany

2023-09-15

Labels: G7129-8/901 Rev C

SP US, UK CA, EAC, CE, ISM 1-B, CAN ICES-001(B)/NMB-001(B), MSIP-REM-ATI-LS29LGG7129X, 100 - 240 V ~, 50 / 60 Hz, 350 VA

**Agilent**

Product No.: G7167-60201

Serial No.: DEBDS05375

TT No.: 182610

Manufactured for  
Agilent Technologies Singapore  
(International) Pte. Ltd.  
No.1 Yishun Ave 7, SINGAPORE 768923  
Singapore

Made in Germany

2023-09

Labels: G7167-87013 Rev.B.00

UK CA, EAC, CE, SP US, R600a / 29 g, Pmax 19.5 bar, CAUTION - Risk Of Fire Or Explosion. Dispose Of Properly In Accordance With Federal Or Local Regulations. Flammable Refrigerant Used. This unit is intended for use in commercial, industrial, or institutional occupancies as defined in the Safety Standard for Refrigeration Systems, ANSI/ASHRAE 15, 24 V ~, 10 A max.


The test report merely corresponds to the test sample. It is not permitted to copy extracts of these test results without the written permission of the test laboratory.

Top view



The test report merely corresponds to the test sample. It is not permitted to copy extracts of these test results without the written permission of the test laboratory.

Bottom view




The test report merely corresponds to the test sample. It is not permitted to copy extracts of these test results without the written permission of the test laboratory.



1.3 Accessories

Top view of the TAG – Type ColumnID-Tag



Front view of the TAG

