



Dongguan Jinghong Technology Co., Ltd

Product specification

Customer Name: Dixinbao

Product Name: 3.1.11.0122

Material code: JH-DXB-20250304

Product specifications:

Sensitivity specification: $6.7\text{uH} \pm 10\%$

Magnetic specifications: $43.5 * 5.3 * 0.8$ dual slot center perforated hard magnetic

Wire specifications: $0.08 * 24\text{P} * 20\text{Ts}$ (inner diameter 20.5mm, outer diameter 39.5), with white adhesive on the back.

Date: March 4th, 2025

Version model: REV1.0

Version	Changes	Person responsible	Date:	
REV1.0	first release	YangGuoXing	March 4th, 2025	

Develop	Examine	Approval
WeiRuanQiu	YangGuoXing	LiuChunPing

Customer approved signature and seal		
--------------------------------------	--	--



Dongguan Jinghong Technology Co., Ltd

Product Specifications of Dixinbao-2025-3-1

1. Product size

CUSTOMER ON: 3.1.11.0122

No.	project	specifications
A	Magnetic disc diameter	43.5±0.5mm
B	Outer diameter of coil	39.5±0.5mm
C	Inner diameter of coil	20.5±0.5mm
D	Product thickness	<2.50mm
E	Length of outgoing line	12mm±0.3mm
F	Solder length	3±1.0mm
G	Magnetic disk aperture diameter	5.3±0.3mm
/	Magnetic thickness	0.8±0.1mm
/	Magnetic disk shape	Circular double groove
/	Adhesive thickness	Ordinary double-sided white tape

2. Winding parameters

terminal		Wire diameter	number of turns	winding direction
S	F	Enamel wire 0.08 * 24T (double spliced winding)	20TS	CCW


3. Electrical characteristics

No.	project	terminal	standard	Test conditions	testing instrument
1	IND.	S-F	L:6.7uH±10%	10KHz/1.0V	Digital bridge 2811C



Dongguan Jinghong Technology Co., Ltd

4、Product physical picture



Company Name: Dongguan Jinghong Technology Co., Ltd

Company Address: 4th Floor, Building D, Yuanfeng Industrial Zone, No. 2 Shuixin Industrial Road 2, Fenggang Town, Dongguan City