

Appendix

Test Data

for BTEK240625003AE

Start date	2024/7/22	Finish date	2024/7/22
Temperature	23.1℃	Humidity	63%
RF specifications	BLE	Test Engineer	Zora



Table of Contents


1. -6dB Bandwidth	3
2. 99% Occupied Bandwidth	6
3. Duty Cycle	9
4. Peak Output Power	12
5. Power Spectral Density	15
6. Bandedge	18
7. Spurious Emission	22




1. -6dB Bandwidth

Condition	Antenna	Rate	Frequency (MHz)	-6dB BW(kHz)	limit(kHz)	Result
NVNT	ANT1	1Mbps	2402.00	671.59	500	Pass
NVNT	ANT1	1Mbps	2440.00	670.69	500	Pass
NVNT	ANT1	1Mbps	2480.00	678.20	500	Pass
NVNT	ANT1	2Mbps	2402.00	1156.73	500	Pass
NVNT	ANT1	2Mbps	2440.00	1153.36	500	Pass
NVNT	ANT1	2Mbps	2480.00	1156.93	500	Pass

-6dB_Bandwidth_NVNT_ANT1_1Mbps_2402





-6dB_Bandwidth_NVNT_ANT1_1Mbps_2440





-6dB_Bandwidth_NVNT_ANT1_1Mbps_2480





-6dB_Bandwidth_NVNT_ANT1_2Mbps_2440







2. 99% Occupied Bandwidth

Condition	Antenna	Rate	Frequency (MHz)	99% BW(MHz)
NVNT	ANT1	1Mbps	2402.00	1.019
NVNT	ANT1	1Mbps	2440.00	1.018
NVNT	ANT1	1Mbps	2480.00	1.018
NVNT	ANT1	2Mbps	2402.00	1.999
NVNT	ANT1	2Mbps	2440.00	2.001
NVNT	ANT1	2Mbps	2480.00	2.001

99% Occupied Bandwidth NVNT ANT1 1Mbps 2402





99% Occupied Bandwidth NVNT ANT1 1Mbps 2440




99% Occupied Bandwidth NVNT ANT1 1Mbps 2480





99%_Occupied_Bandwidth_NVNT_ANT1_2Mbps_2440







3. Duty Cycle

Condition	Antenna	Rate	Frequency (MHz)	Dutycycle(%)	Duty_factor
NVNT	ANT1	1Mbps	2402.00	70.97	1.49
NVNT	ANT1	1Mbps	2440.00	74.19	1.30
NVNT	ANT1	1Mbps	2480.00	70.97	1.49
NVNT	ANT1	2Mbps	2402.00	41.94	3.77
NVNT	ANT1	2Mbps	2440.00	40.62	3.91
NVNT	ANT1	2Mbps	2480.00	45.16	3.45

Duty Cycle NVNT_ANT1_1Mbps_2402





Duty Cycle NVNT_ANT1_1Mbps_2440





Duty Cycle NVNT_ANT1_1Mbps_2480





Duty Cycle_NVNT_ANT1_2Mbps_2440







4. Peak Output Power

Condition	Antenna	Rate	Frequency (MHz)	Max. Conducted Power(dBm)	Max. Conducted Power(mW)	Limit(mW)	Result
NVNT	ANT1	1Mbps	2402.00	6.84	4.83	1000	Pass
NVNT	ANT1	1Mbps	2440.00	6.79	4.78	1000	Pass
NVNT	ANT1	1Mbps	2480.00	6.30	4.27	1000	Pass
NVNT	ANT1	2Mbps	2402.00	6.81	4.80	1000	Pass
NVNT	ANT1	2Mbps	2440.00	6.88	4.88	1000	Pass
NVNT	ANT1	2Mbps	2480.00	6.41	4.37	1000	Pass

Peak_Output_Power_NVNT_ANT1_1Mbps_2402





Peak_Output_Power_NVNT_ANT1_1Mbps_2440




Peak_Output_Power_NVNT_ANT1_1Mbps_2480





Peak_Output_Power_NVNT_ANT1_2Mbps_2440







5. Power Spectral Density

Condition	Antenna	Rate	Frequency (MHz)	Power Spectral Density(dBm)	Limit(dBm/3kHz)	Result
NVNT	ANT1	1Mbps	2402.00	-3.00	8	Pass
NVNT	ANT1	1Mbps	2440.00	-3.12	8	Pass
NVNT	ANT1	1Mbps	2480.00	-3.43	8	Pass
NVNT	ANT1	2Mbps	2402.00	-3.65	8	Pass
NVNT	ANT1	2Mbps	2440.00	-3.55	8	Pass
NVNT	ANT1	2Mbps	2480.00	-3.92	8	Pass

Power_Spectral_Density_NVNT_ANT1_1Mbps_2402





Power_Spectral_Density_NVNT_ANT1_1Mbps_2440





Power_Spectral_Density_NVNT_ANT1_1Mbps_2480





Power_Spectral_Density_NVNT_ANT1_2Mbps_2440






6. Bandedge

Condition	Antenna	Rate	TX_Frequency (MHz)	Max. Mark Frequency (MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	1Mbps	2402.00	2395.975	-29.995	-13.229	Pass
NVNT	ANT1	1Mbps	2480.00	2486.000	-37.331	-13.775	Pass
NVNT	ANT1	2Mbps	2402.00	2399.965	-26.625	-13.274	Pass
NVNT	ANT1	2Mbps	2480.00	2486.000	-37.156	-13.713	Pass

1_Reference_Level_NVNT_ANT1_1Mbps_2402



2_Bandedge_NVNT_ANT1_1Mbps_2402




1_Reference_Level_NVNT_ANT1_1Mbps_2480





2_Bandedge_NVNT_ANT1_1Mbps_2480




1_Reference_Level_NVNT_ANT1_2Mbps_2402





2_Bandedge_NVNT_ANT1_2Mbps_2402




1_Reference_Level_NVNT_ANT1_2Mbps_2480





2_Bandedge_NVNT_ANT1_2Mbps_2480




7. Spurious Emission

Condition	Antenna	Rate	TX_Frequency(MHz)	Spurious MAX.Value(dBm)	Limit	Result
NVNT	ANT1	1Mbps	2402.00	-32.389	-13.229	Pass
NVNT	ANT1	1Mbps	2440.00	-31.953	-13.265	Pass
NVNT	ANT1	1Mbps	2480.00	-31.233	-13.775	Pass
NVNT	ANT1	2Mbps	2402.00	-32.955	-13.274	Pass
NVNT	ANT1	2Mbps	2440.00	-31.944	-13.199	Pass
NVNT	ANT1	2Mbps	2480.00	-32.194	-13.713	Pass

1_Reference_Level_NVNT_ANT1_1Mbps_2402



2_Spurious_Emission_NVNT_ANT1_1Mbps_2402




1_Reference_Level_NVNT_ANT1_1Mbps_2440





2_Spurious Emission_NVNT_ANT1_1Mbps_2440




1_Reference_Level_NVNT_ANT1_1Mbps_2480





2_Spurious Emission_NVNT_ANT1_1Mbps_2480




1_Reference_Level_NVNT_ANT1_2Mbps_2402





2_Spurious Emission_NVNT_ANT1_2Mbps_2402




1_Reference_Level_NVNT_ANT1_2Mbps_2440





2_Spurious Emission_NVNT_ANT1_2Mbps_2440



1_Reference_Level_NVNT_ANT1_2Mbps_2480



