



CH142 26 dB Bandwidth



Date: 31.DEC.2024 10:11:25

99 % Occupied Bandwidth




Date: 31.DEC.2024 09:56:35

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	82.000	75.200
122	5610	81.800	75.200
138	5690	75.600	75.200

CH106




Date: 27.DEC.2024 19:53:11

CH122
26 dB Bandwidth




Date: 27.DEC.2024 19:54:29

CH138




Date: 31.DEC.2024 10:13:58


99 % Occupied Bandwidth



Date: 27.DEC.2024 19:52:27



Date: 27.DEC.2024 19:53:40




Date: 31.DEC.2024 09:58:32

Test Mode	UNII-2C_TX AC(VHT160) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	163.200	154.400

CH114 26 dB Bandwidth



Date: 27 DEC 2024 19:59:13

99 % Occupied Bandwidth




Date: 27 DEC 2024 19:58:32

Test Mode	UNII-2C_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.950	18.900
116	5580	21.250	18.900
140	5700	20.990	18.900
144	5720	15.450	18.900

CH100




Date: 28.DEC.2024 09:48:37

CH116
26 dB Bandwidth




Date: 28.DEC.2024 09:49:35

CH140




Date: 28.DEC.2024 09:51:17


99 % Occupied Bandwidth



Date: 28.DEC.2024 09:47:58




Date: 28.DEC.2024 09:49:00




Date: 28.DEC.2024 09:50:41

CH144 26 dB Bandwidth



Date: 31.DEC.2024 10:20:22

99 % Occupied Bandwidth




Date: 31.DEC.2024 09:54:51

Test Mode	UNII-2C_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	40.100	38.000
110	5550	40.000	37.800
134	5670	40.300	38.000
142	5710	36.100	38.000

CH102




Date: 28.DEC.2024 10:33:00

CH110
26 dB Bandwidth




Date: 28.DEC.2024 10:35:59

CH134




Date: 28.DEC.2024 10:37:23


99 % Occupied Bandwidth



Date: 28.DEC.2024 10:32:07



Date: 28.DEC.2024 10:35:07




Date: 28.DEC.2024 10:36:31

Test Mode	UNII-2C_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	82.400	77.200
122	5610	81.800	76.800
138	5690	81.200	77.200

CH106




Date: 28.DEC.2024 10:47:44

CH122
26 dB Bandwidth




Date: 28.DEC.2024 10:49:27

CH138




Date: 31.DEC.2024 10:28:18


99 % Occupied Bandwidth



Date: 28.DEC.2024 10:46:55



Date: 28.DEC.2024 10:48:36




Date: 31.DEC.2024 09:59:13

Test Mode	UNII-2C_TX AX(HE160) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	162.800	155.200

CH114 26 dB Bandwidth



Date: 27.DEC.2024 20:01:09

99 % Occupied Bandwidth




Date: 27.DEC.2024 20:00:27

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	13.950	17.900	0.5	Complies
157	5785	15.150	17.200	0.5	Complies
165	5825	13.290	16.800	0.5	Complies

CH149




Date: 27.DEC.2024 18:58:28

CH157
6 dB Bandwidth




Date: 27.DEC.2024 18:59:30

CH165




Date: 27.DEC.2024 19:00:35


99 % Occupied Bandwidth



Date: 27.DEC.2024 18:57:45



Date: 27.DEC.2024 18:58:49




Date: 27.DEC.2024 18:59:49

Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.190	18.100	0.5	Complies
157	5785	13.850	18.000	0.5	Complies
165	5825	13.899	17.800	0.5	Complies

CH149




Date: 27.DEC.2024 19:12:18

CH157
6 dB Bandwidth




Date: 27.DEC.2024 19:13:12

CH165




Date: 27.DEC.2024 19:14:17


99 % Occupied Bandwidth



Date: 27.DEC.2024 19:11:35



Date: 27.DEC.2024 19:12:33




Date: 27.DEC.2024 19:13:29

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	65.196	76.800	0.5	Complies

CH155 6 dB Bandwidth



Date: 27.DEC.2024 19:55:14

99 % Occupied Bandwidth




Date: 27.DEC.2024 19:55:03

Test Mode	UNII-3_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.189	19.300	0.5	Complies
157	5785	13.898	19.300	0.5	Complies
165	5825	15.599	19.200	0.5	Complies

CH149




Date: 28.DEC.2024 09:56:20

CH157
6 dB Bandwidth




Date: 28.DEC.2024 09:57:47

CH165




Date: 28.DEC.2024 09:58:58


99 % Occupied Bandwidth



Date: 28.DEC.2024 09:55:43



Date: 28.DEC.2024 09:56:57




Date: 28.DEC.2024 09:58:18

Test Mode	UNII-3_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	37.388	40.000	0.5	Complies
159	5795	37.386	39.000	0.5	Complies

CH151




Date: 28.DEC.2024 10:40:36

CH159
6 dB Bandwidth




Date: 28.DEC.2024 10:42:12

99 % Occupied Bandwidth



Date: 28.DEC.2024 10:39:43




Date: 28.DEC.2024 10:41:18

Test Mode	UNII-3_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	76.800	78.400	0.5	Complies

CH155 6 dB Bandwidth



Date: 28.DEC.2024 10:51:14

99 % Occupied Bandwidth



Date: 28.DEC.2024 10:50:05

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.08	0.30	22.38	30.00	1.0000	Complies
40	5200	23.12	0.30	23.42	30.00	1.0000	Complies
48	5240	23.12	0.30	23.42	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.23	0.30	22.53	30.00	1.0000	Complies
40	5200	23.48	0.30	23.78	30.00	1.0000	Complies
48	5240	23.05	0.30	23.35	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	25.47	30.00	1.0000	Complies
40	5200	26.62	30.00	1.0000	Complies
48	5240	26.40	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.28	0.38	23.66	30.00	1.0000	Complies
40	5200	23.19	0.38	23.57	30.00	1.0000	Complies
48	5240	23.58	0.38	23.96	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.31	0.38	23.69	30.00	1.0000	Complies
40	5200	23.35	0.38	23.73	30.00	1.0000	Complies
48	5240	23.61	0.38	23.99	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	26.68	30.00	1.0000	Complies
40	5200	26.66	30.00	1.0000	Complies
48	5240	26.98	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.25	0.37	19.62	30.00	1.0000	Complies
46	5230	23.74	0.37	24.11	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.38	0.37	19.75	30.00	1.0000	Complies
46	5230	23.63	0.37	24.00	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.69	30.00	1.0000	Complies
46	5230	27.06	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.58	0.35	17.93	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.67	0.35	18.02	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.99	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.83	0.36	23.19	30.00	1.0000	Complies
40	5200	23.56	0.36	23.92	30.00	1.0000	Complies
48	5240	24.01	0.36	24.37	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.01	0.36	23.37	30.00	1.0000	Complies
40	5200	23.61	0.36	23.97	30.00	1.0000	Complies
48	5240	24.03	0.36	24.39	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	26.29	30.00	1.0000	Complies
40	5200	26.95	30.00	1.0000	Complies
48	5240	27.39	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.01	0.33	19.34	30.00	1.0000	Complies
46	5230	24.73	0.33	25.06	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.14	0.33	19.47	30.00	1.0000	Complies
46	5230	24.59	0.33	24.92	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.42	30.00	1.0000	Complies
46	5230	28.00	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.62	0.34	18.96	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.73	0.34	19.07	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	22.03	30.00	1.0000	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.13	0.30	17.43	23.98	0.2500	Complies
60	5300	17.89	0.30	18.19	23.98	0.2500	Complies
64	5320	17.58	0.30	17.88	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.26	0.30	17.56	23.98	0.2500	Complies
60	5300	17.62	0.30	17.92	23.98	0.2500	Complies
64	5320	17.41	0.30	17.71	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.51	23.98	0.2500	Complies
60	5300	21.07	23.98	0.2500	Complies
64	5320	20.81	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.62	0.38	18.00	23.98	0.2500	Complies
60	5300	17.85	0.38	18.23	23.98	0.2500	Complies
64	5320	17.65	0.38	18.03	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.48	0.38	17.86	23.98	0.2500	Complies
60	5300	17.63	0.38	18.01	23.98	0.2500	Complies
64	5320	17.43	0.38	17.81	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.94	23.98	0.2500	Complies
60	5300	21.13	23.98	0.2500	Complies
64	5320	20.93	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.62	0.37	20.99	23.98	0.2500	Complies
62	5310	20.01	0.37	20.38	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.37	0.37	20.74	23.98	0.2500	Complies
62	5310	19.96	0.37	20.33	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.87	23.98	0.2500	Complies
62	5310	23.36	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.62	0.35	17.97	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.83	0.35	18.18	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	21.09	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.30	0.36	17.66	23.98	0.2500	Complies
60	5300	17.51	0.36	17.87	23.98	0.2500	Complies
64	5320	17.82	0.36	18.18	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.23	0.36	17.59	23.98	0.2500	Complies
60	5300	17.25	0.36	17.61	23.98	0.2500	Complies
64	5320	17.53	0.36	17.89	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.63	23.98	0.2500	Complies
60	5300	20.75	23.98	0.2500	Complies
64	5320	21.05	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.66	0.33	20.99	23.98	0.2500	Complies
62	5310	18.75	0.33	19.08	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.33	0.33	20.66	23.98	0.2500	Complies
62	5310	18.67	0.33	19.00	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.84	23.98	0.2500	Complies
62	5310	22.05	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	18.68	0.34	19.02	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	18.74	0.34	19.08	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	22.07	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	18.35	0.38	18.73	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	18.23	0.38	18.61	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	21.68	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	19.04	0.38	19.42	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	19.06	0.38	19.44	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	22.44	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.63	0.30	17.93	23.98	0.2500	Complies
116	5580	17.42	0.30	17.72	23.98	0.2500	Complies
140	5700	17.41	0.30	17.71	23.98	0.2500	Complies
144	5720	16.13	0.30	16.43	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.58	0.30	17.88	23.98	0.2500	Complies
116	5580	17.36	0.30	17.66	23.98	0.2500	Complies
140	5700	17.29	0.30	17.59	23.98	0.2500	Complies
144	5720	16.28	0.30	16.58	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.92	23.98	0.2500	Complies
116	5580	20.70	23.98	0.2500	Complies
140	5700	20.67	23.98	0.2500	Complies
144	5720	19.52	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.83	0.38	18.21	23.98	0.2500	Complies
116	5580	18.03	0.38	18.41	23.98	0.2500	Complies
140	5700	17.58	0.38	17.96	23.98	0.2500	Complies
144	5720	16.84	0.38	17.22	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.69	0.38	18.07	23.98	0.2500	Complies
116	5580	17.96	0.38	18.34	23.98	0.2500	Complies
140	5700	17.46	0.38	17.84	23.98	0.2500	Complies
144	5720	16.73	0.38	17.11	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	21.15	23.98	0.2500	Complies
116	5580	21.38	23.98	0.2500	Complies
140	5700	20.91	23.98	0.2500	Complies
144	5720	20.17	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.31	0.37	20.68	23.98	0.2500	Complies
110	5550	20.29	0.37	20.66	23.98	0.2500	Complies
134	5670	20.25	0.37	20.62	23.98	0.2500	Complies
142	5710	20.51	0.37	20.88	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.33	0.37	20.70	23.98	0.2500	Complies
110	5550	20.36	0.37	20.73	23.98	0.2500	Complies
134	5670	20.31	0.37	20.68	23.98	0.2500	Complies
142	5710	20.61	0.37	20.98	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	23.70	23.98	0.2500	Complies
110	5550	23.70	23.98	0.2500	Complies
134	5670	23.66	23.98	0.2500	Complies
142	5710	23.94	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.51	0.35	20.86	23.98	0.2500	Complies
122	5610	20.49	0.35	20.84	23.98	0.2500	Complies
138	5690	20.35	0.35	20.70	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.60	0.35	20.95	23.98	0.2500	Complies
122	5610	20.51	0.35	20.86	23.98	0.2500	Complies
138	5690	20.82	0.35	21.17	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	23.92	23.98	0.2500	Complies
122	5610	23.86	23.98	0.2500	Complies
138	5690	23.95	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	19.55	0.38	19.93	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	19.48	0.38	19.86	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	22.91	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.94	0.36	18.30	23.98	0.2500	Complies
116	5580	17.64	0.36	18.00	23.98	0.2500	Complies
140	5700	17.79	0.36	18.15	23.98	0.2500	Complies
144	5720	16.69	0.36	17.05	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.86	0.36	18.22	23.98	0.2500	Complies
116	5580	17.58	0.36	17.94	23.98	0.2500	Complies
140	5700	17.54	0.36	17.90	23.98	0.2500	Complies
144	5720	16.58	0.36	16.94	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	21.27	23.98	0.2500	Complies
116	5580	20.98	23.98	0.2500	Complies
140	5700	21.03	23.98	0.2500	Complies
144	5720	20.00	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.33	0.33	20.66	23.98	0.2500	Complies
110	5550	20.22	0.33	20.55	23.98	0.2500	Complies
134	5670	20.18	0.33	20.51	23.98	0.2500	Complies
142	5710	20.62	0.33	20.95	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.28	0.33	20.61	23.98	0.2500	Complies
110	5550	20.31	0.33	20.64	23.98	0.2500	Complies
134	5670	20.25	0.33	20.58	23.98	0.2500	Complies
142	5710	20.39	0.33	20.72	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	23.65	23.98	0.2500	Complies
110	5550	23.61	23.98	0.2500	Complies
134	5670	23.56	23.98	0.2500	Complies
142	5710	23.85	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.46	0.34	20.80	23.98	0.2500	Complies
122	5610	20.39	0.34	20.73	23.98	0.2500	Complies
138	5690	20.47	0.34	20.81	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.58	0.34	20.92	23.98	0.2500	Complies
122	5610	20.49	0.34	20.83	23.98	0.2500	Complies
138	5690	20.72	0.34	21.06	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	23.88	23.98	0.2500	Complies
122	5610	23.80	23.98	0.2500	Complies
138	5690	23.95	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	19.72	0.38	20.10	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	19.63	0.38	20.01	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	23.07	23.98	0.2500	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.11	0.30	26.41	30.00	1.0000	Complies
157	5785	26.12	0.30	26.42	30.00	1.0000	Complies
165	5825	26.09	0.30	26.39	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.82	0.30	27.12	30.00	1.0000	Complies
157	5785	26.75	0.30	27.05	30.00	1.0000	Complies
165	5825	26.89	0.30	27.19	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	29.79	30.00	1.0000	Complies
157	5785	29.76	30.00	1.0000	Complies
165	5825	29.82	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.47	0.38	25.85	30.00	1.0000	Complies
157	5785	26.21	0.38	26.59	30.00	1.0000	Complies
165	5825	26.10	0.38	26.48	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.49	0.38	24.87	30.00	1.0000	Complies
157	5785	26.85	0.38	27.23	30.00	1.0000	Complies
165	5825	26.91	0.38	27.29	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	28.40	30.00	1.0000	Complies
157	5785	29.93	30.00	1.0000	Complies
165	5825	29.91	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.65	0.37	25.02	30.00	1.0000	Complies
159	5795	26.77	0.37	27.14	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.03	0.37	24.40	30.00	1.0000	Complies
159	5795	26.12	0.37	26.49	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.73	30.00	1.0000	Complies
159	5795	29.83	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.21	0.35	22.56	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.86	0.35	22.21	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	25.40	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.40	0.36	25.76	30.00	1.0000	Complies
157	5785	26.11	0.36	26.47	30.00	1.0000	Complies
165	5825	26.08	0.36	26.44	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.26	0.36	25.62	30.00	1.0000	Complies
157	5785	26.19	0.36	26.55	30.00	1.0000	Complies
165	5825	26.13	0.36	26.49	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	28.70	30.00	1.0000	Complies
157	5785	29.52	30.00	1.0000	Complies
165	5825	29.47	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.53	0.33	24.86	30.00	1.0000	Complies
159	5795	26.54	0.33	26.87	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.51	0.33	24.84	30.00	1.0000	Complies
159	5795	26.11	0.33	26.44	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.86	30.00	1.0000	Complies
159	5795	29.67	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.18	0.34	22.52	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.06	0.34	22.40	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	25.48	30.00	1.0000	Complies

Note: Output power = Measure result + Cable loss

APPENDIX G - POWER SPECTRAL DENSITY


Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.52	0.30	13.82	17.00	Complies
40	5200	13.32	0.30	13.62	17.00	Complies
48	5240	13.60	0.30	13.90	17.00	Complies



Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.65	0.30	13.95	17.00	Complies
40	5200	13.31	0.30	13.61	17.00	Complies
48	5240	13.46	0.30	13.76	17.00	Complies




Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	16.90	17.00	Complies
40	5200	16.63	17.00	Complies
48	5240	16.85	17.00	Complies


Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.07	0.38	13.45	17.00	Complies
40	5200	13.23	0.38	13.61	17.00	Complies
48	5240	13.56	0.38	13.94	17.00	Complies



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.43	0.38	13.81	17.00	Complies
40	5200	13.31	0.38	13.69	17.00	Complies
48	5240	13.43	0.38	13.81	17.00	Complies




Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	16.64	17.00	Complies
40	5200	16.66	17.00	Complies
48	5240	16.88	17.00	Complies


Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	13.03	0.37	13.40	17.00	Complies
46	5230	12.80	0.37	13.17	17.00	Complies

CH38




CH46




Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	12.77	0.37	13.14	17.00	Complies
46	5230	12.67	0.37	13.04	17.00	Complies

CH38



CH46




Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	16.28	17.00	Complies
46	5230	16.11	17.00	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	9.81	0.35	10.16	17.00	Complies


CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	9.72	0.35	10.07	17.00	Complies

CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	13.13	17.00	Complies