


BLE_1M

CH19 (Horizontal) Peak

CH19 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2371.28	55.88	17.04	38.84	74.00	-18.92	285	294 Peak		Horizontal		
2 *	2440.00	100.71	62.29	38.51	74.00	26.71	285	294 Peak		Horizontal		
3	2489.74	56.19	17.58	38.61	74.00	-17.81	285	294 Peak		Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.89	55.88	17.68	38.20	74.00	-18.12	301	204 Peak		Vertical		
2 *	2440.00	94.88	56.29	38.51	74.00	20.88	301	204 Peak		Vertical		
3	2494.68	55.94	17.33	38.61	74.00	-18.06	301	204 Peak		Vertical		


BLE_1M

CH19 (Horizontal) Average

CH19 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.00	41.13	2.92	38.21	54.00	-12.87	285	294	Average	Horizontal		
2 *	2440.00	99.59	61.08	38.51	54.00	45.59	285	294	Average	Horizontal		
3	2488.17	42.42	3.81	38.61	54.00	-11.58	285	294	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.99	41.33	3.12	38.21	54.00	-12.67	301	204	Average	Vertical		
2 *	2440.00	93.74	55.23	38.51	54.00	39.74	301	204	Average	Vertical		
3	2484.47	42.31	3.71	38.60	54.00	-11.69	301	204	Average	Vertical		


BLE_1M

CH39 (Horizontal) Peak

CH39 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2384.10	55.33	17.18	38.15	74.00	-18.67	276	297	Peak	Horizontal		
2 *	2488.00	101.76	63.16	38.60	74.00	27.76	276	297	Peak	Horizontal		
3	2498.01	56.52	17.90	38.62	74.00	-17.48	276	297	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2332.09	54.59	16.81	37.78	74.00	-19.41	180	162	Peak	Vertical		
2 *	2488.00	95.93	57.33	38.60	74.00	21.93	180	162	Peak	Vertical		
3	2498.58	55.68	17.06	38.62	74.00	-18.32	180	162	Peak	Vertical		


BLE_1M

CH39 (Horizontal) Average

CH39 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2383.82	44.30	6.15	38.15	54.00	-9.70	276	297	Average	Horizontal		
2 *	2480.00	100.76	62.16	38.60	54.00	46.76	276	297	Average	Horizontal		
3	2483.50	42.79	4.19	38.60	54.00	-11.21	276	297	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2384.05	41.98	3.83	38.15	54.00	-12.02	180	162	Average	Vertical		
2 *	2480.00	94.78	56.18	38.60	54.00	40.78	180	162	Average	Vertical		
3	2483.99	42.26	3.66	38.60	54.00	-11.74	180	162	Average	Vertical		


BLE_2M

CH0 (Horizontal) Peak

CH0 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2377.40	55.36	17.27	38.09	74.00	-18.64	259	296	Peak	Horizontal		
2 *	2402.00	100.57	65.26	38.31	74.00	29.57	259	296	Peak	Horizontal		
3	2498.48	56.20	17.58	38.62	74.00	-17.80	259	296	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2314.85	54.97	17.24	37.73	74.00	-19.03	375	215	Peak	Vertical		
2 *	2402.00	98.62	60.31	38.31	74.00	24.62	375	215	Peak	Vertical		
3	2484.85	55.28	16.68	38.60	74.00	-18.72	375	215	Peak	Vertical		

BLE_2M

CH0 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2367.48	42.12	4.12	38.00	54.00	-11.88	259	296	Average	Horizontal		
2 *	2402.00	100.73	62.42	38.31	54.00	46.73	259	296	Average	Horizontal		
3	2498.20	43.57	4.95	38.62	54.00	-10.43	259	296	Average	Horizontal		

CH0 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2364.25	41.56	3.59	37.97	54.00	-12.44	375	215	Average	Vertical		
2 *	2402.00	95.77	57.46	38.31	54.00	41.77	375	215	Average	Vertical		
3	2500.00	42.50	3.88	38.62	54.00	-11.50	375	215	Average	Vertical		


BLE_2M

CH19 (Horizontal) Peak

CH19 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2368.87	55.88	17.14	37.94	74.00	-18.92	289	300	Peak	Horizontal		
2 *	2440.00	102.14	63.63	38.51	74.00	28.14	289	300	Peak	Horizontal		
3	2491.36	55.73	17.12	38.61	74.00	-18.27	289	300	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2384.58	54.81	16.65	38.16	74.00	-19.19	281	177	Peak	Vertical		
2 *	2440.00	95.19	56.68	38.51	74.00	21.19	281	177	Peak	Vertical		
3	2484.14	56.23	17.63	38.60	74.00	-17.77	281	177	Peak	Vertical		


BLE_2M

CH19 (Horizontal) Average

CH19 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2343.82	42.36	4.54	37.82	54.00	-11.64	289	300	Average	Horizontal		
2 *	2440.00	99.33	60.82	38.51	54.00	45.33	289	300	Average	Horizontal		
3	2488.41	42.82	4.21	38.61	54.00	-11.18	289	300	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2384.96	41.97	3.81	38.16	54.00	-12.03	281	177	Average	Vertical		
2 *	2440.00	92.36	53.85	38.51	54.00	38.36	281	177	Average	Vertical		
3	2487.75	42.50	3.89	38.61	54.00	-11.50	281	177	Average	Vertical		


BLE_2M

CH39 (Horizontal) Peak

CH39 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2384.67	55.95	17.79	38.16	74.00	-18.05	245	298	Peak	Horizontal		
2 *	2480.00	101.27	62.67	38.60	74.00	27.27	245	298	Peak	Horizontal		
3	2485.51	61.99	23.39	38.60	74.00	-12.01	245	298	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2383.01	54.82	16.68	38.14	74.00	-19.18	100	163	Peak	Vertical		
2 *	2480.00	96.33	57.73	38.60	74.00	22.33	100	163	Peak	Vertical		
3	2485.80	58.78	20.18	38.60	74.00	-15.22	100	163	Peak	Vertical		


BLE_2M

CH39 (Horizontal) Average

CH39 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2383.96	43.81	5.66	38.15	54.00	-10.19		245	298	Average	Horizontal	
2 *	2480.00	98.51	59.91	38.60	54.00	44.51		245	298	Average	Horizontal	
3	2483.50	43.80	5.20	38.60	54.00	-10.20		245	298	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2383.96	42.00	3.85	38.15	54.00	-12.00		180	163	Average	Vertical	
2 *	2480.00	93.49	54.89	38.60	54.00	39.49		180	163	Average	Vertical	
3	2483.66	42.60	4.00	38.60	54.00	-11.40		180	163	Average	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


BLE_2M

CH0 (Open) 9kHz~150kHz

CH0 (Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	0.01	61.61	43.50	18.11	127.60	-65.99	100	204	Peak	Open		
2	0.03	68.76	48.93	19.83	119.13	-50.37	100	142	Peak	Open		
3	0.03	47.95	27.94	20.01	118.05	-70.10	100	90	Peak	Open		
4	0.05	49.04	30.35	18.69	113.11	-64.07	100	287	Peak	Open		
5	0.06	41.02	22.97	18.05	111.72	-70.70	100	181	Peak	Open		
6	0.14	35.66	17.39	18.27	104.72	-69.06	100	203	Peak	Open		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	0.18	50.07	31.55	18.52	102.50	-52.43	100	288	Peak	Open		
2	0.45	40.38	21.68	18.70	94.57	-54.19	100	349	Peak	Open		
3	1.11	34.30	15.50	18.80	66.74	-32.44	100	200	Peak	Open		
4	9.94	34.79	13.50	21.29	69.50	-34.71	100	224	Peak	Open		
5	18.12	36.09	13.45	22.64	69.50	-33.41	100	67	Peak	Open		
6	29.61	37.53	14.28	23.25	69.50	-31.97	100	289	Peak	Open		

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


BLE_2M

CH0 (Horizontal)

CH0 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	52.31	21.97	28.88	-6.91	40.00	-18.03	100	360	Peak	Horizontal		
2	119.24	27.97	38.15	-10.18	43.50	-15.53	300	340	Peak	Horizontal		
3	203.63	27.99	37.54	-9.55	43.50	-15.51	300	167	Peak	Horizontal		
4	344.28	27.69	33.02	-5.33	46.00	-18.31	100	202	Peak	Horizontal		
5	713.85	32.69	30.69	2.00	46.00	-13.31	100	24	Peak	Horizontal		
6	922.40	34.66	29.58	5.08	46.00	-11.34	200	0	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	47.46	25.54	32.61	-7.07	40.00	-14.46	100	282	Peak	Vertical		
2	71.71	24.33	34.40	-10.07	40.00	-15.67	100	273	Peak	Vertical		
3	192.96	28.41	37.53	-9.12	43.50	-15.09	100	287	Peak	Vertical		
4	203.63	28.00	37.55	-9.55	43.50	-15.50	100	145	Peak	Vertical		
5	215.27	27.26	36.64	-9.38	43.50	-16.24	100	351	Peak	Vertical		
6	907.85	34.25	29.56	4.69	46.00	-11.75	300	360	Peak	Vertical		

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


BLE_1M

CH0 (Horizontal)

CH0 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4894.00	45.52	53.41	-7.89	54.00	-8.48	100	172	Average	Horizontal		
2	4894.00	53.11	61.00	-7.89	74.00	-20.89	100	172	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4894.00	42.32	50.21	-7.89	54.00	-11.68	300	193	Average	Vertical		
2	4894.00	50.63	58.52	-7.89	74.00	-23.37	300	193	Peak	Vertical		


BLE_1M

CH19 (Horizontal)


CH19 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




BLE_1M

CH39 (Horizontal)

CH39 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	44.29	51.83	-7.54	54.00	-9.71	480	336	Average	Horizontal		
2	4960.00	52.52	60.06	-7.54	74.00	-21.48	480	336	Peak	Horizontal		
3	7440.00	31.25	36.52	-5.27	54.00	-22.75	100	2	Average	Horizontal		
4	7440.00	45.12	50.39	-5.27	74.00	-28.88	100	2	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	40.97	48.51	-7.54	54.00	-13.03	130	360	Average	Vertical		
2	4960.00	50.43	57.97	-7.54	74.00	-23.57	130	360	Peak	Vertical		
3	7440.00	32.78	38.05	-5.27	54.00	-21.22	100	303	Average	Vertical		
4	7440.00	45.11	50.38	-5.27	74.00	-28.89	100	303	Peak	Vertical		


BLE_2M

CH0 (Horizontal)

CH0 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4894.00	46.62	54.51	-7.89	54.00	-7.38	314	297	Average	Horizontal		
2	4894.00	54.20	62.09	-7.89	74.00	-19.80	314	297	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4894.00	46.17	54.06	-7.89	54.00	-7.83	368	86	Average	Vertical		
2	4894.00	53.89	61.78	-7.89	74.00	-20.11	368	86	Peak	Vertical		


BLE_2M

CH19 (Horizontal)

CH19 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4880.00	46.72	54.43	-7.71	54.00	-7.28	277	295	Average	Horizontal		
2	4880.00	55.04	62.75	-7.71	74.00	-18.96	277	295	Peak	Horizontal		
3	7320.00	33.29	38.52	-5.23	54.00	-20.71	242	0	Average	Horizontal		
4	7320.00	48.54	53.77	-5.23	74.00	-25.46	242	0	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4880.00	41.58	49.29	-7.71	54.00	-12.42	187	0	Average	Vertical		
2	4880.00	50.65	58.36	-7.71	74.00	-23.35	187	0	Peak	Vertical		
3	7320.00	33.63	38.86	-5.23	54.00	-20.37	105	360	Average	Vertical		
4	7320.00	46.97	52.20	-5.23	74.00	-27.03	105	360	Peak	Vertical		


BLE_2M

CH39 (Horizontal)

CH39 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4960.00	42.42	49.96	-7.54	54.00	-11.58	180	177	Average	Horizontal		
2	4960.00	51.32	58.86	-7.54	74.00	-22.68	180	177	Peak	Horizontal		
3	7440.00	32.24	37.51	-5.27	54.00	-21.76	274	0	Average	Horizontal		
4	7440.00	45.37	50.64	-5.27	74.00	-28.63	274	0	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4960.00	41.67	49.21	-7.54	54.00	-12.33	180	350	Average	Vertical		
2	4960.00	50.58	58.12	-7.54	74.00	-23.42	180	350	Peak	Vertical		
3	7440.00	35.98	41.25	-5.27	54.00	-18.02	300	311	Average	Vertical		
4	7440.00	48.32	53.59	-5.27	74.00	-25.68	300	311	Peak	Vertical		

Right Ear
Band Edges, 2.31GHz ~ 2.5GHz


BLE_1M

CH0 (Horizontal) Peak

CH0 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Line	Limit	dB	cm	deg		
1	2379.64	55.60	17.48	38.12	74.00	-18.40	122	120	Peak	Horizontal
2 *	2402.00	105.44	67.13	38.31	74.00	31.44	122	120	Peak	Horizontal
3	2498.34	55.65	17.03	38.62	74.00	-18.35	122	120	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Line	Limit	dB	cm	deg		
1	2363.39	55.89	17.92	37.97	74.00	-18.11	372	201	Peak	Vertical
2 *	2402.00	102.79	64.48	38.31	74.00	28.79	372	201	Peak	Vertical
3	2497.53	55.84	17.22	38.62	74.00	-18.16	372	201	Peak	Vertical


BLE_1M

CH0 (Horizontal) Average

CH0 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2354.03	42.12	4.25	37.67	54.00	-11.08	122	120	Average	Horizontal		
2 *	2402.00	104.36	66.05	38.31	54.00	50.36	122	120	Average	Horizontal		
3	2498.05	43.16	4.54	38.62	54.00	-10.84	122	120	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2373.94	41.29	3.23	38.06	54.00	-12.71	372	201	Average	Vertical		
2 *	2402.00	101.69	63.38	38.31	54.00	47.69	372	201	Average	Vertical		
3	2484.04	42.37	3.77	38.60	54.00	-11.63	372	201	Average	Vertical		


BLE_1M

CH19 (Horizontal) Peak

CH19 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2344.15	56.06	18.24	37.82	74.00	-17.94	104	119	Peak	Horizontal		
2 *	2440.00	103.10	64.59	38.51	74.00	29.10	104	119	Peak	Horizontal		
3	2487.70	55.14	16.53	38.61	74.00	-18.86	104	119	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.99	56.78	18.57	38.21	74.00	-17.22	282	230	Peak	Vertical		
2 *	2440.00	99.41	60.90	38.51	74.00	25.41	282	230	Peak	Vertical		
3	2487.32	55.10	16.50	38.60	74.00	-18.90	282	230	Peak	Vertical		


BLE_1M

CH19 (Horizontal) Average

CH19 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2343.96	45.18	7.36	37.82	54.00	-8.82	104	119	Average	Horizontal		
2 *	2440.00	102.05	63.54	38.51	54.00	48.05	104	119	Average	Horizontal		
3	2488.27	42.24	3.63	38.61	54.00	-11.76	104	119	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2343.96	41.61	3.79	37.82	54.00	-12.39	282	230	Average	Vertical		
2 *	2440.00	98.39	59.88	38.51	54.00	44.39	282	230	Average	Vertical		
3	2497.53	42.03	3.41	38.62	54.00	-11.97	282	230	Average	Vertical		


BLE_1M

CH39 (Horizontal) Peak

CH39 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2383.02	57.11	18.96	38.15	74.00	-16.89	100	118	Peak	Horizontal		
2 *	2480.00	101.18	62.58	38.60	74.00	27.18	100	118	Peak	Horizontal		
3	2483.57	57.07	18.47	38.60	74.00	-16.93	100	118	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.33	56.74	18.54	38.20	74.00	-17.26	297	230	Peak	Vertical		
2 *	2480.00	97.77	59.17	38.60	74.00	23.77	297	230	Peak	Vertical		
3	2494.21	55.79	17.18	38.61	74.00	-18.21	297	230	Peak	Vertical		


BLE_1M

CH39 (Horizontal) Average

CH39 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2383.91	45.26	7.11	38.15	54.00	-8.74	100	118	Average	Horizontal		
2 *	2488.00	100.19	61.59	38.60	54.00	46.19	100	118	Average	Horizontal		
3	2483.66	42.40	3.80	38.60	54.00	-11.60	100	118	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2383.86	42.37	4.22	38.15	54.00	-11.63	297	230	Average	Vertical		
2 *	2488.00	96.79	58.19	38.60	54.00	42.79	297	230	Average	Vertical		
3	2491.64	42.10	3.49	38.61	54.00	-11.90	297	230	Average	Vertical		

	Freq	Level	Read	Limit	Over	Apos	Tpos	Remark	Pol/Phase	Note
	MHz	dBu/m	dBu	dB/m	dBu/m	dB	cm	deg		
1	2370.14	57.65	19.63	38.02	74.00	-16.35	379	200 Peak	Vertical	
2 *	2402.00	103.06	64.75	38.31	74.00	29.06	379	200 Peak	Vertical	
3	2491.97	55.67	17.06	38.61	74.00	-18.33	379	200 Peak	Vertical	


BLE_2M

CH0 (Horizontal) Average

CH0 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2365.15	42.32	4.34	37.98	54.00	-11.68	122	120	Average	Horizontal		
2 *	2402.00	102.68	64.37	38.31	54.00	48.68	122	120	Average	Horizontal		
3	2497.77	43.05	4.43	38.62	54.00	-10.95	122	120	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2304.91	41.92	3.76	38.16	54.00	-12.08	379	200	Average	Vertical		
2 *	2402.00	100.23	61.92	38.31	54.00	46.23	379	200	Average	Vertical		
3	2498.77	42.81	4.19	38.62	54.00	-11.19	379	200	Average	Vertical		


BLE_2M

CH19 (Horizontal) Peak

CH19 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2374.36	55.17	17.11	38.06	74.00	-18.83	104	119	Peak	Horizontal		
2 *	2440.00	103.16	64.65	38.51	74.00	29.16	104	119	Peak	Horizontal		
3	2484.42	55.60	17.00	38.60	74.00	-18.40	104	119	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2334.51	55.55	17.76	37.79	74.00	-18.45	282	247	Peak	Vertical		
2 *	2440.00	99.50	60.99	38.51	74.00	25.50	282	247	Peak	Vertical		
3	2497.82	55.57	16.95	38.62	74.00	-18.43	282	247	Peak	Vertical		


BLE_2M

CH19 (Horizontal) Average

CH19 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2343.96	44.68	6.86	37.82	54.00	-9.32	104	119	Average	Horizontal		
2 *	2440.00	100.42	61.91	38.51	54.00	46.42	104	119	Average	Horizontal		
3	2488.13	42.55	3.94	38.61	54.00	-11.45	104	119	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2396.67	41.61	3.44	38.17	54.00	-12.39	282	247	Average	Vertical		
2 *	2440.00	96.72	58.21	38.51	54.00	42.72	282	247	Average	Vertical		
3	2486.94	42.35	3.75	38.60	54.00	-11.65	282	247	Average	Vertical		


BLE_2M

CH39 (Horizontal) Peak

CH39 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2383.82	56.09	17.94	38.15	74.00	-17.91	100	117	Peak	Horizontal		
2 *	2488.00	101.31	62.71	38.60	74.00	27.31	100	117	Peak	Horizontal		
3	2485.66	61.93	23.33	38.60	74.00	-12.07	100	117	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.85	56.81	18.60	38.21	74.00	-17.19	298	229	Peak	Vertical		
2 *	2488.00	98.82	59.42	38.60	74.00	24.82	298	229	Peak	Vertical		
3	2485.80	59.69	21.09	38.60	74.00	-14.31	298	229	Peak	Vertical		


BLE_2M

CH39 (Horizontal) Average

CH39 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2383.06	44.52	6.37	38.15	54.00	-9.48	100	117 Average	Horizontal	
2 *	2480.00	98.60	60.00	38.60	54.00	44.60	100	117 Average	Horizontal	
3	2483.50	43.84	5.24	38.60	54.00	-10.16	100	117 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2383.06	41.94	3.79	38.15	54.00	-12.06	298	229 Average	Vertical	
2 *	2480.00	95.30	56.70	38.60	54.00	41.30	298	229 Average	Vertical	
3	2483.50	43.11	4.51	38.60	54.00	-10.89	298	229 Average	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


BLE_2M

CH0 (Open) 9kHz~150kHz

CH0 (Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.01	61.28	43.17	18.11	127.60	-66.32	100			57 Peak	Open	
2	0.03	68.69	48.86	19.83	119.13	-59.44	100			101 Peak	Open	
3	0.03	47.59	27.58	20.01	118.05	-70.46	100			61 Peak	Open	
4	0.05	48.95	30.26	18.69	113.11	-64.16	100			182 Peak	Open	
5	0.06	40.45	22.40	18.05	111.72	-71.27	100			97 Peak	Open	
6	0.08	37.73	19.58	18.15	109.14	-71.41	100			274 Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.30	50.33	31.79	18.54	98.88	-47.75	100			292 Peak	Open	
2	0.60	40.16	21.40	18.76	72.07	-31.91	100			191 Peak	Open	
3	0.75	38.31	19.45	18.86	70.14	-31.83	100			295 Peak	Open	
4	11.13	35.16	13.59	21.57	69.50	-34.34	100			153 Peak	Open	
5	18.24	36.15	13.49	22.66	69.50	-33.35	100			307 Peak	Open	
6	27.02	36.45	13.43	23.02	69.50	-33.05	100			53 Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


BLE_2M

CH0 (Horizontal)

CH0 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	35.82	21.98	30.45	-8.47	40.00	-18.02	100	163 Peak	Horizontal	
2	119.24	29.34	39.52	-10.18	43.50	-14.16	300	330 Peak	Horizontal	
3	202.66	27.94	37.41	-9.47	43.50	-15.56	200	88 Peak	Horizontal	
4	446.13	28.90	31.90	-3.00	46.00	-17.10	300	202 Peak	Horizontal	
5	709.97	32.25	30.27	1.98	46.00	-13.75	200	184 Peak	Horizontal	
6	942.77	34.59	29.30	5.29	46.00	-11.41	100	166 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	47.46	25.45	32.52	-7.07	40.00	-14.55	100	263 Peak	Vertical	
2	196.84	28.34	37.60	-9.26	43.50	-15.16	100	161 Peak	Vertical	
3	202.66	28.69	38.16	-9.47	43.50	-14.81	100	214 Peak	Vertical	
4	215.27	26.78	36.16	-9.38	43.50	-16.72	100	216 Peak	Vertical	
5	735.19	32.35	30.16	2.19	46.00	-13.65	100	156 Peak	Vertical	
6	844.80	34.60	30.61	3.99	46.00	-11.40	200	211 Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


BLE_1M

CH0 (Horizontal)

CH0 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4804.00	41.71	49.60	-7.89	54.00	-12.29	102	19	Average	Horizontal	
2	4804.00	51.07	58.96	-7.89	74.00	-22.93	102	19	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4804.00	39.43	47.32	-7.89	54.00	-14.57	145	205	Average	Vertical	
2	4804.00	49.09	56.98	-7.89	74.00	-24.91	145	205	Peak	Vertical	


BLE_1M

CH19 (Horizontal)

CH19 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4880.00	43.39	51.10	-7.71	54.00	-10.61	100	13	Average	Horizontal	
2	4880.00	50.77	58.48	-7.71	74.00	-23.23	100	13	Peak	Horizontal	
3	7320.00	52.53	57.76	-5.23	54.00	-1.47	100	21	Average	Horizontal	
4	7320.00	60.72	65.95	-5.23	74.00	-13.28	100	21	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4880.00	41.19	48.90	-7.71	54.00	-12.81	305	81	Average	Vertical	
2	4880.00	49.35	57.06	-7.71	74.00	-24.65	305	81	Peak	Vertical	
3	7320.00	49.25	54.48	-5.23	54.00	-4.75	100	49	Average	Vertical	
4	7320.00	57.88	63.11	-5.23	74.00	-16.12	100	49	Peak	Vertical	


BLE_1M

CH39 (Horizontal)

CH39 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	44.02	51.56	-7.54	54.00	-9.98	268	6	Average	Horizontal		
2	4960.00	52.65	60.19	-7.54	74.00	-21.35	268	6	Peak	Horizontal		
3	7440.00	46.59	51.86	-5.27	54.00	-7.41	100	33	Average	Horizontal		
4	7440.00	54.83	60.10	-5.27	74.00	-19.17	100	33	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	45.43	52.97	-7.54	54.00	-8.57	351	86	Average	Vertical		
2	4960.00	53.91	61.45	-7.54	74.00	-20.09	351	86	Peak	Vertical		
3	7440.00	47.68	52.95	-5.27	54.00	-6.32	100	88	Average	Vertical		
4	7440.00	55.75	61.02	-5.27	74.00	-18.25	100	88	Peak	Vertical		


BLE_2M

CH0 (Horizontal)


CH0 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




BLE_2M

CH19 (Horizontal)

CH19 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4880.00	44.95	52.66	-7.71	54.00	-9.05	290	14	Average	Horizontal	
2	4880.00	52.91	60.62	-7.71	74.00	-21.09	290	14	Peak	Horizontal	
3	7320.00	51.62	56.85	-5.23	54.00	-2.38	100	29	Average	Horizontal	
4	7320.00	60.91	66.14	-5.23	74.00	-13.09	100	29	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4880.00	40.43	48.14	-7.71	54.00	-13.57	214	194	Average	Vertical	
2	4880.00	48.33	56.04	-7.71	74.00	-25.67	214	194	Peak	Vertical	
3	7320.00	52.19	57.42	-5.23	54.00	-1.81	100	61	Average	Vertical	
4	7320.00	61.28	66.51	-5.23	74.00	-12.72	100	61	Peak	Vertical	


BLE_2M

CH39 (Horizontal)

CH39 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	43.57	51.11	-7.54	54.00	-10.43	100	18	Average	Horizontal	
2	4960.00	50.96	58.50	-7.54	74.00	-23.04	100	18	Peak	Horizontal	
3	7440.00	44.47	49.74	-5.27	54.00	-9.53	103	33	Average	Horizontal	
4	7440.00	53.59	58.86	-5.27	74.00	-20.41	103	33	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	44.66	52.20	-7.54	54.00	-9.34	352	84	Average	Vertical	
2	4960.00	52.63	60.17	-7.54	74.00	-21.37	352	84	Peak	Vertical	
3	7440.00	45.94	51.21	-5.27	54.00	-8.06	100	88	Average	Vertical	
4	7440.00	55.17	60.44	-5.27	74.00	-18.83	100	88	Peak	Vertical	

<EUT with Charger>

Spurious Emissions, Charge Mode, 9kHz ~ 30MHz


Charge

(Open) 9kHz~150kHz

(Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	62.07	43.96	18.11	127.60	-65.53	100	13 Peak	Open	
2	0.03	68.96	49.13	19.83	119.13	-50.17	100	220 Peak	Open	
3	0.03	47.87	27.86	20.01	118.05	-70.18	100	123 Peak	Open	
4	0.04	52.56	33.55	19.01	114.56	-62.00	100	264 Peak	Open	
5	0.05	48.24	29.55	18.69	113.11	-64.87	100	180 Peak	Open	
6	0.09	45.87	27.84	18.03	108.54	-62.67	100	268 Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.18	42.13	23.61	18.52	102.50	-60.37	100	0 Peak	Open	
2	5.61	33.38	13.07	20.31	69.50	-36.12	100	221 Peak	Open	
3	18.39	35.77	14.36	21.41	69.50	-33.73	100	238 Peak	Open	
4	17.49	36.04	13.57	22.47	69.50	-33.46	100	167 Peak	Open	
5	24.93	36.44	13.21	23.23	69.50	-33.06	100	206 Peak	Open	
6	29.49	36.71	13.46	23.25	69.50	-32.79	100	172 Peak	Open	

Spurious Emissions, Charge Mode, 30MHz ~ 1GHz


Charge

(Horizontal)

(Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	49.40	22.15	29.08	-6.93	40.00	-17.85	400	267 Peak	Horizontal	
2	99.84	25.17	37.28	-12.11	43.50	-18.33	200	300 Peak	Horizontal	
3	141.55	29.25	36.70	-7.45	43.50	-14.25	200	260 Peak	Horizontal	
4	567.38	29.26	30.02	-0.76	46.00	-16.74	200	360 Peak	Horizontal	
5	729.37	32.55	30.60	1.95	46.00	-13.45	400	126 Peak	Horizontal	
6	918.52	34.52	29.59	4.93	46.00	-11.48	400	99 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	35.82	27.78	36.25	-8.47	40.00	-12.22	100	255 Peak	Vertical	
2	46.49	29.21	36.33	-7.12	40.00	-10.79	100	348 Peak	Vertical	
3	121.18	24.58	34.57	-9.99	43.50	-18.92	100	266 Peak	Vertical	
4	137.67	25.99	33.87	-7.88	43.50	-17.51	100	281 Peak	Vertical	
5	708.03	38.25	36.32	1.93	46.00	-7.75	100	92 Peak	Vertical	
6	846.74	35.09	31.06	4.03	46.00	-10.91	100	52 Peak	Vertical	

Mains Conducted Emission, Charge Mode 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)




TUV Rheinland Taiwan Ltd. (New Taipei Branch)
No. 458-18 & 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel:+886-2172-1000 Fax:+886-2172-1322



Read	Frequency (MHz)	Emission Level (dBuV)	Limit Factor (dB)	Over Level (dBuV)	Line (dBuV)	Limit (dB)	Detector (PK/QP/AV)
1	0.167	23.72	9.63	33.35	65.09	-31.74	QP
2	0.167	1.94	9.63	11.57	55.09	-43.52	Average
3	2.813	6.21	9.67	15.88	56.00	-40.12	QP
4	2.813	-2.86	9.67	6.81	46.00	-39.19	Average
5	3.523	9.27	9.68	18.95	56.00	-37.05	QP
6	3.523	-2.34	9.68	7.34	46.00	-38.66	Average
7	7.350	15.82	9.72	25.54	60.00	-34.46	QP
8	7.350	2.41	9.72	12.13	50.00	-37.87	Average
9	16.311	5.76	9.74	15.50	60.00	-44.50	QP
10	16.311	-2.63	9.74	7.11	50.00	-42.89	Average
11	23.132	17.20	9.71	26.91	60.00	-33.09	QP
12	23.132	11.48	9.71	21.19	50.00	-28.81	Average



TUV Rheinland Taiwan Ltd. (New Taipei Branch)
No. 458-18 & 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel:+886-2172-1000 Fax:+886-2172-1322



Read	Frequency (MHz)	Emission Level (dBuV)	Limit Factor (dB)	Over Level (dBuV)	Line (dBuV)	Limit (dB)	Detector (PK/QP/AV)
1	0.160	23.24	9.64	32.88	65.48	-32.60	QP
2	0.160	1.54	9.64	11.18	55.48	-44.30	Average
3	0.281	15.95	9.63	25.58	60.78	-35.20	QP
4	0.281	4.32	9.63	13.95	50.78	-36.83	Average
5	1.233	5.62	9.64	15.26	56.00	-40.74	QP
6	1.233	-1.81	9.64	7.83	46.00	-38.17	Average
7	7.284	14.00	9.74	23.74	60.00	-36.26	QP
8	7.284	0.63	9.74	10.37	50.00	-39.63	Average
9	22.631	15.81	9.85	25.66	60.00	-34.34	QP
10	22.631	10.32	9.85	20.17	50.00	-29.83	Average
11	28.583	10.67	9.84	20.51	60.00	-39.49	QP
12	28.583	5.99	9.84	15.23	50.00	-34.77	Average