








































Conducted Band Edge**U-NII 1:**

TestMode	ChName	Freq(MHz)	Result[dBm]	Limit[dBm]	Verdict
802.11a	Low	5180	-43.78	≤-27	PASS
	High	5240	-49.72	≤-27	PASS
802.11n(HT20)	Low	5180	-40.38	≤-27	PASS
	High	5240	-49.87	≤-27	PASS
802.11n(HT40)	Low	5190	-41.49	≤-27	PASS
	High	5230	-50.37	≤-27	PASS
802.11ac(HT20)	Low	5180	-43.68	≤-27	PASS
	High	5240	-50.18	≤-27	PASS
802.11ac(HT40)	Low	5190	-40.87	≤-27	PASS
	High	5230	-50.19	≤-27	PASS
802.11ac(HT80)	Low	5210	-40.1	≤-27	PASS
	High	5210	-50.16	≤-27	PASS
802.11ax(HT20)	Low	5180	-42.16	≤-27	PASS
	High	5240	-50.21	≤-27	PASS
802.11ax(HT40)	Low	5190	-39.58	≤-27	PASS
	High	5230	-50.27	≤-27	PASS
802.11ac(HT80)	Low	5210	-39.76	≤-27	PASS
	High	5210	-50.35	≤-27	PASS

U-NII 3:


TestMode	ChName	Freq(MHz)	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
802.11a	Low	5745	5650~5700	-52.44	≤-26.79	PASS
			5700~5720	-41.5	≤15.53	PASS
			5720~5725	-36.49	≤20.01	PASS
			5760~5650	-51.28	≤-27	PASS
	High	5825	5850~5855	-41.49	≤20.03	PASS
			5855~5875	-42.49	≤15.28	PASS
			5875~5925	-50.78	≤-26.11	PASS
			5925~5935	-50.49	≤-27	PASS
802.11n(HT20)	Low	5745	5650~5700	-51.45	≤-26.53	PASS
			5700~5720	-40.5	≤15.05	PASS
			5720~5725	-31.33	≤21.32	PASS
			5760~5650	-51.91	≤-27	PASS
	High	5825	5850~5855	-42.39	≤16.03	PASS
			5855~5875	-42.62	≤15.39	PASS
			5875~5925	-50.86	≤-26.91	PASS
			5925~5935	-50.25	≤-27	PASS
802.11n(HT40)	Low	5755	5650~5700	-52.6	≤-26.80	PASS
			5700~5720	-32.89	≤15.54	PASS
			5720~5725	-33.18	≤15.74	PASS
			5780~5650	-51.3	≤-27	PASS
	High	5795	5850~5855	-50.34	≤16.03	PASS
			5855~5875	-50.61	≤10.48	PASS
			5875~5925	-50.66	≤-26.83	PASS
			5925~5935	-50.18	≤-27	PASS
802.11ac(HT20)	Low	5745	5650~5700	-50.6	≤-25.59	PASS
			5700~5720	-41.99	≤15.47	PASS
			5720~5725	-28.7	≤24.99	PASS
			5760~5650	-51.64	≤-27	PASS
	High	5825	5850~5855	-36.9	≤22.80	PASS
			5855~5875	-39.64	≤14.97	PASS
			5875~5925	-50.38	≤-26.41	PASS
			5925~5935	-50.72	≤-27	PASS
802.11ac(HT40)	Low	5755	5650~5700	-51.64	≤-26.50	PASS
			5700~5720	-34.84	≤15.58	PASS
			5720~5725	-32.82	≤17.28	PASS
			5780~5650	-50.74	≤-27	PASS
	High	5795	5850~5855	-50.93	≤15.66	PASS
			5855~5875	-50.82	≤10.20	PASS
			5875~5925	-50.47	≤-26.83	PASS
			5925~5935	-50.51	≤-27	PASS
802.11ac(HT80)	Low	5775	5650~5700	-51.46	≤-26.34	PASS


	High	5775	5700~5720	-38.45	≤ 14.52	PASS
			5720~5725	-37.27	≤ 17.77	PASS
			5800~5650	-50.6	≤ -27	PASS
			5850~5855	-49.09	≤ 16.68	PASS
			5855~5875	-48.58	≤ 11.59	PASS
			5875~5925	-51.06	≤ -26.87	PASS
			5925~5935	-50.6	≤ -27	PASS
802.11ax(HT20)	Low	5745	5650~5700	-52.44	≤ -26.79	PASS
			5700~5720	-41.47	≤ 15.43	PASS
			5720~5725	-32.47	≤ 21.58	PASS
			5760~5650	-51.55	≤ -27	PASS
	High	5825	5850~5855	-41.94	≤ 17.88	PASS
			5855~5875	-41.89	≤ 15.31	PASS
			5875~5925	-50.42	≤ -25.91	PASS
802.11ax(HT40)	Low	5755	5925~5935	-50.38	≤ -27	PASS
			5650~5700	-51.35	≤ -26.00	PASS
			5700~5720	-38.58	≤ 15.47	PASS
			5720~5725	-38.43	≤ 16.04	PASS
	High	5795	5780~5650	-50.46	≤ -27	PASS
			5850~5855	-51.15	≤ 15.66	PASS
			5855~5875	-50.34	≤ 11.17	PASS
802.11ax(HT80)	Low	5775	5875~5925	-51.13	≤ -26.34	PASS
			5925~5935	-50.56	≤ -27	PASS
			5650~5700	-51	≤ -26.69	PASS
			5700~5720	-37.85	≤ 15.17	PASS
	High	5775	5720~5725	-38.94	≤ 16.35	PASS
			5800~5650	-50.66	≤ -27	PASS
			5850~5855	-47.42	≤ 16.68	PASS
	High	5775	5855~5875	-46.46	≤ 12.52	PASS
			5875~5925	-50.39	≤ -26.05	PASS
			5925~5935	-49.46	≤ -27	PASS


Test plot as follows


U-NII 1:














U-NII 3:

