


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band5


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.85	-13	Pass	2985
30	814	0.1	RMS	794.998	-56.05	-13	Pass	7840
814	860	0.1	RMS	824.273	6.8	60	Pass	601
860	1000	0.1	RMS	886.319	-57.14	-13	Pass	1400
1000	3000	1	RMS	2671.836	-38.26	-13	Pass	2000
3000	10000	1	RMS	5769.396	-49.54	-13	Pass	7000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.69	-13	Pass	2985
30	814	0.1	RMS	792.397	-55.84	-13	Pass	7840
814	860	0.1	RMS	825.117	6.33	60	Pass	601
860	1000	0.1	RMS	892.223	-57.12	-13	Pass	1400
1000	3000	1	RMS	2670.835	-38.39	-13	Pass	2000
3000	10000	1	RMS	5762.395	-49.56	-13	Pass	7000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.08	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.12	-13	Pass	2985
30	814	0.1	RMS	809.699	-55.99	-13	Pass	7840
814	860	0.1	RMS	824.273	5.74	60	Pass	601
860	1000	0.1	RMS	996.197	-57.14	-13	Pass	1400
1000	3000	1	RMS	2667.834	-38.3	-13	Pass	2000
3000	10000	1	RMS	5767.395	-49.5	-13	Pass	7000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.82	-13	Pass	2985
30	814	0.1	RMS	808.299	-55.51	-13	Pass	7840
814	860	0.1	RMS	825.117	5.44	60	Pass	601
860	1000	0.1	RMS	904.132	-57.19	-13	Pass	1400
1000	3000	1	RMS	2769.885	-38.35	-13	Pass	2000
3000	10000	1	RMS	5769.396	-49.48	-13	Pass	7000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.91	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.92	-13	Pass	2985
30	814	0.1	RMS	777.595	-55.9	-13	Pass	7840
814	860	0.1	RMS	836.08	7.77	60	Pass	601
860	1000	0.1	RMS	919.442	-57.08	-13	Pass	1400
1000	3000	1	RMS	2769.885	-38.34	-13	Pass	2000
3000	10000	1	RMS	5768.395	-49.47	-13	Pass	7000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.26	-13	Pass	2985
30	814	0.1	RMS	803.999	-55.94	-13	Pass	7840
814	860	0.1	RMS	836.923	7.12	60	Pass	601
860	1000	0.1	RMS	901.53	-57.21	-13	Pass	1400
1000	3000	1	RMS	2667.834	-38.33	-13	Pass	2000
3000	10000	1	RMS	5769.396	-49.41	-13	Pass	7000




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-45.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.68	-13	Pass	2985
30	814	0.1	RMS	807.199	-55.93	-13	Pass	7840
814	860	0.1	RMS	836.08	6.76	60	Pass	601
860	1000	0.1	RMS	906.934	-57.21	-13	Pass	1400
1000	3000	1	RMS	2666.833	-38.35	-13	Pass	2000
3000	10000	1	RMS	5978.425	-49.64	-13	Pass	7000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.11	-13	Pass	2985
30	814	0.1	RMS	789.097	-55.88	-13	Pass	7840
814	860	0.1	RMS	836.923	6.29	60	Pass	601
860	1000	0.1	RMS	901.63	-57.1	-13	Pass	1400
1000	3000	1	RMS	2669.835	-38.35	-13	Pass	2000
3000	10000	1	RMS	5766.395	-49.65	-13	Pass	7000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.71	-13	Pass	2985
30	814	0.1	RMS	797.898	-55.95	-13	Pass	7840
814	860	0.1	RMS	847.887	6.97	60	Pass	601
860	1000	0.1	RMS	904.832	-57.08	-13	Pass	1400
1000	3000	1	RMS	2671.836	-38.33	-13	Pass	2000
3000	10000	1	RMS	5760.394	-49.54	-13	Pass	7000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.58	-13	Pass	2985
30	814	0.1	RMS	773.695	-55.93	-13	Pass	7840
814	860	0.1	RMS	848.73	7.14	60	Pass	601
860	1000	0.1	RMS	898.828	-57.25	-13	Pass	1400
1000	3000	1	RMS	2665.833	-38.35	-13	Pass	2000
3000	10000	1	RMS	5768.395	-49.6	-13	Pass	7000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.11	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.84	-13	Pass	2985
30	814	0.1	RMS	810.7	-56.09	-13	Pass	7840
814	860	0.1	RMS	847.887	6.09	60	Pass	601
860	1000	0.1	RMS	899.528	-57.23	-13	Pass	1400
1000	3000	1	RMS	2668.834	-38.41	-13	Pass	2000
3000	10000	1	RMS	5762.395	-49.47	-13	Pass	7000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-44.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.75	-13	Pass	2985
30	814	0.1	RMS	789.597	-56	-13	Pass	7840
814	860	0.1	RMS	848.73	6.32	60	Pass	601
860	1000	0.1	RMS	953.667	-57.21	-13	Pass	1400
1000	3000	1	RMS	2668.834	-38.38	-13	Pass	2000
3000	10000	1	RMS	5762.395	-49.49	-13	Pass	7000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.92	-13	Pass	2985
30	814	0.1	RMS	811.6	-55.87	-13	Pass	7840
814	860	0.1	RMS	824.273	6.69	60	Pass	601
860	1000	0.1	RMS	898.928	-57.21	-13	Pass	1400
1000	3000	1	RMS	2671.836	-38.35	-13	Pass	2000
3000	10000	1	RMS	5757.394	-49.46	-13	Pass	7000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.14	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.82	-13	Pass	2985
30	814	0.1	RMS	787.497	-55.9	-13	Pass	7840
814	860	0.1	RMS	826.727	6.62	60	Pass	601
860	1000	0.1	RMS	887.42	-57.26	-13	Pass	1400
1000	3000	1	RMS	2674.837	-38.34	-13	Pass	2000
3000	10000	1	RMS	5768.395	-49.54	-13	Pass	7000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.55	-13	Pass	2985
30	814	0.1	RMS	801.298	-56.06	-13	Pass	7840
814	860	0.1	RMS	824.273	6.02	60	Pass	601
860	1000	0.1	RMS	999.6	-57.22	-13	Pass	1400
1000	3000	1	RMS	2668.834	-38.33	-13	Pass	2000
3000	10000	1	RMS	5768.395	-49.57	-13	Pass	7000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.19	-13	Pass	2985
30	814	0.1	RMS	767.294	-56.16	-13	Pass	7840
814	860	0.1	RMS	826.727	5.86	60	Pass	601
860	1000	0.1	RMS	900.129	-57.24	-13	Pass	1400
1000	3000	1	RMS	2667.834	-38.28	-13	Pass	2000
3000	10000	1	RMS	5767.395	-49.38	-13	Pass	7000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.34	-13	Pass	2985
30	814	0.1	RMS	794.898	-56.05	-13	Pass	7840
814	860	0.1	RMS	835.237	8.24	60	Pass	601
860	1000	0.1	RMS	976.483	-57.15	-13	Pass	1400
1000	3000	1	RMS	2664.832	-38.38	-13	Pass	2000
3000	10000	1	RMS	5762.395	-49.51	-13	Pass	7000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.64	-13	Pass	2985
30	814	0.1	RMS	792.597	-56.14	-13	Pass	7840
814	860	0.1	RMS	837.767	6.9	60	Pass	601
860	1000	0.1	RMS	892.123	-57.04	-13	Pass	1400
1000	3000	1	RMS	2670.835	-38.33	-13	Pass	2000
3000	10000	1	RMS	5767.395	-49.52	-13	Pass	7000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.2	-13	Pass	2985
30	814	0.1	RMS	777.595	-55.73	-13	Pass	7840
814	860	0.1	RMS	835.237	7.41	60	Pass	601
860	1000	0.1	RMS	961.172	-57.22	-13	Pass	1400
1000	3000	1	RMS	2666.833	-38.38	-13	Pass	2000
3000	10000	1	RMS	5768.395	-49.33	-13	Pass	7000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.88	-13	Pass	2985
30	814	0.1	RMS	806.499	-56.05	-13	Pass	7840
814	860	0.1	RMS	837.767	6.01	60	Pass	601
860	1000	0.1	RMS	892.523	-57.19	-13	Pass	1400
1000	3000	1	RMS	2668.834	-38.3	-13	Pass	2000
3000	10000	1	RMS	5776.397	-45.35	-13	Pass	7000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.68	-13	Pass	2985
30	814	0.1	RMS	793.197	-55.63	-13	Pass	7840
814	860	0.1	RMS	846.277	8.07	60	Pass	601
860	1000	0.1	RMS	984.989	-57.18	-13	Pass	1400
1000	3000	1	RMS	2672.836	-38.33	-13	Pass	2000
3000	10000	1	RMS	5765.395	-49.51	-13	Pass	7000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.34	-13	Pass	2985
30	814	0.1	RMS	808.299	-56.07	-13	Pass	7840
814	860	0.1	RMS	848.73	6.82	60	Pass	601
860	1000	0.1	RMS	957.169	-57.2	-13	Pass	1400
1000	3000	1	RMS	2668.834	-38.36	-13	Pass	2000
3000	10000	1	RMS	5989.427	-49.65	-13	Pass	7000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.84	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.4	-13	Pass	2985
30	814	0.1	RMS	794.698	-55.79	-13	Pass	7840
814	860	0.1	RMS	846.277	7.15	60	Pass	601
860	1000	0.1	RMS	905.633	-57.23	-13	Pass	1400
1000	3000	1	RMS	2667.834	-38.28	-13	Pass	2000
3000	10000	1	RMS	5759.394	-49.53	-13	Pass	7000




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.15	-13	Pass	2985
30	814	0.1	RMS	804.099	-55.99	-13	Pass	7840
814	860	0.1	RMS	848.73	6.09	60	Pass	601
860	1000	0.1	RMS	907.834	-57.26	-13	Pass	1400
1000	3000	1	RMS	2670.835	-38.37	-13	Pass	2000
3000	10000	1	RMS	5770.396	-49.49	-13	Pass	7000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.34	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.26	-13	Pass	2985
30	814	0.1	RMS	795.498	-55.94	-13	Pass	7840
814	860	0.1	RMS	824.35	6.8	60	Pass	601
860	1000	0.1	RMS	897.727	-57.25	-13	Pass	1400
1000	3000	1	RMS	2671.836	-38.41	-13	Pass	2000
3000	10000	1	RMS	5759.394	-49.6	-13	Pass	7000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.64	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.4	-13	Pass	2985
30	814	0.1	RMS	801.898	-56.17	-13	Pass	7840
814	860	0.1	RMS	828.643	7.51	60	Pass	601
860	1000	0.1	RMS	931.051	-57.2	-13	Pass	1400
1000	3000	1	RMS	2674.837	-38.29	-13	Pass	2000
3000	10000	1	RMS	5767.395	-49.43	-13	Pass	7000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.27	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.35	-13	Pass	2985
30	814	0.1	RMS	807.399	-55.59	-13	Pass	7840
814	860	0.1	RMS	824.35	6.2	60	Pass	601
860	1000	0.1	RMS	996.497	-57.28	-13	Pass	1400
1000	3000	1	RMS	2665.833	-38.39	-13	Pass	2000
3000	10000	1	RMS	5765.395	-49.43	-13	Pass	7000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.96	-13	Pass	2985
30	814	0.1	RMS	794.998	-56.09	-13	Pass	7840
814	860	0.1	RMS	828.643	6.93	60	Pass	601
860	1000	0.1	RMS	994.296	-57.22	-13	Pass	1400
1000	3000	1	RMS	2670.835	-38.4	-13	Pass	2000
3000	10000	1	RMS	5771.396	-49.59	-13	Pass	7000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.52	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.42	-13	Pass	2985
30	814	0.1	RMS	794.898	-55.6	-13	Pass	7840
814	860	0.1	RMS	834.317	8.21	60	Pass	601
860	1000	0.1	RMS	904.232	-57.27	-13	Pass	1400
1000	3000	1	RMS	2666.833	-38.35	-13	Pass	2000
3000	10000	1	RMS	5764.395	-49.5	-13	Pass	7000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.68	-13	Pass	2985
30	814	0.1	RMS	805.699	-56.09	-13	Pass	7840
814	860	0.1	RMS	838.687	6.9	60	Pass	601
860	1000	0.1	RMS	900.729	-57.17	-13	Pass	1400
1000	3000	1	RMS	2676.838	-38.4	-13	Pass	2000
3000	10000	1	RMS	5765.395	-49.39	-13	Pass	7000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.71	-13	Pass	2985
30	814	0.1	RMS	811.4	-56.03	-13	Pass	7840
814	860	0.1	RMS	834.317	7.49	60	Pass	601
860	1000	0.1	RMS	893.924	-57.09	-13	Pass	1400
1000	3000	1	RMS	2669.835	-38.32	-13	Pass	2000
3000	10000	1	RMS	5766.395	-49.55	-13	Pass	7000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.15	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.59	-13	Pass	2985
30	814	0.1	RMS	793.297	-55.86	-13	Pass	7840
814	860	0.1	RMS	838.687	6.19	60	Pass	601
860	1000	0.1	RMS	894.725	-57.19	-13	Pass	1400
1000	3000	1	RMS	2663.832	-38.38	-13	Pass	2000
3000	10000	1	RMS	5767.395	-49.52	-13	Pass	7000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.89	-13	Pass	2985
30	814	0.1	RMS	812.8	-55.93	-13	Pass	7840
814	860	0.1	RMS	844.36	8.44	60	Pass	601
860	1000	0.1	RMS	896.426	-57.23	-13	Pass	1400
1000	3000	1	RMS	2668.834	-38.37	-13	Pass	2000
3000	10000	1	RMS	5760.394	-49.41	-13	Pass	7000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.63	-13	Pass	2985
30	814	0.1	RMS	812.2	-55.89	-13	Pass	7840
814	860	0.1	RMS	848.653	7.04	60	Pass	601
860	1000	0.1	RMS	918.542	-57.28	-13	Pass	1400
1000	3000	1	RMS	2666.833	-38.41	-13	Pass	2000
3000	10000	1	RMS	5770.396	-49.61	-13	Pass	7000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.52	-13	Pass	2985
30	814	0.1	RMS	772.795	-55.99	-13	Pass	7840
814	860	0.1	RMS	844.36	8.18	60	Pass	601
860	1000	0.1	RMS	971.279	-57.19	-13	Pass	1400
1000	3000	1	RMS	2671.836	-38.35	-13	Pass	2000
3000	10000	1	RMS	5761.394	-49.49	-13	Pass	7000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.37	-13	Pass	2985
30	814	0.1	RMS	804.899	-55.12	-13	Pass	7840
814	860	0.1	RMS	848.653	6.4	60	Pass	601
860	1000	0.1	RMS	923.946	-57.25	-13	Pass	1400
1000	3000	1	RMS	2671.836	-38.4	-13	Pass	2000
3000	10000	1	RMS	5764.395	-49.58	-13	Pass	7000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-46.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.78	-13	Pass	2985
30	814	0.1	RMS	808.199	-56.01	-13	Pass	7840
814	860	0.1	RMS	824.58	6.92	60	Pass	601
860	1000	0.1	RMS	939.657	-57.24	-13	Pass	1400
1000	3000	1	RMS	2666.833	-38.31	-13	Pass	2000
3000	10000	1	RMS	5768.395	-49.54	-13	Pass	7000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.85	-13	Pass	2985
30	814	0.1	RMS	791.597	-56	-13	Pass	7840
814	860	0.1	RMS	833.397	7.61	60	Pass	601
860	1000	0.1	RMS	910.036	-57.21	-13	Pass	1400
1000	3000	1	RMS	2666.833	-38.44	-13	Pass	2000
3000	10000	1	RMS	5762.395	-49.64	-13	Pass	7000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.92	-13	Pass	2985
30	814	0.1	RMS	789.297	-56.2	-13	Pass	7840
814	860	0.1	RMS	824.58	6.21	60	Pass	601
860	1000	0.1	RMS	899.028	-57.13	-13	Pass	1400
1000	3000	1	RMS	2670.835	-38.37	-13	Pass	2000
3000	10000	1	RMS	5771.396	-49.45	-13	Pass	7000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.21	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.28	-13	Pass	2985
30	814	0.1	RMS	812.8	-56.09	-13	Pass	7840
814	860	0.1	RMS	833.397	6.65	60	Pass	601
860	1000	0.1	RMS	937.255	-57.27	-13	Pass	1400
1000	3000	1	RMS	2668.834	-38.37	-13	Pass	2000
3000	10000	1	RMS	5761.394	-49.61	-13	Pass	7000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.39	-13	Pass	2985
30	814	0.1	RMS	792.197	-55.46	-13	Pass	7840
814	860	0.1	RMS	832.093	9.03	60	Pass	601
860	1000	0.1	RMS	977.584	-57.09	-13	Pass	1400
1000	3000	1	RMS	2664.832	-38.37	-13	Pass	2000
3000	10000	1	RMS	5769.396	-49.55	-13	Pass	7000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.38	-13	Pass	2985
30	814	0.1	RMS	804.499	-56.08	-13	Pass	7840
814	860	0.1	RMS	840.91	7.89	60	Pass	601
860	1000	0.1	RMS	974.081	-57.27	-13	Pass	1400
1000	3000	1	RMS	2670.835	-38.32	-13	Pass	2000
3000	10000	1	RMS	5764.395	-49.42	-13	Pass	7000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.78	-13	Pass	601
0.15	30	0.01	RMS	0.16	-38.96	-13	Pass	2985
30	814	0.1	RMS	805.199	-55.71	-13	Pass	7840
814	860	0.1	RMS	832.093	8.05	60	Pass	601
860	1000	0.1	RMS	996.798	-57.26	-13	Pass	1400
1000	3000	1	RMS	2666.833	-38.36	-13	Pass	2000
3000	10000	1	RMS	5768.395	-49.56	-13	Pass	7000




1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-37.7	-13	Pass	2985
30	814	0.1	RMS	790.297	-56.08	-13	Pass	7840
814	860	0.1	RMS	840.91	7.07	60	Pass	601
860	1000	0.1	RMS	993.896	-57.18	-13	Pass	1400
1000	3000	1	RMS	2670.835	-38.35	-13	Pass	2000
3000	10000	1	RMS	5762.395	-49.58	-13	Pass	7000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.63	-13	Pass	2985
30	814	0.1	RMS	810.2	-56.11	-13	Pass	7840
814	860	0.1	RMS	839.607	6.67	60	Pass	601
860	1000	0.1	RMS	992.495	-57.15	-13	Pass	1400
1000	3000	1	RMS	2672.836	-38.41	-13	Pass	2000
3000	10000	1	RMS	5760.394	-49.54	-13	Pass	7000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-45.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.35	-13	Pass	2985
30	814	0.1	RMS	793.297	-56.09	-13	Pass	7840
814	860	0.1	RMS	848.423	7.09	60	Pass	601
860	1000	0.1	RMS	921.444	-57.26	-13	Pass	1400
1000	3000	1	RMS	2668.834	-38.34	-13	Pass	2000
3000	10000	1	RMS	5771.396	-49.49	-13	Pass	7000




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.61	-13	Pass	2985
30	814	0.1	RMS	813.9	-56.01	-13	Pass	7840
814	860	0.1	RMS	839.607	5.99	60	Pass	601
860	1000	0.1	RMS	891.022	-57.21	-13	Pass	1400
1000	3000	1	RMS	2670.835	-38.36	-13	Pass	2000
3000	10000	1	RMS	5768.395	-49.51	-13	Pass	7000



1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.73	-13	Pass	2985
30	814	0.1	RMS	782.496	-55.8	-13	Pass	7840
814	860	0.1	RMS	848.423	6.21	60	Pass	601
860	1000	0.1	RMS	993.395	-57.31	-13	Pass	1400
1000	3000	1	RMS	2670.835	-38.28	-13	Pass	2000
3000	10000	1	RMS	5768.395	-49.45	-13	Pass	7000



END