



Shenzhen Chenxing Electronic Technology Co., Ltd.

Product Specifications

PRODUCT SPECIFICATION FOR APPROVAL

Customer Name:
CUSTOMER

Product Name:
PRODUCT NAME

Material code: **PART**
No.

Specifications:
PRODUCT SPEC

day

Expect:

DATE

version model:
VERSION

Energy Stack

Transmitter coil

Inductance: 7.2uH±10% Wire
specification: 0.08*80*11Ts (18.5mm inner diameter) Magnetic
sheet specification: 41.5*5.3*0.8 double slots + 18*0.8 small
magnetic sheet Wire
length: 55mm 3mm high temperature tape/single slot wire

August 26, 2024

REV 1.0

Version	Changes	Responsible Person	date	Remark
Revision	Modified Content	Principle	Date	Note
REV 1.0	Initial release	Xue Lei	2024-08-26	

PREPARED BY	CHECKED BY	APPROVED BY

Customer approval signature and seal Authorized signature & company chop		
--	--	--


Attached is the product specification. If you have any questions, please give us feedback in time. Thank you!



Product Specifications

SPECIFICATION


1. Product size

	Magnetic sheet diameter A	41.5±0.5mm
	Coil outer diameter B	39.5±1mm
	Coil inner diameter C	18.5±0.5mm
	Product thickness D	2mm(max)
	Outlet length E	55mm±3mm
	Solder length F	3±1mm
	Magnetic plate opening diameter G	5±0.3mm
	Small magnetic separator outer diameter H 18°0.8mm round	
	Magnetic sheet thickness	0.8±0.05mm
	High temperature tape width	3 mm
	Magnetic shape	Round double groove
	Adhesive thickness	No adhesive



Shenzhen Chenxing Electronic Technology Co., Ltd.

2. Schematic diagram



3. Winding parameters

Terminals		Wire diameter	Number of taps	Winding direction
TERMINAL		WIRE	Turns	Winding Direction
S	F	2UEW 0.08*80P	11Ts	CCW

4. Electrical characteristics

TEMPERATURE:25±10°C, RELATIVE HUMIDITY:65±20%

project	Terminals	standard	Test conditions	Test Equipment
ITEM	TERMINAL	SPECIFICATION	TEST FREQUENCY	TEST EQUIPMENTS
IN.	S-F	$L \pm 7.2\mu H \pm 10\%$ $Q \geq 70$ $R_y < 60\text{mohm}$	100KHz/1.0V	LCZ METER 1062B

5. Materials List

Serial number	Material	Specification
1	Wire	0.08*80p 2UEW-hot air copper wire
2	Magnetic disk	41.5*5.3*0.5 double slots + 18*0.8 small disc
3	glue	Water-based white latex
4	Tin Bar	Environmentally friendly lead-free
5	adhesive tape	3mm high temperature tape

Company Name: Shenzhen Chenxing Electronic Technology Co., Ltd.

Factory Address: Floor 5, Building 1, Xinkecheng Technology Industrial Park, No. 51 Dabao Road, Xin'an Street, Bao'an District, Shenzhen



6. Product pictures (refer to coil only)

