







Restrict Band NVNT n40 5755MHz Ant0 Peak




Restrict Band NVNT n40 5755MHz Ant0 Average












Restrict Band NVNT ac20 5745MHz Ant0 Peak



Restrict Band NVNT ac20 5745MHz Ant0 Average











Restrict Band NVNT ac40 5795MHz Ant0 Peak




Restrict Band NVNT ac40 5795MHz Ant0 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
 Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity







Restrict Band NVNT ac80 5775MHz Ant0 Peak







Restrict Band NVNT ac80 5775MHz Ant0 Average





















Restrict Band NVNT ax80 5775MHz Ant0 Peak



Restrict Band NVNT ax80 5775MHz Ant0 Average







Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	EIRP Power (dBm)	Detector	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	5650	-49.04	3.09	-	-45.95	Peak	-27	Pass
NVNT	a	5745	Ant1	5650	-56.87	3.09	0.24	-53.54	Average	-27	Pass
NVNT	a	5745	Ant1	5700	-44.31	3.09	-	-41.22	Peak	10	Pass
NVNT	a	5745	Ant1	5700	-54.4	3.09	0.24	-51.07	Average	10	Pass
NVNT	a	5745	Ant1	5720	-33.47	3.09	-	-30.38	Peak	15.6	Pass
NVNT	a	5745	Ant1	5720	-46.7	3.09	0.24	-43.37	Average	15.6	Pass
NVNT	a	5745	Ant1	5725	-25.49	3.09	-	-22.4	Peak	27	Pass
NVNT	a	5745	Ant1	5725	-44.7	3.09	0.24	-41.37	Average	27	Pass
NVNT	a	5825	Ant1	5850	-36.27	3.09	-	-33.18	Peak	27	Pass
NVNT	a	5825	Ant1	5850	-49.06	3.09	0.24	-45.73	Average	27	Pass
NVNT	a	5825	Ant1	5855	-39.82	3.09	-	-36.73	Peak	15.6	Pass
NVNT	a	5825	Ant1	5855	-52.85	3.09	0.24	-49.52	Average	15.6	Pass
NVNT	a	5825	Ant1	5875	-47.65	3.09	-	-44.56	Peak	10	Pass
NVNT	a	5825	Ant1	5875	-55.5	3.09	0.24	-52.17	Average	10	Pass
NVNT	a	5825	Ant1	5925	-49.94	3.09	-	-46.85	Peak	-27	Pass
NVNT	a	5825	Ant1	5925	-56.49	3.09	0.24	-53.16	Average	-27	Pass
NVNT	n20	5745	Ant1	5650	-48.87	3.09	-	-45.78	Peak	-27	Pass
NVNT	n20	5745	Ant1	5650	-56.95	3.09	0.12	-53.74	Average	-27	Pass
NVNT	n20	5745	Ant1	5700	-46.89	3.09	-	-43.8	Peak	10	Pass
NVNT	n20	5745	Ant1	5700	-55.76	3.09	0.12	-52.55	Average	10	Pass
NVNT	n20	5745	Ant1	5720	-33.35	3.09	-	-30.26	Peak	15.6	Pass
NVNT	n20	5745	Ant1	5720	-46.42	3.09	0.12	-43.21	Average	15.6	Pass
NVNT	n20	5745	Ant1	5725	-22.11	3.09	-	-19.02	Peak	27	Pass
NVNT	n20	5745	Ant1	5725	-41.3	3.09	0.12	-38.09	Average	27	Pass
NVNT	n20	5825	Ant1	5850	-36.01	3.09	-	-32.92	Peak	27	Pass
NVNT	n20	5825	Ant1	5850	-47.54	3.09	0.12	-44.33	Average	27	Pass
NVNT	n20	5825	Ant1	5855	-39.01	3.09	-	-35.92	Peak	15.6	Pass
NVNT	n20	5825	Ant1	5855	-52.25	3.09	0.12	-49.04	Average	15.6	Pass
NVNT	n20	5825	Ant1	5875	-47.18	3.09	-	-44.09	Peak	10	Pass
NVNT	n20	5825	Ant1	5875	-56.34	3.09	0.12	-53.13	Average	10	Pass
NVNT	n20	5825	Ant1	5925	-47.9	3.09	-	-44.81	Peak	-27	Pass
NVNT	n20	5825	Ant1	5925	-56.77	3.09	0.12	-53.56	Average	-27	Pass
NVNT	n40	5755	Ant1	5650	-49.51	3.09	-	-46.42	Peak	-27	Pass
NVNT	n40	5755	Ant1	5650	-57.22	3.09	0.12	-54.01	Average	-27	Pass
NVNT	n40	5755	Ant1	5700	-46.91	3.09	-	-43.82	Peak	10	Pass
NVNT	n40	5755	Ant1	5700	-54.85	3.09	0.12	-51.64	Average	10	Pass
NVNT	n40	5755	Ant1	5720	-31.08	3.09	-	-27.99	Peak	15.6	Pass
NVNT	n40	5755	Ant1	5720	-44.76	3.09	0.12	-41.55	Average	15.6	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



NVNT	n40	5755	Ant1	5725	-26.94	3.09	-	-23.85	Peak	27	Pass
NVNT	n40	5755	Ant1	5725	-43.23	3.09	0.12	-40.02	Average	27	Pass
NVNT	n40	5795	Ant1	5850	-48.89	3.09	-	-45.8	Peak	27	Pass
NVNT	n40	5795	Ant1	5850	-56.54	3.09	0.12	-53.33	Average	27	Pass
NVNT	n40	5795	Ant1	5855	-47.89	3.09	-	-44.8	Peak	15.6	Pass
NVNT	n40	5795	Ant1	5855	-56.85	3.09	0.12	-53.64	Average	15.6	Pass
NVNT	n40	5795	Ant1	5875	-49.52	3.09	-	-46.43	Peak	10	Pass
NVNT	n40	5795	Ant1	5875	-57.79	3.09	0.12	-54.58	Average	10	Pass
NVNT	n40	5795	Ant1	5925	-48.71	3.09	-	-45.62	Peak	-27	Pass
NVNT	n40	5795	Ant1	5925	-57.22	3.09	0.12	-54.01	Average	-27	Pass
NVNT	ac20	5745	Ant1	5650	-50.29	3.09	-	-47.2	Peak	-27	Pass
NVNT	ac20	5745	Ant1	5650	-57.45	3.09	0.12	-54.24	Average	-27	Pass
NVNT	ac20	5745	Ant1	5700	-44.87	3.09	-	-41.78	Peak	10	Pass
NVNT	ac20	5745	Ant1	5700	-55.18	3.09	0.12	-51.97	Average	10	Pass
NVNT	ac20	5745	Ant1	5720	-31.97	3.09	-	-28.88	Peak	15.6	Pass
NVNT	ac20	5745	Ant1	5720	-49.07	3.09	0.12	-45.86	Average	15.6	Pass
NVNT	ac20	5745	Ant1	5725	-23.85	3.09	-	-20.76	Peak	27	Pass
NVNT	ac20	5745	Ant1	5725	-40.98	3.09	0.12	-37.77	Average	27	Pass
NVNT	ac20	5825	Ant1	5850	-34.36	3.09	-	-31.27	Peak	27	Pass
NVNT	ac20	5825	Ant1	5850	-47.74	3.09	0.12	-44.53	Average	27	Pass
NVNT	ac20	5825	Ant1	5855	-39.97	3.09	-	-36.88	Peak	15.6	Pass
NVNT	ac20	5825	Ant1	5855	-51.6	3.09	0.12	-48.39	Average	15.6	Pass
NVNT	ac20	5825	Ant1	5875	-48.44	3.09	-	-45.35	Peak	10	Pass
NVNT	ac20	5825	Ant1	5875	-56.39	3.09	0.12	-53.18	Average	10	Pass
NVNT	ac20	5825	Ant1	5925	-48.78	3.09	-	-45.69	Peak	-27	Pass
NVNT	ac20	5825	Ant1	5925	-57.06	3.09	0.12	-53.85	Average	-27	Pass
NVNT	ac40	5755	Ant1	5650	-47.86	3.09	-	-44.77	Peak	-27	Pass
NVNT	ac40	5755	Ant1	5650	-56.82	3.09	0.12	-53.61	Average	-27	Pass
NVNT	ac40	5755	Ant1	5700	-46.2	3.09	-	-43.11	Peak	10	Pass
NVNT	ac40	5755	Ant1	5700	-55.25	3.09	0.12	-52.04	Average	10	Pass
NVNT	ac40	5755	Ant1	5720	-32.91	3.09	-	-29.82	Peak	15.6	Pass
NVNT	ac40	5755	Ant1	5720	-45.61	3.09	0.12	-42.4	Average	15.6	Pass
NVNT	ac40	5755	Ant1	5725	-24.45	3.09	-	-21.36	Peak	27	Pass
NVNT	ac40	5755	Ant1	5725	-41.59	3.09	0.12	-38.38	Average	27	Pass
NVNT	ac40	5795	Ant1	5850	-48.31	3.09	-	-45.22	Peak	27	Pass
NVNT	ac40	5795	Ant1	5850	-55.82	3.09	0.12	-52.61	Average	27	Pass
NVNT	ac40	5795	Ant1	5855	-48.36	3.09	-	-45.27	Peak	15.6	Pass
NVNT	ac40	5795	Ant1	5855	-56.45	3.09	0.12	-53.24	Average	15.6	Pass
NVNT	ac40	5795	Ant1	5875	-49.45	3.09	-	-46.36	Peak	10	Pass
NVNT	ac40	5795	Ant1	5875	-57.57	3.09	0.12	-54.36	Average	10	Pass





NVNT	ac40	5795	Ant1	5925	-49.51	3.09	-	-46.42	Peak	-27	Pass
NVNT	ac40	5795	Ant1	5925	-57.06	3.09	0.12	-53.85	Average	-27	Pass
NVNT	ac80	5775	Ant1	5850	-42.2	3.09	-	-39.11	Peak	27	Pass
NVNT	ac80	5775	Ant1	5850	-52.99	3.09	0.25	-49.65	Average	27	Pass
NVNT	ac80	5775	Ant1	5855	-42.75	3.09	-	-39.66	Peak	15.6	Pass
NVNT	ac80	5775	Ant1	5855	-53.07	3.09	0.25	-49.73	Average	15.6	Pass
NVNT	ac80	5775	Ant1	5875	-48.58	3.09	-	-45.49	Peak	10	Pass
NVNT	ac80	5775	Ant1	5875	-55.85	3.09	0.25	-52.51	Average	10	Pass
NVNT	ac80	5775	Ant1	5925	-49.41	3.09	-	-46.32	Peak	-27	Pass
NVNT	ac80	5775	Ant1	5925	-57.47	3.09	0.25	-54.13	Average	-27	Pass
NVNT	ac80	5775	Ant1	5650	-47.72	3.09	-	-44.63	Peak	-27	Pass
NVNT	ac80	5775	Ant1	5650	-56.75	3.09	0.25	-53.41	Average	-27	Pass
NVNT	ac80	5775	Ant1	5700	-44.91	3.09	-	-41.82	Peak	10	Pass
NVNT	ac80	5775	Ant1	5700	-53.09	3.09	0.25	-49.75	Average	10	Pass
NVNT	ac80	5775	Ant1	5720	-35.8	3.09	-	-32.71	Peak	15.6	Pass
NVNT	ac80	5775	Ant1	5720	-49.12	3.09	0.25	-45.78	Average	15.6	Pass
NVNT	ac80	5775	Ant1	5725	-34.06	3.09	-	-30.97	Peak	27	Pass
NVNT	ac80	5775	Ant1	5725	-47.05	3.09	0.25	-43.71	Average	27	Pass
NVNT	ax20	5745	Ant1	5650	-49.61	3.09	-	-46.52	Peak	-27	Pass
NVNT	ax20	5745	Ant1	5650	-57.55	3.09	0.12	-54.34	Average	-27	Pass
NVNT	ax20	5745	Ant1	5700	-46.8	3.09	-	-43.71	Peak	10	Pass
NVNT	ax20	5745	Ant1	5700	-55.29	3.09	0.12	-52.08	Average	10	Pass
NVNT	ax20	5745	Ant1	5720	-32.36	3.09	-	-29.27	Peak	15.6	Pass
NVNT	ax20	5745	Ant1	5720	-47.73	3.09	0.12	-44.52	Average	15.6	Pass
NVNT	ax20	5745	Ant1	5725	-24.64	3.09	-	-21.55	Peak	27	Pass
NVNT	ax20	5745	Ant1	5725	-41.42	3.09	0.12	-38.21	Average	27	Pass
NVNT	ax20	5825	Ant1	5850	-31.15	3.09	-	-28.06	Peak	27	Pass
NVNT	ax20	5825	Ant1	5850	-47.95	3.09	0.12	-44.74	Average	27	Pass
NVNT	ax20	5825	Ant1	5855	-37.97	3.09	-	-34.88	Peak	15.6	Pass
NVNT	ax20	5825	Ant1	5855	-51.37	3.09	0.12	-48.16	Average	15.6	Pass
NVNT	ax20	5825	Ant1	5875	-48.26	3.09	-	-45.17	Peak	10	Pass
NVNT	ax20	5825	Ant1	5875	-56.3	3.09	0.12	-53.09	Average	10	Pass
NVNT	ax20	5825	Ant1	5925	-48.39	3.09	-	-45.3	Peak	-27	Pass
NVNT	ax20	5825	Ant1	5925	-57.22	3.09	0.12	-54.01	Average	-27	Pass
NVNT	ax40	5755	Ant1	5650	-49.03	3.09	-	-45.94	Peak	-27	Pass
NVNT	ax40	5755	Ant1	5650	-57.11	3.09	0.12	-53.9	Average	-27	Pass
NVNT	ax40	5755	Ant1	5700	-47.45	3.09	-	-44.36	Peak	10	Pass
NVNT	ax40	5755	Ant1	5700	-55.2	3.09	0.12	-51.99	Average	10	Pass
NVNT	ax40	5755	Ant1	5720	-33.43	3.09	-	-30.34	Peak	15.6	Pass
NVNT	ax40	5755	Ant1	5720	-45.59	3.09	0.12	-42.38	Average	15.6	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
 Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



NVNT	ax40	5755	Ant1	5725	-28.62	3.09	-	-25.53	Peak	27	Pass
NVNT	ax40	5755	Ant1	5725	-43.94	3.09	0.12	-40.73	Average	27	Pass
NVNT	ax40	5795	Ant1	5850	-47.99	3.09	-	-44.9	Peak	27	Pass
NVNT	ax40	5795	Ant1	5850	-55.76	3.09	0.12	-52.55	Average	27	Pass
NVNT	ax40	5795	Ant1	5855	-46.27	3.09	-	-43.18	Peak	15.6	Pass
NVNT	ax40	5795	Ant1	5855	-56.4	3.09	0.12	-53.19	Average	15.6	Pass
NVNT	ax40	5795	Ant1	5875	-50.11	3.09	-	-47.02	Peak	10	Pass
NVNT	ax40	5795	Ant1	5875	-57.87	3.09	0.12	-54.66	Average	10	Pass
NVNT	ax40	5795	Ant1	5925	-50.57	3.09	-	-47.48	Peak	-27	Pass
NVNT	ax40	5795	Ant1	5925	-57.25	3.09	0.12	-54.04	Average	-27	Pass
NVNT	ax80	5775	Ant1	5850	-43.79	3.09	-	-40.7	Peak	27	Pass
NVNT	ax80	5775	Ant1	5850	-52.26	3.09	0.25	-48.92	Average	27	Pass
NVNT	ax80	5775	Ant1	5855	-46.34	3.09	-	-43.25	Peak	15.6	Pass
NVNT	ax80	5775	Ant1	5855	-53.13	3.09	0.25	-49.79	Average	15.6	Pass
NVNT	ax80	5775	Ant1	5875	-48.23	3.09	-	-45.14	Peak	10	Pass
NVNT	ax80	5775	Ant1	5875	-55.91	3.09	0.25	-52.57	Average	10	Pass
NVNT	ax80	5775	Ant1	5925	-49.39	3.09	-	-46.3	Peak	-27	Pass
NVNT	ax80	5775	Ant1	5925	-57.66	3.09	0.25	-54.32	Average	-27	Pass
NVNT	ax80	5775	Ant1	5650	-49.38	3.09	-	-46.29	Peak	-27	Pass
NVNT	ax80	5775	Ant1	5650	-57.09	3.09	0.25	-53.75	Average	-27	Pass
NVNT	ax80	5775	Ant1	5700	-44.89	3.09	-	-41.8	Peak	10	Pass
NVNT	ax80	5775	Ant1	5700	-53.11	3.09	0.25	-49.77	Average	10	Pass
NVNT	ax80	5775	Ant1	5720	-37.74	3.09	-	-34.65	Peak	15.6	Pass
NVNT	ax80	5775	Ant1	5720	-50.12	3.09	0.25	-46.78	Average	15.6	Pass
NVNT	ax80	5775	Ant1	5725	-34.19	3.09	-	-31.1	Peak	27	Pass
NVNT	ax80	5775	Ant1	5725	-47.51	3.09	0.25	-44.17	Average	27	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
 Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT a 5745MHz Ant1 Peak




Restrict Band NVNT a 5745MHz Ant1 Average








Restrict Band NVNT a 5825MHz Ant1 Peak



Restrict Band NVNT a 5825MHz Ant1 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
 Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity










Restrict Band NVNT n20 5825MHz Ant1 Peak



Restrict Band NVNT n20 5825MHz Ant1 Average









Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity





Restrict Band NVNT ac20 5745MHz Ant1 Peak





Restrict Band NVNT ac20 5745MHz Ant1 Average







Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
 Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
 Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity







Restrict Band NVNT ac80 5775MHz Ant1 Peak



Restrict Band NVNT ac80 5775MHz Ant1 Average













Restrict Band NVNT ax20 5825MHz Ant1 Peak



Restrict Band NVNT ax20 5825MHz Ant1 Average







Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



Restrict Band NVNT ax40 5795MHz Ant1 Peak




Restrict Band NVNT ax40 5795MHz Ant1 Average






Restrict Band NVNT ax80 5775MHz Ant1 Peak




Restrict Band NVNT ax80 5775MHz Ant1 Average






Restrict Band NVNT ax80 5775MHz Ant1 Peak



Restrict Band NVNT ax80 5775MHz Ant1 Average





Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	EIRP Power (dBm)	Detector	Limit (dBm)	Verdict
NVNT	a	5745	Ant2	5650	-49.44	3.09	-	-46.35	Peak	-27	Pass
NVNT	a	5745	Ant2	5650	-57.15	3.09	0.24	-53.82	Average	-27	Pass
NVNT	a	5745	Ant2	5700	-48.58	3.09	-	-45.49	Peak	10	Pass
NVNT	a	5745	Ant2	5700	-55.06	3.09	0.24	-51.73	Average	10	Pass
NVNT	a	5745	Ant2	5720	-34.5	3.09	-	-31.41	Peak	15.6	Pass
NVNT	a	5745	Ant2	5720	-48.25	3.09	0.24	-44.92	Average	15.6	Pass
NVNT	a	5745	Ant2	5725	-25.15	3.09	-	-22.06	Peak	27	Pass
NVNT	a	5745	Ant2	5725	-45.61	3.09	0.24	-42.28	Average	27	Pass
NVNT	a	5825	Ant2	5850	-34.72	3.09	-	-31.63	Peak	27	Pass
NVNT	a	5825	Ant2	5850	-50.34	3.09	0.24	-47.01	Average	27	Pass
NVNT	a	5825	Ant2	5855	-40.5	3.09	-	-37.41	Peak	15.6	Pass
NVNT	a	5825	Ant2	5855	-54.24	3.09	0.24	-50.91	Average	15.6	Pass
NVNT	a	5825	Ant2	5875	-49.63	3.09	-	-46.54	Peak	10	Pass
NVNT	a	5825	Ant2	5875	-55.91	3.09	0.24	-52.58	Average	10	Pass
NVNT	a	5825	Ant2	5925	-48.19	3.09	-	-45.1	Peak	-27	Pass
NVNT	a	5825	Ant2	5925	-57.75	3.09	0.24	-54.42	Average	-27	Pass
NVNT	n20	5745	Ant2	5650	-48.36	3.09	-	-45.27	Peak	-27	Pass
NVNT	n20	5745	Ant2	5650	-56.98	3.09	0.12	-53.77	Average	-27	Pass
NVNT	n20	5745	Ant2	5700	-47.91	3.09	-	-44.82	Peak	10	Pass
NVNT	n20	5745	Ant2	5700	-55.94	3.09	0.12	-52.73	Average	10	Pass
NVNT	n20	5745	Ant2	5720	-30.92	3.09	-	-27.83	Peak	15.6	Pass
NVNT	n20	5745	Ant2	5720	-44.76	3.09	0.12	-41.55	Average	15.6	Pass
NVNT	n20	5745	Ant2	5725	-21.89	3.09	-	-18.8	Peak	27	Pass
NVNT	n20	5745	Ant2	5725	-41.67	3.09	0.12	-38.46	Average	27	Pass
NVNT	n20	5825	Ant2	5850	-31.11	3.09	-	-28.02	Peak	27	Pass
NVNT	n20	5825	Ant2	5850	-48	3.09	0.12	-44.79	Average	27	Pass
NVNT	n20	5825	Ant2	5855	-40.44	3.09	-	-37.35	Peak	15.6	Pass
NVNT	n20	5825	Ant2	5855	-50.58	3.09	0.12	-47.37	Average	15.6	Pass
NVNT	n20	5825	Ant2	5875	-47.47	3.09	-	-44.38	Peak	10	Pass
NVNT	n20	5825	Ant2	5875	-55.78	3.09	0.12	-52.57	Average	10	Pass
NVNT	n20	5825	Ant2	5925	-49.69	3.09	-	-46.6	Peak	-27	Pass
NVNT	n20	5825	Ant2	5925	-56.5	3.09	0.12	-53.29	Average	-27	Pass
NVNT	n40	5755	Ant2	5650	-50.05	3.09	-	-46.96	Peak	-27	Pass
NVNT	n40	5755	Ant2	5650	-57.42	3.09	0.12	-54.21	Average	-27	Pass
NVNT	n40	5755	Ant2	5700	-46.64	3.09	-	-43.55	Peak	10	Pass
NVNT	n40	5755	Ant2	5700	-56.23	3.09	0.12	-53.02	Average	10	Pass
NVNT	n40	5755	Ant2	5720	-27.75	3.09	-	-24.66	Peak	15.6	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



NVNT	n40	5755	Ant2	5720	-49.4	3.09	0.12	-46.19	Average	15.6	Pass
NVNT	n40	5755	Ant2	5725	-32.49	3.09	-	-29.4	Peak	27	Pass
NVNT	n40	5755	Ant2	5725	-44.76	3.09	0.12	-41.55	Average	27	Pass
NVNT	n40	5795	Ant2	5850	-49.59	3.09	-	-46.5	Peak	27	Pass
NVNT	n40	5795	Ant2	5850	-56.37	3.09	0.12	-53.16	Average	27	Pass
NVNT	n40	5795	Ant2	5855	-49.17	3.09	-	-46.08	Peak	15.6	Pass
NVNT	n40	5795	Ant2	5855	-57.37	3.09	0.12	-54.16	Average	15.6	Pass
NVNT	n40	5795	Ant2	5875	-50.8	3.09	-	-47.71	Peak	10	Pass
NVNT	n40	5795	Ant2	5875	-57.37	3.09	0.12	-54.16	Average	10	Pass
NVNT	n40	5795	Ant2	5925	-50.28	3.09	-	-47.19	Peak	-27	Pass
NVNT	n40	5795	Ant2	5925	-57.45	3.09	0.12	-54.24	Average	-27	Pass
NVNT	ac20	5745	Ant2	5650	-49.64	3.09	-	-46.55	Peak	-27	Pass
NVNT	ac20	5745	Ant2	5650	-57.07	3.09	0.12	-53.86	Average	-27	Pass
NVNT	ac20	5745	Ant2	5700	-46.77	3.09	-	-43.68	Peak	10	Pass
NVNT	ac20	5745	Ant2	5700	-56.03	3.09	0.12	-52.82	Average	10	Pass
NVNT	ac20	5745	Ant2	5720	-35.09	3.09	-	-32	Peak	15.6	Pass
NVNT	ac20	5745	Ant2	5720	-46.56	3.09	0.12	-43.35	Average	15.6	Pass
NVNT	ac20	5745	Ant2	5725	-21.78	3.09	-	-18.69	Peak	27	Pass
NVNT	ac20	5745	Ant2	5725	-43.04	3.09	0.12	-39.83	Average	27	Pass
NVNT	ac20	5825	Ant2	5850	-34.34	3.09	-	-31.25	Peak	27	Pass
NVNT	ac20	5825	Ant2	5850	-46.42	3.09	0.12	-43.21	Average	27	Pass
NVNT	ac20	5825	Ant2	5855	-37.95	3.09	-	-34.86	Peak	15.6	Pass
NVNT	ac20	5825	Ant2	5855	-52.44	3.09	0.12	-49.23	Average	15.6	Pass
NVNT	ac20	5825	Ant2	5875	-46.68	3.09	-	-43.59	Peak	10	Pass
NVNT	ac20	5825	Ant2	5875	-56.15	3.09	0.12	-52.94	Average	10	Pass
NVNT	ac20	5825	Ant2	5925	-48.3	3.09	-	-45.21	Peak	-27	Pass
NVNT	ac20	5825	Ant2	5925	-56.82	3.09	0.12	-53.61	Average	-27	Pass
NVNT	ac40	5755	Ant2	5650	-50.34	3.09	-	-47.25	Peak	-27	Pass
NVNT	ac40	5755	Ant2	5650	-57.41	3.09	0.12	-54.2	Average	-27	Pass
NVNT	ac40	5755	Ant2	5700	-47.08	3.09	-	-43.99	Peak	10	Pass
NVNT	ac40	5755	Ant2	5700	-56.46	3.09	0.12	-53.25	Average	10	Pass
NVNT	ac40	5755	Ant2	5720	-36.64	3.09	-	-33.55	Peak	15.6	Pass
NVNT	ac40	5755	Ant2	5720	-47	3.09	0.12	-43.79	Average	15.6	Pass
NVNT	ac40	5755	Ant2	5725	-28.84	3.09	-	-25.75	Peak	27	Pass
NVNT	ac40	5755	Ant2	5725	-45.02	3.09	0.12	-41.81	Average	27	Pass
NVNT	ac40	5795	Ant2	5850	-47.15	3.09	-	-44.06	Peak	27	Pass
NVNT	ac40	5795	Ant2	5850	-56.27	3.09	0.12	-53.06	Average	27	Pass
NVNT	ac40	5795	Ant2	5855	-47.66	3.09	-	-44.57	Peak	15.6	Pass
NVNT	ac40	5795	Ant2	5855	-57.62	3.09	0.12	-54.41	Average	15.6	Pass
NVNT	ac40	5795	Ant2	5875	-49.16	3.09	-	-46.07	Peak	10	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
 Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



NVNT	ac40	5795	Ant2	5875	-57.91	3.09	0.12	-54.7	Average	10	Pass
NVNT	ac40	5795	Ant2	5925	-49.78	3.09	-	-46.69	Peak	-27	Pass
NVNT	ac40	5795	Ant2	5925	-57.31	3.09	0.12	-54.1	Average	-27	Pass
NVNT	ac80	5775	Ant2	5850	-48.06	3.09	-	-44.97	Peak	27	Pass
NVNT	ac80	5775	Ant2	5850	-55.56	3.09	0.25	-52.22	Average	27	Pass
NVNT	ac80	5775	Ant2	5855	-47.2	3.09	-	-44.11	Peak	15.6	Pass
NVNT	ac80	5775	Ant2	5855	-55.91	3.09	0.25	-52.57	Average	15.6	Pass
NVNT	ac80	5775	Ant2	5875	-47.73	3.09	-	-44.64	Peak	10	Pass
NVNT	ac80	5775	Ant2	5875	-56.55	3.09	0.25	-53.21	Average	10	Pass
NVNT	ac80	5775	Ant2	5925	-48.27	3.09	-	-45.18	Peak	-27	Pass
NVNT	ac80	5775	Ant2	5925	-57.38	3.09	0.25	-54.04	Average	-27	Pass
NVNT	ac80	5775	Ant2	5650	-49.25	3.09	-	-46.16	Peak	-27	Pass
NVNT	ac80	5775	Ant2	5650	-57.38	3.09	0.25	-54.04	Average	-27	Pass
NVNT	ac80	5775	Ant2	5700	-46.63	3.09	-	-43.54	Peak	10	Pass
NVNT	ac80	5775	Ant2	5700	-53.21	3.09	0.25	-49.87	Average	10	Pass
NVNT	ac80	5775	Ant2	5720	-37.23	3.09	-	-34.14	Peak	15.6	Pass
NVNT	ac80	5775	Ant2	5720	-51.11	3.09	0.25	-47.77	Average	15.6	Pass
NVNT	ac80	5775	Ant2	5725	-35.56	3.09	-	-32.47	Peak	27	Pass
NVNT	ac80	5775	Ant2	5725	-48.53	3.09	0.25	-45.19	Average	27	Pass
NVNT	ax20	5745	Ant2	5650	-48.01	3.09	-	-44.92	Peak	-27	Pass
NVNT	ax20	5745	Ant2	5650	-56.95	3.09	0.12	-53.74	Average	-27	Pass
NVNT	ax20	5745	Ant2	5700	-48	3.09	-	-44.91	Peak	10	Pass
NVNT	ax20	5745	Ant2	5700	-55.23	3.09	0.12	-52.02	Average	10	Pass
NVNT	ax20	5745	Ant2	5720	-33.35	3.09	-	-30.26	Peak	15.6	Pass
NVNT	ax20	5745	Ant2	5720	-46.69	3.09	0.12	-43.48	Average	15.6	Pass
NVNT	ax20	5745	Ant2	5725	-25.4	3.09	-	-22.31	Peak	27	Pass
NVNT	ax20	5745	Ant2	5725	-43.1	3.09	0.12	-39.89	Average	27	Pass
NVNT	ax20	5825	Ant2	5850	-35.01	3.09	-	-31.92	Peak	27	Pass
NVNT	ax20	5825	Ant2	5850	-47.54	3.09	0.12	-44.33	Average	27	Pass
NVNT	ax20	5825	Ant2	5855	-37.9	3.09	-	-34.81	Peak	15.6	Pass
NVNT	ax20	5825	Ant2	5855	-52.12	3.09	0.12	-48.91	Average	15.6	Pass
NVNT	ax20	5825	Ant2	5875	-49	3.09	-	-45.91	Peak	10	Pass
NVNT	ax20	5825	Ant2	5875	-56.37	3.09	0.12	-53.16	Average	10	Pass
NVNT	ax20	5825	Ant2	5925	-49.79	3.09	-	-46.7	Peak	-27	Pass
NVNT	ax20	5825	Ant2	5925	-57.16	3.09	0.12	-53.95	Average	-27	Pass
NVNT	ax40	5755	Ant2	5650	-49.49	3.09	-	-46.4	Peak	-27	Pass
NVNT	ax40	5755	Ant2	5650	-57.52	3.09	0.12	-54.31	Average	-27	Pass
NVNT	ax40	5755	Ant2	5700	-45.38	3.09	-	-42.29	Peak	10	Pass
NVNT	ax40	5755	Ant2	5700	-56.23	3.09	0.12	-53.02	Average	10	Pass
NVNT	ax40	5755	Ant2	5720	-34.89	3.09	-	-31.8	Peak	15.6	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
 Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



NVNT	ax40	5755	Ant2	5720	-47.78	3.09	0.12	-44.57	Average	15.6	Pass
NVNT	ax40	5755	Ant2	5725	-29	3.09	-	-25.91	Peak	27	Pass
NVNT	ax40	5755	Ant2	5725	-45.1	3.09	0.12	-41.89	Average	27	Pass
NVNT	ax40	5795	Ant2	5850	-47.99	3.09	-	-44.9	Peak	27	Pass
NVNT	ax40	5795	Ant2	5850	-56.88	3.09	0.12	-53.67	Average	27	Pass
NVNT	ax40	5795	Ant2	5855	-48.13	3.09	-	-45.04	Peak	15.6	Pass
NVNT	ax40	5795	Ant2	5855	-57.49	3.09	0.12	-54.28	Average	15.6	Pass
NVNT	ax40	5795	Ant2	5875	-49.24	3.09	-	-46.15	Peak	10	Pass
NVNT	ax40	5795	Ant2	5875	-57.52	3.09	0.12	-54.31	Average	10	Pass
NVNT	ax40	5795	Ant2	5925	-51.03	3.09	-	-47.94	Peak	-27	Pass
NVNT	ax40	5795	Ant2	5925	-58	3.09	0.12	-54.79	Average	-27	Pass
NVNT	ax80	5775	Ant2	5850	-48.74	3.09	-	-45.65	Peak	27	Pass
NVNT	ax80	5775	Ant2	5850	-55.5	3.09	0.25	-52.16	Average	27	Pass
NVNT	ax80	5775	Ant2	5855	-45.79	3.09	-	-42.7	Peak	15.6	Pass
NVNT	ax80	5775	Ant2	5855	-56.6	3.09	0.25	-53.26	Average	15.6	Pass
NVNT	ax80	5775	Ant2	5875	-46.68	3.09	-	-43.59	Peak	10	Pass
NVNT	ax80	5775	Ant2	5875	-56.76	3.09	0.25	-53.42	Average	10	Pass
NVNT	ax80	5775	Ant2	5925	-48.17	3.09	-	-45.08	Peak	-27	Pass
NVNT	ax80	5775	Ant2	5925	-57.33	3.09	0.25	-53.99	Average	-27	Pass
NVNT	ax80	5775	Ant2	5650	-49.59	3.09	-	-46.5	Peak	-27	Pass
NVNT	ax80	5775	Ant2	5650	-57.19	3.09	0.25	-53.85	Average	-27	Pass
NVNT	ax80	5775	Ant2	5700	-45.7	3.09	-	-42.61	Peak	10	Pass
NVNT	ax80	5775	Ant2	5700	-53.5	3.09	0.25	-50.16	Average	10	Pass
NVNT	ax80	5775	Ant2	5720	-37.2	3.09	-	-34.11	Peak	15.6	Pass
NVNT	ax80	5775	Ant2	5720	-51	3.09	0.25	-47.66	Average	15.6	Pass
NVNT	ax80	5775	Ant2	5725	-36.2	3.09	-	-33.11	Peak	27	Pass
NVNT	ax80	5775	Ant2	5725	-49.1	3.09	0.25	-45.76	Average	27	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
 Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT a 5745MHz Ant2 Peak




Restrict Band NVNT a 5745MHz Ant2 Average








Restrict Band NVNT a 5825MHz Ant2 Peak



Restrict Band NVNT a 5825MHz Ant2 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
 Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity










Restrict Band NVNT n20 5825MHz Ant2 Peak





Restrict Band NVNT n20 5825MHz Ant2 Average









Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
 Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity







Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



Restrict Band NVNT ac40 5755MHz Ant2 Peak




Restrict Band NVNT ac40 5755MHz Ant2 Average






Restrict Band NVNT ac40 5795MHz Ant2 Peak




Restrict Band NVNT ac40 5795MHz Ant2 Average








Restrict Band NVNT ac80 5775MHz Ant2 Peak




Restrict Band NVNT ac80 5775MHz Ant2 Average








Restrict Band NVNT ax20 5745MHz Ant2 Peak




Restrict Band NVNT ax20 5745MHz Ant2 Average








Restrict Band NVNT ax20 5825MHz Ant2 Peak




Restrict Band NVNT ax20 5825MHz Ant2 Average








Restrict Band NVNT ax40 5795MHz Ant2 Peak




Restrict Band NVNT ax40 5795MHz Ant2 Average








Restrict Band NVNT ax80 5775MHz Ant2 Peak



Restrict Band NVNT ax80 5775MHz Ant2 Average







MIMO

Condition	Mode	Frequency (MHz)	Spur Freq (MHz)	Ant0 Power (dBm)	Ant1 Power (dBm)	Ant2 Power (dBm)	Ant0+Ant1+Ant2	Gain (dBi)	EIRP Power (dBm)	Detector	Limit (dBm)	Verdict
NVNT	n20	5745	5650	-49.65	-48.87	-48.36	-44.16	7.86	-36.30	Peak	-27	Pass
NVNT	n20	5745	5650	-57.5	-56.95	-56.98	-52.36	7.86	-44.50	Average	-27	Pass
NVNT	n20	5745	5700	-46.13	-46.89	-47.91	-42.15	7.86	-34.29	Peak	10	Pass
NVNT	n20	5745	5700	-54.6	-55.76	-55.94	-50.62	7.86	-42.76	Average	10	Pass
NVNT	n20	5745	5720	-29.91	-33.35	-30.92	-26.40	7.86	-18.54	Peak	15.6	Pass
NVNT	n20	5745	5720	-43.31	-46.42	-44.76	-39.88	7.86	-32.02	Average	15.6	Pass
NVNT	n20	5745	5725	-25.92	-22.11	-21.89	-18.19	7.86	-10.33	Peak	27	Pass
NVNT	n20	5745	5725	-40.12	-41.3	-41.67	-36.21	7.86	-28.35	Average	27	Pass
NVNT	n20	5825	5850	-34.51	-36.01	-31.11	-28.60	7.86	-20.74	Peak	27	Pass
NVNT	n20	5825	5850	-46.29	-47.54	-48	-42.44	7.86	-34.58	Average	27	Pass
NVNT	n20	5825	5855	-37.92	-39.01	-40.44	-34.23	7.86	-26.37	Peak	15.6	Pass
NVNT	n20	5825	5855	-51.43	-52.25	-50.58	-46.60	7.86	-38.74	Average	15.6	Pass
NVNT	n20	5825	5875	-46.78	-47.18	-47.47	-42.36	7.86	-34.50	Peak	10	Pass
NVNT	n20	5825	5875	-55.86	-56.34	-55.78	-51.22	7.86	-43.36	Average	10	Pass
NVNT	n20	5825	5925	-49.56	-47.9	-49.69	-44.20	7.86	-36.34	Peak	-27	Pass
NVNT	n20	5825	5925	-56.83	-56.77	-56.5	-51.93	7.86	-44.07	Average	-27	Pass
NVNT	n40	5755	5650	-49.82	-49.51	-50.05	-45.02	7.86	-37.16	Peak	-27	Pass
NVNT	n40	5755	5650	-56.91	-57.22	-57.42	-52.41	7.86	-44.55	Average	-27	Pass
NVNT	n40	5755	5700	-46.24	-46.91	-46.64	-41.82	7.86	-33.96	Peak	10	Pass
NVNT	n40	5755	5700	-53.53	-54.85	-56.23	-49.96	7.86	-42.10	Average	10	Pass
NVNT	n40	5755	5720	-30.18	-31.08	-27.75	-24.66	7.86	-16.80	Peak	15.6	Pass
NVNT	n40	5755	5720	-45.77	-44.76	-49.4	-41.46	7.86	-33.60	Average	15.6	Pass
NVNT	n40	5755	5725	-26.89	-26.94	-32.49	-23.34	7.86	-15.48	Peak	27	Pass
NVNT	n40	5755	5725	-42.52	-43.23	-44.76	-38.64	7.86	-30.78	Average	27	Pass
NVNT	n40	5795	5850	-48.25	-48.89	-49.59	-44.10	7.86	-36.24	Peak	27	Pass
NVNT	n40	5795	5850	-56.41	-56.54	-56.37	-51.67	7.86	-43.81	Average	27	Pass
NVNT	n40	5795	5855	-49.49	-47.89	-49.17	-44.02	7.86	-36.16	Peak	15.6	Pass
NVNT	n40	5795	5855	-57.22	-56.85	-57.37	-52.37	7.86	-44.51	Average	15.6	Pass
NVNT	n40	5795	5875	-49.21	-49.52	-50.8	-45.02	7.86	-37.16	Peak	10	Pass
NVNT	n40	5795	5875	-57.3	-57.79	-57.37	-52.71	7.86	-44.85	Average	10	Pass
NVNT	n40	5795	5925	-49.92	-48.71	-50.28	-44.81	7.86	-36.95	Peak	-27	Pass
NVNT	n40	5795	5925	-57.47	-57.22	-57.45	-52.61	7.86	-44.75	Average	-27	Pass
NVNT	ac20	5745	5650	-48.95	-50.29	-49.64	-44.82	7.86	-36.96	Peak	-27	Pass
NVNT	ac20	5745	5650	-56.68	-57.45	-57.07	-52.28	7.86	-44.42	Average	-27	Pass
NVNT	ac20	5745	5700	-46.98	-44.87	-46.77	-41.33	7.86	-33.47	Peak	10	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
 Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



NVNT	ac20	5745	5700	-55.19	-55.18	-56.03	-50.68	7.86	-42.82	Average	10	Pass
NVNT	ac20	5745	5720	-33.68	-31.97	-35.09	-28.62	7.86	-20.76	Peak	15.6	Pass
NVNT	ac20	5745	5720	-47.67	-49.07	-46.56	-42.88	7.86	-35.02	Average	15.6	Pass
NVNT	ac20	5745	5725	-24.37	-23.85	-21.78	-18.41	7.86	-10.55	Peak	27	Pass
NVNT	ac20	5745	5725	-41.43	-40.98	-43.04	-36.96	7.86	-29.10	Average	27	Pass
NVNT	ac20	5825	5850	-30.91	-34.36	-34.34	-28.11	7.86	-20.25	Peak	27	Pass
NVNT	ac20	5825	5850	-44.51	-47.74	-46.42	-41.25	7.86	-33.39	Average	27	Pass
NVNT	ac20	5825	5855	-37.3	-39.97	-37.95	-33.49	7.86	-25.63	Peak	15.6	Pass
NVNT	ac20	5825	5855	-49.91	-51.6	-52.44	-46.42	7.86	-38.56	Average	15.6	Pass
NVNT	ac20	5825	5875	-47.44	-48.44	-46.68	-42.69	7.86	-34.83	Peak	10	Pass
NVNT	ac20	5825	5875	-55.98	-56.39	-56.15	-51.40	7.86	-43.54	Average	10	Pass
NVNT	ac20	5825	5925	-46.59	-48.78	-48.3	-43.01	7.86	-35.15	Peak	-27	Pass
NVNT	ac20	5825	5925	-56.82	-57.06	-56.82	-52.13	7.86	-44.27	Average	-27	Pass
NVNT	ac40	5755	5650	-49.13	-47.86	-50.34	-44.22	7.86	-36.36	Peak	-27	Pass
NVNT	ac40	5755	5650	-56.28	-56.82	-57.41	-52.04	7.86	-44.18	Average	-27	Pass
NVNT	ac40	5755	5700	-46.24	-46.2	-47.08	-41.72	7.86	-33.86	Peak	10	Pass
NVNT	ac40	5755	5700	-54.06	-55.25	-56.46	-50.38	7.86	-42.52	Average	10	Pass
NVNT	ac40	5755	5720	-30.87	-32.91	-36.64	-28.11	7.86	-20.25	Peak	15.6	Pass
NVNT	ac40	5755	5720	-45.73	-45.61	-47	-41.30	7.86	-33.44	Average	15.6	Pass
NVNT	ac40	5755	5725	-29.78	-24.45	-28.84	-22.26	7.86	-14.40	Peak	27	Pass
NVNT	ac40	5755	5725	-41.44	-41.59	-45.02	-37.63	7.86	-29.77	Average	27	Pass
NVNT	ac40	5795	5850	-48.78	-48.31	-47.15	-43.25	7.86	-35.39	Peak	27	Pass
NVNT	ac40	5795	5850	-55.87	-55.82	-56.27	-51.21	7.86	-43.35	Average	27	Pass
NVNT	ac40	5795	5855	-48.5	-48.36	-47.66	-43.39	7.86	-35.53	Peak	15.6	Pass
NVNT	ac40	5795	5855	-56.27	-56.45	-57.62	-51.97	7.86	-44.11	Average	15.6	Pass
NVNT	ac40	5795	5875	-49.48	-49.45	-49.16	-44.59	7.86	-36.73	Peak	10	Pass
NVNT	ac40	5795	5875	-57.66	-57.57	-57.91	-52.94	7.86	-45.08	Average	10	Pass
NVNT	ac40	5795	5925	-50.24	-49.51	-49.78	-45.06	7.86	-37.20	Peak	-27	Pass
NVNT	ac40	5795	5925	-57.91	-57.06	-57.31	-52.64	7.86	-44.78	Average	-27	Pass
NVNT	ac80	5775	5850	-42.54	-42.2	-48.06	-38.81	7.86	-30.95	Peak	27	Pass
NVNT	ac80	5775	5850	-52.54	-52.99	-55.56	-48.74	7.86	-40.88	Average	27	Pass
NVNT	ac80	5775	5855	-42.32	-42.75	-47.2	-38.84	7.86	-30.98	Peak	15.6	Pass
NVNT	ac80	5775	5855	-52.26	-53.07	-55.91	-48.72	7.86	-40.86	Average	15.6	Pass
NVNT	ac80	5775	5875	-46.55	-48.58	-47.73	-42.77	7.86	-34.91	Peak	10	Pass
NVNT	ac80	5775	5875	-55.31	-55.85	-56.55	-51.10	7.86	-43.24	Average	10	Pass
NVNT	ac80	5775	5925	-48.03	-49.41	-48.27	-43.76	7.86	-35.90	Peak	-27	Pass
NVNT	ac80	5775	5925	-56.93	-57.47	-57.38	-52.48	7.86	-44.62	Average	-27	Pass
NVNT	ac80	5775	5650	-47.03	-47.72	-49.25	-43.13	7.86	-35.27	Peak	-27	Pass
NVNT	ac80	5775	5650	-56.41	-56.75	-57.38	-52.06	7.86	-44.20	Average	-27	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
 Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



NVNT	ac80	5775	5700	-42.18	-44.91	-46.63	-39.41	7.86	-31.55	Peak	10	Pass
NVNT	ac80	5775	5700	-51.33	-53.09	-53.21	-47.68	7.86	-39.82	Average	10	Pass
NVNT	ac80	5775	5720	-35.16	-35.8	-37.23	-31.21	7.86	-23.35	Peak	15.6	Pass
NVNT	ac80	5775	5720	-47.94	-49.12	-51.11	-44.43	7.86	-36.57	Average	15.6	Pass
NVNT	ac80	5775	5725	-33.54	-34.06	-35.56	-29.53	7.86	-21.67	Peak	27	Pass
NVNT	ac80	5775	5725	-45.48	-47.05	-48.53	-42.07	7.86	-34.21	Average	27	Pass
NVNT	ax20	5745	5650	-49.3	-49.61	-48.01	-44.15	7.86	-36.29	Peak	-27	Pass
NVNT	ax20	5745	5650	-56.68	-57.55	-56.95	-52.27	7.86	-44.41	Average	-27	Pass
NVNT	ax20	5745	5700	-46.84	-46.8	-48	-42.41	7.86	-34.55	Peak	10	Pass
NVNT	ax20	5745	5700	-55.16	-55.29	-55.23	-50.46	7.86	-42.60	Average	10	Pass
NVNT	ax20	5745	5720	-31.1	-32.36	-33.35	-27.40	7.86	-19.54	Peak	15.6	Pass
NVNT	ax20	5745	5720	-45.26	-47.73	-46.69	-41.67	7.86	-33.81	Average	15.6	Pass
NVNT	ax20	5745	5725	-27.8	-24.64	-25.4	-20.98	7.86	-13.12	Peak	27	Pass
NVNT	ax20	5745	5725	-38.86	-41.42	-43.1	-36.00	7.86	-28.14	Average	27	Pass
NVNT	ax20	5825	5850	-28.07	-31.15	-35.01	-25.78	7.86	-17.92	Peak	27	Pass
NVNT	ax20	5825	5850	-45.54	-47.95	-47.54	-42.11	7.86	-34.25	Average	27	Pass
NVNT	ax20	5825	5855	-37.72	-37.97	-37.9	-33.09	7.86	-25.23	Peak	15.6	Pass
NVNT	ax20	5825	5855	-49.8	-51.37	-52.12	-46.22	7.86	-38.36	Average	15.6	Pass
NVNT	ax20	5825	5875	-47.36	-48.26	-49	-43.38	7.86	-35.52	Peak	10	Pass
NVNT	ax20	5825	5875	-55.27	-56.3	-56.37	-51.18	7.86	-43.32	Average	10	Pass
NVNT	ax20	5825	5925	-47.41	-48.39	-49.79	-43.65	7.86	-35.79	Peak	-27	Pass
NVNT	ax20	5825	5925	-57.29	-57.22	-57.16	-52.45	7.86	-44.59	Average	-27	Pass
NVNT	ax40	5755	5650	-47.95	-49.03	-49.49	-44.00	7.86	-36.14	Peak	-27	Pass
NVNT	ax40	5755	5650	-57.07	-57.11	-57.52	-52.46	7.86	-44.60	Average	-27	Pass
NVNT	ax40	5755	5700	-43.84	-47.45	-45.38	-40.54	7.86	-32.68	Peak	10	Pass
NVNT	ax40	5755	5700	-54.27	-55.2	-56.23	-50.39	7.86	-42.53	Average	10	Pass
NVNT	ax40	5755	5720	-31.56	-33.43	-34.89	-28.31	7.86	-20.45	Peak	15.6	Pass
NVNT	ax40	5755	5720	-43.8	-45.59	-47.78	-40.66	7.86	-32.80	Average	15.6	Pass
NVNT	ax40	5755	5725	-23.92	-28.62	-29	-21.75	7.86	-13.89	Peak	27	Pass
NVNT	ax40	5755	5725	-41.86	-43.94	-45.1	-38.65	7.86	-30.79	Average	27	Pass
NVNT	ax40	5795	5850	-47.7	-47.99	-47.99	-43.12	7.86	-35.26	Peak	27	Pass
NVNT	ax40	5795	5850	-56.51	-55.76	-56.88	-51.59	7.86	-43.73	Average	27	Pass
NVNT	ax40	5795	5855	-48.59	-46.27	-48.13	-42.77	7.86	-34.91	Peak	15.6	Pass
NVNT	ax40	5795	5855	-56.28	-56.4	-57.49	-51.92	7.86	-44.06	Average	15.6	Pass
NVNT	ax40	5795	5875	-48.23	-50.11	-49.24	-44.35	7.86	-36.49	Peak	10	Pass
NVNT	ax40	5795	5875	-57.56	-57.87	-57.52	-52.88	7.86	-45.02	Average	10	Pass
NVNT	ax40	5795	5925	-49.98	-50.57	-51.03	-45.73	7.86	-37.87	Peak	-27	Pass
NVNT	ax40	5795	5925	-57.6	-57.25	-58	-52.83	7.86	-44.97	Average	-27	Pass
NVNT	ax80	5775	5850	-42.44	-43.79	-48.74	-39.50	7.86	-31.64	Peak	27	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
 Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



NVNT	ax80	5775	5850	-52.3	-52.26	-55.5	-48.34	7.86	-40.48	Average	27	Pass
NVNT	ax80	5775	5855	-44.14	-46.34	-45.79	-40.55	7.86	-32.69	Peak	15.6	Pass
NVNT	ax80	5775	5855	-52.37	-53.13	-56.6	-48.91	7.86	-41.05	Average	15.6	Pass
NVNT	ax80	5775	5875	-45.57	-48.23	-46.68	-41.92	7.86	-34.06	Peak	10	Pass
NVNT	ax80	5775	5875	-55.63	-55.91	-56.76	-51.30	7.86	-43.44	Average	10	Pass
NVNT	ax80	5775	5925	-48.9	-49.39	-48.17	-44.02	7.86	-36.16	Peak	-27	Pass
NVNT	ax80	5775	5925	-56.97	-57.66	-57.33	-52.54	7.86	-44.68	Average	-27	Pass
NVNT	ax80	5775	5650	-48.53	-49.38	-49.59	-44.37	7.86	-36.51	Peak	-27	Pass
NVNT	ax80	5775	5650	-56.43	-57.09	-57.19	-52.12	7.86	-44.26	Average	-27	Pass
NVNT	ax80	5775	5700	-42.49	-44.89	-45.7	-39.37	7.86	-31.51	Peak	10	Pass
NVNT	ax80	5775	5700	-51.1	-53.11	-53.5	-47.67	7.86	-39.81	Average	10	Pass
NVNT	ax80	5775	5720	-36.89	-37.74	-37.2	-32.49	7.86	-24.63	Peak	15.6	Pass
NVNT	ax80	5775	5720	-48.15	-50.12	-51	-44.82	7.86	-36.96	Average	15.6	Pass
NVNT	ax80	5775	5725	-33.09	-34.19	-36.2	-29.54	7.86	-21.68	Peak	27	Pass
NVNT	ax80	5775	5725	-45.84	-47.51	-49.1	-42.51	7.86	-34.65	Average	27	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
 Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



E.5 Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5745	Ant0	5744.98	-20000	-3.48	25	Pass
NVNT	a	5785	Ant0	5784.98	-20000	-3.46	25	Pass
NVNT	a	5825	Ant0	5824.98	-20000	-3.43	25	Pass
NVNT	n20	5745	Ant0	5744.98	-20000	-3.48	25	Pass
NVNT	n20	5785	Ant0	5784.98	-20000	-3.46	25	Pass
NVNT	n20	5825	Ant0	5824.98	-20000	-3.43	25	Pass
NVNT	n40	5755	Ant0	5755	0	0	25	Pass
NVNT	n40	5795	Ant0	5794.96	-40000	-6.9	25	Pass
NVNT	ac20	5745	Ant0	5745	0	0	25	Pass
NVNT	ac20	5785	Ant0	5784.98	-20000	-3.46	25	Pass
NVNT	ac20	5825	Ant0	5824.98	-20000	-3.43	25	Pass
NVNT	ac40	5755	Ant0	5755	0	0	25	Pass
NVNT	ac40	5795	Ant0	5794.96	-40000	-6.9	25	Pass
NVNT	ac80	5775	Ant0	5775	0	0	25	Pass
NVNT	ax20	5745	Ant0	5744.98	-20000	-3.48	25	Pass
NVNT	ax20	5785	Ant0	5784.96	-40000	-6.91	25	Pass
NVNT	ax20	5825	Ant0	5824.98	-20000	-3.43	25	Pass
NVNT	ax40	5755	Ant0	5755	0	0	25	Pass
NVNT	ax40	5795	Ant0	5795	0	0	25	Pass
NVNT	ax80	5775	Ant0	5775	0	0	25	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
 Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Freq. Stability NVNT a 5745MHz Ant0




Freq. Stability NVNT a 5785MHz Ant0






Freq. Stability NVNT a 5825MHz Ant0




Freq. Stability NVNT n20 5745MHz Ant0






Freq. Stability NVNT n20 5785MHz Ant0




Freq. Stability NVNT n20 5825MHz Ant0








Freq. Stability NVNT n40 5755MHz Ant0



Freq. Stability NVNT n40 5795MHz Ant0







Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
 Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity





Freq. Stability NVNT ac20 5825MHz Ant0





Freq. Stability NVNT ac40 5755MHz Ant0






Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
 Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity








Freq. Stability NVNT ax20 5825MHz Ant0



Freq. Stability NVNT ax40 5755MHz Ant0







Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5745	Ant1	5745	0	0	25	Pass
NVNT	a	5785	Ant1	5784.98	-20000	-3.46	25	Pass
NVNT	a	5825	Ant1	5824.98	-20000	-3.43	25	Pass
NVNT	n20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
NVNT	n20	5785	Ant1	5784.98	-20000	-3.46	25	Pass
NVNT	n20	5825	Ant1	5825	0	0	25	Pass
NVNT	n40	5755	Ant1	5755	0	0	25	Pass
NVNT	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
NVNT	ac20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
NVNT	ac20	5785	Ant1	5784.98	-20000	-3.46	25	Pass
NVNT	ac20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
NVNT	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
NVNT	ac40	5795	Ant1	5795	0	0	25	Pass
NVNT	ac80	5775	Ant1	5775	0	0	25	Pass
NVNT	ax20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
NVNT	ax20	5785	Ant1	5784.98	-20000	-3.46	25	Pass
NVNT	ax20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
NVNT	ax40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
NVNT	ax40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
NVNT	ax80	5775	Ant1	5775	0	0	25	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
 Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Freq. Stability NVNT a 5745MHz Ant1




Freq. Stability NVNT a 5785MHz Ant1






Freq. Stability NVNT a 5825MHz Ant1




Freq. Stability NVNT n20 5745MHz Ant1






Freq. Stability NVNT n20 5785MHz Ant1




Freq. Stability NVNT n20 5825MHz Ant1








Freq. Stability NVNT n40 5755MHz Ant1




Freq. Stability NVNT n40 5795MHz Ant1







Freq. Stability NVNT ac20 5825MHz Ant1



Freq. Stability NVNT ac40 5755MHz Ant1

