

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B26b_1.4MHz_ERP

Band: 26b / Bandwidth: 1.4MHz / NTVN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	824.7	1	0	23.43	-11.23	10.05	<=34.77	Pass		
			2	23.40	-11.23	10.02	<=34.77	Pass		
			5	23.38	-11.23	10.00	<=34.77	Pass		
		3	0	22.89	-11.23	9.51	<=34.77	Pass		
			2	22.93	-11.23	9.55	<=34.77	Pass		
			3	22.93	-11.23	9.55	<=34.77	Pass		
		6	0	20.90	-11.23	7.52	<=34.77	Pass		
		836.5	1	0	23.46	-11.23	10.08	<=34.77	Pass	
				2	23.43	-11.23	10.05	<=34.77	Pass	
	5			23.52	-11.23	10.14	<=34.77	Pass		
	3		0	22.87	-11.23	9.49	<=34.77	Pass		
			2	22.95	-11.23	9.57	<=34.77	Pass		
			3	22.86	-11.23	9.48	<=34.77	Pass		
	6		0	20.87	-11.23	7.49	<=34.77	Pass		
	848.3		1	0	23.48	-11.23	10.10	<=34.77	Pass	
				2	23.22	-11.23	9.84	<=34.77	Pass	
		5		23.41	-11.23	10.03	<=34.77	Pass		
		3	0	22.91	-11.23	9.53	<=34.77	Pass		
			2	22.96	-11.23	9.58	<=34.77	Pass		
			3	22.92	-11.23	9.54	<=34.77	Pass		
		6	0	20.82	-11.23	7.44	<=34.77	Pass		
		16QAM	824.7	1	0	23.01	-11.23	9.63	<=34.77	Pass
					2	22.47	-11.23	9.09	<=34.77	Pass
	5				22.43	-11.23	9.05	<=34.77	Pass	
3	0			22.07	-11.23	8.69	<=34.77	Pass		
	2			21.73	-11.23	8.35	<=34.77	Pass		
	3			21.79	-11.23	8.41	<=34.77	Pass		
6	0			21.14	-11.23	7.76	<=34.77	Pass		
836.5	1			0	22.73	-11.23	9.35	<=34.77	Pass	
				2	23.13	-11.23	9.75	<=34.77	Pass	
			5	23.12	-11.23	9.74	<=34.77	Pass		
	3		0	21.75	-11.23	8.37	<=34.77	Pass		
			2	21.73	-11.23	8.35	<=34.77	Pass		
			3	21.82	-11.23	8.44	<=34.77	Pass		
	6		0	21.18	-11.23	7.80	<=34.77	Pass		
	848.3		1	0	23.54	-11.23	10.16	<=34.77	Pass	
				2	22.43	-11.23	9.05	<=34.77	Pass	
5				23.82	-11.23	10.44	<=34.77	Pass		
3			0	21.85	-11.23	8.47	<=34.77	Pass		
			2	21.64	-11.23	8.26	<=34.77	Pass		
			3	21.73	-11.23	8.35	<=34.77	Pass		
6			0	21.06	-11.23	7.68	<=34.77	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B26b_3MHz_ERP

Band: 26b / Bandwidth: 3MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	825.5	1	0	23.50	-11.23	10.12	<=34.77	Pass		
			7	23.44	-11.23	10.06	<=34.77	Pass		
			14	23.58	-11.23	10.20	<=34.77	Pass		
		8	0	20.93	-11.23	7.55	<=34.77	Pass		
			4	20.93	-11.23	7.55	<=34.77	Pass		
			7	21.03	-11.23	7.65	<=34.77	Pass		
		15	0	21.01	-11.23	7.63	<=34.77	Pass		
		836.5	1	0	23.54	-11.23	10.16	<=34.77	Pass	
				7	23.37	-11.23	9.99	<=34.77	Pass	
	14			23.56	-11.23	10.18	<=34.77	Pass		
	8		0	20.99	-11.23	7.61	<=34.77	Pass		
			4	21.00	-11.23	7.62	<=34.77	Pass		
			7	21.00	-11.23	7.62	<=34.77	Pass		
	15		0	20.99	-11.23	7.61	<=34.77	Pass		
	847.5		1	0	23.44	-11.23	10.06	<=34.77	Pass	
				7	23.44	-11.23	10.06	<=34.77	Pass	
		14		23.37	-11.23	9.99	<=34.77	Pass		
		8	0	20.85	-11.23	7.47	<=34.77	Pass		
			4	20.93	-11.23	7.55	<=34.77	Pass		
			7	20.92	-11.23	7.54	<=34.77	Pass		
		15	0	20.91	-11.23	7.53	<=34.77	Pass		
		16QAM	825.5	1	0	23.17	-11.23	9.79	<=34.77	Pass
					7	23.07	-11.23	9.69	<=34.77	Pass
	14				22.50	-11.23	9.12	<=34.77	Pass	
	8			0	21.30	-11.23	7.92	<=34.77	Pass	
				4	21.20	-11.23	7.82	<=34.77	Pass	
				7	21.38	-11.23	8.00	<=34.77	Pass	
15	0			21.11	-11.23	7.73	<=34.77	Pass		
836.5	1			0	23.16	-11.23	9.78	<=34.77	Pass	
				7	23.13	-11.23	9.75	<=34.77	Pass	
			14	22.46	-11.23	9.08	<=34.77	Pass		
	8		0	21.25	-11.23	7.87	<=34.77	Pass		
			4	21.15	-11.23	7.77	<=34.77	Pass		
			7	21.17	-11.23	7.79	<=34.77	Pass		
	15		0	21.06	-11.23	7.68	<=34.77	Pass		
	847.5		1	0	22.50	-11.23	9.12	<=34.77	Pass	
				7	23.14	-11.23	9.76	<=34.77	Pass	
14				23.30	-11.23	9.92	<=34.77	Pass		
8			0	21.15	-11.23	7.77	<=34.77	Pass		
			4	21.09	-11.23	7.71	<=34.77	Pass		
			7	20.99	-11.23	7.61	<=34.77	Pass		
15			0	20.97	-11.23	7.59	<=34.77	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B26b_5MHz_ERP

Band: 26b / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	23.56	-11.23	10.18	<=34.77	Pass
			13	23.46	-11.23	10.08	<=34.77	Pass
			24	23.34	-11.23	9.96	<=34.77	Pass
		12	0	20.89	-11.23	7.51	<=34.77	Pass
			6	21.05	-11.23	7.67	<=34.77	Pass



16QAM	836.5	25	13	20.94	-11.23	7.56	<=34.77	Pass		
			0	20.96	-11.23	7.58	<=34.77	Pass		
			25	0	20.96	-11.23	7.58	<=34.77	Pass	
		12	1	0	23.36	-11.23	9.98	<=34.77	Pass	
				13	23.55	-11.23	10.17	<=34.77	Pass	
				24	23.49	-11.23	10.11	<=34.77	Pass	
			12	0	21.03	-11.23	7.65	<=34.77	Pass	
				6	20.94	-11.23	7.56	<=34.77	Pass	
				13	20.91	-11.23	7.53	<=34.77	Pass	
		25	0	20.93	-11.23	7.55	<=34.77	Pass		
	846.5	1	1	0	23.48	-11.23	10.10	<=34.77	Pass	
				13	23.29	-11.23	9.91	<=34.77	Pass	
				24	23.47	-11.23	10.09	<=34.77	Pass	
			12	0	20.81	-11.23	7.43	<=34.77	Pass	
				6	20.92	-11.23	7.54	<=34.77	Pass	
				13	20.88	-11.23	7.50	<=34.77	Pass	
		25	0	20.87	-11.23	7.49	<=34.77	Pass		
		826.5	1	1	0	22.81	-11.23	9.43	<=34.77	Pass
					13	22.12	-11.23	8.74	<=34.77	Pass
					24	23.13	-11.23	9.75	<=34.77	Pass
	12			0	21.10	-11.23	7.72	<=34.77	Pass	
				6	21.05	-11.23	7.67	<=34.77	Pass	
				13	21.13	-11.23	7.75	<=34.77	Pass	
	25			0	21.14	-11.23	7.76	<=34.77	Pass	
	836.5			1	0	23.02	-11.23	9.64	<=34.77	Pass
13					22.81	-11.23	9.43	<=34.77	Pass	
24			22.08		-11.23	8.70	<=34.77	Pass		
12			0	21.10	-11.23	7.72	<=34.77	Pass		
			6	21.07	-11.23	7.69	<=34.77	Pass		
			13	21.03	-11.23	7.65	<=34.77	Pass		
25	0		20.95	-11.23	7.57	<=34.77	Pass			
846.5	1		0	22.21	-11.23	8.83	<=34.77	Pass		
		13	22.87	-11.23	9.49	<=34.77	Pass			
		24	22.83	-11.23	9.45	<=34.77	Pass			
	12	0	21.04	-11.23	7.66	<=34.77	Pass			
		6	20.98	-11.23	7.60	<=34.77	Pass			
		13	21.04	-11.23	7.66	<=34.77	Pass			
25	0	21.04	-11.23	7.66	<=34.77	Pass				

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B26b_10MHz_ERP

Band: 26b / Bandwidth: 10MHz / NTV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	829	1	0	23.46	-11.23	10.08	<=34.77	Pass	
			25	23.47	-11.23	10.09	<=34.77	Pass	
			49	23.45	-11.23	10.07	<=34.77	Pass	
		25	0	21.44	-11.23	8.06	<=34.77	Pass	
			13	21.47	-11.23	8.09	<=34.77	Pass	
			25	21.55	-11.23	8.17	<=34.77	Pass	
		50	0	21.54	-11.23	8.16	<=34.77	Pass	
		836.5	1	0	23.39	-11.23	10.01	<=34.77	Pass
				25	23.36	-11.23	9.98	<=34.77	Pass
	49			23.46	-11.23	10.08	<=34.77	Pass	
	25		0	21.48	-11.23	8.10	<=34.77	Pass	
			13	21.47	-11.23	8.09	<=34.77	Pass	
			25	21.37	-11.23	7.99	<=34.77	Pass	
	50		0	21.38	-11.23	8.00	<=34.77	Pass	

16QAM	844	1	0	23.33	-11.23	9.95	<=34.77	Pass	
			25	23.32	-11.23	9.94	<=34.77	Pass	
			49	23.27	-11.23	9.89	<=34.77	Pass	
		25	0	21.34	-11.23	7.96	<=34.77	Pass	
			13	21.45	-11.23	8.07	<=34.77	Pass	
			25	21.37	-11.23	7.99	<=34.77	Pass	
		50	0	21.45	-11.23	8.07	<=34.77	Pass	
		829	1	0	23.49	-11.23	10.11	<=34.77	Pass
				25	23.53	-11.23	10.15	<=34.77	Pass
	49			23.48	-11.23	10.10	<=34.77	Pass	
	25			0	21.62	-11.23	8.24	<=34.77	Pass
				13	21.65	-11.23	8.27	<=34.77	Pass
				25	21.66	-11.23	8.28	<=34.77	Pass
	50		0	21.54	-11.23	8.16	<=34.77	Pass	
	836.5		1	0	22.87	-11.23	9.49	<=34.77	Pass
25				23.45	-11.23	10.07	<=34.77	Pass	
49				23.66	-11.23	10.28	<=34.77	Pass	
25			0	21.80	-11.23	8.42	<=34.77	Pass	
			13	21.56	-11.23	8.18	<=34.77	Pass	
			25	21.54	-11.23	8.16	<=34.77	Pass	
50			0	21.59	-11.23	8.21	<=34.77	Pass	
844			1	0	23.19	-11.23	9.81	<=34.77	Pass
				25	23.65	-11.23	10.27	<=34.77	Pass
	49			23.69	-11.23	10.31	<=34.77	Pass	
	25		0	21.59	-11.23	8.21	<=34.77	Pass	
		13	21.53	-11.23	8.15	<=34.77	Pass		
		25	21.54	-11.23	8.16	<=34.77	Pass		
	50	0	21.53	-11.23	8.15	<=34.77	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.5 B26b_15MHz_ERP

Band: 26b / Bandwidth: 15MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	831.5	1	0	23.44	-11.23	10.06	<=34.77	Pass		
			38	23.41	-11.23	10.03	<=34.77	Pass		
			74	23.41	-11.23	10.03	<=34.77	Pass		
		36	0	21.47	-11.23	8.09	<=34.77	Pass		
			18	21.56	-11.23	8.18	<=34.77	Pass		
			39	21.53	-11.23	8.15	<=34.77	Pass		
		75	0	21.55	-11.23	8.17	<=34.77	Pass		
		836.5	1	0	23.35	-11.23	9.97	<=34.77	Pass	
				38	23.25	-11.23	9.87	<=34.77	Pass	
	74			23.31	-11.23	9.93	<=34.77	Pass		
	36		0	21.47	-11.23	8.09	<=34.77	Pass		
			18	21.54	-11.23	8.16	<=34.77	Pass		
			39	21.42	-11.23	8.04	<=34.77	Pass		
	75		0	21.50	-11.23	8.12	<=34.77	Pass		
	841.5		1	0	23.43	-11.23	10.05	<=34.77	Pass	
				38	23.36	-11.23	9.98	<=34.77	Pass	
		74		23.34	-11.23	9.96	<=34.77	Pass		
		36	0	21.49	-11.23	8.11	<=34.77	Pass		
			18	21.43	-11.23	8.05	<=34.77	Pass		
			39	21.41	-11.23	8.03	<=34.77	Pass		
		75	0	21.46	-11.23	8.08	<=34.77	Pass		
		16QAM	831.5	1	0	23.49	-11.23	10.11	<=34.77	Pass
					38	23.27	-11.23	9.89	<=34.77	Pass

	836.5	36	74	23.10	-11.23	9.72	<=34.77	Pass
			0	21.57	-11.23	8.19	<=34.77	Pass
			18	21.71	-11.23	8.33	<=34.77	Pass
			39	21.72	-11.23	8.34	<=34.77	Pass
		75	0	21.70	-11.23	8.32	<=34.77	Pass
		1	0	23.32	-11.23	9.94	<=34.77	Pass
			38	23.29	-11.23	9.91	<=34.77	Pass
	74		23.21	-11.23	9.83	<=34.77	Pass	
	36	0	21.61	-11.23	8.23	<=34.77	Pass	
		18	21.51	-11.23	8.13	<=34.77	Pass	
		39	21.50	-11.23	8.12	<=34.77	Pass	
	75	0	21.48	-11.23	8.10	<=34.77	Pass	
	841.5	1	0	23.73	-11.23	10.35	<=34.77	Pass
			38	23.66	-11.23	10.28	<=34.77	Pass
			74	23.67	-11.23	10.29	<=34.77	Pass
		36	0	21.50	-11.23	8.12	<=34.77	Pass
			18	21.45	-11.23	8.07	<=34.77	Pass
			39	21.59	-11.23	8.21	<=34.77	Pass
		75	0	21.49	-11.23	8.11	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	824.7	6	0	20	3.27	3.934	0.0048	-2.5 to 2.5	Pass
					3.85	10.600	0.0129	-2.5 to 2.5	Pass
					4.43	11.988	0.0145	-2.5 to 2.5	Pass
				-30	3.85	11.916	0.0144	-2.5 to 2.5	Pass
				-20	3.85	12.503	0.0152	-2.5 to 2.5	Pass
				-10	3.85	11.816	0.0143	-2.5 to 2.5	Pass
				0	3.85	12.417	0.0151	-2.5 to 2.5	Pass
				10	3.85	13.561	0.0164	-2.5 to 2.5	Pass
				30	3.85	14.606	0.0177	-2.5 to 2.5	Pass
				40	3.85	12.331	0.0150	-2.5 to 2.5	Pass
				50	3.85	14.176	0.0172	-2.5 to 2.5	Pass
				836.5	6	0	20	3.27	-3.519
	3.85	2.589	0.0031					-2.5 to 2.5	Pass
	4.43	-0.958	-0.0011					-2.5 to 2.5	Pass
	-30	3.85	-8.483				-0.0101	-2.5 to 2.5	Pass
	-20	3.85	-13.175				-0.0158	-2.5 to 2.5	Pass
	-10	3.85	-16.809				-0.0201	-2.5 to 2.5	Pass
	0	3.85	-25.406				-0.0304	-2.5 to 2.5	Pass
	10	3.85	-31.915				-0.0382	-2.5 to 2.5	Pass
	30	3.85	-36.521				-0.0437	-2.5 to 2.5	Pass
	40	3.85	-41.127				-0.0492	-2.5 to 2.5	Pass
	50	3.85	-43.330				-0.0518	-2.5 to 2.5	Pass
	848.3	6	0				20	3.27	-4.020
				3.85	-1.860	-0.0022		-2.5 to 2.5	Pass
				4.43	-8.268	-0.0097		-2.5 to 2.5	Pass
				-30	3.85	-17.881	-0.0211	-2.5 to 2.5	Pass



				-20	3.85	-26.050	-0.0307	-2.5 to 2.5	Pass	
				-10	3.85	-34.833	-0.0411	-2.5 to 2.5	Pass	
				0	3.85	-42.043	-0.0496	-2.5 to 2.5	Pass	
				10	3.85	0.229	0.0003	-2.5 to 2.5	Pass	
				30	3.85	-8.512	-0.0100	-2.5 to 2.5	Pass	
				40	3.85	-17.281	-0.0204	-2.5 to 2.5	Pass	
				50	3.85	-27.838	-0.0328	-2.5 to 2.5	Pass	
16QAM	824.7	6	0	20	3.27	-20.013	-0.0243	-2.5 to 2.5	Pass	
					3.85	-16.580	-0.0201	-2.5 to 2.5	Pass	
					4.43	-27.709	-0.0336	-2.5 to 2.5	Pass	
				-30	3.85	-27.108	-0.0329	-2.5 to 2.5	Pass	
					-20	3.85	-15.321	-0.0186	-2.5 to 2.5	Pass
						3.85	2.432	0.0029	-2.5 to 2.5	Pass
				0	3.85	-38.295	-0.0464	-2.5 to 2.5	Pass	
					3.85	-22.359	-0.0271	-2.5 to 2.5	Pass	
				30	3.85	-4.535	-0.0055	-2.5 to 2.5	Pass	
					3.85	-33.917	-0.0411	-2.5 to 2.5	Pass	
				40	3.85	-15.736	-0.0191	-2.5 to 2.5	Pass	
					3.85	-15.736	-0.0191	-2.5 to 2.5	Pass	
	836.5	6	0	20	3.27	-22.144	-0.0265	-2.5 to 2.5	Pass	
					3.85	-16.122	-0.0193	-2.5 to 2.5	Pass	
					4.43	-26.894	-0.0322	-2.5 to 2.5	Pass	
				-30	3.85	-31.300	-0.0374	-2.5 to 2.5	Pass	
					-20	3.85	-28.481	-0.0340	-2.5 to 2.5	Pass
						3.85	-22.302	-0.0267	-2.5 to 2.5	Pass
				0	3.85	-6.595	-0.0079	-2.5 to 2.5	Pass	
					3.85	-38.953	-0.0466	-2.5 to 2.5	Pass	
				30	3.85	-19.898	-0.0238	-2.5 to 2.5	Pass	
					3.85	-36.364	-0.0435	-2.5 to 2.5	Pass	
				40	3.85	-19.555	-0.0234	-2.5 to 2.5	Pass	
					3.85	-19.555	-0.0234	-2.5 to 2.5	Pass	
848.3	6	0	20	3.27	2.604	0.0031	-2.5 to 2.5	Pass		
				3.85	9.956	0.0117	-2.5 to 2.5	Pass		
				4.43	6.194	0.0073	-2.5 to 2.5	Pass		
			-30	3.85	2.389	0.0028	-2.5 to 2.5	Pass		
				-20	3.85	-2.246	-0.0026	-2.5 to 2.5	Pass	
					3.85	-10.028	-0.0118	-2.5 to 2.5	Pass	
			0	3.85	-15.521	-0.0183	-2.5 to 2.5	Pass		
				3.85	-19.898	-0.0235	-2.5 to 2.5	Pass		
			30	3.85	-22.259	-0.0262	-2.5 to 2.5	Pass		
				3.85	-25.578	-0.0302	-2.5 to 2.5	Pass		
			40	3.85	-25.578	-0.0302	-2.5 to 2.5	Pass		
				3.85	-28.667	-0.0338	-2.5 to 2.5	Pass		

2.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz										
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict	
		Size	Offset				Result	Limit		
QPSK	825.5	15	0	20	3.27	1.087	0.0013	-2.5 to 2.5	Pass	
					3.85	5.507	0.0067	-2.5 to 2.5	Pass	
					4.43	1.144	0.0014	-2.5 to 2.5	Pass	
				-30	3.85	-3.633	-0.0044	-2.5 to 2.5	Pass	
					-20	3.85	-10.214	-0.0124	-2.5 to 2.5	Pass
						3.85	-17.896	-0.0217	-2.5 to 2.5	Pass
				0	3.85	-25.764	-0.0312	-2.5 to 2.5	Pass	
					3.85	-31.013	-0.0376	-2.5 to 2.5	Pass	
				30	3.85	-36.421	-0.0441	-2.5 to 2.5	Pass	
					3.85	-40.298	-0.0488	-2.5 to 2.5	Pass	
				40	3.85	-43.674	-0.0529	-2.5 to 2.5	Pass	
					3.85	-43.674	-0.0529	-2.5 to 2.5	Pass	
836.5	15	0	20	3.27	3.033	0.0036	-2.5 to 2.5	Pass		

16QAM	847.5	15	0		3.85	13.704	0.0164	-2.5 to 2.5	Pass	
					4.43	16.208	0.0194	-2.5 to 2.5	Pass	
				-30	3.85	16.637	0.0199	-2.5 to 2.5	Pass	
				-20	3.85	16.193	0.0194	-2.5 to 2.5	Pass	
				-10	3.85	16.508	0.0197	-2.5 to 2.5	Pass	
				0	3.85	12.360	0.0148	-2.5 to 2.5	Pass	
				10	3.85	14.319	0.0171	-2.5 to 2.5	Pass	
				30	3.85	13.933	0.0167	-2.5 to 2.5	Pass	
				40	3.85	15.779	0.0189	-2.5 to 2.5	Pass	
				50	3.85	16.565	0.0198	-2.5 to 2.5	Pass	
	825.5	15	0	20		3.27	2.418	0.0029	-2.5 to 2.5	Pass
						3.85	12.445	0.0147	-2.5 to 2.5	Pass
						4.43	14.520	0.0171	-2.5 to 2.5	Pass
				-30	3.85	13.719	0.0162	-2.5 to 2.5	Pass	
				-20	3.85	12.674	0.0150	-2.5 to 2.5	Pass	
				-10	3.85	8.540	0.0101	-2.5 to 2.5	Pass	
				0	3.85	7.739	0.0091	-2.5 to 2.5	Pass	
				10	3.85	6.065	0.0072	-2.5 to 2.5	Pass	
				30	3.85	4.692	0.0055	-2.5 to 2.5	Pass	
				40	3.85	4.363	0.0051	-2.5 to 2.5	Pass	
	50	3.85	3.419	0.0040	-2.5 to 2.5	Pass				
	836.5	15	0	20		3.27	-2.017	-0.0024	-2.5 to 2.5	Pass
						3.85	2.217	0.0027	-2.5 to 2.5	Pass
						4.43	0.043	0.0001	-2.5 to 2.5	Pass
				-30	3.85	-3.891	-0.0047	-2.5 to 2.5	Pass	
				-20	3.85	-9.685	-0.0117	-2.5 to 2.5	Pass	
				-10	3.85	-16.108	-0.0195	-2.5 to 2.5	Pass	
				0	3.85	-21.429	-0.0260	-2.5 to 2.5	Pass	
10				3.85	-27.680	-0.0335	-2.5 to 2.5	Pass		
30				3.85	-30.584	-0.0370	-2.5 to 2.5	Pass		
40				3.85	-34.318	-0.0416	-2.5 to 2.5	Pass		
50	3.85	-34.461	-0.0417	-2.5 to 2.5	Pass					
847.5	15	0	20		3.27	0.758	0.0009	-2.5 to 2.5	Pass	
					3.85	6.981	0.0083	-2.5 to 2.5	Pass	
					4.43	8.368	0.0100	-2.5 to 2.5	Pass	
			-30	3.85	7.682	0.0092	-2.5 to 2.5	Pass		
			-20	3.85	5.980	0.0071	-2.5 to 2.5	Pass		
			-10	3.85	6.094	0.0073	-2.5 to 2.5	Pass		
			0	3.85	3.633	0.0043	-2.5 to 2.5	Pass		
			10	3.85	2.775	0.0033	-2.5 to 2.5	Pass		
			30	3.85	3.948	0.0047	-2.5 to 2.5	Pass		
			40	3.85	1.245	0.0015	-2.5 to 2.5	Pass		
50	3.85	0.916	0.0011	-2.5 to 2.5	Pass					
847.5	15	0	20		3.27	1.173	0.0014	-2.5 to 2.5	Pass	
					3.85	6.952	0.0082	-2.5 to 2.5	Pass	
					4.43	9.284	0.0110	-2.5 to 2.5	Pass	
			-30	3.85	5.207	0.0061	-2.5 to 2.5	Pass		
			-20	3.85	3.147	0.0037	-2.5 to 2.5	Pass		
			-10	3.85	1.330	0.0016	-2.5 to 2.5	Pass		
			0	3.85	-1.674	-0.0020	-2.5 to 2.5	Pass		
			10	3.85	-2.575	-0.0030	-2.5 to 2.5	Pass		
			30	3.85	-3.676	-0.0043	-2.5 to 2.5	Pass		
			40	3.85	-5.178	-0.0061	-2.5 to 2.5	Pass		
50	3.85	-5.937	-0.0070	-2.5 to 2.5	Pass					

2.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz



Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	826.5	25	0	20	3.27	-10.157	-0.0123	-2.5 to 2.5	Pass
					3.85	-20.928	-0.0253	-2.5 to 2.5	Pass
					4.43	-39.225	-0.0475	-2.5 to 2.5	Pass
				-30	3.85	-13.747	-0.0166	-2.5 to 2.5	Pass
				-20	3.85	-31.958	-0.0387	-2.5 to 2.5	Pass
				-10	3.85	-0.372	-0.0005	-2.5 to 2.5	Pass
				0	3.85	-17.624	-0.0213	-2.5 to 2.5	Pass
				10	3.85	-30.069	-0.0364	-2.5 to 2.5	Pass
				30	3.85	-43.087	-0.0521	-2.5 to 2.5	Pass
				40	3.85	-7.997	-0.0097	-2.5 to 2.5	Pass
	50	3.85	-16.623	-0.0201	-2.5 to 2.5	Pass			
	836.5	25	0	20	3.27	-0.014	0.0000	-2.5 to 2.5	Pass
					3.85	7.224	0.0086	-2.5 to 2.5	Pass
					4.43	8.268	0.0099	-2.5 to 2.5	Pass
				-30	3.85	8.297	0.0099	-2.5 to 2.5	Pass
				-20	3.85	9.284	0.0111	-2.5 to 2.5	Pass
				-10	3.85	10.328	0.0123	-2.5 to 2.5	Pass
				0	3.85	12.202	0.0146	-2.5 to 2.5	Pass
				10	3.85	12.016	0.0144	-2.5 to 2.5	Pass
				30	3.85	9.813	0.0117	-2.5 to 2.5	Pass
				40	3.85	4.420	0.0053	-2.5 to 2.5	Pass
	50	3.85	4.778	0.0057	-2.5 to 2.5	Pass			
	846.5	25	0	20	3.27	1.459	0.0017	-2.5 to 2.5	Pass
					3.85	10.185	0.0120	-2.5 to 2.5	Pass
					4.43	10.471	0.0124	-2.5 to 2.5	Pass
				-30	3.85	10.300	0.0122	-2.5 to 2.5	Pass
				-20	3.85	9.212	0.0109	-2.5 to 2.5	Pass
				-10	3.85	6.881	0.0081	-2.5 to 2.5	Pass
				0	3.85	2.747	0.0032	-2.5 to 2.5	Pass
				10	3.85	-2.432	-0.0029	-2.5 to 2.5	Pass
30				3.85	-5.350	-0.0063	-2.5 to 2.5	Pass	
40				3.85	-8.855	-0.0105	-2.5 to 2.5	Pass	
50	3.85	-10.943	-0.0129	-2.5 to 2.5	Pass				
16QAM	826.5	25	0	20	3.27	-0.858	-0.0010	-2.5 to 2.5	Pass
					3.85	0.558	0.0007	-2.5 to 2.5	Pass
					4.43	-4.506	-0.0055	-2.5 to 2.5	Pass
				-30	3.85	-12.159	-0.0147	-2.5 to 2.5	Pass
				-20	3.85	-21.358	-0.0258	-2.5 to 2.5	Pass
				-10	3.85	-27.337	-0.0331	-2.5 to 2.5	Pass
				0	3.85	-36.693	-0.0444	-2.5 to 2.5	Pass
				10	3.85	-42.000	-0.0508	-2.5 to 2.5	Pass
				30	3.85	4.792	0.0058	-2.5 to 2.5	Pass
				40	3.85	0.329	0.0004	-2.5 to 2.5	Pass
	50	3.85	0.243	0.0003	-2.5 to 2.5	Pass			
	836.5	25	0	20	3.27	5.608	0.0067	-2.5 to 2.5	Pass
					3.85	16.508	0.0197	-2.5 to 2.5	Pass
					4.43	17.881	0.0214	-2.5 to 2.5	Pass
				-30	3.85	18.482	0.0221	-2.5 to 2.5	Pass
				-20	3.85	17.524	0.0209	-2.5 to 2.5	Pass
				-10	3.85	17.667	0.0211	-2.5 to 2.5	Pass
				0	3.85	16.580	0.0198	-2.5 to 2.5	Pass
				10	3.85	15.349	0.0183	-2.5 to 2.5	Pass
				30	3.85	12.374	0.0148	-2.5 to 2.5	Pass
				40	3.85	10.242	0.0122	-2.5 to 2.5	Pass
	50	3.85	7.367	0.0088	-2.5 to 2.5	Pass			
	846.5	25	0	20	3.27	7.124	0.0084	-2.5 to 2.5	Pass
					3.85	15.678	0.0185	-2.5 to 2.5	Pass



					4.43	17.381	0.0205	-2.5 to 2.5	Pass
				-30	3.85	16.980	0.0201	-2.5 to 2.5	Pass
				-20	3.85	13.433	0.0159	-2.5 to 2.5	Pass
				-10	3.85	9.770	0.0115	-2.5 to 2.5	Pass
				0	3.85	8.841	0.0104	-2.5 to 2.5	Pass
				10	3.85	7.782	0.0092	-2.5 to 2.5	Pass
				30	3.85	6.022	0.0071	-2.5 to 2.5	Pass
				40	3.85	6.208	0.0073	-2.5 to 2.5	Pass
				50	3.85	6.723	0.0079	-2.5 to 2.5	Pass

2.1.4 B26b_10MHz

Band: 26b / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	829	50	0	20	3.27	20.957	0.0253	-2.5 to 2.5	Pass
					3.85	28.210	0.0340	-2.5 to 2.5	Pass
					4.43	21.701	0.0262	-2.5 to 2.5	Pass
				-30	3.85	10.457	0.0126	-2.5 to 2.5	Pass
				-20	3.85	3.233	0.0039	-2.5 to 2.5	Pass
				-10	3.85	-5.822	-0.0070	-2.5 to 2.5	Pass
				0	3.85	-13.604	-0.0164	-2.5 to 2.5	Pass
				10	3.85	-19.341	-0.0233	-2.5 to 2.5	Pass
				30	3.85	-23.389	-0.0282	-2.5 to 2.5	Pass
	40	3.85	-28.439	-0.0343	-2.5 to 2.5	Pass			
	50	3.85	-31.314	-0.0378	-2.5 to 2.5	Pass			
	836.5	50	0	20	3.27	9.985	0.0119	-2.5 to 2.5	Pass
					3.85	20.700	0.0247	-2.5 to 2.5	Pass
					4.43	21.272	0.0254	-2.5 to 2.5	Pass
				-30	3.85	20.957	0.0251	-2.5 to 2.5	Pass
				-20	3.85	21.615	0.0258	-2.5 to 2.5	Pass
				-10	3.85	20.528	0.0245	-2.5 to 2.5	Pass
				0	3.85	18.554	0.0222	-2.5 to 2.5	Pass
				10	3.85	17.552	0.0210	-2.5 to 2.5	Pass
				30	3.85	15.979	0.0191	-2.5 to 2.5	Pass
	40	3.85	15.907	0.0190	-2.5 to 2.5	Pass			
	50	3.85	16.179	0.0193	-2.5 to 2.5	Pass			
	844	50	0	20	3.27	9.141	0.0108	-2.5 to 2.5	Pass
					3.85	18.468	0.0219	-2.5 to 2.5	Pass
					4.43	17.281	0.0205	-2.5 to 2.5	Pass
				-30	3.85	15.392	0.0182	-2.5 to 2.5	Pass
				-20	3.85	11.916	0.0141	-2.5 to 2.5	Pass
-10				3.85	6.895	0.0082	-2.5 to 2.5	Pass	
0				3.85	4.377	0.0052	-2.5 to 2.5	Pass	
10				3.85	3.676	0.0044	-2.5 to 2.5	Pass	
30				3.85	2.131	0.0025	-2.5 to 2.5	Pass	
40	3.85	0.114	0.0001	-2.5 to 2.5	Pass				
50	3.85	-4.420	-0.0052	-2.5 to 2.5	Pass				
16QAM	829	50	0	20	3.27	-38.366	-0.0463	-2.5 to 2.5	Pass
					3.85	-40.612	-0.0490	-2.5 to 2.5	Pass
					4.43	-43.058	-0.0519	-2.5 to 2.5	Pass
				-30	3.85	-41.757	-0.0504	-2.5 to 2.5	Pass
				-20	3.85	-41.986	-0.0506	-2.5 to 2.5	Pass
				-10	3.85	-39.568	-0.0477	-2.5 to 2.5	Pass
				0	3.85	-37.980	-0.0458	-2.5 to 2.5	Pass
				10	3.85	-35.777	-0.0432	-2.5 to 2.5	Pass
				30	3.85	-36.664	-0.0442	-2.5 to 2.5	Pass
40	3.85	-36.421	-0.0439	-2.5 to 2.5	Pass				

	836.5	50	0	50	3.85	-39.010	-0.0471	-2.5 to 2.5	Pass
				20	3.27	1.273	0.0015	-2.5 to 2.5	Pass
					3.85	11.015	0.0132	-2.5 to 2.5	Pass
					4.43	8.469	0.0101	-2.5 to 2.5	Pass
				-30	3.85	5.708	0.0068	-2.5 to 2.5	Pass
				-20	3.85	2.346	0.0028	-2.5 to 2.5	Pass
				-10	3.85	1.674	0.0020	-2.5 to 2.5	Pass
				0	3.85	1.988	0.0024	-2.5 to 2.5	Pass
				10	3.85	3.262	0.0039	-2.5 to 2.5	Pass
				30	3.85	2.818	0.0034	-2.5 to 2.5	Pass
	40	3.85	2.446	0.0029	-2.5 to 2.5	Pass			
	50	3.85	1.187	0.0014	-2.5 to 2.5	Pass			
	844	50	0	20	3.27	-6.394	-0.0076	-2.5 to 2.5	Pass
					3.85	-6.652	-0.0079	-2.5 to 2.5	Pass
					4.43	-7.038	-0.0083	-2.5 to 2.5	Pass
				-30	3.85	-8.283	-0.0098	-2.5 to 2.5	Pass
				-20	3.85	-5.808	-0.0069	-2.5 to 2.5	Pass
				-10	3.85	-4.420	-0.0052	-2.5 to 2.5	Pass
				0	3.85	-2.489	-0.0029	-2.5 to 2.5	Pass
				10	3.85	-3.405	-0.0040	-2.5 to 2.5	Pass
30				3.85	-5.536	-0.0066	-2.5 to 2.5	Pass	
40				3.85	-5.965	-0.0071	-2.5 to 2.5	Pass	
50	3.85	-4.463	-0.0053	-2.5 to 2.5	Pass				

2.1.5 B26b_15MHz

Band: 26b / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	831.5	75	0	20	3.27	22.531	0.0271	-2.5 to 2.5	Pass
					3.85	33.288	0.0400	-2.5 to 2.5	Pass
					4.43	27.194	0.0327	-2.5 to 2.5	Pass
				-30	3.85	18.826	0.0226	-2.5 to 2.5	Pass
				-20	3.85	13.032	0.0157	-2.5 to 2.5	Pass
				-10	3.85	6.981	0.0084	-2.5 to 2.5	Pass
				0	3.85	3.734	0.0045	-2.5 to 2.5	Pass
				10	3.85	0.772	0.0009	-2.5 to 2.5	Pass
				30	3.85	0.658	0.0008	-2.5 to 2.5	Pass
				40	3.85	-1.116	-0.0013	-2.5 to 2.5	Pass
	50	3.85	-4.849	-0.0058	-2.5 to 2.5	Pass			
	836.5	75	0	20	3.27	8.011	0.0096	-2.5 to 2.5	Pass
					3.85	18.196	0.0218	-2.5 to 2.5	Pass
					4.43	19.984	0.0239	-2.5 to 2.5	Pass
				-30	3.85	20.099	0.0240	-2.5 to 2.5	Pass
				-20	3.85	19.226	0.0230	-2.5 to 2.5	Pass
				-10	3.85	16.336	0.0195	-2.5 to 2.5	Pass
				0	3.85	14.420	0.0172	-2.5 to 2.5	Pass
				10	3.85	10.743	0.0128	-2.5 to 2.5	Pass
				30	3.85	10.600	0.0127	-2.5 to 2.5	Pass
				40	3.85	9.327	0.0112	-2.5 to 2.5	Pass
	50	3.85	9.542	0.0114	-2.5 to 2.5	Pass			
	841.5	75	0	20	3.27	12.374	0.0147	-2.5 to 2.5	Pass
					3.85	21.400	0.0254	-2.5 to 2.5	Pass
					4.43	16.866	0.0200	-2.5 to 2.5	Pass
				-30	3.85	11.315	0.0134	-2.5 to 2.5	Pass
				-20	3.85	8.540	0.0101	-2.5 to 2.5	Pass
				-10	3.85	6.738	0.0080	-2.5 to 2.5	Pass
				0	3.85	5.765	0.0069	-2.5 to 2.5	Pass

				10	3.85	4.077	0.0048	-2.5 to 2.5	Pass			
				30	3.85	0.429	0.0005	-2.5 to 2.5	Pass			
				40	3.85	-2.832	-0.0034	-2.5 to 2.5	Pass			
				50	3.85	-3.805	-0.0045	-2.5 to 2.5	Pass			
16QAM	831.5	75	0	20	3.27	-8.640	-0.0104	-2.5 to 2.5	Pass			
					3.85	-11.187	-0.0135	-2.5 to 2.5	Pass			
					4.43	-16.208	-0.0195	-2.5 to 2.5	Pass			
				-30	3.85	-20.757	-0.0250	-2.5 to 2.5	Pass			
				-20	3.85	-23.990	-0.0289	-2.5 to 2.5	Pass			
				-10	3.85	-24.276	-0.0292	-2.5 to 2.5	Pass			
				0	3.85	-24.247	-0.0292	-2.5 to 2.5	Pass			
				10	3.85	-25.306	-0.0304	-2.5 to 2.5	Pass			
				30	3.85	-28.610	-0.0344	-2.5 to 2.5	Pass			
				40	3.85	-28.510	-0.0343	-2.5 to 2.5	Pass			
				50	3.85	-27.165	-0.0327	-2.5 to 2.5	Pass			
				836.5	75	0	20	3.27	12.116	0.0145	-2.5 to 2.5	Pass
								3.85	13.204	0.0158	-2.5 to 2.5	Pass
								4.43	8.554	0.0102	-2.5 to 2.5	Pass
							-30	3.85	7.696	0.0092	-2.5 to 2.5	Pass
	-20	3.85	9.956				0.0119	-2.5 to 2.5	Pass			
	-10	3.85	10.629				0.0127	-2.5 to 2.5	Pass			
	0	3.85	13.046				0.0156	-2.5 to 2.5	Pass			
	10	3.85	14.877				0.0178	-2.5 to 2.5	Pass			
	30	3.85	18.411				0.0220	-2.5 to 2.5	Pass			
	40	3.85	21.358				0.0255	-2.5 to 2.5	Pass			
	50	3.85	20.800				0.0249	-2.5 to 2.5	Pass			
	841.5	75	0				20	3.27	-3.061	-0.0036	-2.5 to 2.5	Pass
								3.85	-0.114	-0.0001	-2.5 to 2.5	Pass
								4.43	1.144	0.0014	-2.5 to 2.5	Pass
							-30	3.85	3.018	0.0036	-2.5 to 2.5	Pass
				-20	3.85	2.775	0.0033	-2.5 to 2.5	Pass			
				-10	3.85	2.031	0.0024	-2.5 to 2.5	Pass			
				0	3.85	3.819	0.0045	-2.5 to 2.5	Pass			
				10	3.85	5.150	0.0061	-2.5 to 2.5	Pass			
30				3.85	4.277	0.0051	-2.5 to 2.5	Pass				
40				3.85	4.106	0.0049	-2.5 to 2.5	Pass				
50				3.85	6.037	0.0072	-2.5 to 2.5	Pass				

3. Modulation Characteristics

3.1 Test Result

3.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	6	0	Refer To Test Graph		Pass
16QAM	836.5	6	0	Refer To Test Graph		Pass

3.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	

QPSK	836.5	15	0	Refer To Test Graph	Pass
16QAM	836.5	15	0	Refer To Test Graph	Pass

3.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	25	0	Refer To Test Graph	Pass	
16QAM	836.5	25	0	Refer To Test Graph	Pass	

3.1.4 B26b_10MHz


Band: 26b / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	50	0	Refer To Test Graph	Pass	
16QAM	836.5	50	0	Refer To Test Graph	Pass	

3.1.5 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	75	0	Refer To Test Graph	Pass	
16QAM	836.5	75	0	Refer To Test Graph	Pass	

3.2 Test Graph

3.2.1 B26b_1.4MHz



3.2.2 B26b_3MHz



3.2.3 B26b_5MHz


Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV

CMW 500 V 3.7.172 - LTE Measurement - V3.7.31 - TX Measurement

● Multi Evaluation PRACH SRS

FDD Freq.: 836.5 MHz Ref. Level: 35.00 dBm BW: 5.0 MHz CP: Normal Meas Subfr/Slot: 0 / All

IQ Constellation



Statistic Count: 20 / 20

Out of Tolerance: 0.00 %

Detected Modulation: QPSK

Detected Channel Type: PUSCH

View Filter Throughput: 100.0 %

PS: ● Connection Established

RRC State: Connected

LTE

Multi Evaluation RDY

RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling ON

Go To Local
Show Remote Screen


Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV

CMW 500 V 3.7.172 - LTE Measurement - V3.7.31 - TX Measurement

● Multi Evaluation PRACH SRS

FDD Freq.: 836.5 MHz Ref. Level: 35.00 dBm BW: 5.0 MHz CP: Normal Meas Subfr/Slot: 0 / All

IQ Constellation



Statistic Count: 20 / 20

Out of Tolerance: 0.00 %

Detected Modulation: 16-QAM

Detected Channel Type: PUSCH

View Filter Throughput: 100.0 %

PS: ● Connection Established

RRC State: Connected

LTE

Multi Evaluation RDY

RF Settings

Trigger


Display

Signaling Parameter


LTE Signaling ON

Go To Local
Show Remote Screen

3.2.4 B26b_10MHz



3.2.5 B26b_15MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band26b_OBW

Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.110	/	Pass
		836.5	6	0	1.112	/	Pass
		848.3	6	0	1.118	/	Pass
	16QAM	824.7	6	0	1.117	/	Pass
		836.5	6	0	1.104	/	Pass
		848.3	6	0	1.122	/	Pass
3	QPSK	825.5	15	0	2.746	/	Pass
		836.5	15	0	2.749	/	Pass
		847.5	15	0	2.743	/	Pass
	16QAM	825.5	15	0	2.785	/	Pass
		836.5	15	0	2.756	/	Pass
		847.5	15	0	2.741	/	Pass
5	QPSK	826.5	25	0	4.547	/	Pass
		836.5	25	0	4.539	/	Pass
		846.5	25	0	4.568	/	Pass
	16QAM	826.5	25	0	4.545	/	Pass
		836.5	25	0	4.563	/	Pass
		846.5	25	0	4.549	/	Pass
10	QPSK	829	50	0	9.077	/	Pass
		836.5	50	0	9.059	/	Pass
		844	50	0	9.037	/	Pass
	16QAM	829	50	0	9.077	/	Pass
		836.5	50	0	9.065	/	Pass
		844	50	0	9.040	/	Pass
15	QPSK	831.5	75	0	13.623	/	Pass
		836.5	75	0	13.614	/	Pass
		841.5	75	0	13.551	/	Pass
	16QAM	831.5	75	0	13.607	/	Pass
		836.5	75	0	13.624	/	Pass
		841.5	75	0	13.569	/	Pass


4.1.2 Band26b_XDB

Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.270	/	Pass
		836.5	6	0	1.277	/	Pass
		848.3	6	0	1.269	/	Pass
	16QAM	824.7	6	0	1.265	/	Pass
		836.5	6	0	1.273	/	Pass
		848.3	6	0	1.274	/	Pass
3	QPSK	825.5	15	0	3.085	/	Pass
		836.5	15	0	3.103	/	Pass
		847.5	15	0	3.107	/	Pass


	16QAM	825.5	15	0	3.106	/	Pass
		836.5	15	0	3.110	/	Pass
		847.5	15	0	3.083	/	Pass
5	QPSK	826.5	25	0	5.050	/	Pass
		836.5	25	0	5.033	/	Pass
		846.5	25	0	5.030	/	Pass
	16QAM	826.5	25	0	5.044	/	Pass
		836.5	25	0	5.064	/	Pass
		846.5	25	0	5.044	/	Pass
10	QPSK	829	50	0	10.051	/	Pass
		836.5	50	0	10.035	/	Pass
		844	50	0	10.053	/	Pass
	16QAM	829	50	0	10.026	/	Pass
		836.5	50	0	10.032	/	Pass
		844	50	0	10.045	/	Pass
15	QPSK	831.5	75	0	15.190	/	Pass
		836.5	75	0	15.086	/	Pass
		841.5	75	0	15.051	/	Pass
	16QAM	831.5	75	0	15.086	/	Pass
		836.5	75	0	15.108	/	Pass
		841.5	75	0	15.048	/	Pass

4.2 Test Graph


4.2.1 Band26b_OBW




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




Band26b_15MHz_QPSK_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV




4.2.2 Band26b_XDB




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV



Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV



Band26b_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV



Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV

