



Wi-Fi 6GHz\_be80\_MRU 484+242 Tone MRU HIGH\_CH103\_8-18GHz



## Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8955.000000	47.01	---	68.20	21.19	100.0	200.0	H	19.0	2.9
9048.750000	---	38.41	54.00	15.59	100.0	200.0	H	19.0	2.7
9293.750000	48.43	---	68.20	19.77	100.0	200.0	V	63.0	2.6
9320.000000	---	38.44	54.00	15.56	100.0	200.0	V	68.0	2.6
10552.500000	46.54	---	68.20	21.66	100.0	200.0	V	68.0	2.6
11745.000000	---	40.28	54.00	13.72	100.0	200.0	H	5.0	3.8
12630.000000	---	40.98	54.00	13.02	100.0	200.0	V	90.0	5.3
13730.000000	50.55	---	68.20	17.65	100.0	200.0	V	68.0	5.7
14675.000000	52.44	---	68.20	15.76	100.0	200.0	V	36.0	5.1
15723.750000	---	44.67	54.00	9.33	100.0	200.0	V	2.0	6.2
17698.750000	54.61	---	68.20	13.59	100.0	200.0	H	0.0	10.1
17863.750000	---	45.74	54.00	8.26	100.0	200.0	V	90.0	10.5


Wi-Fi 6GHz\_be80\_MRU 484+242 Tone MRU HIGH\_CH119\_8-18GHz



### Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8360.000000	---	38.48	54.00	15.52	100.0	200.0	V	55.0	3.0
8652.500000	47.79	---	68.20	20.41	100.0	200.0	H	69.0	3.1
9310.000000	---	38.46	54.00	15.54	100.0	200.0	H	33.0	2.6
10192.500000	47.95	---	68.20	20.25	100.0	200.0	V	65.0	2.8
10490.000000	47.54	---	68.20	20.66	100.0	200.0	H	64.0	2.7
11931.250000	---	40.75	54.00	13.25	100.0	200.0	H	29.0	4.3
13352.500000	---	41.06	54.00	12.94	100.0	200.0	V	11.0	5.6
13612.500000	50.40	---	68.20	17.80	100.0	200.0	V	81.0	5.9
15203.750000	52.05	---	68.20	16.15	100.0	200.0	H	74.0	5.7
15577.500000	---	41.28	54.00	12.72	100.0	200.0	H	9.0	6.0
15932.500000	---	41.81	54.00	12.19	100.0	200.0	H	1.0	7.0
17613.750000	54.73	---	68.20	13.47	100.0	200.0	V	65.0	10.1


Wi-Fi 6GHz\_be80\_MRU 484+242 Tone MRU HIGH\_CH183\_8-18GHz



## Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8058.750000	---	37.98	54.00	16.02	100.0	200.0	V	2.0	2.4
8655.000000	47.32	---	68.20	20.88	100.0	200.0	V	61.0	3.1
9307.500000	---	38.83	54.00	15.17	100.0	200.0	H	90.0	2.6
10243.750000	49.27	---	68.20	18.93	100.0	200.0	V	2.0	2.9
10538.750000	47.29	---	68.20	20.91	100.0	200.0	H	14.0	2.6
11942.500000	---	40.22	54.00	13.78	100.0	200.0	V	89.0	4.3
13305.000000	---	41.37	54.00	12.63	100.0	200.0	H	0.0	5.6
13511.250000	49.96	---	68.20	18.24	100.0	200.0	V	76.0	5.7
15230.000000	52.27	---	68.20	15.93	100.0	200.0	V	32.0	5.7
15611.250000	---	42.21	54.00	11.79	100.0	200.0	V	90.0	6.0
16136.250000	---	43.17	54.00	10.83	100.0	200.0	H	54.0	7.3
17683.750000	54.93	---	68.20	13.27	100.0	200.0	V	37.0	10.1


## Wi-Fi 6GHz\_be80\_MRU 484+242 Tone MRU LOW\_CH7\_8-18GHz



## Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8302.500000	---	38.23	54.00	15.77	100.0	200.0	V	31.0	2.8
8693.750000	47.98	---	68.20	20.22	100.0	200.0	V	90.0	3.1
9317.500000	---	38.06	54.00	15.94	100.0	200.0	H	2.0	2.6
10178.750000	48.10	---	68.20	20.10	100.0	200.0	V	89.0	2.8
10486.250000	48.02	---	68.20	20.18	100.0	200.0	V	90.0	2.7
11877.500000	---	40.31	54.00	13.69	100.0	200.0	V	89.0	4.1
13348.750000	---	41.19	54.00	12.81	100.0	200.0	V	42.0	5.6
13603.750000	50.49	---	68.20	17.71	100.0	200.0	V	47.0	5.9
15202.500000	51.97	---	68.20	16.23	100.0	200.0	V	31.0	5.7
15715.000000	---	44.99	54.00	9.01	100.0	200.0	H	35.0	6.2
17648.750000	54.56	---	68.20	13.64	100.0	200.0	H	20.0	10.1
17740.000000	---	46.40	54.00	7.60	100.0	200.0	H	55.0	10.2


Wi-Fi 6GHz\_be80\_MRU 484+242 Tone MRU LOW\_CH103\_8-18GHz



## Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8390.000000	---	38.17	54.00	15.83	100.0	200.0	V	84.0	3.1
8616.250000	47.86	---	68.20	20.34	100.0	200.0	V	70.0	3.1
9307.500000	---	38.16	54.00	15.84	100.0	200.0	H	53.0	2.6
9816.250000	48.37	---	68.20	19.83	100.0	200.0	V	11.0	3.0
10573.750000	46.63	---	68.20	21.57	100.0	200.0	V	45.0	2.6
11945.000000	---	40.39	54.00	13.61	100.0	200.0	H	14.0	4.3
12657.500000	---	41.51	54.00	12.49	100.0	200.0	V	50.0	5.4
13701.250000	50.61	---	68.20	17.59	100.0	200.0	H	28.0	5.7
15310.000000	52.76	---	68.20	15.44	100.0	200.0	H	43.0	5.8
15702.500000	---	44.91	54.00	9.09	100.0	200.0	V	55.0	6.2
17635.000000	54.83	---	68.20	13.37	100.0	200.0	V	84.0	10.1
17796.250000	---	46.44	54.00	7.56	100.0	200.0	H	38.0	10.3


Wi-Fi 6GHz\_be80\_MRU 484+242 Tone MRU LOW\_CH119\_8-18GHz



### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8191.250000	---	38.19	54.00	15.81	100.0	200.0	V	67.0	2.8
8752.500000	47.52	---	68.20	20.68	100.0	200.0	H	59.0	3.0
9351.250000	---	38.37	54.00	15.63	100.0	200.0	H	0.0	2.6
9773.750000	48.57	---	68.20	19.63	100.0	200.0	V	6.0	3.0
10508.750000	46.64	---	68.20	21.56	100.0	200.0	V	47.0	2.7
11957.500000	---	40.23	54.00	13.77	100.0	200.0	V	67.0	4.4
12641.250000	---	41.32	54.00	12.68	100.0	200.0	V	89.0	5.4
12703.750000	50.40	---	68.20	17.80	100.0	200.0	V	16.0	5.5
15287.500000	52.75	---	68.20	15.45	100.0	200.0	H	49.0	5.7
15713.750000	---	44.58	54.00	9.42	100.0	200.0	V	57.0	6.2
17675.000000	54.84	---	68.20	13.36	100.0	200.0	H	10.0	10.1
17741.250000	---	46.02	54.00	7.98	100.0	200.0	H	24.0	10.2


Wi-Fi 6GHz\_be80\_MRU 484+242 Tone MRU LOW\_CH183\_8-18GHz



## Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8131.250000	---	38.18	54.00	15.82	100.0	200.0	V	75.0	2.7
8595.000000	48.34	---	68.20	19.86	100.0	200.0	V	75.0	3.1
9368.750000	---	38.18	54.00	15.82	100.0	200.0	V	45.0	2.6
9830.000000	48.55	---	68.20	19.65	100.0	200.0	V	90.0	3.0
10573.750000	47.16	---	68.20	21.04	100.0	200.0	V	60.0	2.6
11906.250000	---	40.85	54.00	13.15	100.0	200.0	H	33.0	4.2
12683.750000	---	41.49	54.00	12.51	100.0	200.0	V	50.0	5.5
13560.000000	50.70	---	68.20	17.50	100.0	200.0	V	90.0	5.9
15312.500000	52.35	---	68.20	15.85	100.0	200.0	H	4.0	5.8
15722.500000	---	44.66	54.00	9.34	100.0	200.0	V	84.0	6.2
17630.000000	54.73	---	68.20	13.47	100.0	200.0	V	88.0	10.1
17758.750000	---	46.37	54.00	7.63	100.0	200.0	H	23.0	10.2


Wi-Fi 6GHz\_be160\_MRU 996+484 Tone MRU HIGE\_CH15\_8-18GHz



## Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8343.750000	---	38.42	54.00	15.58	100.0	200.0	V	0.0	3.0
8725.000000	47.21	---	68.20	20.99	100.0	200.0	H	58.0	3.0
9420.000000	---	38.74	54.00	15.26	100.0	200.0	V	26.0	2.7
9898.750000	47.66	---	68.20	20.54	100.0	200.0	H	9.0	3.1
10511.250000	47.15	---	68.20	21.05	100.0	200.0	H	88.0	2.7
11926.250000	---	40.76	54.00	13.24	100.0	200.0	H	24.0	4.3
13028.750000	50.45	---	68.20	17.75	100.0	200.0	V	81.0	5.1
13273.750000	---	41.40	54.00	12.60	100.0	200.0	V	89.0	5.5
15201.250000	52.11	---	68.20	16.09	100.0	200.0	V	11.0	5.7
15575.000000	---	41.58	54.00	12.42	100.0	200.0	H	14.0	6.0
16117.500000	---	43.78	54.00	10.22	100.0	200.0	V	36.0	7.3
17670.000000	56.45	---	68.20	11.75	100.0	200.0	V	81.0	10.1


Wi-Fi 6GHz\_be160\_MRU 996+484 Tone MRU HIGE\_CH111\_8-18GHz



### Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8687.500000	48.41	---	68.20	19.79	100.0	200.0	V	70.0	3.1
9100.000000	---	38.73	54.00	15.27	100.0	200.0	H	35.0	2.7
9340.000000	---	38.52	54.00	15.48	100.0	200.0	V	66.0	2.6
10182.500000	48.66	---	68.20	19.54	100.0	200.0	H	26.0	2.8
10583.750000	46.55	---	68.20	21.65	100.0	200.0	V	27.0	2.5
11752.500000	---	40.10	54.00	13.90	100.0	200.0	V	89.0	3.8
12647.500000	---	41.39	54.00	12.61	100.0	200.0	V	27.0	5.4
13557.500000	50.08	---	68.20	18.12	100.0	200.0	H	74.0	5.9
15148.750000	52.40	---	68.20	15.80	100.0	200.0	H	0.0	5.8
15571.250000	---	41.04	54.00	12.96	100.0	200.0	V	17.0	6.0
16030.000000	---	41.72	54.00	12.28	100.0	200.0	H	74.0	7.2
17645.000000	55.49	---	68.20	12.71	100.0	200.0	V	0.0	10.1

Wi-Fi 6GHz\_be160\_MRU 996+484 Tone MRU HIGE\_CH175\_8-18GHz



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8297.500000	---	38.40	54.00	15.60	100.0	200.0	V	65.0	2.8
8761.250000	47.26	---	68.20	20.94	100.0	200.0	V	90.0	2.9
9411.250000	---	38.61	54.00	15.39	100.0	200.0	H	90.0	2.7
9830.000000	48.51	---	68.20	19.69	100.0	200.0	V	60.0	3.0
10562.500000	47.32	---	68.20	20.88	100.0	200.0	V	60.0	2.6
11892.500000	---	40.01	54.00	13.99	100.0	200.0	H	2.0	4.1
12637.500000	---	41.49	54.00	12.51	100.0	200.0	V	75.0	5.4
13656.250000	51.35	---	68.20	16.85	100.0	200.0	H	58.0	5.9
15266.250000	52.17	---	68.20	16.03	100.0	200.0	V	90.0	5.7
15630.000000	---	42.04	54.00	11.96	100.0	200.0	H	83.0	6.0
16131.250000	---	43.07	54.00	10.93	100.0	200.0	H	58.0	7.3
17672.500000	54.91	---	68.20	13.29	100.0	200.0	H	11.0	10.1



## Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8450.000000	---	38.50	54.00	15.50	100.0	200.0	V	5.0	3.0
8732.500000	47.54	---	68.20	20.66	100.0	200.0	V	30.0	3.0
9343.750000	---	38.48	54.00	15.52	100.0	200.0	H	84.0	2.6
10205.000000	48.90	---	68.20	19.30	100.0	200.0	V	79.0	2.8
10488.750000	46.88	---	68.20	21.32	100.0	200.0	V	75.0	2.7
11873.750000	---	40.25	54.00	13.75	100.0	200.0	H	0.0	4.1
12661.250000	---	41.59	54.00	12.41	100.0	200.0	H	1.0	5.4
13565.000000	50.63	---	68.20	17.57	100.0	200.0	V	75.0	5.9
15305.000000	52.16	---	68.20	16.04	100.0	200.0	V	90.0	5.8
15543.750000	---	40.83	54.00	13.17	100.0	200.0	H	9.0	6.0
15952.500000	---	41.70	54.00	12.30	100.0	200.0	H	54.0	7.0
17626.250000	55.04	---	68.20	13.16	100.0	200.0	V	88.0	10.1


## Wi-Fi 6GHz\_be160\_MRU 996+484 Tone MRU LOW\_CH15\_8-18GHz



## Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8296.250000	---	38.22	54.00	15.78	100.0	200.0	H	2.0	2.8
8642.500000	47.22	---	68.20	20.98	100.0	200.0	H	16.0	3.1
9337.500000	---	38.20	54.00	15.80	100.0	200.0	V	90.0	2.6
9756.250000	47.98	---	68.20	20.22	100.0	200.0	H	30.0	3.0
10518.750000	47.42	---	68.20	20.78	100.0	200.0	V	89.0	2.7
11978.750000	---	40.46	54.00	13.54	100.0	200.0	V	90.0	4.5
12692.500000	---	41.52	54.00	12.48	100.0	200.0	H	16.0	5.5
13562.500000	50.36	---	68.20	17.84	100.0	200.0	V	90.0	5.9
15290.000000	53.22	---	68.20	14.98	100.0	200.0	H	55.0	5.7
15543.750000	---	41.50	54.00	12.50	100.0	200.0	V	85.0	6.0
16123.750000	---	43.02	54.00	10.98	100.0	200.0	H	0.0	7.3
17671.250000	56.23	---	68.20	11.97	100.0	200.0	H	50.0	10.1


Wi-Fi 6GHz\_be160\_MRU 996+484 Tone MRU LOW\_CH111\_8-18GHz



## Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8600.000000	46.93	---	68.20	21.27	100.0	200.0	H	8.0	3.1
9103.750000	---	37.86	54.00	16.14	100.0	200.0	V	73.0	2.7
9358.750000	---	38.57	54.00	15.43	100.0	200.0	H	47.0	2.6
10321.250000	48.44	---	68.20	19.76	100.0	200.0	V	90.0	2.8
10507.500000	46.90	---	68.20	21.30	100.0	200.0	H	4.0	2.7
11961.250000	---	40.30	54.00	13.70	100.0	200.0	V	12.0	4.4
12188.750000	---	41.07	54.00	12.93	100.0	200.0	H	62.0	5.0
13481.250000	49.95	---	68.20	18.25	100.0	200.0	V	53.0	5.6
15210.000000	52.69	---	68.20	15.51	100.0	200.0	V	48.0	5.7
15606.250000	---	42.48	54.00	11.52	100.0	200.0	H	38.0	6.0
16087.500000	---	42.20	54.00	11.80	100.0	200.0	H	1.0	7.2
17662.500000	54.75	---	68.20	13.45	100.0	200.0	V	90.0	10.1


Wi-Fi 6GHz\_be160\_MRU 996+484 Tone MRU LOW\_CH175\_8-18GHz



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8493.750000	---	38.27	54.00	15.73	100.0	200.0	V	85.0	3.0
8590.000000	47.26	---	68.20	20.94	100.0	200.0	H	4.0	3.1
9448.750000	---	38.13	54.00	15.87	100.0	200.0	V	22.0	2.7
10320.000000	47.90	---	68.20	20.30	100.0	200.0	V	80.0	2.8
10500.000000	46.48	---	68.20	21.72	100.0	200.0	H	54.0	2.7
11915.000000	---	40.47	54.00	13.53	100.0	200.0	H	34.0	4.3
13275.000000	---	41.02	54.00	12.98	100.0	200.0	H	10.0	5.5
13735.000000	50.36	---	68.20	17.84	100.0	200.0	H	74.0	5.7
15207.500000	52.49	---	68.20	15.71	100.0	200.0	H	54.0	5.7
15526.250000	---	41.77	54.00	12.23	100.0	200.0	H	34.0	6.0
16102.500000	---	43.47	54.00	10.53	100.0	200.0	H	29.0	7.2
17623.750000	54.60	---	68.20	13.60	100.0	200.0	V	90.0	10.1

Wi-Fi 6GHz\_be160\_MRU 996+484 Tone MRU LOW\_CH207\_8-18GHz



### Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8470.000000	---	38.41	54.00	15.59	100.0	200.0	V	80.0	3.0
8611.250000	46.97	---	68.20	21.23	100.0	200.0	H	39.0	3.1
9416.250000	---	38.38	54.00	15.62	100.0	200.0	V	66.0	2.7
10275.000000	48.04	---	68.20	20.16	100.0	200.0	H	90.0	2.9
10508.750000	46.93	---	68.20	21.27	100.0	200.0	H	0.0	2.7
11905.000000	---	40.56	54.00	13.44	100.0	200.0	V	56.0	4.2
12672.500000	---	41.35	54.00	12.65	100.0	200.0	H	44.0	5.5
13577.500000	50.74	---	68.20	17.46	100.0	200.0	H	74.0	5.9
15305.000000	52.81	---	68.20	15.39	100.0	200.0	H	14.0	5.8
15651.250000	---	41.97	54.00	12.03	100.0	200.0	V	26.0	6.1
16101.250000	---	42.94	54.00	11.06	100.0	200.0	H	14.0	7.2
17660.000000	55.79	---	68.20	12.41	100.0	200.0	V	0.0	10.1



## Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8445.000000	---	38.46	54.00	15.54	100.0	200.0	H	1.0	3.0
8627.500000	47.16	---	68.20	21.04	100.0	200.0	V	42.0	3.1
9310.000000	---	37.93	54.00	16.07	100.0	200.0	H	53.0	2.6
10011.250000	49.07	---	68.20	19.13	100.0	200.0	H	49.0	3.1
10486.250000	47.57	---	68.20	20.63	100.0	200.0	H	19.0	2.7
111765.000000	---	40.40	54.00	13.60	100.0	200.0	V	82.0	3.8
12645.000000	---	41.23	54.00	12.77	100.0	200.0	H	64.0	5.4
13551.250000	50.28	---	68.20	17.92	100.0	200.0	V	12.0	5.9
14981.250000	52.02	---	68.20	16.18	100.0	200.0	V	22.0	5.9
15595.000000	---	42.34	54.00	11.66	100.0	200.0	H	4.0	6.0
15948.750000	---	42.75	54.00	11.25	100.0	200.0	H	49.0	7.0
17661.250000	54.87	---	68.20	13.33	100.0	200.0	H	84.0	10.1

Wi-Fi 6GHz\_be320\_MRU 996x3+484 Tone MRU HIGE\_CH63\_8-18GHz




### Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8210.000000	---	38.20	54.00	15.80	100.0	200.0	H	6.0	2.8
8632.500000	47.56	---	68.20	20.64	100.0	200.0	V	87.0	3.1
9377.500000	---	38.24	54.00	15.76	100.0	200.0	H	11.0	2.6
9753.750000	48.29	---	68.20	19.91	100.0	200.0	H	90.0	3.0
10548.750000	46.87	---	68.20	21.33	100.0	200.0	H	2.0	2.6
11968.750000	---	40.38	54.00	13.62	100.0	200.0	V	42.0	4.4
13386.250000	---	41.25	54.00	12.75	100.0	200.0	V	90.0	5.6
13617.500000	51.07	---	68.20	17.13	100.0	200.0	V	27.0	5.9
15311.250000	52.42	---	68.20	15.78	100.0	200.0	V	89.0	5.8
15607.500000	---	41.05	54.00	12.95	100.0	200.0	H	36.0	6.0
15888.750000	---	42.45	54.00	11.55	100.0	200.0	H	0.0	6.8
17698.750000	55.32	---	68.20	12.88	100.0	200.0	H	2.0	10.1



## Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8475.000000	---	38.41	54.00	15.59	100.0	200.0	H	4.0	3.0
8507.500000	47.69	---	68.20	20.51	100.0	200.0	H	53.0	3.0
9183.750000	---	38.91	54.00	15.09	100.0	200.0	V	90.0	2.7
9977.500000	48.26	---	68.20	19.94	100.0	200.0	V	71.0	3.1
10517.500000	47.35	---	68.20	20.85	100.0	200.0	V	31.0	2.7
11896.250000	---	40.19	54.00	13.81	100.0	200.0	H	1.0	4.2
13370.000000	---	41.20	54.00	12.80	100.0	200.0	H	4.0	5.6
13562.500000	51.08	---	68.20	17.12	100.0	200.0	H	63.0	5.9
15247.500000	52.06	---	68.20	16.14	100.0	200.0	H	9.0	5.7
15546.250000	---	42.31	54.00	11.69	100.0	200.0	H	79.0	6.0
16013.750000	---	42.16	54.00	11.84	100.0	200.0	H	9.0	7.2
17655.000000	54.48	---	68.20	13.72	100.0	200.0	V	56.0	10.1



## Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8440.000000	---	38.32	54.00	15.68	100.0	200.0	H	9.0	3.0
8693.750000	48.39	---	68.20	19.81	100.0	200.0	H	44.0	3.1
9306.250000	---	38.63	54.00	15.37	100.0	200.0	H	44.0	2.6
10273.750000	48.57	---	68.20	19.63	100.0	200.0	V	21.0	2.9
10498.750000	46.81	---	68.20	21.39	100.0	200.0	H	19.0	2.7
11932.500000	---	40.72	54.00	13.28	100.0	200.0	H	34.0	4.3
12165.000000	---	41.14	54.00	12.86	100.0	200.0	H	53.0	4.9
13637.500000	50.48	---	68.20	17.72	100.0	200.0	V	82.0	5.9
15317.500000	52.85	---	68.20	15.35	100.0	200.0	V	72.0	5.8
15443.750000	---	40.43	54.00	13.57	100.0	200.0	V	82.0	6.0
16102.500000	---	42.39	54.00	11.61	100.0	200.0	H	1.0	7.2
17651.250000	54.78	---	68.20	13.42	100.0	200.0	H	9.0	10.1

Wi-Fi 6GHz\_be320\_MRU 996x3+484 Tone MRU HIGE\_CH191\_8-18GHz



### Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8485.000000	---	39.19	54.00	14.81	100.0	200.0	V	12.0	3.0
8818.750000	48.09	---	68.20	20.11	100.0	200.0	H	90.0	2.7
9318.750000	---	38.07	54.00	15.93	100.0	200.0	V	12.0	2.6
9796.250000	47.88	---	68.20	20.32	100.0	200.0	V	52.0	3.0
10486.250000	47.47	---	68.20	20.73	100.0	200.0	H	33.0	2.7
11725.000000	---	40.09	54.00	13.91	100.0	200.0	V	22.0	3.7
12641.250000	---	41.71	54.00	12.29	100.0	200.0	H	33.0	5.4
13722.500000	50.46	---	68.20	17.74	100.0	200.0	H	18.0	5.7
15205.000000	51.84	---	68.20	16.36	100.0	200.0	H	18.0	5.7
15623.750000	---	42.80	54.00	11.20	100.0	200.0	H	38.0	6.0
16110.000000	---	42.16	54.00	11.84	100.0	200.0	H	73.0	7.3
17640.000000	55.18	---	68.20	13.02	100.0	200.0	H	63.0	10.1



## Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8112.500000	---	38.39	54.00	15.61	100.0	200.0	V	90.0	2.6
8605.000000	47.96	---	68.20	20.24	100.0	200.0	H	8.0	3.1
9382.500000	---	38.15	54.00	15.85	100.0	200.0	H	8.0	2.6
10175.000000	48.44	---	68.20	19.76	100.0	200.0	V	71.0	2.8
10513.750000	46.79	---	68.20	21.41	100.0	200.0	H	90.0	2.7
11867.500000	---	40.45	54.00	13.55	100.0	200.0	H	0.0	4.0
12625.000000	---	41.13	54.00	12.87	100.0	200.0	V	90.0	5.3
13541.250000	50.39	---	68.20	17.81	100.0	200.0	H	68.0	5.8
15337.500000	52.61	---	68.20	15.59	100.0	200.0	H	34.0	5.8
15576.250000	---	40.65	54.00	13.35	100.0	200.0	H	79.0	6.0
16091.250000	---	42.14	54.00	11.86	100.0	200.0	H	1.0	7.2
17675.000000	54.97	---	68.20	13.23	100.0	200.0	V	90.0	10.1


## Wi-Fi 6GHz\_be320\_MRU 996x3+484 Tone MRU LOW\_CH63\_8-18GHz



## Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8280.000000	---	38.44	54.00	15.56	100.0	200.0	V	58.0	2.8
8606.250000	46.96	---	68.20	21.24	100.0	200.0	H	21.0	3.1
9341.250000	---	37.99	54.00	16.01	100.0	200.0	V	83.0	2.6
10280.000000	49.10	---	68.20	19.10	100.0	200.0	H	0.0	2.9
10562.500000	46.78	---	68.20	21.42	100.0	200.0	H	90.0	2.6
11966.250000	---	40.15	54.00	13.85	100.0	200.0	V	68.0	4.4
12675.000000	---	41.22	54.00	12.78	100.0	200.0	H	8.0	5.5
13433.750000	50.76	---	68.20	17.44	100.0	200.0	H	3.0	5.5
15315.000000	52.46	---	68.20	15.74	100.0	200.0	H	0.0	5.8
15607.500000	---	42.42	54.00	11.58	100.0	200.0	H	37.0	6.0
16106.250000	---	43.09	54.00	10.91	100.0	200.0	H	54.0	7.3
17695.000000	54.77	---	68.20	13.43	100.0	200.0	H	26.0	10.1


Wi-Fi 6GHz\_be320\_MRU 996x3+484 Tone MRU LOW\_CH127\_8-18GHz



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8361.250000	---	38.46	54.00	15.54	100.0	200.0	H	39.0	3.0
8896.250000	47.31	---	68.20	20.89	100.0	200.0	V	90.0	2.9
9342.500000	---	38.17	54.00	15.83	100.0	200.0	V	70.0	2.6
9813.750000	48.32	---	68.20	19.88	100.0	200.0	V	2.0	3.0
10520.000000	46.70	---	68.20	21.50	100.0	200.0	H	48.0	2.7
11963.750000	---	40.49	54.00	13.51	100.0	200.0	V	20.0	4.4
13348.750000	---	41.35	54.00	12.65	100.0	200.0	V	88.0	5.6
13607.500000	50.22	---	68.20	17.98	100.0	200.0	V	80.0	5.9
15186.250000	52.35	---	68.20	15.85	100.0	200.0	V	84.0	5.7
15611.250000	---	42.21	54.00	11.79	100.0	200.0	V	66.0	6.0
15951.250000	---	42.86	54.00	11.14	100.0	200.0	H	19.0	7.0
17688.750000	54.68	---	68.20	13.52	100.0	200.0	V	84.0	10.1

Wi-Fi 6GHz\_be320\_MRU 996x3+484 Tone MRU LOW\_CH159\_8-18GHz



## Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8796.250000	47.20	---	68.20	21.00	100.0	200.0	H	68.0	2.8
9115.000000	---	37.94	54.00	16.06	100.0	200.0	V	41.0	2.7
9312.500000	---	38.39	54.00	15.61	100.0	200.0	H	88.0	2.6
10177.500000	48.22	---	68.20	19.98	100.0	200.0	H	0.0	2.8
10506.250000	47.12	---	68.20	21.08	100.0	200.0	V	90.0	2.7
11923.750000	---	40.38	54.00	13.62	100.0	200.0	H	1.0	4.3
12681.250000	---	41.58	54.00	12.42	100.0	200.0	V	90.0	5.5
13601.250000	50.49	---	68.20	17.71	100.0	200.0	H	13.0	5.9
13932.500000	52.49	---	68.20	15.71	100.0	200.0	H	0.0	6.4
15623.750000	---	42.22	54.00	11.78	100.0	200.0	H	64.0	6.0
15986.250000	---	42.20	54.00	11.80	100.0	200.0	H	3.0	7.1
17662.500000	55.63	---	68.20	12.57	100.0	200.0	H	64.0	10.1



## Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8360.000000	---	38.28	54.00	15.72	100.0	200.0	H	79.0	3.0
8610.000000	48.04	---	68.20	20.16	100.0	200.0	V	37.0	3.1
9301.250000	---	38.33	54.00	15.67	100.0	200.0	H	39.0	2.6
10208.750000	48.24	---	68.20	19.96	100.0	200.0	V	88.0	2.8
10523.750000	47.21	---	68.20	20.99	100.0	200.0	V	88.0	2.7
11871.250000	---	40.46	54.00	13.54	100.0	200.0	H	85.0	4.0
13353.750000	---	41.21	54.00	12.79	100.0	200.0	H	34.0	5.6
13653.750000	50.73	---	68.20	17.47	100.0	200.0	V	77.0	5.9
15320.000000	51.96	---	68.20	16.24	100.0	200.0	H	59.0	5.8
15596.250000	---	41.60	54.00	12.40	100.0	200.0	H	1.0	6.0
16002.500000	---	42.03	54.00	11.97	100.0	200.0	H	19.0	7.2
17641.250000	54.96	---	68.20	13.24	100.0	200.0	H	34.0	10.1

## 5.8. Conducted Emission

### Ambient Condition


Temperature	Relative humidity	Pressure
15°C ~ 35°C	20% ~ 80%	86 kPa ~ 106 kPa

### Methods of Measurement

The EUT IS placed on a non-metallic table of 80cm height above the horizontal metal reference ground plane. During the test, the EUT was operating in its typical mode. The test method is according to ANSI C63.10. Connect the AC power line of the EUT to the LISN Use EMI receiver to detect the average and Quasi-peak value. RBW is set to 9kHz, VBW is set to 30kHz The measurement result should include both L line and N line.

The test is in transmitting mode.

### Test Setup



Note: AC Power source is used to change the voltage 110V/60Hz.

### Limits

AC Power-line Conducted Emissions Limit		
Frequency Emission(MHz)	Quasi-peak	Average
0.15-0.5	66-56*	56-46*
0.5-5	56	46
5-30	60	50

Note1: \*Decreases with the logarithm of the frequency.


### Measurement Uncertainty

The assessed measurement uncertainty to ensure 95% confidence level for the normal distribution is with the coverage factor  $k = 1.96$ ,  $U = 2.69$  dB.

**Test Results:**

Following plots, Blue trace uses the peak detection and Green trace uses the average detection.


During the test, the Conducted Emission was performed in all modes with all channels. The test data of the worst-case condition was recorded in this report.



Frequency (MHz)	QuasiPeak (dB $\mu$ V)	Average (dB $\mu$ V)	Limit (dB $\mu$ V)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.16	---	43.57	55.52	11.95	1000.0	9.000	L1	ON	21.0
0.17	51.64	---	65.17	13.53	1000.0	9.000	L1	ON	21.0
0.36	40.67	---	58.64	17.97	1000.0	9.000	L1	ON	21.0
0.83	---	35.18	46.00	10.82	1000.0	9.000	L1	ON	20.4
0.88	34.69	---	56.00	21.31	1000.0	9.000	L1	ON	20.3
0.89	---	32.38	46.00	13.62	1000.0	9.000	L1	ON	20.3
2.65	22.95	---	56.00	33.05	1000.0	9.000	L1	ON	19.6
2.66	---	17.31	46.00	28.69	1000.0	9.000	L1	ON	19.6
11.58	---	16.71	50.00	33.29	1000.0	9.000	L1	ON	19.6
12.25	25.45	---	60.00	34.55	1000.0	9.000	L1	ON	19.6
20.26	---	22.07	50.00	27.93	1000.0	9.000	L1	ON	19.7
20.84	30.65	---	60.00	29.35	1000.0	9.000	L1	ON	19.7

**Remark: Correct factor=cable loss + LISN factor**

L line Conducted Emission from 150 KHz to 30 MHz



Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.16	---	44.79	55.52	10.73	1000.0	9.000	N	ON	21.0
0.17	53.80	---	65.17	11.37	1000.0	9.000	N	ON	21.0
0.36	43.64	---	58.64	15.00	1000.0	9.000	N	ON	21.0
0.83	---	31.65	46.00	14.35	1000.0	9.000	N	ON	20.4
0.88	35.16	---	56.00	20.84	1000.0	9.000	N	ON	20.3
0.89	---	33.82	46.00	12.18	1000.0	9.000	N	ON	20.3
2.64	21.84	---	56.00	34.16	1000.0	9.000	N	ON	19.6
2.71	---	17.66	46.00	28.34	1000.0	9.000	N	ON	19.6
11.54	---	15.73	50.00	34.27	1000.0	9.000	N	ON	19.6
12.21	25.12	---	60.00	34.88	1000.0	9.000	N	ON	19.6
20.22	---	21.98	50.00	28.02	1000.0	9.000	N	ON	19.8
20.72	31.19	---	60.00	28.81	1000.0	9.000	N	ON	19.8

Remark: Correct factor=cable loss + LISN factor

N line Conducted Emission from 150 KHz to 30 MHz

## 5.9. U-NII devices Operational restrictions for 6 GHz

### Ambient Condition

Temperature	Relative humidity	Pressure
15°C ~ 35°C	20% ~ 80%	86 kPa ~ 106 kPa

### Test Setup

NA

### Methods of Measurement

NA

### Limits

- (1) Operation of transmitters in the 5.925-7.125 GHz band is prohibited for control of or communications with unmanned aircraft systems.
- (2) Transmitters operating under indoor client are limited to indoor locations.
- (3) In the 5.925-7.125 GHz band, client devices, except fixed client devices, must operate under the control of a standard power access point, indoor access point or subordinate devices; Subordinate devices must operate under the control of an indoor access point, In all cases, an exception exists for transmitting brief messages to an access point when attempting to join its network after detecting a signal that confirms that an access point is operating on a particular channel. Access points and subordinate devices may connect to other access points or subordinate devices. Client devices are prohibited from connecting directly to another client device.
- (4) Indoor access points, subordinate devices and client devices operating in the 5.925-7.125 GHz band must employ a contention-based protocol.

### Test Results:

Device is an indoor access point, all restrictions are meet the §15.407 (d) requirements. Please refer to the Attestation letter exhibit supplied within this application.

## 6. Main Test Instruments

Name	Manufacturer	Type	Serial Number	Calibration Date	Expiration Date
Power sensor	R&S	NRP18S	101954	2024-05-07	2025-05-06
Spectrum Analyzer	KEYSIGHT	N9020A	MY51330870	2024-05-07	2025-05-06
Attenuator	HASCO	HA18A-10	0003	/	/
DC Power Supply	UNI-T	UTP1306S+	2205D0517426	2023-12-05	2024-12-04
				2024-12-02	2025-12-01
Climate Chamber	ESPEC	SU-242	93000506	2024-12-02	2025-12-01
EMI Test Receiver	R&S	ESCI3	100948	2024-05-07	2025-05-06
Signal Analyzer	R&S	FSV40	101186	2024-05-07	2025-05-06
Antenna Mast	ETS	2070-2	00095628	/	/
Loop Antenna	SCHWARZBECK	FMZB1519	1519-047	2023-04-16	2026-04-15
TRILOG Broadband Antenna	SCHWARZBECK	VULB 9163	1023	2023-07-14	2026-07-13
Horn Antenna	SCHWARZBECK	BBHA 9120D	430	2024-07-18	2027-07-17
Antenna mast	ETS	2070-2	00095628	/	/
Amplifier	MWPA.CN	MWLA-01020 0G40	YQ2103039B01	2024-05-07	2025-05-06
Software	R&S	EMC32	9.26.01	/	/
Artificial main network	R&S	ENV216	102191	2022-12-10	2024-12-09
				2024-12-02	2026-12-01
EMI Test Receiver	R&S	ESR	101667	2024-05-07	2025-05-06
Software	R&S	EMC32	10.35.10	/	/

## ANNEX A: The EUT Appearance

**The EUT Appearance are submitted separately.**

## ANNEX B: Test Setup Photos

The Test Setup Photos are submitted separately.

\*\*\*\*\* END OF REPORT \*\*\*\*\*