


Meander Line Specification

Summary

ITEM	ANT SPEC					
Model Name	2.4G ANT					
Center Frequency	Horizontal			Vertical		
	2402MHz	2450MHz	2480MHz	2402MHz	2450MHz	2480MHz
	2.18	2.21	2.17	2.12	2.21	2.17
MAX. Gain	2.24dB					
Polarization	Horizontal and Vertical					
Azimuth Beam Pattern	Omni-directional					
Impedance	50ohm					
Manufacture	Hangzhou Fuyang Huate Electronic Equipment Factory					
Manufacture	No. 39 Baoshan Road, Chunhua Village, Fuchun Street, Fuyang District, Hangzhou, China					

No. 39 Baoshan Road, Chunhua Village, Fuchun Street, Fuyang District, Hangzhou City
Antenna Photo & Length (mm)





Horizontal: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)


Max: 0 Min: -40 Scale: 5/div

Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2402	2.18	-7.9	
2450	2.21	-7.9	
2480	2.17	-7.5	





Radiation Pattern 2





Vertical: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 0 Min: -30 Scale: 5/div

Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2402	2.12	-1.46	
2450	2.21	-1.07	
2480	2.17	-1.32	





Radiation Pattern 1

