

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.682	39.87	74.0	34.13	Peak	305.00	400	Horizontal	Pass
1**	1525.682	29.95	54.0	24.05	AV	305.00	400	Horizontal	Pass
2	2273.331	43.85	74.0	30.15	Peak	139.00	400	Horizontal	Pass
2**	2273.331	32.51	54.0	21.49	AV	139.00	400	Horizontal	Pass
3	4043.439	49.40	74.0	24.60	Peak	286.00	200	Horizontal	Pass
3**	4043.439	34.74	54.0	19.26	AV	286.00	200	Horizontal	Pass
4	7623.650	55.56	74.0	18.44	Peak	199.00	200	Horizontal	Pass
4**	7623.650	41.63	54.0	12.37	AV	199.00	200	Horizontal	Pass
5	12454.971	53.27	74.0	20.73	Peak	17.00	300	Horizontal	Pass
5**	12454.971	42.26	54.0	11.74	AV	17.00	300	Horizontal	Pass
6	15899.799	56.63	74.0	17.37	Peak	8.00	200	Horizontal	Pass
6**	15899.799	46.17	54.0	7.83	AV	8.00	200	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.406	39.92	74.0	34.08	Peak	253.00	300	Vertical	Pass
1**	1533.406	28.21	54.0	25.79	AV	253.00	300	Vertical	Pass
2	2334.237	44.30	74.0	29.70	Peak	155.00	200	Vertical	Pass
2**	2334.237	32.65	54.0	21.35	AV	155.00	200	Vertical	Pass
3	4901.622	49.48	74.0	24.52	Peak	348.00	200	Vertical	Pass
3**	4901.622	37.52	54.0	16.48	AV	348.00	200	Vertical	Pass
4	7324.923	51.59	74.0	22.41	Peak	161.00	200	Vertical	Pass
4**	7324.923	41.12	54.0	12.88	AV	161.00	200	Vertical	Pass
5	12485.917	53.77	74.0	20.23	Peak	228.00	100	Vertical	Pass
5**	12485.917	41.89	54.0	12.11	AV	228.00	100	Vertical	Pass
6	15691.576	51.63	74.0	22.37	Peak	21.00	100	Vertical	Pass
6**	15691.576	43.27	54.0	10.73	AV	21.00	100	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.393	39.49	74.0	34.51	Peak	255.00	400	Horizontal	Pass
1**	1521.393	29.00	54.0	25.00	AV	255.00	400	Horizontal	Pass
2	2278.587	42.77	74.0	31.23	Peak	61.00	100	Horizontal	Pass
2**	2278.587	33.93	54.0	20.07	AV	61.00	100	Horizontal	Pass
3	4050.090	49.31	74.0	24.69	Peak	351.00	200	Horizontal	Pass
3**	4050.090	39.39	54.0	14.61	AV	351.00	200	Horizontal	Pass
4	7623.940	53.15	74.0	20.85	Peak	285.00	100	Horizontal	Pass
4**	7623.940	43.22	54.0	10.78	AV	285.00	100	Horizontal	Pass
5	12451.724	53.68	74.0	20.32	Peak	320.00	400	Horizontal	Pass
5**	12451.724	41.93	54.0	12.07	AV	320.00	400	Horizontal	Pass
6	15901.958	56.45	74.0	17.55	Peak	52.00	200	Horizontal	Pass
6**	15901.958	41.73	54.0	12.27	AV	52.00	200	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.106	38.28	74.0	35.72	Peak	117.00	400	Vertical	Pass
1**	1534.106	30.69	54.0	23.31	AV	117.00	400	Vertical	Pass
2	2338.774	42.93	74.0	31.07	Peak	272.00	200	Vertical	Pass
2**	2338.774	34.34	54.0	19.66	AV	272.00	200	Vertical	Pass
3	4900.972	49.63	74.0	24.37	Peak	92.00	200	Vertical	Pass
3**	4900.972	41.50	54.0	12.50	AV	92.00	200	Vertical	Pass
4	7329.011	50.54	74.0	23.46	Peak	257.00	400	Vertical	Pass
4**	7329.011	41.91	54.0	12.09	AV	257.00	400	Vertical	Pass
5	12482.951	50.22	74.0	23.78	Peak	329.00	300	Vertical	Pass
5**	12482.951	45.96	54.0	8.04	AV	329.00	300	Vertical	Pass
6	15691.230	52.00	74.0	22.00	Peak	254.00	200	Vertical	Pass
6**	15691.230	43.34	54.0	10.66	AV	254.00	200	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.322	40.34	74.0	33.66	Peak	70.00	400	Horizontal	Pass
1**	1526.322	25.70	54.0	28.30	AV	70.00	400	Horizontal	Pass
2	2277.448	44.44	74.0	29.56	Peak	347.00	100	Horizontal	Pass
2**	2277.448	32.70	54.0	21.30	AV	347.00	100	Horizontal	Pass
3	4042.690	45.33	74.0	28.67	Peak	218.00	200	Horizontal	Pass
3**	4042.690	35.43	54.0	18.57	AV	218.00	200	Horizontal	Pass
4	7623.619	51.62	74.0	22.38	Peak	210.00	100	Horizontal	Pass
4**	7623.619	41.11	54.0	12.89	AV	210.00	100	Horizontal	Pass
5	12452.816	53.69	74.0	20.31	Peak	353.00	100	Horizontal	Pass
5**	12452.816	41.57	54.0	12.43	AV	353.00	100	Horizontal	Pass
6	15901.511	52.42	74.0	21.58	Peak	5.00	400	Horizontal	Pass
6**	15901.511	46.22	54.0	7.78	AV	5.00	400	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.216	39.90	74.0	34.10	Peak	220.00	100	Vertical	Pass
1**	1528.216	29.93	54.0	24.07	AV	220.00	100	Vertical	Pass
2	2333.187	45.33	74.0	28.67	Peak	334.00	100	Vertical	Pass
2**	2333.187	32.73	54.0	21.27	AV	334.00	100	Vertical	Pass
3	4902.690	51.07	74.0	22.93	Peak	50.00	200	Vertical	Pass
3**	4902.690	37.92	54.0	16.08	AV	50.00	200	Vertical	Pass
4	7324.237	54.76	74.0	19.24	Peak	196.00	100	Vertical	Pass
4**	7324.237	41.34	54.0	12.66	AV	196.00	100	Vertical	Pass
5	12485.559	52.49	74.0	21.51	Peak	163.00	100	Vertical	Pass
5**	12485.559	43.84	54.0	10.16	AV	163.00	100	Vertical	Pass
6	15692.844	50.81	74.0	23.19	Peak	83.00	400	Vertical	Pass
6**	15692.844	42.79	54.0	11.21	AV	83.00	400	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.276	36.18	74.0	37.82	Peak	32.00	100	Horizontal	Pass
1**	1526.276	27.93	54.0	26.07	AV	32.00	100	Horizontal	Pass
2	2276.546	44.23	74.0	29.77	Peak	91.00	100	Horizontal	Pass
2**	2276.546	31.71	54.0	22.29	AV	91.00	100	Horizontal	Pass
3	4047.380	46.49	74.0	27.51	Peak	155.00	200	Horizontal	Pass
3**	4047.380	35.20	54.0	18.80	AV	155.00	200	Horizontal	Pass
4	7618.519	49.96	74.0	24.04	Peak	138.00	400	Horizontal	Pass
4**	7618.519	43.84	54.0	10.16	AV	138.00	400	Horizontal	Pass
5	12458.338	53.53	74.0	20.47	Peak	321.00	400	Horizontal	Pass
5**	12458.338	43.43	54.0	10.57	AV	321.00	400	Horizontal	Pass
6	15905.489	54.00	74.0	20.00	Peak	92.00	300	Horizontal	Pass
6**	15905.489	44.95	54.0	9.05	AV	92.00	300	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.541	38.03	74.0	35.97	Peak	213.00	200	Vertical	Pass
1**	1526.541	31.21	54.0	22.79	AV	213.00	200	Vertical	Pass
2	2333.800	42.16	74.0	31.84	Peak	73.00	200	Vertical	Pass
2**	2333.800	33.99	54.0	20.01	AV	73.00	200	Vertical	Pass
3	4899.157	50.40	74.0	23.60	Peak	289.00	200	Vertical	Pass
3**	4899.157	41.24	54.0	12.76	AV	289.00	200	Vertical	Pass
4	7326.878	53.70	74.0	20.30	Peak	154.00	400	Vertical	Pass
4**	7326.878	41.31	54.0	12.69	AV	154.00	400	Vertical	Pass
5	12487.769	50.32	74.0	23.68	Peak	314.00	400	Vertical	Pass
5**	12487.769	44.61	54.0	9.39	AV	314.00	400	Vertical	Pass
6	15695.176	51.40	74.0	22.60	Peak	187.00	400	Vertical	Pass
6**	15695.176	44.72	54.0	9.28	AV	187.00	400	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.708	38.27	74.0	35.73	Peak	261.00	400	Horizontal	Pass
1**	1526.708	27.84	54.0	26.16	AV	261.00	400	Horizontal	Pass
2	2274.035	46.43	74.0	27.57	Peak	167.00	200	Horizontal	Pass
2**	2274.035	31.93	54.0	22.07	AV	167.00	200	Horizontal	Pass
3	4042.999	47.62	74.0	26.38	Peak	64.00	200	Horizontal	Pass
3**	4042.999	38.46	54.0	15.54	AV	64.00	200	Horizontal	Pass
4	7616.983	54.42	74.0	19.58	Peak	42.00	100	Horizontal	Pass
4**	7616.983	43.15	54.0	10.85	AV	42.00	100	Horizontal	Pass
5	12452.537	55.67	74.0	18.33	Peak	29.00	100	Horizontal	Pass
5**	12452.537	45.02	54.0	8.98	AV	29.00	100	Horizontal	Pass
6	15902.511	54.17	74.0	19.83	Peak	347.00	300	Horizontal	Pass
6**	15902.511	43.91	54.0	10.09	AV	347.00	300	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.933	37.81	74.0	36.19	Peak	101.00	100	Vertical	Pass
1**	1533.933	26.27	54.0	27.73	AV	101.00	100	Vertical	Pass
2	2339.209	44.50	74.0	29.50	Peak	5.00	300	Vertical	Pass
2**	2339.209	33.23	54.0	20.77	AV	5.00	300	Vertical	Pass
3	4901.968	50.95	74.0	23.05	Peak	274.00	200	Vertical	Pass
3**	4901.968	41.16	54.0	12.84	AV	274.00	200	Vertical	Pass
4	7327.245	51.25	74.0	22.75	Peak	91.00	300	Vertical	Pass
4**	7327.245	44.99	54.0	9.01	AV	91.00	300	Vertical	Pass
5	12489.242	54.35	74.0	19.65	Peak	35.00	200	Vertical	Pass
5**	12489.242	46.04	54.0	7.96	AV	35.00	200	Vertical	Pass
6	15692.407	53.03	74.0	20.97	Peak	307.00	100	Vertical	Pass
6**	15692.407	46.76	54.0	7.24	AV	307.00	100	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.214	38.44	74.0	35.56	Peak	168.00	200	Horizontal	Pass
1**	1528.214	27.37	54.0	26.63	AV	168.00	200	Horizontal	Pass
2	2271.610	43.54	74.0	30.46	Peak	131.00	400	Horizontal	Pass
2**	2271.610	35.46	54.0	18.54	AV	131.00	400	Horizontal	Pass
3	4046.372	44.81	74.0	29.19	Peak	210.00	200	Horizontal	Pass
3**	4046.372	34.57	54.0	19.43	AV	210.00	200	Horizontal	Pass
4	7623.989	55.46	74.0	18.54	Peak	226.00	100	Horizontal	Pass
4**	7623.989	42.66	54.0	11.34	AV	226.00	100	Horizontal	Pass
5	12453.387	52.52	74.0	21.48	Peak	298.00	200	Horizontal	Pass
5**	12453.387	44.00	54.0	10.00	AV	298.00	200	Horizontal	Pass
6	15905.840	53.25	74.0	20.75	Peak	140.00	400	Horizontal	Pass
6**	15905.840	43.50	54.0	10.50	AV	140.00	400	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.153	41.51	74.0	32.49	Peak	290.00	200	Vertical	Pass
1**	1529.153	26.06	54.0	27.94	AV	290.00	200	Vertical	Pass
2	2332.960	43.94	74.0	30.06	Peak	291.00	300	Vertical	Pass
2**	2332.960	33.34	54.0	20.66	AV	291.00	300	Vertical	Pass
3	4901.778	48.77	74.0	25.23	Peak	193.00	200	Vertical	Pass
3**	4901.778	39.46	54.0	14.54	AV	193.00	200	Vertical	Pass
4	7329.614	51.59	74.0	22.41	Peak	83.00	200	Vertical	Pass
4**	7329.614	44.41	54.0	9.59	AV	83.00	200	Vertical	Pass
5	12483.736	53.10	74.0	20.90	Peak	305.00	200	Vertical	Pass
5**	12483.736	46.08	54.0	7.92	AV	305.00	200	Vertical	Pass
6	15688.204	53.99	74.0	20.01	Peak	218.00	400	Vertical	Pass
6**	15688.204	43.65	54.0	10.35	AV	218.00	400	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.020	41.29	74.0	32.71	Peak	147.00	100	Horizontal	Pass
1**	1527.020	30.79	54.0	23.21	AV	147.00	100	Horizontal	Pass
2	2278.834	42.73	74.0	31.27	Peak	303.00	100	Horizontal	Pass
2**	2278.834	33.96	54.0	20.04	AV	303.00	100	Horizontal	Pass
3	4047.009	44.45	74.0	29.55	Peak	80.00	200	Horizontal	Pass
3**	4047.009	36.34	54.0	17.66	AV	80.00	200	Horizontal	Pass
4	7622.542	51.71	74.0	22.29	Peak	76.00	200	Horizontal	Pass
4**	7622.542	44.77	54.0	9.23	AV	76.00	200	Horizontal	Pass
5	12456.658	53.83	74.0	20.17	Peak	41.00	400	Horizontal	Pass
5**	12456.658	42.60	54.0	11.40	AV	41.00	400	Horizontal	Pass
6	15905.901	51.62	74.0	22.38	Peak	179.00	300	Horizontal	Pass
6**	15905.901	42.12	54.0	11.88	AV	179.00	300	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.236	38.74	74.0	35.26	Peak	173.00	200	Vertical	Pass
1**	1532.236	31.37	54.0	22.63	AV	173.00	200	Vertical	Pass
2	2332.111	47.23	74.0	26.77	Peak	95.00	100	Vertical	Pass
2**	2332.111	35.95	54.0	18.05	AV	95.00	100	Vertical	Pass
3	4902.903	51.28	74.0	22.72	Peak	242.00	200	Vertical	Pass
3**	4902.903	41.54	54.0	12.46	AV	242.00	200	Vertical	Pass
4	7324.340	55.39	74.0	18.61	Peak	110.00	200	Vertical	Pass
4**	7324.340	41.96	54.0	12.04	AV	110.00	200	Vertical	Pass
5	12489.915	54.33	74.0	19.67	Peak	95.00	100	Vertical	Pass
5**	12489.915	45.67	54.0	8.33	AV	95.00	100	Vertical	Pass
6	15693.636	51.88	74.0	22.12	Peak	270.00	200	Vertical	Pass
6**	15693.636	41.49	54.0	12.51	AV	270.00	200	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.734	37.29	74.0	36.71	Peak	34.00	200	Horizontal	Pass
1**	1525.734	27.68	54.0	26.32	AV	34.00	200	Horizontal	Pass
2	2273.207	45.26	74.0	28.74	Peak	290.00	100	Horizontal	Pass
2**	2273.207	34.17	54.0	19.83	AV	290.00	100	Horizontal	Pass
3	4045.914	46.59	74.0	27.41	Peak	297.00	200	Horizontal	Pass
3**	4045.914	35.48	54.0	18.52	AV	297.00	200	Horizontal	Pass
4	7621.886	53.83	74.0	20.17	Peak	147.00	200	Horizontal	Pass
4**	7621.886	46.05	54.0	7.95	AV	147.00	200	Horizontal	Pass
5	12451.677	53.26	74.0	20.74	Peak	203.00	400	Horizontal	Pass
5**	12451.677	44.16	54.0	9.84	AV	203.00	400	Horizontal	Pass
6	15907.328	53.37	74.0	20.63	Peak	112.00	200	Horizontal	Pass
6**	15907.328	47.55	54.0	6.45	AV	112.00	200	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.106	40.32	74.0	33.68	Peak	183.00	100	Vertical	Pass
1**	1529.106	29.08	54.0	24.92	AV	183.00	100	Vertical	Pass
2	2339.420	43.76	74.0	30.24	Peak	162.00	300	Vertical	Pass
2**	2339.420	37.88	54.0	16.12	AV	162.00	300	Vertical	Pass
3	4900.337	47.82	74.0	26.18	Peak	140.00	200	Vertical	Pass
3**	4900.337	37.71	54.0	16.29	AV	140.00	200	Vertical	Pass
4	7325.569	50.51	74.0	23.49	Peak	248.00	100	Vertical	Pass
4**	7325.569	45.25	54.0	8.75	AV	248.00	100	Vertical	Pass
5	12490.374	53.15	74.0	20.85	Peak	144.00	400	Vertical	Pass
5**	12490.374	45.46	54.0	8.54	AV	144.00	400	Vertical	Pass
6	15689.232	54.09	74.0	19.91	Peak	253.00	200	Vertical	Pass
6**	15689.232	46.11	54.0	7.89	AV	253.00	200	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.247	39.85	74.0	34.15	Peak	357.00	400	Horizontal	Pass
1**	1523.247	25.91	54.0	28.09	AV	357.00	400	Horizontal	Pass
2	2275.442	41.31	74.0	32.69	Peak	99.00	400	Horizontal	Pass
2**	2275.442	32.98	54.0	21.02	AV	99.00	400	Horizontal	Pass
3	4048.144	47.31	74.0	26.69	Peak	177.00	200	Horizontal	Pass
3**	4048.144	35.35	54.0	18.65	AV	177.00	200	Horizontal	Pass
4	7617.573	51.94	74.0	22.06	Peak	274.00	400	Horizontal	Pass
4**	7617.573	44.77	54.0	9.23	AV	274.00	400	Horizontal	Pass
5	12455.870	53.96	74.0	20.04	Peak	264.00	200	Horizontal	Pass
5**	12455.870	44.38	54.0	9.62	AV	264.00	200	Horizontal	Pass
6	15901.237	53.14	74.0	20.86	Peak	10.00	100	Horizontal	Pass
6**	15901.237	42.18	54.0	11.82	AV	10.00	100	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.743	36.66	74.0	37.34	Peak	291.00	300	Vertical	Pass
1**	1530.743	30.62	54.0	23.38	AV	291.00	300	Vertical	Pass
2	2335.603	44.46	74.0	29.54	Peak	125.00	300	Vertical	Pass
2**	2335.603	36.75	54.0	17.25	AV	125.00	300	Vertical	Pass
3	4899.994	50.19	74.0	23.81	Peak	270.00	200	Vertical	Pass
3**	4899.994	42.27	54.0	11.73	AV	270.00	200	Vertical	Pass
4	7326.873	54.19	74.0	19.81	Peak	288.00	400	Vertical	Pass
4**	7326.873	41.67	54.0	12.33	AV	288.00	400	Vertical	Pass
5	12483.192	51.83	74.0	22.17	Peak	180.00	100	Vertical	Pass
5**	12483.192	46.72	54.0	7.28	AV	180.00	100	Vertical	Pass
6	15689.819	56.68	74.0	17.32	Peak	217.00	400	Vertical	Pass
6**	15689.819	45.30	54.0	8.70	AV	217.00	400	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.253	39.52	74.0	34.48	Peak	258.00	400	Horizontal	Pass
1**	1523.253	28.41	54.0	25.59	AV	258.00	400	Horizontal	Pass
2	2277.865	46.18	74.0	27.82	Peak	228.00	400	Horizontal	Pass
2**	2277.865	34.43	54.0	19.57	AV	228.00	400	Horizontal	Pass
3	4043.563	44.15	74.0	29.85	Peak	326.00	200	Horizontal	Pass
3**	4043.563	40.18	54.0	13.82	AV	326.00	200	Horizontal	Pass
4	7621.536	51.40	74.0	22.60	Peak	109.00	300	Horizontal	Pass
4**	7621.536	41.00	54.0	13.00	AV	109.00	300	Horizontal	Pass
5	12456.529	53.15	74.0	20.85	Peak	150.00	200	Horizontal	Pass
5**	12456.529	45.11	54.0	8.89	AV	150.00	200	Horizontal	Pass
6	15906.444	53.20	74.0	20.80	Peak	260.00	400	Horizontal	Pass
6**	15906.444	43.48	54.0	10.52	AV	260.00	400	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.188	37.92	74.0	36.08	Peak	289.00	200	Vertical	Pass
1**	1530.188	30.76	54.0	23.24	AV	289.00	200	Vertical	Pass
2	2337.358	46.25	74.0	27.75	Peak	189.00	300	Vertical	Pass
2**	2337.358	36.14	54.0	17.86	AV	189.00	300	Vertical	Pass
3	4902.049	51.04	74.0	22.96	Peak	212.00	200	Vertical	Pass
3**	4902.049	42.58	54.0	11.42	AV	212.00	200	Vertical	Pass
4	7323.550	50.40	74.0	23.60	Peak	48.00	400	Vertical	Pass
4**	7323.550	45.93	54.0	8.07	AV	48.00	400	Vertical	Pass
5	12483.366	54.90	74.0	19.10	Peak	357.00	300	Vertical	Pass
5**	12483.366	41.49	54.0	12.51	AV	357.00	300	Vertical	Pass
6	15694.739	52.86	74.0	21.14	Peak	321.00	400	Vertical	Pass
6**	15694.739	47.34	54.0	6.66	AV	321.00	400	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.736	39.33	74.0	34.67	Peak	175.00	200	Horizontal	Pass
1**	1526.736	28.32	54.0	25.68	AV	175.00	200	Horizontal	Pass
2	2276.609	45.03	74.0	28.97	Peak	233.00	100	Horizontal	Pass
2**	2276.609	37.24	54.0	16.76	AV	233.00	100	Horizontal	Pass
3	4049.154	45.42	74.0	28.58	Peak	256.00	200	Horizontal	Pass
3**	4049.154	39.95	54.0	14.05	AV	256.00	200	Horizontal	Pass
4	7620.029	52.67	74.0	21.33	Peak	109.00	100	Horizontal	Pass
4**	7620.029	43.37	54.0	10.63	AV	109.00	100	Horizontal	Pass
5	12454.377	53.80	74.0	20.20	Peak	28.00	100	Horizontal	Pass
5**	12454.377	41.90	54.0	12.10	AV	28.00	100	Horizontal	Pass
6	15900.857	51.04	74.0	22.96	Peak	315.00	200	Horizontal	Pass
6**	15900.857	46.39	54.0	7.61	AV	315.00	200	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.969	41.77	74.0	32.23	Peak	242.00	100	Vertical	Pass
1**	1530.969	28.29	54.0	25.71	AV	242.00	100	Vertical	Pass
2	2333.166	44.51	74.0	29.49	Peak	209.00	400	Vertical	Pass
2**	2333.166	36.71	54.0	17.29	AV	209.00	400	Vertical	Pass
3	4897.679	52.06	74.0	21.94	Peak	38.00	200	Vertical	Pass
3**	4897.679	38.31	54.0	15.69	AV	38.00	200	Vertical	Pass
4	7330.733	53.16	74.0	20.84	Peak	95.00	200	Vertical	Pass
4**	7330.733	42.01	54.0	11.99	AV	95.00	200	Vertical	Pass
5	12487.401	50.40	74.0	23.60	Peak	65.00	400	Vertical	Pass
5**	12487.401	42.09	54.0	11.91	AV	65.00	400	Vertical	Pass
6	15693.822	54.54	74.0	19.46	Peak	9.00	300	Vertical	Pass
6**	15693.822	46.69	54.0	7.31	AV	9.00	300	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.633	36.98	74.0	37.02	Peak	33.00	400	Horizontal	Pass
1**	1524.633	26.69	54.0	27.31	AV	33.00	400	Horizontal	Pass
2	2271.568	45.47	74.0	28.53	Peak	120.00	200	Horizontal	Pass
2**	2271.568	34.32	54.0	19.68	AV	120.00	200	Horizontal	Pass
3	4049.512	50.06	74.0	23.94	Peak	296.00	200	Horizontal	Pass
3**	4049.512	39.90	54.0	14.10	AV	296.00	200	Horizontal	Pass
4	7616.838	53.13	74.0	20.87	Peak	199.00	100	Horizontal	Pass
4**	7616.838	45.03	54.0	8.97	AV	199.00	100	Horizontal	Pass
5	12452.334	52.76	74.0	21.24	Peak	152.00	100	Horizontal	Pass
5**	12452.334	45.69	54.0	8.31	AV	152.00	100	Horizontal	Pass
6	15905.384	51.05	74.0	22.95	Peak	303.00	100	Horizontal	Pass
6**	15905.384	42.97	54.0	11.03	AV	303.00	100	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.117	36.68	74.0	37.32	Peak	208.00	400	Vertical	Pass
1**	1532.117	30.96	54.0	23.04	AV	208.00	400	Vertical	Pass
2	2338.907	43.56	74.0	30.44	Peak	293.00	100	Vertical	Pass
2**	2338.907	33.57	54.0	20.43	AV	293.00	100	Vertical	Pass
3	4899.210	50.12	74.0	23.88	Peak	29.00	200	Vertical	Pass
3**	4899.210	37.32	54.0	16.68	AV	29.00	200	Vertical	Pass
4	7329.938	54.02	74.0	19.98	Peak	32.00	300	Vertical	Pass
4**	7329.938	44.36	54.0	9.64	AV	32.00	300	Vertical	Pass
5	12484.968	51.53	74.0	22.47	Peak	230.00	200	Vertical	Pass
5**	12484.968	46.28	54.0	7.72	AV	230.00	200	Vertical	Pass
6	15692.654	53.21	74.0	20.79	Peak	42.00	100	Vertical	Pass
6**	15692.654	42.64	54.0	11.36	AV	42.00	100	Vertical	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.826	40.94	74.0	33.06	Peak	302.00	400	Horizontal	Pass
1**	1524.826	30.00	54.0	24.00	AV	302.00	400	Horizontal	Pass
2	2276.154	46.18	74.0	27.82	Peak	62.00	400	Horizontal	Pass
2**	2276.154	34.60	54.0	19.40	AV	62.00	400	Horizontal	Pass
3	4049.880	48.45	74.0	25.55	Peak	242.00	200	Horizontal	Pass
3**	4049.880	38.39	54.0	15.61	AV	242.00	200	Horizontal	Pass
4	7621.128	53.70	74.0	20.30	Peak	206.00	100	Horizontal	Pass
4**	7621.128	42.47	54.0	11.53	AV	206.00	100	Horizontal	Pass
5	12453.678	53.10	74.0	20.90	Peak	223.00	200	Horizontal	Pass
5**	12453.678	45.20	54.0	8.80	AV	223.00	200	Horizontal	Pass
6	15904.839	54.64	74.0	19.36	Peak	129.00	100	Horizontal	Pass
6**	15904.839	44.92	54.0	9.08	AV	129.00	100	Horizontal	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.546	38.36	74.0	35.64	Peak	310.00	400	Vertical	Pass
1**	1532.546	31.36	54.0	22.64	AV	310.00	400	Vertical	Pass
2	2338.202	45.24	74.0	28.76	Peak	39.00	400	Vertical	Pass
2**	2338.202	37.30	54.0	16.70	AV	39.00	400	Vertical	Pass
3	4902.879	52.16	74.0	21.84	Peak	284.00	200	Vertical	Pass
3**	4902.879	39.79	54.0	14.21	AV	284.00	200	Vertical	Pass
4	7329.739	55.12	74.0	18.88	Peak	128.00	400	Vertical	Pass
4**	7329.739	46.35	54.0	7.65	AV	128.00	400	Vertical	Pass
5	12482.682	52.81	74.0	21.19	Peak	69.00	300	Vertical	Pass
5**	12482.682	41.19	54.0	12.81	AV	69.00	300	Vertical	Pass
6	15691.423	51.23	74.0	22.77	Peak	72.00	100	Vertical	Pass
6**	15691.423	44.22	54.0	9.78	AV	72.00	100	Vertical	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.661	36.10	74.0	37.90	Peak	281.00	200	Horizontal	Pass
1**	1520.661	29.17	54.0	24.83	AV	281.00	200	Horizontal	Pass
2	2278.003	41.81	74.0	32.19	Peak	77.00	400	Horizontal	Pass
2**	2278.003	33.71	54.0	20.29	AV	77.00	400	Horizontal	Pass
3	4049.313	45.93	74.0	28.07	Peak	57.00	200	Horizontal	Pass
3**	4049.313	37.56	54.0	16.44	AV	57.00	200	Horizontal	Pass
4	7618.184	51.75	74.0	22.25	Peak	312.00	200	Horizontal	Pass
4**	7618.184	43.72	54.0	10.28	AV	312.00	200	Horizontal	Pass
5	12457.311	54.06	74.0	19.94	Peak	205.00	300	Horizontal	Pass
5**	12457.311	42.71	54.0	11.29	AV	205.00	300	Horizontal	Pass
6	15904.599	53.46	74.0	20.54	Peak	82.00	400	Horizontal	Pass
6**	15904.599	42.19	54.0	11.81	AV	82.00	400	Horizontal	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.752	40.99	74.0	33.01	Peak	358.00	200	Vertical	Pass
1**	1531.752	26.37	54.0	27.63	AV	358.00	200	Vertical	Pass
2	2337.632	43.71	74.0	30.29	Peak	147.00	400	Vertical	Pass
2**	2337.632	37.48	54.0	16.52	AV	147.00	400	Vertical	Pass
3	4898.594	52.34	74.0	21.66	Peak	359.00	200	Vertical	Pass
3**	4898.594	40.02	54.0	13.98	AV	359.00	200	Vertical	Pass
4	7325.126	55.71	74.0	18.29	Peak	60.00	200	Vertical	Pass
4**	7325.126	43.55	54.0	10.45	AV	60.00	200	Vertical	Pass
5	12484.135	55.45	74.0	18.55	Peak	313.00	300	Vertical	Pass
5**	12484.135	46.17	54.0	7.83	AV	313.00	300	Vertical	Pass
6	15695.098	52.20	74.0	21.80	Peak	309.00	200	Vertical	Pass
6**	15695.098	45.65	54.0	8.35	AV	309.00	200	Vertical	Pass

11ax80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.908	36.72	74.0	37.28	Peak	352.00	100	Horizontal	Pass
1**	1523.908	29.49	54.0	24.51	AV	352.00	100	Horizontal	Pass
2	2271.328	41.39	74.0	32.61	Peak	79.00	200	Horizontal	Pass
2**	2271.328	33.10	54.0	20.90	AV	79.00	200	Horizontal	Pass
3	4046.223	44.74	74.0	29.26	Peak	334.00	200	Horizontal	Pass
3**	4046.223	37.67	54.0	16.33	AV	334.00	200	Horizontal	Pass
4	7617.784	54.49	74.0	19.51	Peak	172.00	300	Horizontal	Pass
4**	7617.784	41.93	54.0	12.07	AV	172.00	300	Horizontal	Pass
5	12458.427	52.76	74.0	21.24	Peak	312.00	200	Horizontal	Pass
5**	12458.427	42.61	54.0	11.39	AV	312.00	200	Horizontal	Pass
6	15906.754	51.00	74.0	23.00	Peak	73.00	400	Horizontal	Pass
6**	15906.754	44.88	54.0	9.12	AV	73.00	400	Horizontal	Pass

11ax80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.545	38.72	74.0	35.28	Peak	6.00	400	Vertical	Pass
1**	1526.545	25.94	54.0	28.06	AV	6.00	400	Vertical	Pass
2	2332.183	43.84	74.0	30.16	Peak	324.00	200	Vertical	Pass
2**	2332.183	36.12	54.0	17.88	AV	324.00	200	Vertical	Pass
3	4898.421	51.70	74.0	22.30	Peak	249.00	200	Vertical	Pass
3**	4898.421	37.61	54.0	16.39	AV	249.00	200	Vertical	Pass
4	7327.579	50.93	74.0	23.07	Peak	178.00	300	Vertical	Pass
4**	7327.579	42.85	54.0	11.15	AV	178.00	300	Vertical	Pass
5	12484.524	51.48	74.0	22.52	Peak	283.00	400	Vertical	Pass
5**	12484.524	45.86	54.0	8.14	AV	283.00	400	Vertical	Pass
6	15690.574	55.29	74.0	18.71	Peak	266.00	300	Vertical	Pass
6**	15690.574	46.45	54.0	7.55	AV	266.00	300	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.693	39.20	74.0	34.80	Peak	309.00	100	Horizontal	Pass
1**	1522.693	31.04	54.0	22.96	AV	309.00	100	Horizontal	Pass
2	2278.620	44.51	74.0	29.49	Peak	105.00	200	Horizontal	Pass
2**	2278.620	33.57	54.0	20.43	AV	105.00	200	Horizontal	Pass
3	4045.487	48.73	74.0	25.27	Peak	360.00	200	Horizontal	Pass
3**	4045.487	39.86	54.0	14.14	AV	360.00	200	Horizontal	Pass
4	7617.534	55.53	74.0	18.47	Peak	73.00	400	Horizontal	Pass
4**	7617.534	41.42	54.0	12.58	AV	73.00	400	Horizontal	Pass
5	12452.192	50.89	74.0	23.11	Peak	59.00	100	Horizontal	Pass
5**	12452.192	45.26	54.0	8.74	AV	59.00	100	Horizontal	Pass
6	15901.598	50.92	74.0	23.08	Peak	131.00	200	Horizontal	Pass
6**	15901.598	44.66	54.0	9.34	AV	131.00	200	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.242	38.09	74.0	35.91	Peak	263.00	100	Vertical	Pass
1**	1601.242	28.28	54.0	25.72	AV	263.00	100	Vertical	Pass
2	2228.182	39.81	74.0	34.19	Peak	358.00	300	Vertical	Pass
2**	2228.182	30.30	54.0	23.70	AV	358.00	300	Vertical	Pass
3	4259.385	48.71	74.0	25.29	Peak	279.00	200	Vertical	Pass
3**	4259.385	40.19	54.0	13.81	AV	279.00	200	Vertical	Pass
4	7705.285	53.57	74.0	20.43	Peak	332.00	100	Vertical	Pass
4**	7705.285	44.55	54.0	9.45	AV	332.00	100	Vertical	Pass
5	12497.144	53.64	74.0	20.36	Peak	168.00	400	Vertical	Pass
5**	12497.144	42.16	54.0	11.84	AV	168.00	400	Vertical	Pass
6	15670.770	57.79	74.0	16.21	Peak	20.00	100	Vertical	Pass
6**	15670.770	42.44	54.0	11.56	AV	20.00	100	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.308	37.56	74.0	36.44	Peak	203.00	300	Horizontal	Pass
1**	1528.308	29.34	54.0	24.66	AV	203.00	300	Horizontal	Pass
2	2274.608	42.22	74.0	31.78	Peak	282.00	200	Horizontal	Pass
2**	2274.608	34.48	54.0	19.52	AV	282.00	200	Horizontal	Pass
3	4049.235	48.39	74.0	25.61	Peak	143.00	200	Horizontal	Pass
3**	4049.235	39.44	54.0	14.56	AV	143.00	200	Horizontal	Pass
4	7619.413	53.18	74.0	20.82	Peak	126.00	100	Horizontal	Pass
4**	7619.413	45.30	54.0	8.70	AV	126.00	100	Horizontal	Pass
5	12456.802	50.22	74.0	23.78	Peak	272.00	300	Horizontal	Pass
5**	12456.802	41.94	54.0	12.06	AV	272.00	300	Horizontal	Pass
6	15900.932	56.42	74.0	17.58	Peak	103.00	400	Horizontal	Pass
6**	15900.932	45.14	54.0	8.86	AV	103.00	400	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.869	39.49	74.0	34.51	Peak	283.00	200	Vertical	Pass
1**	1601.869	24.61	54.0	29.39	AV	283.00	200	Vertical	Pass
2	2225.567	43.15	74.0	30.85	Peak	136.00	100	Vertical	Pass
2**	2225.567	29.71	54.0	24.29	AV	136.00	100	Vertical	Pass
3	4258.378	47.39	74.0	26.61	Peak	152.00	200	Vertical	Pass
3**	4258.378	39.01	54.0	14.99	AV	152.00	200	Vertical	Pass
4	7712.196	52.95	74.0	21.05	Peak	343.00	100	Vertical	Pass
4**	7712.196	43.16	54.0	10.84	AV	343.00	100	Vertical	Pass
5	12498.825	51.42	74.0	22.58	Peak	162.00	300	Vertical	Pass
5**	12498.825	43.96	54.0	10.04	AV	162.00	300	Vertical	Pass
6	15668.615	56.33	74.0	17.67	Peak	175.00	100	Vertical	Pass
6**	15668.615	40.59	54.0	13.41	AV	175.00	100	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.416	40.89	74.0	33.11	Peak	44.00	300	Horizontal	Pass
1**	1527.416	29.43	54.0	24.57	AV	44.00	300	Horizontal	Pass
2	2276.435	42.55	74.0	31.45	Peak	144.00	300	Horizontal	Pass
2**	2276.435	36.93	54.0	17.07	AV	144.00	300	Horizontal	Pass
3	4044.961	48.44	74.0	25.56	Peak	265.00	200	Horizontal	Pass
3**	4044.961	36.95	54.0	17.05	AV	265.00	200	Horizontal	Pass
4	7621.551	52.49	74.0	21.51	Peak	222.00	200	Horizontal	Pass
4**	7621.551	46.47	54.0	7.53	AV	222.00	200	Horizontal	Pass
5	12453.702	52.05	74.0	21.95	Peak	304.00	400	Horizontal	Pass
5**	12453.702	45.32	54.0	8.68	AV	304.00	400	Horizontal	Pass
6	15900.220	52.13	74.0	21.87	Peak	287.00	400	Horizontal	Pass
6**	15900.220	42.69	54.0	11.31	AV	287.00	400	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.446	41.37	74.0	32.63	Peak	87.00	300	Vertical	Pass
1**	1596.446	25.53	54.0	28.47	AV	87.00	300	Vertical	Pass
2	2231.101	42.01	74.0	31.99	Peak	74.00	100	Vertical	Pass
2**	2231.101	28.82	54.0	25.18	AV	74.00	100	Vertical	Pass
3	4258.540	46.31	74.0	27.69	Peak	292.00	200	Vertical	Pass
3**	4258.540	35.48	54.0	18.52	AV	292.00	200	Vertical	Pass
4	7704.684	53.32	74.0	20.68	Peak	165.00	400	Vertical	Pass
4**	7704.684	44.48	54.0	9.52	AV	165.00	400	Vertical	Pass
5	12498.890	55.27	74.0	18.73	Peak	324.00	400	Vertical	Pass
5**	12498.890	40.81	54.0	13.19	AV	324.00	400	Vertical	Pass
6	15673.574	58.50	74.0	15.50	Peak	240.00	100	Vertical	Pass
6**	15673.574	45.61	54.0	8.39	AV	240.00	100	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.721	41.11	74.0	32.89	Peak	154.00	400	Horizontal	Pass
1**	1524.721	31.57	54.0	22.43	AV	154.00	400	Horizontal	Pass
2	2274.557	42.80	74.0	31.20	Peak	201.00	300	Horizontal	Pass
2**	2274.557	35.89	54.0	18.11	AV	201.00	300	Horizontal	Pass
3	4047.083	44.43	74.0	29.57	Peak	135.00	200	Horizontal	Pass
3**	4047.083	34.35	54.0	19.65	AV	135.00	200	Horizontal	Pass
4	7620.287	55.05	74.0	18.95	Peak	311.00	400	Horizontal	Pass
4**	7620.287	45.94	54.0	8.06	AV	311.00	400	Horizontal	Pass
5	12458.484	53.86	74.0	20.14	Peak	308.00	200	Horizontal	Pass
5**	12458.484	45.40	54.0	8.60	AV	308.00	200	Horizontal	Pass
6	15899.760	56.56	74.0	17.44	Peak	337.00	400	Horizontal	Pass
6**	15899.760	42.40	54.0	11.60	AV	337.00	400	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.108	37.54	74.0	36.46	Peak	92.00	300	Vertical	Pass
1**	1601.108	28.16	54.0	25.84	AV	92.00	300	Vertical	Pass
2	2230.473	43.96	74.0	30.04	Peak	8.00	400	Vertical	Pass
2**	2230.473	33.44	54.0	20.56	AV	8.00	400	Vertical	Pass
3	4254.776	47.88	74.0	26.12	Peak	65.00	200	Vertical	Pass
3**	4254.776	37.27	54.0	16.73	AV	65.00	200	Vertical	Pass
4	7706.020	55.91	74.0	18.09	Peak	172.00	300	Vertical	Pass
4**	7706.020	41.75	54.0	12.25	AV	172.00	300	Vertical	Pass
5	12498.970	53.84	74.0	20.16	Peak	167.00	100	Vertical	Pass
5**	12498.970	43.99	54.0	10.01	AV	167.00	100	Vertical	Pass
6	15672.203	53.71	74.0	20.29	Peak	292.00	300	Vertical	Pass
6**	15672.203	40.30	54.0	13.70	AV	292.00	300	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.187	36.93	74.0	37.07	Peak	7.00	400	Horizontal	Pass
1**	1526.187	28.61	54.0	25.39	AV	7.00	400	Horizontal	Pass
2	2273.560	46.19	74.0	27.81	Peak	174.00	200	Horizontal	Pass
2**	2273.560	32.34	54.0	21.66	AV	174.00	200	Horizontal	Pass
3	4044.789	44.18	74.0	29.82	Peak	335.00	200	Horizontal	Pass
3**	4044.789	35.31	54.0	18.69	AV	335.00	200	Horizontal	Pass
4	7616.800	54.19	74.0	19.81	Peak	22.00	100	Horizontal	Pass
4**	7616.800	44.30	54.0	9.70	AV	22.00	100	Horizontal	Pass
5	12452.316	53.94	74.0	20.06	Peak	16.00	200	Horizontal	Pass
5**	12452.316	43.74	54.0	10.26	AV	16.00	200	Horizontal	Pass
6	15902.186	56.27	74.0	17.73	Peak	49.00	300	Horizontal	Pass
6**	15902.186	43.96	54.0	10.04	AV	49.00	300	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.562	42.11	74.0	31.89	Peak	121.00	100	Vertical	Pass
1**	1595.562	25.05	54.0	28.95	AV	121.00	100	Vertical	Pass
2	2226.649	43.47	74.0	30.53	Peak	292.00	400	Vertical	Pass
2**	2226.649	30.09	54.0	23.91	AV	292.00	400	Vertical	Pass
3	4255.806	46.77	74.0	27.23	Peak	335.00	200	Vertical	Pass
3**	4255.806	39.94	54.0	14.06	AV	335.00	200	Vertical	Pass
4	7709.679	55.21	74.0	18.79	Peak	101.00	100	Vertical	Pass
4**	7709.679	41.50	54.0	12.50	AV	101.00	100	Vertical	Pass
5	12499.915	52.99	74.0	21.01	Peak	69.00	400	Vertical	Pass
5**	12499.915	42.20	54.0	11.80	AV	69.00	400	Vertical	Pass
6	15673.726	57.31	74.0	16.69	Peak	99.00	300	Vertical	Pass
6**	15673.726	41.35	54.0	12.65	AV	99.00	300	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.259	40.50	74.0	33.50	Peak	344.00	200	Horizontal	Pass
1**	1525.259	28.43	54.0	25.57	AV	344.00	200	Horizontal	Pass
2	2278.745	43.54	74.0	30.46	Peak	319.00	100	Horizontal	Pass
2**	2278.745	31.95	54.0	22.05	AV	319.00	100	Horizontal	Pass
3	4043.578	49.28	74.0	24.72	Peak	284.00	200	Horizontal	Pass
3**	4043.578	39.65	54.0	14.35	AV	284.00	200	Horizontal	Pass
4	7621.051	50.81	74.0	23.19	Peak	90.00	300	Horizontal	Pass
4**	7621.051	41.15	54.0	12.85	AV	90.00	300	Horizontal	Pass
5	12452.199	52.24	74.0	21.76	Peak	136.00	200	Horizontal	Pass
5**	12452.199	41.95	54.0	12.05	AV	136.00	200	Horizontal	Pass
6	15902.973	53.43	74.0	20.57	Peak	283.00	300	Horizontal	Pass
6**	15902.973	45.04	54.0	8.96	AV	283.00	300	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.577	40.35	74.0	33.65	Peak	143.00	300	Vertical	Pass
1**	1601.577	27.34	54.0	26.66	AV	143.00	300	Vertical	Pass
2	2230.751	42.00	74.0	32.00	Peak	202.00	400	Vertical	Pass
2**	2230.751	30.33	54.0	23.67	AV	202.00	400	Vertical	Pass
3	4260.109	45.72	74.0	28.28	Peak	21.00	200	Vertical	Pass
3**	4260.109	40.47	54.0	13.53	AV	21.00	200	Vertical	Pass
4	7709.559	57.06	74.0	16.94	Peak	326.00	400	Vertical	Pass
4**	7709.559	44.15	54.0	9.85	AV	326.00	400	Vertical	Pass
5	12495.070	53.66	74.0	20.34	Peak	73.00	200	Vertical	Pass
5**	12495.070	44.42	54.0	9.58	AV	73.00	200	Vertical	Pass
6	15676.286	54.54	74.0	19.46	Peak	304.00	400	Vertical	Pass
6**	15676.286	44.68	54.0	9.32	AV	304.00	400	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.835	41.29	74.0	32.71	Peak	219.00	100	Horizontal	Pass
1**	1520.835	31.55	54.0	22.45	AV	219.00	100	Horizontal	Pass
2	2275.034	42.50	74.0	31.50	Peak	262.00	300	Horizontal	Pass
2**	2275.034	33.99	54.0	20.01	AV	262.00	300	Horizontal	Pass
3	4044.024	49.92	74.0	24.08	Peak	254.00	200	Horizontal	Pass
3**	4044.024	37.20	54.0	16.80	AV	254.00	200	Horizontal	Pass
4	7617.362	55.24	74.0	18.76	Peak	54.00	200	Horizontal	Pass
4**	7617.362	46.30	54.0	7.70	AV	54.00	200	Horizontal	Pass
5	12455.752	54.25	74.0	19.75	Peak	331.00	300	Horizontal	Pass
5**	12455.752	44.28	54.0	9.72	AV	331.00	300	Horizontal	Pass
6	15902.261	54.74	74.0	19.26	Peak	215.00	400	Horizontal	Pass
6**	15902.261	43.44	54.0	10.56	AV	215.00	400	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.216	40.29	74.0	33.71	Peak	144.00	200	Vertical	Pass
1**	1600.216	27.76	54.0	26.24	AV	144.00	200	Vertical	Pass
2	2224.834	38.71	74.0	35.29	Peak	100.00	300	Vertical	Pass
2**	2224.834	32.67	54.0	21.33	AV	100.00	300	Vertical	Pass
3	4258.458	47.95	74.0	26.05	Peak	163.00	200	Vertical	Pass
3**	4258.458	38.53	54.0	15.47	AV	163.00	200	Vertical	Pass
4	7705.425	54.60	74.0	19.40	Peak	244.00	300	Vertical	Pass
4**	7705.425	45.23	54.0	8.77	AV	244.00	300	Vertical	Pass
5	12499.983	52.09	74.0	21.91	Peak	218.00	300	Vertical	Pass
5**	12499.983	44.32	54.0	9.68	AV	218.00	300	Vertical	Pass
6	15671.446	55.22	74.0	18.78	Peak	119.00	400	Vertical	Pass
6**	15671.446	43.31	54.0	10.69	AV	119.00	400	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.752	41.45	74.0	32.55	Peak	258.00	400	Horizontal	Pass
1**	1520.752	31.38	54.0	22.62	AV	258.00	400	Horizontal	Pass
2	2272.509	43.37	74.0	30.63	Peak	119.00	300	Horizontal	Pass
2**	2272.509	34.42	54.0	19.58	AV	119.00	300	Horizontal	Pass
3	4044.044	48.20	74.0	25.80	Peak	308.00	200	Horizontal	Pass
3**	4044.044	39.26	54.0	14.74	AV	308.00	200	Horizontal	Pass
4	7619.531	51.80	74.0	22.20	Peak	213.00	400	Horizontal	Pass
4**	7619.531	43.47	54.0	10.53	AV	213.00	400	Horizontal	Pass
5	12453.595	53.36	74.0	20.64	Peak	9.00	200	Horizontal	Pass
5**	12453.595	44.45	54.0	9.55	AV	9.00	200	Horizontal	Pass
6	15899.861	56.70	74.0	17.30	Peak	275.00	300	Horizontal	Pass
6**	15899.861	41.83	54.0	12.17	AV	275.00	300	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.162	42.21	74.0	31.79	Peak	38.00	400	Vertical	Pass
1**	1596.162	23.51	54.0	30.49	AV	38.00	400	Vertical	Pass
2	2227.032	42.04	74.0	31.96	Peak	41.00	100	Vertical	Pass
2**	2227.032	33.70	54.0	20.30	AV	41.00	100	Vertical	Pass
3	4255.080	46.44	74.0	27.56	Peak	42.00	200	Vertical	Pass
3**	4255.080	40.19	54.0	13.81	AV	42.00	200	Vertical	Pass
4	7709.355	55.90	74.0	18.10	Peak	298.00	300	Vertical	Pass
4**	7709.355	44.92	54.0	9.08	AV	298.00	300	Vertical	Pass
5	12499.358	55.83	74.0	18.17	Peak	302.00	400	Vertical	Pass
5**	12499.358	45.96	54.0	8.04	AV	302.00	400	Vertical	Pass
6	15673.600	55.39	74.0	18.61	Peak	180.00	400	Vertical	Pass
6**	15673.600	43.32	54.0	10.68	AV	180.00	400	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.055	38.71	74.0	35.29	Peak	182.00	200	Horizontal	Pass
1**	1521.055	27.48	54.0	26.52	AV	182.00	200	Horizontal	Pass
2	2276.432	45.80	74.0	28.20	Peak	324.00	100	Horizontal	Pass
2**	2276.432	34.64	54.0	19.36	AV	324.00	100	Horizontal	Pass
3	4048.347	49.19	74.0	24.81	Peak	117.00	200	Horizontal	Pass
3**	4048.347	36.82	54.0	17.18	AV	117.00	200	Horizontal	Pass
4	7618.047	51.90	74.0	22.10	Peak	16.00	400	Horizontal	Pass
4**	7618.047	44.22	54.0	9.78	AV	16.00	400	Horizontal	Pass
5	12451.508	54.42	74.0	19.58	Peak	181.00	100	Horizontal	Pass
5**	12451.508	43.75	54.0	10.25	AV	181.00	100	Horizontal	Pass
6	15906.991	55.48	74.0	18.52	Peak	1.00	300	Horizontal	Pass
6**	15906.991	41.74	54.0	12.26	AV	1.00	300	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.118	39.25	74.0	34.75	Peak	81.00	200	Vertical	Pass
1**	1596.118	26.18	54.0	27.82	AV	81.00	200	Vertical	Pass
2	2227.178	38.65	74.0	35.35	Peak	255.00	300	Vertical	Pass
2**	2227.178	32.71	54.0	21.29	AV	255.00	300	Vertical	Pass
3	4261.690	46.88	74.0	27.12	Peak	83.00	200	Vertical	Pass
3**	4261.690	36.05	54.0	17.95	AV	83.00	200	Vertical	Pass
4	7705.801	54.84	74.0	19.16	Peak	10.00	200	Vertical	Pass
4**	7705.801	43.99	54.0	10.01	AV	10.00	200	Vertical	Pass
5	12499.716	54.48	74.0	19.52	Peak	52.00	300	Vertical	Pass
5**	12499.716	41.30	54.0	12.70	AV	52.00	300	Vertical	Pass
6	15672.163	56.59	74.0	17.41	Peak	221.00	100	Vertical	Pass
6**	15672.163	45.64	54.0	8.36	AV	221.00	100	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.801	36.55	74.0	37.45	Peak	331.00	100	Horizontal	Pass
1**	1526.801	28.11	54.0	25.89	AV	331.00	100	Horizontal	Pass
2	2273.449	43.44	74.0	30.56	Peak	265.00	100	Horizontal	Pass
2**	2273.449	37.23	54.0	16.77	AV	265.00	100	Horizontal	Pass
3	4044.937	45.98	74.0	28.02	Peak	57.00	200	Horizontal	Pass
3**	4044.937	40.02	54.0	13.98	AV	57.00	200	Horizontal	Pass
4	7617.823	54.05	74.0	19.95	Peak	231.00	400	Horizontal	Pass
4**	7617.823	43.56	54.0	10.44	AV	231.00	400	Horizontal	Pass
5	12456.660	55.32	74.0	18.68	Peak	161.00	200	Horizontal	Pass
5**	12456.660	42.35	54.0	11.65	AV	161.00	200	Horizontal	Pass
6	15906.748	53.56	74.0	20.44	Peak	147.00	100	Horizontal	Pass
6**	15906.748	46.68	54.0	7.32	AV	147.00	100	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.151	41.21	74.0	32.79	Peak	70.00	100	Vertical	Pass
1**	1599.151	24.55	54.0	29.45	AV	70.00	100	Vertical	Pass
2	2228.318	44.28	74.0	29.72	Peak	47.00	400	Vertical	Pass
2**	2228.318	31.03	54.0	22.97	AV	47.00	400	Vertical	Pass
3	4261.256	48.69	74.0	25.31	Peak	321.00	200	Vertical	Pass
3**	4261.256	41.23	54.0	12.77	AV	321.00	200	Vertical	Pass
4	7710.866	55.67	74.0	18.33	Peak	174.00	200	Vertical	Pass
4**	7710.866	40.10	54.0	13.90	AV	174.00	200	Vertical	Pass
5	12494.667	54.27	74.0	19.73	Peak	342.00	200	Vertical	Pass
5**	12494.667	45.03	54.0	8.97	AV	342.00	200	Vertical	Pass
6	15676.031	53.60	74.0	20.40	Peak	207.00	200	Vertical	Pass
6**	15676.031	43.61	54.0	10.39	AV	207.00	200	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.953	37.09	74.0	36.91	Peak	288.00	300	Horizontal	Pass
1**	1520.953	25.58	54.0	28.42	AV	288.00	300	Horizontal	Pass
2	2278.845	43.69	74.0	30.31	Peak	287.00	300	Horizontal	Pass
2**	2278.845	31.35	54.0	22.65	AV	287.00	300	Horizontal	Pass
3	4044.076	45.56	74.0	28.44	Peak	128.00	200	Horizontal	Pass
3**	4044.076	39.30	54.0	14.70	AV	128.00	200	Horizontal	Pass
4	7623.121	53.94	74.0	20.06	Peak	150.00	200	Horizontal	Pass
4**	7623.121	41.10	54.0	12.90	AV	150.00	200	Horizontal	Pass
5	12454.059	51.38	74.0	22.62	Peak	97.00	200	Horizontal	Pass
5**	12454.059	47.16	54.0	6.84	AV	97.00	200	Horizontal	Pass
6	15900.412	54.03	74.0	19.97	Peak	227.00	300	Horizontal	Pass
6**	15900.412	43.23	54.0	10.77	AV	227.00	300	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.720	39.00	74.0	35.00	Peak	237.00	400	Vertical	Pass
1**	1595.720	26.69	54.0	27.31	AV	237.00	400	Vertical	Pass
2	2224.550	40.79	74.0	33.21	Peak	19.00	400	Vertical	Pass
2**	2224.550	33.29	54.0	20.71	AV	19.00	400	Vertical	Pass
3	4262.081	48.50	74.0	25.50	Peak	125.00	200	Vertical	Pass
3**	4262.081	35.71	54.0	18.29	AV	125.00	200	Vertical	Pass
4	7706.076	57.85	74.0	16.15	Peak	289.00	200	Vertical	Pass
4**	7706.076	41.41	54.0	12.59	AV	289.00	200	Vertical	Pass
5	12496.289	53.15	74.0	20.85	Peak	8.00	400	Vertical	Pass
5**	12496.289	43.63	54.0	10.37	AV	8.00	400	Vertical	Pass
6	15675.221	55.01	74.0	18.99	Peak	197.00	200	Vertical	Pass
6**	15675.221	44.85	54.0	9.15	AV	197.00	200	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.079	39.47	74.0	34.53	Peak	126.00	100	Horizontal	Pass
1**	1527.079	29.75	54.0	24.25	AV	126.00	100	Horizontal	Pass
2	2274.346	45.17	74.0	28.83	Peak	170.00	100	Horizontal	Pass
2**	2274.346	35.39	54.0	18.61	AV	170.00	100	Horizontal	Pass
3	4045.275	47.16	74.0	26.84	Peak	223.00	200	Horizontal	Pass
3**	4045.275	35.10	54.0	18.90	AV	223.00	200	Horizontal	Pass
4	7623.416	53.27	74.0	20.73	Peak	90.00	100	Horizontal	Pass
4**	7623.416	41.04	54.0	12.96	AV	90.00	100	Horizontal	Pass
5	12456.767	51.19	74.0	22.81	Peak	280.00	200	Horizontal	Pass
5**	12456.767	47.01	54.0	6.99	AV	280.00	200	Horizontal	Pass
6	15903.069	56.22	74.0	17.78	Peak	88.00	200	Horizontal	Pass
6**	15903.069	46.30	54.0	7.70	AV	88.00	200	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1602.305	39.99	74.0	34.01	Peak	268.00	400	Vertical	Pass
1**	1602.305	26.35	54.0	27.65	AV	268.00	400	Vertical	Pass
2	2228.765	40.33	74.0	33.67	Peak	218.00	400	Vertical	Pass
2**	2228.765	28.95	54.0	25.05	AV	218.00	400	Vertical	Pass
3	4258.775	50.78	74.0	23.22	Peak	212.00	200	Vertical	Pass
3**	4258.775	35.88	54.0	18.12	AV	212.00	200	Vertical	Pass
4	7708.381	56.15	74.0	17.85	Peak	28.00	400	Vertical	Pass
4**	7708.381	39.70	54.0	14.30	AV	28.00	400	Vertical	Pass
5	12495.516	52.83	74.0	21.17	Peak	200.00	400	Vertical	Pass
5**	12495.516	41.14	54.0	12.86	AV	200.00	400	Vertical	Pass
6	15674.528	56.85	74.0	17.15	Peak	329.00	200	Vertical	Pass
6**	15674.528	43.46	54.0	10.54	AV	329.00	200	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.001	38.17	74.0	35.83	Peak	65.00	100	Horizontal	Pass
1**	1527.001	30.15	54.0	23.85	AV	65.00	100	Horizontal	Pass
2	2271.132	41.30	74.0	32.70	Peak	297.00	300	Horizontal	Pass
2**	2271.132	33.77	54.0	20.23	AV	297.00	300	Horizontal	Pass
3	4044.204	48.03	74.0	25.97	Peak	57.00	200	Horizontal	Pass
3**	4044.204	34.47	54.0	19.53	AV	57.00	200	Horizontal	Pass
4	7619.940	50.31	74.0	23.69	Peak	173.00	100	Horizontal	Pass
4**	7619.940	43.14	54.0	10.86	AV	173.00	100	Horizontal	Pass
5	12455.541	52.36	74.0	21.64	Peak	219.00	200	Horizontal	Pass
5**	12455.541	43.21	54.0	10.79	AV	219.00	200	Horizontal	Pass
6	15902.533	51.28	74.0	22.72	Peak	207.00	100	Horizontal	Pass
6**	15902.533	42.54	54.0	11.46	AV	207.00	100	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.866	42.54	74.0	31.46	Peak	208.00	200	Vertical	Pass
1**	1601.866	26.64	54.0	27.36	AV	208.00	200	Vertical	Pass
2	2228.080	41.10	74.0	32.90	Peak	117.00	300	Vertical	Pass
2**	2228.080	31.64	54.0	22.36	AV	117.00	300	Vertical	Pass
3	4256.632	44.91	74.0	29.09	Peak	79.00	200	Vertical	Pass
3**	4256.632	38.24	54.0	15.76	AV	79.00	200	Vertical	Pass
4	7710.959	52.88	74.0	21.12	Peak	0.00	200	Vertical	Pass
4**	7710.959	40.51	54.0	13.49	AV	0.00	200	Vertical	Pass
5	12499.730	56.52	74.0	17.48	Peak	111.00	100	Vertical	Pass
5**	12499.730	45.38	54.0	8.62	AV	111.00	100	Vertical	Pass
6	15670.179	58.32	74.0	15.68	Peak	179.00	300	Vertical	Pass
6**	15670.179	43.91	54.0	10.09	AV	179.00	300	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.998	38.25	74.0	35.75	Peak	290.00	400	Horizontal	Pass
1**	1525.998	25.82	54.0	28.18	AV	290.00	400	Horizontal	Pass
2	2274.266	42.36	74.0	31.64	Peak	19.00	100	Horizontal	Pass
2**	2274.266	32.53	54.0	21.47	AV	19.00	100	Horizontal	Pass
3	4044.241	44.69	74.0	29.31	Peak	183.00	200	Horizontal	Pass
3**	4044.241	39.02	54.0	14.98	AV	183.00	200	Horizontal	Pass
4	7620.875	52.30	74.0	21.70	Peak	224.00	100	Horizontal	Pass
4**	7620.875	44.72	54.0	9.28	AV	224.00	100	Horizontal	Pass
5	12450.587	52.16	74.0	21.84	Peak	102.00	400	Horizontal	Pass
5**	12450.587	42.86	54.0	11.14	AV	102.00	400	Horizontal	Pass
6	15901.347	55.64	74.0	18.36	Peak	275.00	200	Horizontal	Pass
6**	15901.347	47.24	54.0	6.76	AV	275.00	200	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.268	40.53	74.0	33.47	Peak	100.00	400	Vertical	Pass
1**	1598.268	23.38	54.0	30.62	AV	100.00	400	Vertical	Pass
2	2226.560	43.53	74.0	30.47	Peak	272.00	400	Vertical	Pass
2**	2226.560	29.00	54.0	25.00	AV	272.00	400	Vertical	Pass
3	4261.494	45.00	74.0	29.00	Peak	184.00	200	Vertical	Pass
3**	4261.494	38.04	54.0	15.96	AV	184.00	200	Vertical	Pass
4	7704.469	58.20	74.0	15.80	Peak	303.00	100	Vertical	Pass
4**	7704.469	43.83	54.0	10.17	AV	303.00	100	Vertical	Pass
5	12497.552	52.75	74.0	21.25	Peak	133.00	100	Vertical	Pass
5**	12497.552	43.38	54.0	10.62	AV	133.00	100	Vertical	Pass
6	15672.192	53.19	74.0	20.81	Peak	37.00	200	Vertical	Pass
6**	15672.192	39.97	54.0	14.03	AV	37.00	200	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.355	37.59	74.0	36.41	Peak	274.00	300	Horizontal	Pass
1**	1527.355	26.59	54.0	27.41	AV	274.00	300	Horizontal	Pass
2	2277.300	45.94	74.0	28.06	Peak	111.00	300	Horizontal	Pass
2**	2277.300	36.86	54.0	17.14	AV	111.00	300	Horizontal	Pass
3	4044.146	48.18	74.0	25.82	Peak	145.00	200	Horizontal	Pass
3**	4044.146	36.21	54.0	17.79	AV	145.00	200	Horizontal	Pass
4	7622.667	54.47	74.0	19.53	Peak	56.00	200	Horizontal	Pass
4**	7622.667	46.17	54.0	7.83	AV	56.00	200	Horizontal	Pass
5	12457.562	50.10	74.0	23.90	Peak	230.00	400	Horizontal	Pass
5**	12457.562	41.47	54.0	12.53	AV	230.00	400	Horizontal	Pass
6	15905.409	55.80	74.0	18.20	Peak	286.00	100	Horizontal	Pass
6**	15905.409	46.91	54.0	7.09	AV	286.00	100	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.815	42.43	74.0	31.57	Peak	327.00	200	Vertical	Pass
1**	1597.815	27.06	54.0	26.94	AV	327.00	200	Vertical	Pass
2	2226.155	39.69	74.0	34.31	Peak	345.00	200	Vertical	Pass
2**	2226.155	33.81	54.0	20.19	AV	345.00	200	Vertical	Pass
3	4258.244	50.35	74.0	23.65	Peak	71.00	200	Vertical	Pass
3**	4258.244	38.68	54.0	15.32	AV	71.00	200	Vertical	Pass
4	7705.057	55.61	74.0	18.39	Peak	33.00	300	Vertical	Pass
4**	7705.057	40.65	54.0	13.35	AV	33.00	300	Vertical	Pass
5	12502.447	52.67	74.0	21.33	Peak	58.00	100	Vertical	Pass
5**	12502.447	41.05	54.0	12.95	AV	58.00	100	Vertical	Pass
6	15673.270	55.12	74.0	18.88	Peak	324.00	100	Vertical	Pass
6**	15673.270	41.24	54.0	12.76	AV	324.00	100	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.112	35.69	74.0	38.31	Peak	207.00	300	Horizontal	Pass
1**	1523.112	29.46	54.0	24.54	AV	207.00	300	Horizontal	Pass
2	2274.974	45.88	74.0	28.12	Peak	194.00	400	Horizontal	Pass
2**	2274.974	33.64	54.0	20.36	AV	194.00	400	Horizontal	Pass
3	4049.073	44.83	74.0	29.17	Peak	258.00	200	Horizontal	Pass
3**	4049.073	39.40	54.0	14.60	AV	258.00	200	Horizontal	Pass
4	7617.052	54.17	74.0	19.83	Peak	253.00	400	Horizontal	Pass
4**	7617.052	43.48	54.0	10.52	AV	253.00	400	Horizontal	Pass
5	12456.617	53.06	74.0	20.94	Peak	331.00	200	Horizontal	Pass
5**	12456.617	46.10	54.0	7.90	AV	331.00	200	Horizontal	Pass
6	15899.803	54.19	74.0	19.81	Peak	220.00	200	Horizontal	Pass
6**	15899.803	46.39	54.0	7.61	AV	220.00	200	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.120	40.25	74.0	33.75	Peak	198.00	400	Vertical	Pass
1**	1598.120	23.30	54.0	30.70	AV	198.00	400	Vertical	Pass
2	2231.171	38.94	74.0	35.06	Peak	324.00	200	Vertical	Pass
2**	2231.171	29.83	54.0	24.17	AV	324.00	200	Vertical	Pass
3	4258.633	48.97	74.0	25.03	Peak	136.00	200	Vertical	Pass
3**	4258.633	39.41	54.0	14.59	AV	136.00	200	Vertical	Pass
4	7709.975	57.88	74.0	16.12	Peak	161.00	300	Vertical	Pass
4**	7709.975	43.98	54.0	10.02	AV	161.00	300	Vertical	Pass
5	12497.845	54.25	74.0	19.75	Peak	110.00	300	Vertical	Pass
5**	12497.845	46.10	54.0	7.90	AV	110.00	300	Vertical	Pass
6	15675.762	56.30	74.0	17.70	Peak	215.00	200	Vertical	Pass
6**	15675.762	41.97	54.0	12.03	AV	215.00	200	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.913	39.53	74.0	34.47	Peak	30.00	400	Horizontal	Pass
1**	1520.913	29.01	54.0	24.99	AV	30.00	400	Horizontal	Pass
2	2276.819	41.02	74.0	32.98	Peak	28.00	200	Horizontal	Pass
2**	2276.819	35.63	54.0	18.37	AV	28.00	200	Horizontal	Pass
3	4044.471	45.67	74.0	28.33	Peak	324.00	200	Horizontal	Pass
3**	4044.471	39.75	54.0	14.25	AV	324.00	200	Horizontal	Pass
4	7621.106	51.24	74.0	22.76	Peak	226.00	300	Horizontal	Pass
4**	7621.106	40.93	54.0	13.07	AV	226.00	300	Horizontal	Pass
5	12457.803	53.97	74.0	20.03	Peak	195.00	200	Horizontal	Pass
5**	12457.803	43.48	54.0	10.52	AV	195.00	200	Horizontal	Pass
6	15904.450	51.48	74.0	22.52	Peak	311.00	400	Horizontal	Pass
6**	15904.450	42.31	54.0	11.69	AV	311.00	400	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.352	41.15	74.0	32.85	Peak	149.00	200	Vertical	Pass
1**	1597.352	23.27	54.0	30.73	AV	149.00	200	Vertical	Pass
2	2225.973	39.85	74.0	34.15	Peak	32.00	200	Vertical	Pass
2**	2225.973	29.56	54.0	24.44	AV	32.00	200	Vertical	Pass
3	4256.700	50.17	74.0	23.83	Peak	354.00	200	Vertical	Pass
3**	4256.700	39.20	54.0	14.80	AV	354.00	200	Vertical	Pass
4	7705.475	53.72	74.0	20.28	Peak	354.00	300	Vertical	Pass
4**	7705.475	45.16	54.0	8.84	AV	354.00	300	Vertical	Pass
5	12501.491	52.10	74.0	21.90	Peak	323.00	100	Vertical	Pass
5**	12501.491	40.70	54.0	13.30	AV	323.00	100	Vertical	Pass
6	15670.543	56.44	74.0	17.56	Peak	31.00	300	Vertical	Pass
6**	15670.543	42.39	54.0	11.61	AV	31.00	300	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.731	38.47	74.0	35.53	Peak	213.00	400	Horizontal	Pass
1**	1525.731	27.06	54.0	26.94	AV	213.00	400	Horizontal	Pass
2	2278.315	41.01	74.0	32.99	Peak	270.00	100	Horizontal	Pass
2**	2278.315	35.77	54.0	18.23	AV	270.00	100	Horizontal	Pass
3	4050.446	48.58	74.0	25.42	Peak	60.00	200	Horizontal	Pass
3**	4050.446	37.34	54.0	16.66	AV	60.00	200	Horizontal	Pass
4	7619.328	55.65	74.0	18.35	Peak	244.00	100	Horizontal	Pass
4**	7619.328	44.31	54.0	9.69	AV	244.00	100	Horizontal	Pass
5	12454.817	53.37	74.0	20.63	Peak	43.00	400	Horizontal	Pass
5**	12454.817	42.56	54.0	11.44	AV	43.00	400	Horizontal	Pass
6	15906.902	50.91	74.0	23.09	Peak	148.00	300	Horizontal	Pass
6**	15906.902	43.68	54.0	10.32	AV	148.00	300	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.718	39.49	74.0	34.51	Peak	222.00	100	Vertical	Pass
1**	1594.718	26.48	54.0	27.52	AV	222.00	100	Vertical	Pass
2	2229.400	41.85	74.0	32.15	Peak	183.00	400	Vertical	Pass
2**	2229.400	30.90	54.0	23.10	AV	183.00	400	Vertical	Pass
3	4260.022	46.63	74.0	27.37	Peak	144.00	200	Vertical	Pass
3**	4260.022	35.48	54.0	18.52	AV	144.00	200	Vertical	Pass
4	7705.955	58.63	74.0	15.37	Peak	289.00	200	Vertical	Pass
4**	7705.955	41.34	54.0	12.66	AV	289.00	200	Vertical	Pass
5	12495.438	51.11	74.0	22.89	Peak	41.00	200	Vertical	Pass
5**	12495.438	42.58	54.0	11.42	AV	41.00	200	Vertical	Pass
6	15669.727	55.37	74.0	18.63	Peak	345.00	400	Vertical	Pass
6**	15669.727	41.42	54.0	12.58	AV	345.00	400	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.067	40.51	74.0	33.49	Peak	274.00	300	Horizontal	Pass
1**	1526.067	28.39	54.0	25.61	AV	274.00	300	Horizontal	Pass
2	2276.154	42.38	74.0	31.62	Peak	192.00	400	Horizontal	Pass
2**	2276.154	31.86	54.0	22.14	AV	192.00	400	Horizontal	Pass
3	4044.375	49.31	74.0	24.69	Peak	318.00	200	Horizontal	Pass
3**	4044.375	36.62	54.0	17.38	AV	318.00	200	Horizontal	Pass
4	7620.813	53.14	74.0	20.86	Peak	27.00	400	Horizontal	Pass
4**	7620.813	40.83	54.0	13.17	AV	27.00	400	Horizontal	Pass
5	12453.152	52.11	74.0	21.89	Peak	187.00	100	Horizontal	Pass
5**	12453.152	45.72	54.0	8.28	AV	187.00	100	Horizontal	Pass
6	15905.166	51.11	74.0	22.89	Peak	195.00	100	Horizontal	Pass
6**	15905.166	46.58	54.0	7.42	AV	195.00	100	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.394	39.32	74.0	34.68	Peak	243.00	100	Vertical	Pass
1**	1595.394	28.36	54.0	25.64	AV	243.00	100	Vertical	Pass
2	2227.109	41.30	74.0	32.70	Peak	31.00	300	Vertical	Pass
2**	2227.109	29.93	54.0	24.07	AV	31.00	300	Vertical	Pass
3	4258.087	50.67	74.0	23.33	Peak	187.00	200	Vertical	Pass
3**	4258.087	40.48	54.0	13.52	AV	187.00	200	Vertical	Pass
4	7708.095	53.86	74.0	20.14	Peak	51.00	100	Vertical	Pass
4**	7708.095	40.51	54.0	13.49	AV	51.00	100	Vertical	Pass
5	12496.557	50.83	74.0	23.17	Peak	321.00	100	Vertical	Pass
5**	12496.557	42.17	54.0	11.83	AV	321.00	100	Vertical	Pass
6	15676.222	57.32	74.0	16.68	Peak	52.00	300	Vertical	Pass
6**	15676.222	42.49	54.0	11.51	AV	52.00	300	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.699	35.73	74.0	38.27	Peak	156.00	400	Horizontal	Pass
1**	1525.699	29.86	54.0	24.14	AV	156.00	400	Horizontal	Pass
2	2272.669	45.98	74.0	28.02	Peak	104.00	200	Horizontal	Pass
2**	2272.669	32.70	54.0	21.30	AV	104.00	200	Horizontal	Pass
3	4043.724	48.61	74.0	25.39	Peak	106.00	200	Horizontal	Pass
3**	4043.724	35.66	54.0	18.34	AV	106.00	200	Horizontal	Pass
4	7620.435	52.11	74.0	21.89	Peak	198.00	200	Horizontal	Pass
4**	7620.435	45.33	54.0	8.67	AV	198.00	200	Horizontal	Pass
5	12450.888	53.45	74.0	20.55	Peak	199.00	200	Horizontal	Pass
5**	12450.888	47.27	54.0	6.73	AV	199.00	200	Horizontal	Pass
6	15903.470	52.79	74.0	21.21	Peak	58.00	100	Horizontal	Pass
6**	15903.470	46.27	54.0	7.73	AV	58.00	100	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.817	41.31	74.0	32.69	Peak	55.00	300	Vertical	Pass
1**	1601.817	28.29	54.0	25.71	AV	55.00	300	Vertical	Pass
2	2230.625	43.19	74.0	30.81	Peak	257.00	200	Vertical	Pass
2**	2230.625	29.40	54.0	24.60	AV	257.00	200	Vertical	Pass
3	4261.897	47.99	74.0	26.01	Peak	244.00	200	Vertical	Pass
3**	4261.897	37.81	54.0	16.19	AV	244.00	200	Vertical	Pass
4	7706.327	58.02	74.0	15.98	Peak	303.00	200	Vertical	Pass
4**	7706.327	44.80	54.0	9.20	AV	303.00	200	Vertical	Pass
5	12497.786	52.89	74.0	21.11	Peak	29.00	300	Vertical	Pass
5**	12497.786	40.19	54.0	13.81	AV	29.00	300	Vertical	Pass
6	15669.521	57.32	74.0	16.68	Peak	143.00	300	Vertical	Pass
6**	15669.521	41.26	54.0	12.74	AV	143.00	300	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.466	39.11	74.0	34.89	Peak	240.00	200	Horizontal	Pass
1**	1521.466	28.05	54.0	25.95	AV	240.00	200	Horizontal	Pass
2	2271.016	43.37	74.0	30.63	Peak	60.00	300	Horizontal	Pass
2**	2271.016	34.77	54.0	19.23	AV	60.00	300	Horizontal	Pass
3	4044.333	49.92	74.0	24.08	Peak	303.00	200	Horizontal	Pass
3**	4044.333	36.14	54.0	17.86	AV	303.00	200	Horizontal	Pass
4	7616.622	52.23	74.0	21.77	Peak	131.00	400	Horizontal	Pass
4**	7616.622	45.52	54.0	8.48	AV	131.00	400	Horizontal	Pass
5	12454.123	52.28	74.0	21.72	Peak	16.00	200	Horizontal	Pass
5**	12454.123	44.07	54.0	9.93	AV	16.00	200	Horizontal	Pass
6	15899.778	56.58	74.0	17.42	Peak	128.00	400	Horizontal	Pass
6**	15899.778	46.08	54.0	7.92	AV	128.00	400	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.595	41.38	74.0	32.62	Peak	32.00	300	Vertical	Pass
1**	1597.595	28.59	54.0	25.41	AV	32.00	300	Vertical	Pass
2	2224.472	40.88	74.0	33.12	Peak	129.00	400	Vertical	Pass
2**	2224.472	31.03	54.0	22.97	AV	129.00	400	Vertical	Pass
3	4257.090	48.94	74.0	25.06	Peak	97.00	200	Vertical	Pass
3**	4257.090	38.82	54.0	15.18	AV	97.00	200	Vertical	Pass
4	7705.017	54.10	74.0	19.90	Peak	35.00	200	Vertical	Pass
4**	7705.017	40.32	54.0	13.68	AV	35.00	200	Vertical	Pass
5	12499.744	50.76	74.0	23.24	Peak	16.00	200	Vertical	Pass
5**	12499.744	45.78	54.0	8.22	AV	16.00	200	Vertical	Pass
6	15673.569	54.16	74.0	19.84	Peak	260.00	300	Vertical	Pass
6**	15673.569	41.13	54.0	12.87	AV	260.00	300	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.925	38.72	74.0	35.28	Peak	350.00	100	Horizontal	Pass
1**	1525.925	29.64	54.0	24.36	AV	350.00	100	Horizontal	Pass
2	2273.754	45.15	74.0	28.85	Peak	216.00	100	Horizontal	Pass
2**	2273.754	37.22	54.0	16.78	AV	216.00	100	Horizontal	Pass
3	4044.239	44.26	74.0	29.74	Peak	252.00	200	Horizontal	Pass
3**	4044.239	37.25	54.0	16.75	AV	252.00	200	Horizontal	Pass
4	7622.133	50.31	74.0	23.69	Peak	206.00	400	Horizontal	Pass
4**	7622.133	44.76	54.0	9.24	AV	206.00	400	Horizontal	Pass
5	12454.649	53.49	74.0	20.51	Peak	254.00	100	Horizontal	Pass
5**	12454.649	41.48	54.0	12.52	AV	254.00	100	Horizontal	Pass
6	15903.897	55.03	74.0	18.97	Peak	244.00	100	Horizontal	Pass
6**	15903.897	45.75	54.0	8.25	AV	244.00	100	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.420	42.49	74.0	31.51	Peak	136.00	200	Vertical	Pass
1**	1595.420	27.66	54.0	26.34	AV	136.00	200	Vertical	Pass
2	2229.414	43.92	74.0	30.08	Peak	254.00	200	Vertical	Pass
2**	2229.414	30.46	54.0	23.54	AV	254.00	200	Vertical	Pass
3	4255.255	47.54	74.0	26.46	Peak	183.00	200	Vertical	Pass
3**	4255.255	38.36	54.0	15.64	AV	183.00	200	Vertical	Pass
4	7708.851	55.35	74.0	18.65	Peak	53.00	100	Vertical	Pass
4**	7708.851	42.21	54.0	11.79	AV	53.00	100	Vertical	Pass
5	12501.767	55.07	74.0	18.93	Peak	123.00	400	Vertical	Pass
5**	12501.767	44.50	54.0	9.50	AV	123.00	400	Vertical	Pass
6	15672.694	54.69	74.0	19.31	Peak	23.00	400	Vertical	Pass
6**	15672.694	42.95	54.0	11.05	AV	23.00	400	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.200	35.64	74.0	38.36	Peak	125.00	400	Horizontal	Pass
1**	1524.200	28.18	54.0	25.82	AV	125.00	400	Horizontal	Pass
2	2275.380	43.34	74.0	30.66	Peak	252.00	100	Horizontal	Pass
2**	2275.380	33.24	54.0	20.76	AV	252.00	100	Horizontal	Pass
3	4048.686	44.95	74.0	29.05	Peak	62.00	200	Horizontal	Pass
3**	4048.686	38.88	54.0	15.12	AV	62.00	200	Horizontal	Pass
4	7622.347	55.07	74.0	18.93	Peak	114.00	100	Horizontal	Pass
4**	7622.347	42.02	54.0	11.98	AV	114.00	100	Horizontal	Pass
5	12454.864	54.29	74.0	19.71	Peak	188.00	100	Horizontal	Pass
5**	12454.864	46.70	54.0	7.30	AV	188.00	100	Horizontal	Pass
6	15901.891	50.99	74.0	23.01	Peak	281.00	200	Horizontal	Pass
6**	15901.891	43.07	54.0	10.93	AV	281.00	200	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.306	40.67	74.0	33.33	Peak	169.00	200	Vertical	Pass
1**	1599.306	25.48	54.0	28.52	AV	169.00	200	Vertical	Pass
2	2224.797	44.34	74.0	29.66	Peak	177.00	400	Vertical	Pass
2**	2224.797	34.22	54.0	19.78	AV	177.00	400	Vertical	Pass
3	4259.850	47.93	74.0	26.07	Peak	196.00	200	Vertical	Pass
3**	4259.850	40.65	54.0	13.35	AV	196.00	200	Vertical	Pass
4	7709.942	55.17	74.0	18.83	Peak	3.00	400	Vertical	Pass
4**	7709.942	42.70	54.0	11.30	AV	3.00	400	Vertical	Pass
5	12496.236	54.57	74.0	19.43	Peak	308.00	100	Vertical	Pass
5**	12496.236	41.23	54.0	12.77	AV	308.00	100	Vertical	Pass
6	15669.007	53.13	74.0	20.87	Peak	350.00	200	Vertical	Pass
6**	15669.007	42.99	54.0	11.01	AV	350.00	200	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.540	39.77	74.0	34.23	Peak	42.00	200	Horizontal	Pass
1**	1521.540	30.47	54.0	23.53	AV	42.00	200	Horizontal	Pass
2	2277.409	43.77	74.0	30.23	Peak	106.00	200	Horizontal	Pass
2**	2277.409	36.03	54.0	17.97	AV	106.00	200	Horizontal	Pass
3	4044.153	46.91	74.0	27.09	Peak	266.00	200	Horizontal	Pass
3**	4044.153	34.91	54.0	19.09	AV	266.00	200	Horizontal	Pass
4	7617.925	49.89	74.0	24.11	Peak	153.00	300	Horizontal	Pass
4**	7617.925	46.51	54.0	7.49	AV	153.00	300	Horizontal	Pass
5	12458.037	53.80	74.0	20.20	Peak	51.00	400	Horizontal	Pass
5**	12458.037	42.87	54.0	11.13	AV	51.00	400	Horizontal	Pass
6	15899.960	54.01	74.0	19.99	Peak	70.00	300	Horizontal	Pass
6**	15899.960	44.97	54.0	9.03	AV	70.00	300	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.332	42.41	74.0	31.59	Peak	253.00	400	Vertical	Pass
1**	1595.332	28.59	54.0	25.41	AV	253.00	400	Vertical	Pass
2	2225.239	39.80	74.0	34.20	Peak	25.00	100	Vertical	Pass
2**	2225.239	30.11	54.0	23.89	AV	25.00	100	Vertical	Pass
3	4255.528	50.56	74.0	23.44	Peak	203.00	200	Vertical	Pass
3**	4255.528	38.83	54.0	15.17	AV	203.00	200	Vertical	Pass
4	7709.932	56.45	74.0	17.55	Peak	13.00	400	Vertical	Pass
4**	7709.932	39.49	54.0	14.51	AV	13.00	400	Vertical	Pass
5	12495.946	54.75	74.0	19.25	Peak	271.00	100	Vertical	Pass
5**	12495.946	44.78	54.0	9.22	AV	271.00	100	Vertical	Pass
6	15670.635	56.55	74.0	17.45	Peak	281.00	400	Vertical	Pass
6**	15670.635	42.01	54.0	11.99	AV	281.00	400	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.099	41.38	74.0	32.62	Peak	302.00	300	Horizontal	Pass
1**	1525.099	26.98	54.0	27.02	AV	302.00	300	Horizontal	Pass
2	2277.708	44.45	74.0	29.55	Peak	101.00	100	Horizontal	Pass
2**	2277.708	35.81	54.0	18.19	AV	101.00	100	Horizontal	Pass
3	4049.030	48.20	74.0	25.80	Peak	227.00	200	Horizontal	Pass
3**	4049.030	39.65	54.0	14.35	AV	227.00	200	Horizontal	Pass
4	7622.080	54.43	74.0	19.57	Peak	58.00	100	Horizontal	Pass
4**	7622.080	44.61	54.0	9.39	AV	58.00	100	Horizontal	Pass
5	12455.795	50.21	74.0	23.79	Peak	320.00	300	Horizontal	Pass
5**	12455.795	45.02	54.0	8.98	AV	320.00	300	Horizontal	Pass
6	15901.918	54.19	74.0	19.81	Peak	214.00	200	Horizontal	Pass
6**	15901.918	43.86	54.0	10.14	AV	214.00	200	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.790	37.13	74.0	36.87	Peak	205.00	400	Vertical	Pass
1**	1598.790	24.02	54.0	29.98	AV	205.00	400	Vertical	Pass
2	2229.375	43.39	74.0	30.61	Peak	16.00	200	Vertical	Pass
2**	2229.375	33.52	54.0	20.48	AV	16.00	200	Vertical	Pass
3	4255.292	49.59	74.0	24.41	Peak	306.00	200	Vertical	Pass
3**	4255.292	38.03	54.0	15.97	AV	306.00	200	Vertical	Pass
4	7711.346	54.61	74.0	19.39	Peak	212.00	200	Vertical	Pass
4**	7711.346	43.84	54.0	10.16	AV	212.00	200	Vertical	Pass
5	12499.349	51.95	74.0	22.05	Peak	74.00	400	Vertical	Pass
5**	12499.349	42.57	54.0	11.43	AV	74.00	400	Vertical	Pass
6	15671.832	55.62	74.0	18.38	Peak	134.00	200	Vertical	Pass
6**	15671.832	44.29	54.0	9.71	AV	134.00	200	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.051	38.62	74.0	35.38	Peak	3.00	100	Horizontal	Pass
1**	1525.051	30.52	54.0	23.48	AV	3.00	100	Horizontal	Pass
2	4019.913	46.72	74.0	27.28	Peak	56.00	200	Horizontal	Pass
2**	4019.913	39.52	54.0	14.48	AV	56.00	200	Horizontal	Pass
3	7600.306	50.42	74.0	23.58	Peak	270.00	200	Horizontal	Pass
3**	7600.306	43.13	54.0	10.87	AV	270.00	200	Horizontal	Pass
4	12453.815	51.67	74.0	22.33	Peak	338.00	300	Horizontal	Pass
4**	12453.815	42.91	54.0	11.09	AV	338.00	300	Horizontal	Pass
5	16096.023	50.56	74.0	23.44	Peak	325.00	200	Horizontal	Pass
5**	16096.023	45.47	54.0	8.53	AV	325.00	200	Horizontal	Pass
6	17416.259	53.90	74.0	20.10	Peak	328.00	200	Horizontal	Pass
6**	17416.259	45.90	54.0	8.10	AV	328.00	200	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1334.883	43.39	74.0	30.61	Peak	335.00	400	Vertical	Pass
1**	1334.883	34.24	54.0	19.76	AV	335.00	400	Vertical	Pass
2	1438.185	44.68	74.0	29.32	Peak	13.00	200	Vertical	Pass
2**	1438.185	35.72	54.0	18.28	AV	13.00	200	Vertical	Pass
3	4313.089	44.88	74.0	29.12	Peak	234.00	200	Vertical	Pass
3**	4313.089	38.72	54.0	15.28	AV	234.00	200	Vertical	Pass
4	7592.605	52.31	74.0	21.69	Peak	180.00	400	Vertical	Pass
4**	7592.605	44.51	54.0	9.49	AV	180.00	400	Vertical	Pass
5	12532.892	55.53	74.0	18.47	Peak	136.00	300	Vertical	Pass
5**	12532.892	42.87	54.0	11.13	AV	136.00	300	Vertical	Pass
6	15908.504	53.26	74.0	20.74	Peak	226.00	100	Vertical	Pass
6**	15908.504	47.16	54.0	6.84	AV	226.00	100	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.254	40.81	74.0	33.19	Peak	298.00	300	Horizontal	Pass
1**	1519.254	30.61	54.0	23.39	AV	298.00	300	Horizontal	Pass
2	4020.839	48.43	74.0	25.57	Peak	243.00	400	Horizontal	Pass
2**	4020.839	36.67	54.0	17.33	AV	243.00	400	Horizontal	Pass
3	7598.046	52.39	74.0	21.61	Peak	44.00	200	Horizontal	Pass
3**	7598.046	43.84	54.0	10.16	AV	44.00	200	Horizontal	Pass
4	12456.849	50.69	74.0	23.31	Peak	302.00	100	Horizontal	Pass
4**	12456.849	46.46	54.0	7.54	AV	302.00	100	Horizontal	Pass
5	16098.952	52.66	74.0	21.34	Peak	252.00	300	Horizontal	Pass
5**	16098.952	45.82	54.0	8.18	AV	252.00	300	Horizontal	Pass
6	17421.624	57.05	74.0	16.95	Peak	289.00	300	Horizontal	Pass
6**	17421.624	48.40	54.0	5.60	AV	289.00	300	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1334.499	43.70	74.0	30.30	Peak	109.00	100	Vertical	Pass
1**	1334.499	34.33	54.0	19.67	AV	109.00	100	Vertical	Pass
2	1437.298	41.05	74.0	32.95	Peak	346.00	100	Vertical	Pass
2**	1437.298	38.43	54.0	15.57	AV	346.00	100	Vertical	Pass
3	4312.131	46.86	74.0	27.14	Peak	215.00	200	Vertical	Pass
3**	4312.131	39.04	54.0	14.96	AV	215.00	200	Vertical	Pass
4	7597.650	50.62	74.0	23.38	Peak	111.00	200	Vertical	Pass
4**	7597.650	41.02	54.0	12.98	AV	111.00	200	Vertical	Pass
5	12536.612	53.37	74.0	20.63	Peak	199.00	100	Vertical	Pass
5**	12536.612	44.51	54.0	9.49	AV	199.00	100	Vertical	Pass
6	15903.556	51.89	74.0	22.11	Peak	116.00	100	Vertical	Pass
6**	15903.556	47.38	54.0	6.62	AV	116.00	100	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.658	38.20	74.0	35.80	Peak	306.00	100	Horizontal	Pass
1**	1522.658	28.39	54.0	25.61	AV	306.00	100	Horizontal	Pass
2	4020.355	47.84	74.0	26.16	Peak	214.00	100	Horizontal	Pass
2**	4020.355	38.41	54.0	15.59	AV	214.00	100	Horizontal	Pass
3	7602.358	51.74	74.0	22.26	Peak	204.00	200	Horizontal	Pass
3**	7602.358	43.23	54.0	10.77	AV	204.00	200	Horizontal	Pass
4	12454.061	50.72	74.0	23.28	Peak	84.00	100	Horizontal	Pass
4**	12454.061	42.67	54.0	11.33	AV	84.00	100	Horizontal	Pass
5	16098.889	54.76	74.0	19.24	Peak	142.00	400	Horizontal	Pass
5**	16098.889	45.37	54.0	8.63	AV	142.00	400	Horizontal	Pass
6	17419.888	54.18	74.0	19.82	Peak	5.00	400	Horizontal	Pass
6**	17419.888	46.94	54.0	7.06	AV	5.00	400	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.961	43.80	74.0	30.20	Peak	102.00	200	Vertical	Pass
1**	1329.961	35.02	54.0	18.98	AV	102.00	200	Vertical	Pass
2	1439.626	39.93	74.0	34.07	Peak	226.00	300	Vertical	Pass
2**	1439.626	34.27	54.0	19.73	AV	226.00	300	Vertical	Pass
3	4310.668	47.09	74.0	26.91	Peak	146.00	200	Vertical	Pass
3**	4310.668	40.47	54.0	13.53	AV	146.00	200	Vertical	Pass
4	7590.919	50.15	74.0	23.85	Peak	138.00	400	Vertical	Pass
4**	7590.919	45.46	54.0	8.54	AV	138.00	400	Vertical	Pass
5	12535.484	55.50	74.0	18.50	Peak	335.00	100	Vertical	Pass
5**	12535.484	43.18	54.0	10.82	AV	335.00	100	Vertical	Pass
6	15909.984	56.72	74.0	17.28	Peak	311.00	400	Vertical	Pass
6**	15909.984	45.25	54.0	8.75	AV	311.00	400	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.341	39.59	74.0	34.41	Peak	297.00	100	Horizontal	Pass
1**	1518.341	28.34	54.0	25.66	AV	297.00	100	Horizontal	Pass
2	4020.121	45.13	74.0	28.87	Peak	186.00	100	Horizontal	Pass
2**	4020.121	37.65	54.0	16.35	AV	186.00	100	Horizontal	Pass
3	7597.730	54.05	74.0	19.95	Peak	345.00	200	Horizontal	Pass
3**	7597.730	45.18	54.0	8.82	AV	345.00	200	Horizontal	Pass
4	12456.832	51.06	74.0	22.94	Peak	285.00	100	Horizontal	Pass
4**	12456.832	44.66	54.0	9.34	AV	285.00	100	Horizontal	Pass
5	16094.344	52.10	74.0	21.90	Peak	61.00	300	Horizontal	Pass
5**	16094.344	45.00	54.0	9.00	AV	61.00	300	Horizontal	Pass
6	17421.270	55.64	74.0	18.36	Peak	132.00	400	Horizontal	Pass
6**	17421.270	45.40	54.0	8.60	AV	132.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1334.667	45.66	74.0	28.34	Peak	292.00	200	Vertical	Pass
1**	1334.667	34.82	54.0	19.18	AV	292.00	200	Vertical	Pass
2	1439.302	41.97	74.0	32.03	Peak	8.00	400	Vertical	Pass
2**	1439.302	38.73	54.0	15.27	AV	8.00	400	Vertical	Pass
3	4308.461	47.28	74.0	26.72	Peak	311.00	200	Vertical	Pass
3**	4308.461	41.44	54.0	12.56	AV	311.00	200	Vertical	Pass
4	7591.801	51.89	74.0	22.11	Peak	274.00	100	Vertical	Pass
4**	7591.801	40.86	54.0	13.14	AV	274.00	100	Vertical	Pass
5	12534.144	51.69	74.0	22.31	Peak	25.00	300	Vertical	Pass
5**	12534.144	46.39	54.0	7.61	AV	25.00	300	Vertical	Pass
6	15908.862	53.95	74.0	20.05	Peak	359.00	100	Vertical	Pass
6**	15908.862	45.94	54.0	8.06	AV	359.00	100	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1517.517	37.07	74.0	36.93	Peak	335.00	100	Horizontal	Pass
1**	1517.517	30.07	54.0	23.93	AV	335.00	100	Horizontal	Pass
2	4018.566	45.52	74.0	28.48	Peak	328.00	100	Horizontal	Pass
2**	4018.566	35.50	54.0	18.50	AV	328.00	100	Horizontal	Pass
3	7599.610	53.22	74.0	20.78	Peak	108.00	200	Horizontal	Pass
3**	7599.610	44.07	54.0	9.93	AV	108.00	200	Horizontal	Pass
4	12459.300	53.62	74.0	20.38	Peak	351.00	300	Horizontal	Pass
4**	12459.300	45.78	54.0	8.22	AV	351.00	300	Horizontal	Pass
5	16094.745	54.93	74.0	19.07	Peak	306.00	200	Horizontal	Pass
5**	16094.745	41.90	54.0	12.10	AV	306.00	200	Horizontal	Pass
6	17418.261	57.57	74.0	16.43	Peak	324.00	400	Horizontal	Pass
6**	17418.261	44.78	54.0	9.22	AV	324.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.874	46.23	74.0	27.77	Peak	326.00	300	Vertical	Pass
1**	1333.874	33.16	54.0	20.84	AV	326.00	300	Vertical	Pass
2	1437.645	41.18	74.0	32.82	Peak	29.00	100	Vertical	Pass
2**	1437.645	39.75	54.0	14.25	AV	29.00	100	Vertical	Pass
3	4311.272	44.73	74.0	29.27	Peak	297.00	200	Vertical	Pass
3**	4311.272	35.80	54.0	18.20	AV	297.00	200	Vertical	Pass
4	7596.057	50.82	74.0	23.18	Peak	231.00	100	Vertical	Pass
4**	7596.057	41.07	54.0	12.93	AV	231.00	100	Vertical	Pass
5	12537.307	51.72	74.0	22.28	Peak	81.00	400	Vertical	Pass
5**	12537.307	40.71	54.0	13.29	AV	81.00	400	Vertical	Pass
6	15907.054	52.80	74.0	21.20	Peak	335.00	100	Vertical	Pass
6**	15907.054	45.35	54.0	8.65	AV	335.00	100	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.169	39.39	74.0	34.61	Peak	25.00	200	Horizontal	Pass
1**	1524.169	28.54	54.0	25.46	AV	25.00	200	Horizontal	Pass
2	4017.193	44.99	74.0	29.01	Peak	93.00	400	Horizontal	Pass
2**	4017.193	39.84	54.0	14.16	AV	93.00	400	Horizontal	Pass
3	7596.593	52.51	74.0	21.49	Peak	208.00	200	Horizontal	Pass
3**	7596.593	41.12	54.0	12.88	AV	208.00	200	Horizontal	Pass
4	12453.736	51.93	74.0	22.07	Peak	238.00	100	Horizontal	Pass
4**	12453.736	43.60	54.0	10.40	AV	238.00	100	Horizontal	Pass
5	16098.092	51.97	74.0	22.03	Peak	197.00	400	Horizontal	Pass
5**	16098.092	43.20	54.0	10.80	AV	197.00	400	Horizontal	Pass
6	17422.027	55.41	74.0	18.59	Peak	360.00	300	Horizontal	Pass
6**	17422.027	48.05	54.0	5.95	AV	360.00	300	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.660	47.13	74.0	26.87	Peak	257.00	100	Vertical	Pass
1**	1331.660	33.73	54.0	20.27	AV	257.00	100	Vertical	Pass
2	1437.802	40.65	74.0	33.35	Peak	182.00	300	Vertical	Pass
2**	1437.802	37.67	54.0	16.33	AV	182.00	300	Vertical	Pass
3	4309.555	46.80	74.0	27.20	Peak	360.00	200	Vertical	Pass
3**	4309.555	38.62	54.0	15.38	AV	360.00	200	Vertical	Pass
4	7595.488	53.20	74.0	20.80	Peak	298.00	400	Vertical	Pass
4**	7595.488	45.55	54.0	8.45	AV	298.00	400	Vertical	Pass
5	12538.507	55.20	74.0	18.80	Peak	90.00	300	Vertical	Pass
5**	12538.507	46.59	54.0	7.41	AV	90.00	300	Vertical	Pass
6	15908.313	54.02	74.0	19.98	Peak	283.00	100	Vertical	Pass
6**	15908.313	47.19	54.0	6.81	AV	283.00	100	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.196	37.48	74.0	36.52	Peak	93.00	200	Horizontal	Pass
1**	1522.196	28.90	54.0	25.10	AV	93.00	200	Horizontal	Pass
2	4022.939	48.00	74.0	26.00	Peak	257.00	400	Horizontal	Pass
2**	4022.939	36.29	54.0	17.71	AV	257.00	400	Horizontal	Pass
3	7600.980	50.63	74.0	23.37	Peak	132.00	200	Horizontal	Pass
3**	7600.980	43.26	54.0	10.74	AV	132.00	200	Horizontal	Pass
4	12455.280	53.82	74.0	20.18	Peak	72.00	400	Horizontal	Pass
4**	12455.280	44.83	54.0	9.17	AV	72.00	400	Horizontal	Pass
5	16094.119	54.49	74.0	19.51	Peak	58.00	100	Horizontal	Pass
5**	16094.119	47.73	54.0	6.27	AV	58.00	100	Horizontal	Pass
6	17417.600	53.53	74.0	20.47	Peak	163.00	200	Horizontal	Pass
6**	17417.600	50.01	54.0	3.99	AV	163.00	200	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1335.486	45.49	74.0	28.51	Peak	2.00	100	Vertical	Pass
1**	1335.486	32.90	54.0	21.10	AV	2.00	100	Vertical	Pass
2	1444.202	42.99	74.0	31.01	Peak	201.00	300	Vertical	Pass
2**	1444.202	37.64	54.0	16.36	AV	201.00	300	Vertical	Pass
3	4310.692	49.92	74.0	24.08	Peak	276.00	200	Vertical	Pass
3**	4310.692	37.91	54.0	16.09	AV	276.00	200	Vertical	Pass
4	7596.386	50.49	74.0	23.51	Peak	26.00	200	Vertical	Pass
4**	7596.386	46.59	54.0	7.41	AV	26.00	200	Vertical	Pass
5	12535.794	50.58	74.0	23.42	Peak	58.00	400	Vertical	Pass
5**	12535.794	43.65	54.0	10.35	AV	58.00	400	Vertical	Pass
6	15910.562	53.30	74.0	20.70	Peak	328.00	400	Vertical	Pass
6**	15910.562	46.76	54.0	7.24	AV	328.00	400	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.376	35.77	74.0	38.23	Peak	115.00	300	Horizontal	Pass
1**	1520.376	31.77	54.0	22.23	AV	115.00	300	Horizontal	Pass
2	4023.612	48.59	74.0	25.41	Peak	186.00	400	Horizontal	Pass
2**	4023.612	34.81	54.0	19.19	AV	186.00	400	Horizontal	Pass
3	7594.712	52.22	74.0	21.78	Peak	79.00	200	Horizontal	Pass
3**	7594.712	45.54	54.0	8.46	AV	79.00	200	Horizontal	Pass
4	12453.678	56.02	74.0	17.98	Peak	218.00	100	Horizontal	Pass
4**	12453.678	42.94	54.0	11.06	AV	218.00	100	Horizontal	Pass
5	16094.129	50.91	74.0	23.09	Peak	105.00	300	Horizontal	Pass
5**	16094.129	47.73	54.0	6.27	AV	105.00	300	Horizontal	Pass
6	17418.497	58.41	74.0	15.59	Peak	17.00	400	Horizontal	Pass
6**	17418.497	47.14	54.0	6.86	AV	17.00	400	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1337.336	44.96	74.0	29.04	Peak	173.00	200	Vertical	Pass
1**	1337.336	36.57	54.0	17.43	AV	173.00	200	Vertical	Pass
2	1439.123	42.99	74.0	31.01	Peak	153.00	100	Vertical	Pass
2**	1439.123	34.31	54.0	19.69	AV	153.00	100	Vertical	Pass
3	4310.235	46.13	74.0	27.87	Peak	104.00	200	Vertical	Pass
3**	4310.235	40.74	54.0	13.26	AV	104.00	200	Vertical	Pass
4	7592.005	52.93	74.0	21.07	Peak	162.00	200	Vertical	Pass
4**	7592.005	42.66	54.0	11.34	AV	162.00	200	Vertical	Pass
5	12536.159	50.81	74.0	23.19	Peak	224.00	400	Vertical	Pass
5**	12536.159	45.39	54.0	8.61	AV	224.00	400	Vertical	Pass
6	15907.714	52.24	74.0	21.76	Peak	46.00	100	Vertical	Pass
6**	15907.714	46.46	54.0	7.54	AV	46.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1517.193	39.33	74.0	34.67	Peak	63.00	200	Horizontal	Pass
1**	1517.193	29.73	54.0	24.27	AV	63.00	200	Horizontal	Pass
2	4020.071	44.55	74.0	29.45	Peak	43.00	400	Horizontal	Pass
2**	4020.071	36.65	54.0	17.35	AV	43.00	400	Horizontal	Pass
3	7599.813	52.50	74.0	21.50	Peak	266.00	200	Horizontal	Pass
3**	7599.813	45.72	54.0	8.28	AV	266.00	200	Horizontal	Pass
4	12453.767	55.25	74.0	18.75	Peak	90.00	200	Horizontal	Pass
4**	12453.767	42.61	54.0	11.39	AV	90.00	200	Horizontal	Pass
5	16091.407	54.35	74.0	19.65	Peak	56.00	200	Horizontal	Pass
5**	16091.407	47.03	54.0	6.97	AV	56.00	200	Horizontal	Pass
6	17419.278	57.48	74.0	16.52	Peak	18.00	400	Horizontal	Pass
6**	17419.278	48.56	54.0	5.44	AV	18.00	400	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.930	42.95	74.0	31.05	Peak	49.00	300	Vertical	Pass
1**	1333.930	34.39	54.0	19.61	AV	49.00	300	Vertical	Pass
2	1439.031	40.44	74.0	33.56	Peak	73.00	300	Vertical	Pass
2**	1439.031	39.08	54.0	14.92	AV	73.00	300	Vertical	Pass
3	4309.097	49.72	74.0	24.28	Peak	201.00	200	Vertical	Pass
3**	4309.097	35.76	54.0	18.24	AV	201.00	200	Vertical	Pass
4	7591.319	53.87	74.0	20.13	Peak	252.00	400	Vertical	Pass
4**	7591.319	44.73	54.0	9.27	AV	252.00	400	Vertical	Pass
5	12535.066	53.88	74.0	20.12	Peak	358.00	400	Vertical	Pass
5**	12535.066	43.97	54.0	10.03	AV	358.00	400	Vertical	Pass
6	15910.464	52.24	74.0	21.76	Peak	286.00	100	Vertical	Pass
6**	15910.464	44.79	54.0	9.21	AV	286.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.564	37.09	74.0	36.91	Peak	343.00	100	Horizontal	Pass
1**	1518.564	31.36	54.0	22.64	AV	343.00	100	Horizontal	Pass
2	4017.639	48.72	74.0	25.28	Peak	264.00	400	Horizontal	Pass
2**	4017.639	39.09	54.0	14.91	AV	264.00	400	Horizontal	Pass
3	7594.852	51.83	74.0	22.17	Peak	45.00	200	Horizontal	Pass
3**	7594.852	44.53	54.0	9.47	AV	45.00	200	Horizontal	Pass
4	12454.583	55.07	74.0	18.93	Peak	211.00	200	Horizontal	Pass
4**	12454.583	45.77	54.0	8.23	AV	211.00	200	Horizontal	Pass
5	16096.694	54.43	74.0	19.57	Peak	137.00	200	Horizontal	Pass
5**	16096.694	44.99	54.0	9.01	AV	137.00	200	Horizontal	Pass
6	17420.144	58.67	74.0	15.33	Peak	79.00	400	Horizontal	Pass
6**	17420.144	49.60	54.0	4.40	AV	79.00	400	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.704	42.64	74.0	31.36	Peak	42.00	300	Vertical	Pass
1**	1330.704	32.99	54.0	21.01	AV	42.00	300	Vertical	Pass
2	1438.609	39.80	74.0	34.20	Peak	315.00	400	Vertical	Pass
2**	1438.609	39.11	54.0	14.89	AV	315.00	400	Vertical	Pass
3	4308.942	45.35	74.0	28.65	Peak	298.00	200	Vertical	Pass
3**	4308.942	41.21	54.0	12.79	AV	298.00	200	Vertical	Pass
4	7597.504	54.53	74.0	19.47	Peak	129.00	400	Vertical	Pass
4**	7597.504	41.26	54.0	12.74	AV	129.00	400	Vertical	Pass
5	12531.539	54.02	74.0	19.98	Peak	202.00	300	Vertical	Pass
5**	12531.539	45.23	54.0	8.77	AV	202.00	300	Vertical	Pass
6	15906.653	52.32	74.0	21.68	Peak	78.00	300	Vertical	Pass
6**	15906.653	48.56	54.0	5.44	AV	78.00	300	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.049	37.61	74.0	36.39	Peak	149.00	200	Horizontal	Pass
1**	1521.049	32.36	54.0	21.64	AV	149.00	200	Horizontal	Pass
2	4018.915	46.87	74.0	27.13	Peak	157.00	100	Horizontal	Pass
2**	4018.915	38.02	54.0	15.98	AV	157.00	100	Horizontal	Pass
3	7599.489	53.05	74.0	20.95	Peak	253.00	200	Horizontal	Pass
3**	7599.489	44.13	54.0	9.87	AV	253.00	200	Horizontal	Pass
4	12458.132	52.22	74.0	21.78	Peak	269.00	300	Horizontal	Pass
4**	12458.132	41.94	54.0	12.06	AV	269.00	300	Horizontal	Pass
5	16097.045	51.90	74.0	22.10	Peak	36.00	200	Horizontal	Pass
5**	16097.045	45.09	54.0	8.91	AV	36.00	200	Horizontal	Pass
6	17419.807	57.74	74.0	16.26	Peak	44.00	100	Horizontal	Pass
6**	17419.807	48.91	54.0	5.09	AV	44.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.399	47.38	74.0	26.62	Peak	288.00	300	Vertical	Pass
1**	1331.399	30.87	54.0	23.13	AV	288.00	300	Vertical	Pass
2	1436.482	41.82	74.0	32.18	Peak	282.00	200	Vertical	Pass
2**	1436.482	38.29	54.0	15.71	AV	282.00	200	Vertical	Pass
3	4308.563	47.85	74.0	26.15	Peak	238.00	200	Vertical	Pass
3**	4308.563	41.24	54.0	12.76	AV	238.00	200	Vertical	Pass
4	7592.414	50.06	74.0	23.94	Peak	301.00	300	Vertical	Pass
4**	7592.414	41.41	54.0	12.59	AV	301.00	300	Vertical	Pass
5	12538.369	56.13	74.0	17.87	Peak	1.00	200	Vertical	Pass
5**	12538.369	45.65	54.0	8.35	AV	1.00	200	Vertical	Pass
6	15909.127	54.16	74.0	19.84	Peak	244.00	200	Vertical	Pass
6**	15909.127	47.91	54.0	6.09	AV	244.00	200	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.594	39.00	74.0	35.00	Peak	219.00	200	Horizontal	Pass
1**	1520.594	31.86	54.0	22.14	AV	219.00	200	Horizontal	Pass
2	4022.142	44.25	74.0	29.75	Peak	37.00	200	Horizontal	Pass
2**	4022.142	36.08	54.0	17.92	AV	37.00	200	Horizontal	Pass
3	7594.703	51.16	74.0	22.84	Peak	278.00	200	Horizontal	Pass
3**	7594.703	41.24	54.0	12.76	AV	278.00	200	Horizontal	Pass
4	12454.708	52.97	74.0	21.03	Peak	70.00	400	Horizontal	Pass
4**	12454.708	41.26	54.0	12.74	AV	70.00	400	Horizontal	Pass
5	16093.785	54.34	74.0	19.66	Peak	289.00	200	Horizontal	Pass
5**	16093.785	47.08	54.0	6.92	AV	289.00	200	Horizontal	Pass
6	17422.847	55.18	74.0	18.82	Peak	136.00	100	Horizontal	Pass
6**	17422.847	49.70	54.0	4.30	AV	136.00	100	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.539	42.80	74.0	31.20	Peak	334.00	100	Vertical	Pass
1**	1329.539	31.37	54.0	22.63	AV	334.00	100	Vertical	Pass
2	1438.521	41.57	74.0	32.43	Peak	321.00	400	Vertical	Pass
2**	1438.521	36.63	54.0	17.37	AV	321.00	400	Vertical	Pass
3	4308.500	48.44	74.0	25.56	Peak	298.00	200	Vertical	Pass
3**	4308.500	36.90	54.0	17.10	AV	298.00	200	Vertical	Pass
4	7598.074	52.95	74.0	21.05	Peak	237.00	100	Vertical	Pass
4**	7598.074	46.39	54.0	7.61	AV	237.00	100	Vertical	Pass
5	12534.213	52.23	74.0	21.77	Peak	334.00	300	Vertical	Pass
5**	12534.213	45.40	54.0	8.60	AV	334.00	300	Vertical	Pass
6	15909.836	54.03	74.0	19.97	Peak	260.00	400	Vertical	Pass
6**	15909.836	46.25	54.0	7.75	AV	260.00	400	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.943	37.14	74.0	36.86	Peak	271.00	100	Horizontal	Pass
1**	1518.943	30.32	54.0	23.68	AV	271.00	100	Horizontal	Pass
2	4020.866	45.99	74.0	28.01	Peak	320.00	300	Horizontal	Pass
2**	4020.866	38.25	54.0	15.75	AV	320.00	300	Horizontal	Pass
3	7598.510	50.94	74.0	23.06	Peak	343.00	200	Horizontal	Pass
3**	7598.510	46.13	54.0	7.87	AV	343.00	200	Horizontal	Pass
4	12453.958	54.53	74.0	19.47	Peak	12.00	200	Horizontal	Pass
4**	12453.958	44.14	54.0	9.86	AV	12.00	200	Horizontal	Pass
5	16095.061	52.00	74.0	22.00	Peak	108.00	300	Horizontal	Pass
5**	16095.061	42.34	54.0	11.66	AV	108.00	300	Horizontal	Pass
6	17418.475	53.21	74.0	20.79	Peak	308.00	200	Horizontal	Pass
6**	17418.475	44.50	54.0	9.50	AV	308.00	200	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1336.228	41.58	74.0	32.42	Peak	231.00	400	Vertical	Pass
1**	1336.228	31.57	54.0	22.43	AV	231.00	400	Vertical	Pass
2	1442.987	43.20	74.0	30.80	Peak	176.00	200	Vertical	Pass
2**	1442.987	34.99	54.0	19.01	AV	176.00	200	Vertical	Pass
3	4314.372	47.09	74.0	26.91	Peak	99.00	200	Vertical	Pass
3**	4314.372	39.39	54.0	14.61	AV	99.00	200	Vertical	Pass
4	7597.094	54.60	74.0	19.40	Peak	209.00	200	Vertical	Pass
4**	7597.094	45.76	54.0	8.24	AV	209.00	200	Vertical	Pass
5	12533.672	54.94	74.0	19.06	Peak	321.00	100	Vertical	Pass
5**	12533.672	41.08	54.0	12.92	AV	321.00	100	Vertical	Pass
6	15905.292	54.93	74.0	19.07	Peak	36.00	100	Vertical	Pass
6**	15905.292	47.37	54.0	6.63	AV	36.00	100	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.030	37.03	74.0	36.97	Peak	26.00	200	Horizontal	Pass
1**	1523.030	28.70	54.0	25.30	AV	26.00	200	Horizontal	Pass
2	4016.525	47.16	74.0	26.84	Peak	234.00	400	Horizontal	Pass
2**	4016.525	33.94	54.0	20.06	AV	234.00	400	Horizontal	Pass
3	7596.236	53.66	74.0	20.34	Peak	154.00	200	Horizontal	Pass
3**	7596.236	44.10	54.0	9.90	AV	154.00	200	Horizontal	Pass
4	12455.273	52.63	74.0	21.37	Peak	130.00	200	Horizontal	Pass
4**	12455.273	42.36	54.0	11.64	AV	130.00	200	Horizontal	Pass
5	16093.309	55.15	74.0	18.85	Peak	54.00	100	Horizontal	Pass
5**	16093.309	46.78	54.0	7.22	AV	54.00	100	Horizontal	Pass
6	17422.246	56.69	74.0	17.31	Peak	40.00	100	Horizontal	Pass
6**	17422.246	48.43	54.0	5.57	AV	40.00	100	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1336.963	42.25	74.0	31.75	Peak	352.00	100	Vertical	Pass
1**	1336.963	33.91	54.0	20.09	AV	352.00	100	Vertical	Pass
2	1442.219	39.61	74.0	34.39	Peak	289.00	200	Vertical	Pass
2**	1442.219	34.45	54.0	19.55	AV	289.00	200	Vertical	Pass
3	4314.992	48.13	74.0	25.87	Peak	229.00	200	Vertical	Pass
3**	4314.992	41.48	54.0	12.52	AV	229.00	200	Vertical	Pass
4	7597.343	55.84	74.0	18.16	Peak	42.00	300	Vertical	Pass
4**	7597.343	41.36	54.0	12.64	AV	42.00	300	Vertical	Pass
5	12537.367	55.51	74.0	18.49	Peak	99.00	100	Vertical	Pass
5**	12537.367	41.03	54.0	12.97	AV	99.00	100	Vertical	Pass
6	15908.388	57.28	74.0	16.72	Peak	25.00	200	Vertical	Pass
6**	15908.388	46.71	54.0	7.29	AV	25.00	200	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.103	37.72	74.0	36.28	Peak	339.00	100	Horizontal	Pass
1**	1522.103	27.00	54.0	27.00	AV	339.00	100	Horizontal	Pass
2	4018.724	47.43	74.0	26.57	Peak	69.00	300	Horizontal	Pass
2**	4018.724	37.07	54.0	16.93	AV	69.00	300	Horizontal	Pass
3	7598.782	51.11	74.0	22.89	Peak	63.00	200	Horizontal	Pass
3**	7598.782	42.99	54.0	11.01	AV	63.00	200	Horizontal	Pass
4	12454.228	54.73	74.0	19.27	Peak	29.00	200	Horizontal	Pass
4**	12454.228	44.21	54.0	9.79	AV	29.00	200	Horizontal	Pass
5	16096.363	52.89	74.0	21.11	Peak	87.00	300	Horizontal	Pass
5**	16096.363	45.57	54.0	8.43	AV	87.00	300	Horizontal	Pass
6	17418.505	54.30	74.0	19.70	Peak	294.00	100	Horizontal	Pass
6**	17418.505	50.11	54.0	3.89	AV	294.00	100	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.583	47.38	74.0	26.62	Peak	317.00	100	Vertical	Pass
1**	1333.583	30.74	54.0	23.26	AV	317.00	100	Vertical	Pass
2	1443.508	42.62	74.0	31.38	Peak	249.00	200	Vertical	Pass
2**	1443.508	38.18	54.0	15.82	AV	249.00	200	Vertical	Pass
3	4312.027	44.52	74.0	29.48	Peak	268.00	200	Vertical	Pass
3**	4312.027	35.94	54.0	18.06	AV	268.00	200	Vertical	Pass
4	7598.038	55.31	74.0	18.69	Peak	254.00	200	Vertical	Pass
4**	7598.038	44.52	54.0	9.48	AV	254.00	200	Vertical	Pass
5	12533.734	51.75	74.0	22.25	Peak	358.00	100	Vertical	Pass
5**	12533.734	45.98	54.0	8.02	AV	358.00	100	Vertical	Pass
6	15905.564	51.90	74.0	22.10	Peak	43.00	400	Vertical	Pass
6**	15905.564	43.21	54.0	10.79	AV	43.00	400	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.494	39.05	74.0	34.95	Peak	327.00	400	Horizontal	Pass
1**	1524.494	29.99	54.0	24.01	AV	327.00	400	Horizontal	Pass
2	4016.084	49.88	74.0	24.12	Peak	305.00	200	Horizontal	Pass
2**	4016.084	34.06	54.0	19.94	AV	305.00	200	Horizontal	Pass
3	7600.092	51.26	74.0	22.74	Peak	100.00	200	Horizontal	Pass
3**	7600.092	42.60	54.0	11.40	AV	100.00	200	Horizontal	Pass
4	12459.725	56.14	74.0	17.86	Peak	231.00	400	Horizontal	Pass
4**	12459.725	41.98	54.0	12.02	AV	231.00	400	Horizontal	Pass
5	16095.937	51.26	74.0	22.74	Peak	110.00	200	Horizontal	Pass
5**	16095.937	42.80	54.0	11.20	AV	110.00	200	Horizontal	Pass
6	17418.436	57.82	74.0	16.18	Peak	139.00	300	Horizontal	Pass
6**	17418.436	47.47	54.0	6.53	AV	139.00	300	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.902	41.71	74.0	32.29	Peak	164.00	400	Vertical	Pass
1**	1332.902	35.99	54.0	18.01	AV	164.00	400	Vertical	Pass
2	1443.609	39.08	74.0	34.92	Peak	130.00	300	Vertical	Pass
2**	1443.609	35.28	54.0	18.72	AV	130.00	300	Vertical	Pass
3	4310.740	49.24	74.0	24.76	Peak	42.00	200	Vertical	Pass
3**	4310.740	37.32	54.0	16.68	AV	42.00	200	Vertical	Pass
4	7596.880	54.88	74.0	19.12	Peak	118.00	400	Vertical	Pass
4**	7596.880	43.98	54.0	10.02	AV	118.00	400	Vertical	Pass
5	12538.671	55.42	74.0	18.58	Peak	86.00	400	Vertical	Pass
5**	12538.671	42.16	54.0	11.84	AV	86.00	400	Vertical	Pass
6	15908.021	56.44	74.0	17.56	Peak	344.00	400	Vertical	Pass
6**	15908.021	45.79	54.0	8.21	AV	344.00	400	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.866	37.19	74.0	36.81	Peak	58.00	300	Horizontal	Pass
1**	1520.866	27.02	54.0	26.98	AV	58.00	300	Horizontal	Pass
2	4017.594	46.23	74.0	27.77	Peak	141.00	300	Horizontal	Pass
2**	4017.594	37.14	54.0	16.86	AV	141.00	300	Horizontal	Pass
3	7598.107	51.73	74.0	22.27	Peak	135.00	200	Horizontal	Pass
3**	7598.107	43.55	54.0	10.45	AV	135.00	200	Horizontal	Pass
4	12458.199	56.35	74.0	17.65	Peak	340.00	300	Horizontal	Pass
4**	12458.199	42.21	54.0	11.79	AV	340.00	300	Horizontal	Pass
5	16094.487	55.75	74.0	18.25	Peak	269.00	300	Horizontal	Pass
5**	16094.487	42.11	54.0	11.89	AV	269.00	300	Horizontal	Pass
6	17420.156	56.10	74.0	17.90	Peak	318.00	300	Horizontal	Pass
6**	17420.156	46.89	54.0	7.11	AV	318.00	300	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1336.272	47.35	74.0	26.65	Peak	263.00	400	Vertical	Pass
1**	1336.272	32.42	54.0	21.58	AV	263.00	400	Vertical	Pass
2	1443.291	42.49	74.0	31.51	Peak	40.00	400	Vertical	Pass
2**	1443.291	36.32	54.0	17.68	AV	40.00	400	Vertical	Pass
3	4313.351	45.32	74.0	28.68	Peak	346.00	200	Vertical	Pass
3**	4313.351	39.77	54.0	14.23	AV	346.00	200	Vertical	Pass
4	7593.182	55.80	74.0	18.20	Peak	82.00	300	Vertical	Pass
4**	7593.182	44.52	54.0	9.48	AV	82.00	300	Vertical	Pass
5	12535.759	54.02	74.0	19.98	Peak	295.00	200	Vertical	Pass
5**	12535.759	42.44	54.0	11.56	AV	295.00	200	Vertical	Pass
6	15905.747	54.18	74.0	19.82	Peak	158.00	200	Vertical	Pass
6**	15905.747	46.15	54.0	7.85	AV	158.00	200	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.831	36.24	74.0	37.76	Peak	14.00	300	Horizontal	Pass
1**	1523.831	28.58	54.0	25.42	AV	14.00	300	Horizontal	Pass
2	4021.760	47.65	74.0	26.35	Peak	300.00	400	Horizontal	Pass
2**	4021.760	36.59	54.0	17.41	AV	300.00	400	Horizontal	Pass
3	7595.532	53.99	74.0	20.01	Peak	142.00	200	Horizontal	Pass
3**	7595.532	43.71	54.0	10.29	AV	142.00	200	Horizontal	Pass
4	12455.059	56.54	74.0	17.46	Peak	247.00	100	Horizontal	Pass
4**	12455.059	41.45	54.0	12.55	AV	247.00	100	Horizontal	Pass
5	16096.157	50.63	74.0	23.37	Peak	350.00	200	Horizontal	Pass
5**	16096.157	47.77	54.0	6.23	AV	350.00	200	Horizontal	Pass
6	17423.002	57.70	74.0	16.30	Peak	170.00	200	Horizontal	Pass
6**	17423.002	48.38	54.0	5.62	AV	170.00	200	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.929	43.89	74.0	30.11	Peak	72.00	400	Vertical	Pass
1**	1329.929	36.33	54.0	17.67	AV	72.00	400	Vertical	Pass
2	1442.897	42.31	74.0	31.69	Peak	296.00	200	Vertical	Pass
2**	1442.897	39.06	54.0	14.94	AV	296.00	200	Vertical	Pass
3	4311.919	45.37	74.0	28.63	Peak	286.00	200	Vertical	Pass
3**	4311.919	36.58	54.0	17.42	AV	286.00	200	Vertical	Pass
4	7593.010	51.96	74.0	22.04	Peak	148.00	400	Vertical	Pass
4**	7593.010	43.46	54.0	10.54	AV	148.00	400	Vertical	Pass
5	12532.053	55.21	74.0	18.79	Peak	316.00	200	Vertical	Pass
5**	12532.053	44.33	54.0	9.67	AV	316.00	200	Vertical	Pass
6	15904.074	54.65	74.0	19.35	Peak	101.00	100	Vertical	Pass
6**	15904.074	45.14	54.0	8.86	AV	101.00	100	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.241	40.44	74.0	33.56	Peak	129.00	400	Horizontal	Pass
1**	1520.241	32.59	54.0	21.41	AV	129.00	400	Horizontal	Pass
2	4022.480	48.16	74.0	25.84	Peak	250.00	300	Horizontal	Pass
2**	4022.480	36.76	54.0	17.24	AV	250.00	300	Horizontal	Pass
3	7601.277	50.82	74.0	23.18	Peak	253.00	200	Horizontal	Pass
3**	7601.277	42.41	54.0	11.59	AV	253.00	200	Horizontal	Pass
4	12457.579	52.82	74.0	21.18	Peak	248.00	100	Horizontal	Pass
4**	12457.579	44.09	54.0	9.91	AV	248.00	100	Horizontal	Pass
5	16097.098	55.42	74.0	18.58	Peak	160.00	400	Horizontal	Pass
5**	16097.098	46.34	54.0	7.66	AV	160.00	400	Horizontal	Pass
6	17417.010	53.21	74.0	20.79	Peak	116.00	300	Horizontal	Pass
6**	17417.010	45.06	54.0	8.94	AV	116.00	300	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.643	42.52	74.0	31.48	Peak	178.00	400	Vertical	Pass
1**	1330.643	32.95	54.0	21.05	AV	178.00	400	Vertical	Pass
2	1439.250	42.93	74.0	31.07	Peak	129.00	200	Vertical	Pass
2**	1439.250	34.36	54.0	19.64	AV	129.00	200	Vertical	Pass
3	4315.093	46.92	74.0	27.08	Peak	133.00	200	Vertical	Pass
3**	4315.093	36.90	54.0	17.10	AV	133.00	200	Vertical	Pass
4	7594.444	50.96	74.0	23.04	Peak	165.00	300	Vertical	Pass
4**	7594.444	41.34	54.0	12.66	AV	165.00	300	Vertical	Pass
5	12538.204	54.48	74.0	19.52	Peak	271.00	300	Vertical	Pass
5**	12538.204	43.66	54.0	10.34	AV	271.00	300	Vertical	Pass
6	15907.919	53.84	74.0	20.16	Peak	64.00	300	Vertical	Pass
6**	15907.919	45.25	54.0	8.75	AV	64.00	300	Vertical	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.509	37.33	74.0	36.67	Peak	351.00	400	Horizontal	Pass
1**	1519.509	29.44	54.0	24.56	AV	351.00	400	Horizontal	Pass
2	4018.096	49.85	74.0	24.15	Peak	22.00	300	Horizontal	Pass
2**	4018.096	34.54	54.0	19.46	AV	22.00	300	Horizontal	Pass
3	7600.103	50.61	74.0	23.39	Peak	332.00	200	Horizontal	Pass
3**	7600.103	43.31	54.0	10.69	AV	332.00	200	Horizontal	Pass
4	12456.355	51.61	74.0	22.39	Peak	156.00	300	Horizontal	Pass
4**	12456.355	44.93	54.0	9.07	AV	156.00	300	Horizontal	Pass
5	16098.357	50.64	74.0	23.36	Peak	131.00	400	Horizontal	Pass
5**	16098.357	43.02	54.0	10.98	AV	131.00	400	Horizontal	Pass
6	17420.471	56.08	74.0	17.92	Peak	24.00	400	Horizontal	Pass
6**	17420.471	45.94	54.0	8.06	AV	24.00	400	Horizontal	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1334.390	44.86	74.0	29.14	Peak	131.00	400	Vertical	Pass
1**	1334.390	34.77	54.0	19.23	AV	131.00	400	Vertical	Pass
2	1438.383	44.55	74.0	29.45	Peak	235.00	400	Vertical	Pass
2**	1438.383	34.51	54.0	19.49	AV	235.00	400	Vertical	Pass
3	4311.113	44.90	74.0	29.10	Peak	234.00	200	Vertical	Pass
3**	4311.113	39.57	54.0	14.43	AV	234.00	200	Vertical	Pass
4	7595.351	55.76	74.0	18.24	Peak	315.00	300	Vertical	Pass
4**	7595.351	44.58	54.0	9.42	AV	315.00	300	Vertical	Pass
5	12531.133	51.00	74.0	23.00	Peak	288.00	100	Vertical	Pass
5**	12531.133	46.18	54.0	7.82	AV	288.00	100	Vertical	Pass
6	15906.641	56.85	74.0	17.15	Peak	9.00	200	Vertical	Pass
6**	15906.641	43.43	54.0	10.57	AV	9.00	200	Vertical	Pass

Antenna B**11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H**

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.265	40.10	74.0	33.90	Peak	94.00	200	Horizontal	Pass
1**	1511.265	31.46	54.0	22.54	AV	94.00	200	Horizontal	Pass
2	2345.689	43.03	74.0	30.97	Peak	167.00	200	Horizontal	Pass
2**	2345.689	37.83	54.0	16.17	AV	167.00	200	Horizontal	Pass
3	4202.300	48.32	74.0	25.68	Peak	134.00	200	Horizontal	Pass
3**	4202.300	37.14	54.0	16.86	AV	134.00	200	Horizontal	Pass
4	7432.804	54.23	74.0	19.77	Peak	140.00	200	Horizontal	Pass
4**	7432.804	43.75	54.0	10.25	AV	140.00	200	Horizontal	Pass
5	12519.247	57.51	74.0	16.49	Peak	72.00	200	Horizontal	Pass
5**	12519.247	47.23	54.0	6.77	AV	72.00	200	Horizontal	Pass
6	16146.776	52.55	74.0	21.45	Peak	306.00	200	Horizontal	Pass
6**	16146.776	44.74	54.0	9.26	AV	306.00	200	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1569.108	37.22	74.0	36.78	Peak	346.00	200	Vertical	Pass
1**	1569.108	27.45	54.0	26.55	AV	346.00	200	Vertical	Pass
2	2344.291	45.06	74.0	28.94	Peak	43.00	300	Vertical	Pass
2**	2344.291	36.23	54.0	17.77	AV	43.00	300	Vertical	Pass
3	3913.287	41.97	74.0	32.03	Peak	333.00	200	Vertical	Pass
3**	3913.287	34.33	54.0	19.67	AV	333.00	200	Vertical	Pass
4	7676.472	49.14	74.0	24.86	Peak	339.00	300	Vertical	Pass
4**	7676.472	42.09	54.0	11.91	AV	339.00	300	Vertical	Pass
5	12531.326	58.74	74.0	15.26	Peak	228.00	200	Vertical	Pass
5**	12531.326	42.08	54.0	11.92	AV	228.00	200	Vertical	Pass
6	15384.903	51.49	74.0	22.51	Peak	359.00	100	Vertical	Pass
6**	15384.903	44.50	54.0	9.50	AV	359.00	100	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.752	40.84	74.0	33.16	Peak	269.00	100	Horizontal	Pass
1**	1525.752	27.20	54.0	26.80	AV	269.00	100	Horizontal	Pass
2	2275.183	42.69	74.0	31.31	Peak	264.00	400	Horizontal	Pass
2**	2275.183	35.67	54.0	18.33	AV	264.00	400	Horizontal	Pass
3	4047.672	50.13	74.0	23.87	Peak	262.00	200	Horizontal	Pass
3**	4047.672	35.86	54.0	18.14	AV	262.00	200	Horizontal	Pass
4	7618.387	52.81	74.0	21.19	Peak	136.00	300	Horizontal	Pass
4**	7618.387	43.41	54.0	10.59	AV	136.00	300	Horizontal	Pass
5	12453.668	51.85	74.0	22.15	Peak	22.00	200	Horizontal	Pass
5**	12453.668	46.27	54.0	7.73	AV	22.00	200	Horizontal	Pass
6	15900.089	53.68	74.0	20.32	Peak	99.00	200	Horizontal	Pass
6**	15900.089	41.63	54.0	12.37	AV	99.00	200	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.320	40.02	74.0	33.98	Peak	197.00	200	Vertical	Pass
1**	1529.320	28.09	54.0	25.91	AV	197.00	200	Vertical	Pass
2	2338.379	41.83	74.0	32.17	Peak	42.00	400	Vertical	Pass
2**	2338.379	37.95	54.0	16.05	AV	42.00	400	Vertical	Pass
3	4898.090	47.06	74.0	26.94	Peak	132.00	200	Vertical	Pass
3**	4898.090	40.45	54.0	13.55	AV	132.00	200	Vertical	Pass
4	7328.549	52.02	74.0	21.98	Peak	229.00	200	Vertical	Pass
4**	7328.549	41.26	54.0	12.74	AV	229.00	200	Vertical	Pass
5	12489.855	53.24	74.0	20.76	Peak	134.00	200	Vertical	Pass
5**	12489.855	45.44	54.0	8.56	AV	134.00	200	Vertical	Pass
6	15690.397	56.06	74.0	17.94	Peak	301.00	200	Vertical	Pass
6**	15690.397	44.48	54.0	9.52	AV	301.00	200	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.697	38.07	74.0	35.93	Peak	28.00	100	Horizontal	Pass
1**	1522.697	29.16	54.0	24.84	AV	28.00	100	Horizontal	Pass
2	2274.460	44.66	74.0	29.34	Peak	121.00	100	Horizontal	Pass
2**	2274.460	35.91	54.0	18.09	AV	121.00	100	Horizontal	Pass
3	4046.758	45.25	74.0	28.75	Peak	11.00	200	Horizontal	Pass
3**	4046.758	35.47	54.0	18.53	AV	11.00	200	Horizontal	Pass
4	7623.901	52.65	74.0	21.35	Peak	327.00	100	Horizontal	Pass
4**	7623.901	45.97	54.0	8.03	AV	327.00	100	Horizontal	Pass
5	12454.340	52.22	74.0	21.78	Peak	303.00	200	Horizontal	Pass
5**	12454.340	42.57	54.0	11.43	AV	303.00	200	Horizontal	Pass
6	15900.986	51.61	74.0	22.39	Peak	354.00	400	Horizontal	Pass
6**	15900.986	44.58	54.0	9.42	AV	354.00	400	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.323	41.68	74.0	32.32	Peak	71.00	300	Vertical	Pass
1**	1596.323	23.30	54.0	30.70	AV	71.00	300	Vertical	Pass
2	2231.208	43.92	74.0	30.08	Peak	124.00	200	Vertical	Pass
2**	2231.208	33.29	54.0	20.71	AV	124.00	200	Vertical	Pass
3	4255.457	46.94	74.0	27.06	Peak	125.00	200	Vertical	Pass
3**	4255.457	40.66	54.0	13.34	AV	125.00	200	Vertical	Pass
4	7708.085	57.21	74.0	16.79	Peak	20.00	300	Vertical	Pass
4**	7708.085	42.29	54.0	11.71	AV	20.00	300	Vertical	Pass
5	12499.041	53.24	74.0	20.76	Peak	12.00	400	Vertical	Pass
5**	12499.041	43.51	54.0	10.49	AV	12.00	400	Vertical	Pass
6	15672.948	54.23	74.0	19.77	Peak	201.00	400	Vertical	Pass
6**	15672.948	43.89	54.0	10.11	AV	201.00	400	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.600	38.13	74.0	35.87	Peak	208.00	300	Horizontal	Pass
1**	1524.600	27.82	54.0	26.18	AV	208.00	300	Horizontal	Pass
2	4022.674	47.63	74.0	26.37	Peak	38.00	400	Horizontal	Pass
2**	4022.674	35.60	54.0	18.40	AV	38.00	400	Horizontal	Pass
3	7598.515	54.24	74.0	19.76	Peak	14.00	200	Horizontal	Pass
3**	7598.515	40.62	54.0	13.38	AV	14.00	200	Horizontal	Pass
4	12459.525	51.01	74.0	22.99	Peak	86.00	400	Horizontal	Pass
4**	12459.525	46.91	54.0	7.09	AV	86.00	400	Horizontal	Pass
5	16097.196	51.95	74.0	22.05	Peak	81.00	100	Horizontal	Pass
5**	16097.196	41.97	54.0	12.03	AV	81.00	100	Horizontal	Pass
6	17418.441	54.45	74.0	19.55	Peak	245.00	200	Horizontal	Pass
6**	17418.441	45.31	54.0	8.69	AV	245.00	200	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.256	42.12	74.0	31.88	Peak	32.00	300	Vertical	Pass
1**	1330.256	32.36	54.0	21.64	AV	32.00	300	Vertical	Pass
2	1440.470	42.59	74.0	31.41	Peak	141.00	100	Vertical	Pass
2**	1440.470	38.02	54.0	15.98	AV	141.00	100	Vertical	Pass
3	4313.613	45.77	74.0	28.23	Peak	67.00	200	Vertical	Pass
3**	4313.613	38.08	54.0	15.92	AV	67.00	200	Vertical	Pass
4	7597.109	52.02	74.0	21.98	Peak	129.00	400	Vertical	Pass
4**	7597.109	43.67	54.0	10.33	AV	129.00	400	Vertical	Pass
5	12531.777	53.59	74.0	20.41	Peak	317.00	100	Vertical	Pass
5**	12531.777	43.74	54.0	10.26	AV	317.00	100	Vertical	Pass
6	15907.821	52.94	74.0	21.06	Peak	259.00	400	Vertical	Pass
6**	15907.821	44.74	54.0	9.26	AV	259.00	400	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass

	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
	802.11ax(HE80)(SU)	Middle	Pass

Test DataAntenna A

U-NII-1 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5075.452	56.4	74.0	17.60	Peak	163.00	100	Horizontal	Pass
1**	5075.452	43.75	54.0	10.25	AV	163.00	100	Horizontal	Pass
2	5150.000	55.65	74.0	18.35	Peak	97.00	100	Horizontal	Pass
2**	5150.000	42.93	54.0	11.07	AV	97.00	100	Horizontal	Pass

U-NII-1 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.1	74.0	19.90	Peak	131.00	200	Horizontal	Pass
1**	5350.000	45.86	54.0	8.14	AV	131.00	200	Horizontal	Pass
2	5423.877	55.32	74.0	18.68	Peak	277.00	200	Horizontal	Pass
2**	5423.877	45.46	54.0	8.54	AV	277.00	200	Horizontal	Pass

U-NII-1 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5075.509	56.54	74.0	17.46	Peak	199.00	100	Horizontal	Pass
1**	5075.509	46.31	54.0	7.69	AV	199.00	100	Horizontal	Pass
2	5150.000	55.52	74.0	18.48	Peak	125.00	100	Horizontal	Pass
2**	5150.000	43.04	54.0	10.96	AV	125.00	100	Horizontal	Pass

U-NII-1 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.22	74.0	20.78	Peak	354.00	100	Horizontal	Pass
1**	5350.000	42.44	54.0	11.56	AV	354.00	100	Horizontal	Pass
2	5421.775	55.97	74.0	18.03	Peak	150.00	100	Horizontal	Pass
2**	5421.775	44.18	54.0	9.82	AV	150.00	100	Horizontal	Pass

U-NII-1 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5075.415	56.41	74.0	17.59	Peak	42.00	200	Horizontal	Pass
1**	5075.415	42.98	54.0	11.02	AV	42.00	200	Horizontal	Pass
2	5150.000	55.41	74.0	18.59	Peak	306.00	100	Horizontal	Pass
2**	5150.000	44.31	54.0	9.69	AV	306.00	100	Horizontal	Pass

U-NII-1 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.19	74.0	19.81	Peak	184.00	100	Horizontal	Pass
1**	5350.000	44.64	54.0	9.36	AV	184.00	100	Horizontal	Pass
2	5424.051	58.33	74.0	15.67	Peak	108.00	100	Horizontal	Pass
2**	5424.051	45.6	54.0	8.40	AV	108.00	100	Horizontal	Pass

U-NII-1 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5077.062	56.74	74.0	17.26	Peak	233.00	300	Horizontal	Pass
1**	5077.062	42.6	54.0	11.40	AV	233.00	300	Horizontal	Pass
2	5150.000	53.4	74.0	20.60	Peak	113.00	100	Horizontal	Pass
2**	5150.000	42.25	54.0	11.75	AV	113.00	100	Horizontal	Pass

U-NII-1 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.79	74.0	21.21	Peak	286.00	100	Horizontal	Pass
1**	5350.000	45.64	54.0	8.36	AV	286.00	100	Horizontal	Pass
2	5421.771	56.02	74.0	17.98	Peak	117.00	200	Horizontal	Pass
2**	5421.771	45.68	54.0	8.32	AV	117.00	200	Horizontal	Pass

U-NII-1 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.562	55.36	74.0	18.64	Peak	250.00	200	Horizontal	Pass
1**	5076.562	45.82	54.0	8.18	AV	250.00	200	Horizontal	Pass
2	5150.000	54.57	74.0	19.43	Peak	31.00	200	Horizontal	Pass
2**	5150.000	46.25	54.0	7.75	AV	31.00	200	Horizontal	Pass

U-NII-1 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.74	74.0	19.26	Peak	29.00	100	Horizontal	Pass
1**	5350.000	44.07	54.0	9.93	AV	29.00	100	Horizontal	Pass
2	5422.300	57.68	74.0	16.32	Peak	353.00	200	Horizontal	Pass
2**	5422.300	46.44	54.0	7.56	AV	353.00	200	Horizontal	Pass

U-NII-1 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5078.046	57.35	74.0	16.65	Peak	67.00	100	Horizontal	Pass
1**	5078.046	46.41	54.0	7.59	AV	67.00	100	Horizontal	Pass
2	5150.000	55.46	74.0	18.54	Peak	295.00	300	Horizontal	Pass
2**	5150.000	44.71	54.0	9.29	AV	295.00	300	Horizontal	Pass

U-NII-1 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.76	74.0	19.24	Peak	113.00	200	Horizontal	Pass
1**	5350.000	43.26	54.0	10.74	AV	113.00	200	Horizontal	Pass
2	5423.813	56.41	74.0	17.59	Peak	315.00	100	Horizontal	Pass
2**	5423.813	45.83	54.0	8.17	AV	315.00	100	Horizontal	Pass

U-NII-1 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5075.607	57.87	74.0	16.13	Peak	0.00	200	Horizontal	Pass
1**	5075.607	45.82	54.0	8.18	AV	0.00	200	Horizontal	Pass
2	5150.000	53.32	74.0	20.68	Peak	323.00	300	Horizontal	Pass
2**	5150.000	42.57	54.0	11.43	AV	323.00	300	Horizontal	Pass

U-NII-1 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.99	74.0	21.01	Peak	224.00	100	Horizontal	Pass
1**	5350.000	42.85	54.0	11.15	AV	224.00	100	Horizontal	Pass
2	5422.719	54.88	74.0	19.12	Peak	326.00	200	Horizontal	Pass
2**	5422.719	44.9	54.0	9.10	AV	326.00	200	Horizontal	Pass

U-NII-1 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.734	54.97	74.0	19.03	Peak	55.00	200	Horizontal	Pass
1**	5076.734	44.67	54.0	9.33	AV	55.00	200	Horizontal	Pass
2	5150.000	55.85	74.0	18.15	Peak	262.00	100	Horizontal	Pass
2**	5150.000	44.64	54.0	9.36	AV	262.00	100	Horizontal	Pass

U-NII-1 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.73	74.0	20.27	Peak	286.00	200	Horizontal	Pass
1**	5350.000	46.13	54.0	7.87	AV	286.00	200	Horizontal	Pass
2	5423.205	57.95	74.0	16.05	Peak	358.00	200	Horizontal	Pass
2**	5423.205	44.71	54.0	9.29	AV	358.00	200	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5078.161	55.24	74.0	18.76	Peak	279.00	100	Horizontal	Pass
1**	5078.161	45.07	54.0	8.93	AV	279.00	100	Horizontal	Pass
2	5150.000	55.02	74.0	18.98	Peak	270.00	100	Horizontal	Pass
2**	5150.000	44.72	54.0	9.28	AV	270.00	100	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.19	74.0	20.81	Peak	237.00	100	Horizontal	Pass
1**	5350.000	45.03	54.0	8.97	AV	237.00	100	Horizontal	Pass
2	5422.741	56.51	74.0	17.49	Peak	180.00	300	Horizontal	Pass
2**	5422.741	43.16	54.0	10.84	AV	180.00	300	Horizontal	Pass

U-NII-2A 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4996.171	57.34	74.0	16.66	Peak	190.00	200	Horizontal	Pass
1**	4996.171	44.2	54.0	9.80	AV	190.00	200	Horizontal	Pass
2	5150.000	51.83	74.0	22.17	Peak	112.00	100	Horizontal	Pass
2**	5150.000	44.33	54.0	9.67	AV	112.00	100	Horizontal	Pass

U-NII-2A 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.92	74.0	18.08	Peak	181.00	200	Horizontal	Pass
1**	5350.000	46.61	54.0	7.39	AV	181.00	200	Horizontal	Pass
2	5460.328	58.03	74.0	15.97	Peak	240.00	200	Horizontal	Pass
2**	5460.328	45.24	54.0	8.76	AV	240.00	200	Horizontal	Pass

U-NII-2A 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4998.293	54.26	74.0	19.74	Peak	318.00	200	Horizontal	Pass
1**	4998.293	43.14	54.0	10.86	AV	318.00	200	Horizontal	Pass
2	5150.000	52.8	74.0	21.20	Peak	30.00	200	Horizontal	Pass
2**	5150.000	43.31	54.0	10.69	AV	30.00	200	Horizontal	Pass

U-NII-2A 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.21	74.0	18.79	Peak	175.00	100	Horizontal	Pass
1**	5350.000	45.54	54.0	8.46	AV	175.00	100	Horizontal	Pass
2	5459.900	56.05	74.0	17.95	Peak	179.00	100	Horizontal	Pass
2**	5459.900	47.04	54.0	6.96	AV	179.00	100	Horizontal	Pass

U-NII-2A 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4998.316	56.97	74.0	17.03	Peak	48.00	300	Horizontal	Pass
1**	4998.316	43.87	54.0	10.13	AV	48.00	300	Horizontal	Pass
2	5150.000	55.65	74.0	18.35	Peak	120.00	200	Horizontal	Pass
2**	5150.000	45.54	54.0	8.46	AV	120.00	200	Horizontal	Pass

U-NII-2A 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.9	74.0	20.10	Peak	186.00	100	Horizontal	Pass
1**	5350.000	44.03	54.0	9.97	AV	186.00	100	Horizontal	Pass
2	5461.251	56.32	74.0	17.68	Peak	0.00	200	Horizontal	Pass
2**	5461.251	43.13	54.0	10.87	AV	0.00	200	Horizontal	Pass

U-NII-2A 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.152	56.83	74.0	17.17	Peak	216.00	100	Horizontal	Pass
1**	4997.152	45.27	54.0	8.73	AV	216.00	100	Horizontal	Pass
2	5150.000	55.49	74.0	18.51	Peak	141.00	200	Horizontal	Pass
2**	5150.000	46.28	54.0	7.72	AV	141.00	200	Horizontal	Pass

U-NII-2A 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.42	74.0	17.58	Peak	189.00	300	Horizontal	Pass
1**	5350.000	42.94	54.0	11.06	AV	189.00	300	Horizontal	Pass
2	5459.179	58.4	74.0	15.60	Peak	86.00	100	Horizontal	Pass
2**	5459.179	45.26	54.0	8.74	AV	86.00	100	Horizontal	Pass

U-NII-2A 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4995.914	58.13	74.0	15.87	Peak	194.00	100	Horizontal	Pass
1**	4995.914	44.09	54.0	9.91	AV	194.00	100	Horizontal	Pass
2	5150.000	54.25	74.0	19.75	Peak	345.00	200	Horizontal	Pass
2**	5150.000	44.16	54.0	9.84	AV	345.00	200	Horizontal	Pass

U-NII-2A 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.07	74.0	17.93	Peak	295.00	100	Horizontal	Pass
1**	5350.000	45.86	54.0	8.14	AV	295.00	100	Horizontal	Pass
2	5461.159	58.94	74.0	15.06	Peak	95.00	200	Horizontal	Pass
2**	5461.159	45.04	54.0	8.96	AV	95.00	200	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.736	58.02	74.0	15.98	Peak	40.00	300	Horizontal	Pass
1**	4997.736	43.56	54.0	10.44	AV	40.00	300	Horizontal	Pass
2	5150.000	52.9	74.0	21.10	Peak	294.00	200	Horizontal	Pass
2**	5150.000	43.58	54.0	10.42	AV	294.00	200	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56	74.0	18.00	Peak	306.00	200	Horizontal	Pass
1**	5350.000	42.88	54.0	11.12	AV	306.00	200	Horizontal	Pass
2	5461.848	56.4	74.0	17.60	Peak	246.00	100	Horizontal	Pass
2**	5461.848	46.57	54.0	7.43	AV	246.00	100	Horizontal	Pass

U-NII-2A 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4995.893	56.18	74.0	17.82	Peak	107.00	300	Horizontal	Pass
1**	4995.893	45.98	54.0	8.02	AV	107.00	300	Horizontal	Pass
2	5150.000	51.82	74.0	22.18	Peak	20.00	200	Horizontal	Pass
2**	5150.000	43.37	54.0	10.63	AV	20.00	200	Horizontal	Pass

U-NII-2A 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.78	74.0	18.22	Peak	242.00	200	Horizontal	Pass
1**	5350.000	43.54	54.0	10.46	AV	242.00	200	Horizontal	Pass
2	5462.164	57.5	74.0	16.50	Peak	185.00	100	Horizontal	Pass
2**	5462.164	44.19	54.0	9.81	AV	185.00	100	Horizontal	Pass

U-NII-2A 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4996.489	55.03	74.0	18.97	Peak	60.00	200	Horizontal	Pass
1**	4996.489	42.51	54.0	11.49	AV	60.00	200	Horizontal	Pass
2	5150.000	55.06	74.0	18.94	Peak	299.00	200	Horizontal	Pass
2**	5150.000	45.73	54.0	8.27	AV	299.00	200	Horizontal	Pass

U-NII-2A 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.13	74.0	17.87	Peak	208.00	300	Horizontal	Pass
1**	5350.000	43.14	54.0	10.86	AV	208.00	300	Horizontal	Pass
2	5460.994	57.97	74.0	16.03	Peak	110.00	300	Horizontal	Pass
2**	5460.994	45.91	54.0	8.09	AV	110.00	300	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4998.306	57.08	74.0	16.92	Peak	14.00	300	Horizontal	Pass
1**	4998.306	44.13	54.0	9.87	AV	14.00	300	Horizontal	Pass
2	5150.000	52.87	74.0	21.13	Peak	309.00	300	Horizontal	Pass
2**	5150.000	45.81	54.0	8.19	AV	309.00	300	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.11	74.0	19.89	Peak	248.00	100	Horizontal	Pass
1**	5350.000	43.23	54.0	10.77	AV	248.00	100	Horizontal	Pass
2	5461.626	56.06	74.0	17.94	Peak	151.00	100	Horizontal	Pass
2**	5461.626	43.94	54.0	10.06	AV	151.00	100	Horizontal	Pass

U-NII-2C 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.542	56.93	74.0	17.07	Peak	14.00	200	Horizontal	Pass
1**	5412.180	45.23	54.0	8.77	AV	14.00	200	Horizontal	Pass
2	5460.000	54.51	74.0	19.49	Peak	61.00	100	Horizontal	Pass
2**	5460.000	44.02	54.0	9.98	AV	61.00	100	Horizontal	Pass
3	5468.358	55.79	68.2	12.41	Peak	348.00	300	Horizontal	Pass
3**	5467.640	44.24	--	--	AV	348.00	300	Horizontal	N/A
4	5470.000	56.32	68.2	11.88	Peak	330.00	100	Horizontal	Pass
4**	5470.000	46.15	--	--	AV	330.00	100	Horizontal	N/A

U-NII-2C 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.41	68.2	11.79	Peak	88.00	200	Horizontal	Pass
2	5776.017	55.74	68.2	12.46	Peak	331.00	200	Horizontal	Pass

U-NII-2C 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.034	55.68	74.0	18.32	Peak	195.00	200	Horizontal	Pass
1**	5412.238	42.82	54.0	11.18	AV	195.00	200	Horizontal	Pass
2	5460.000	53.81	74.0	20.19	Peak	148.00	100	Horizontal	Pass
2**	5460.000	47.54	54.0	6.46	AV	148.00	100	Horizontal	Pass
3	5466.764	57.97	68.2	10.23	Peak	209.00	100	Horizontal	Pass
3**	5468.127	47.42	--	--	AV	209.00	100	Horizontal	N/A
4	5470.000	53.03	68.2	15.17	Peak	243.00	100	Horizontal	Pass
4**	5470.000	44.79	--	--	AV	243.00	100	Horizontal	N/A

U-NII-2C 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.6	68.2	14.60	Peak	235.00	200	Horizontal	Pass
2	5774.950	54.84	68.2	13.36	Peak	265.00	300	Horizontal	Pass

U-NII-2C 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.223	57.07	74.0	16.93	Peak	174.00	300	Horizontal	Pass
1**	5412.706	44.18	54.0	9.82	AV	174.00	300	Horizontal	Pass
2	5460.000	54.97	74.0	19.03	Peak	46.00	300	Horizontal	Pass
2**	5460.000	43.79	54.0	10.21	AV	46.00	300	Horizontal	Pass
3	5468.436	55.16	68.2	13.04	Peak	124.00	300	Horizontal	Pass
3**	5467.575	47.45	--	--	AV	124.00	300	Horizontal	N/A
4	5470.000	53.96	68.2	14.24	Peak	65.00	300	Horizontal	Pass
4**	5470.000	44.24	--	--	AV	65.00	300	Horizontal	N/A

U-NII-2C 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.76	68.2	13.44	Peak	161.00	100	Horizontal	Pass
2	5777.356	55.43	68.2	12.77	Peak	153.00	200	Horizontal	Pass

U-NII-2C 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.420	55.01	74.0	18.99	Peak	29.00	200	Horizontal	Pass
1**	5412.255	45.01	54.0	8.99	AV	29.00	200	Horizontal	Pass
2	5460.000	54.97	74.0	19.03	Peak	266.00	300	Horizontal	Pass
2**	5460.000	46.72	54.0	7.28	AV	266.00	300	Horizontal	Pass
3	5466.739	56.36	68.2	11.84	Peak	144.00	300	Horizontal	Pass
3**	5466.717	47.32	--	--	AV	144.00	300	Horizontal	N/A
4	5470.000	55.8	68.2	12.40	Peak	124.00	100	Horizontal	Pass
4**	5470.000	45.3	--	--	AV	124.00	100	Horizontal	N/A

U-NII-2C 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.23	68.2	13.97	Peak	198.00	200	Horizontal	Pass
2	5775.843	56.98	68.2	11.22	Peak	255.00	300	Horizontal	Pass

U-NII-2C 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.530	57.72	74.0	16.28	Peak	229.00	100	Horizontal	Pass
1**	5412.936	45	54.0	9.00	AV	229.00	100	Horizontal	Pass
2	5460.000	56.65	74.0	17.35	Peak	15.00	100	Horizontal	Pass
2**	5460.000	43.84	54.0	10.16	AV	15.00	100	Horizontal	Pass
3	5466.556	55.99	68.2	12.21	Peak	356.00	200	Horizontal	Pass
3**	5466.709	46.24	--	--	AV	356.00	200	Horizontal	N/A
4	5470.000	53.4	68.2	14.80	Peak	15.00	300	Horizontal	Pass
4**	5470.000	47.33	--	--	AV	15.00	300	Horizontal	N/A

U-NII-2C 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.29	68.2	11.91	Peak	188.00	300	Horizontal	Pass
2	5776.345	58.11	68.2	10.09	Peak	162.00	100	Horizontal	Pass

U-NII-2C 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.058	58.43	74.0	15.57	Peak	148.00	200	Horizontal	Pass
1**	5413.369	44.72	54.0	9.28	AV	148.00	200	Horizontal	Pass
2	5460.000	55.14	74.0	18.86	Peak	96.00	300	Horizontal	Pass
2**	5460.000	46.98	54.0	7.02	AV	96.00	300	Horizontal	Pass
3	5468.867	55.89	68.2	12.31	Peak	195.00	300	Horizontal	Pass
3**	5467.712	45.79	--	--	AV	195.00	300	Horizontal	N/A
4	5470.000	53.09	68.2	15.11	Peak	103.00	100	Horizontal	Pass
4**	5470.000	46.12	--	--	AV	103.00	100	Horizontal	N/A

U-NII-2C 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.81	68.2	12.39	Peak	204.00	200	Horizontal	Pass
2	5775.922	55.93	68.2	12.27	Peak	285.00	100	Horizontal	Pass

U-NII-2C 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.450	57.9	74.0	16.10	Peak	21.00	300	Horizontal	Pass
1**	5411.875	43.98	54.0	10.02	AV	21.00	300	Horizontal	Pass
2	5460.000	56.42	74.0	17.58	Peak	53.00	100	Horizontal	Pass
2**	5460.000	43.81	54.0	10.19	AV	53.00	100	Horizontal	Pass
3	5466.624	57.77	68.2	10.43	Peak	306.00	200	Horizontal	Pass
3**	5467.333	44.8	--	--	AV	306.00	200	Horizontal	N/A
4	5470.000	55.4	68.2	12.80	Peak	181.00	300	Horizontal	Pass
4**	5470.000	44.19	--	--	AV	181.00	300	Horizontal	N/A

U-NII-2C 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.96	68.2	11.24	Peak	32.00	100	Horizontal	Pass
2	5776.210	57.38	68.2	10.82	Peak	101.00	100	Horizontal	Pass

U-NII-2C 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.073	58.1	74.0	15.90	Peak	176.00	100	Horizontal	Pass
1**	5410.511	43.98	54.0	10.02	AV	176.00	100	Horizontal	Pass
2	5460.000	55.15	74.0	18.85	Peak	127.00	200	Horizontal	Pass
2**	5460.000	45.68	54.0	8.32	AV	127.00	200	Horizontal	Pass
3	5467.783	55.66	68.2	12.54	Peak	195.00	200	Horizontal	Pass
3**	5467.542	45.08	--	--	AV	195.00	200	Horizontal	N/A
4	5470.000	53.86	68.2	14.34	Peak	163.00	300	Horizontal	Pass
4**	5470.000	45.09	--	--	AV	163.00	300	Horizontal	N/A

U-NII-2C 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.58	68.2	11.62	Peak	257.00	200	Horizontal	Pass
2	5777.292	56.26	68.2	11.94	Peak	224.00	200	Horizontal	Pass

U-NII-2C 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.566	57.95	74.0	16.05	Peak	26.00	300	Horizontal	Pass
1**	5411.076	43.91	54.0	10.09	AV	26.00	300	Horizontal	Pass
2	5460.000	56.02	74.0	17.98	Peak	165.00	300	Horizontal	Pass
2**	5460.000	47.66	54.0	6.34	AV	165.00	300	Horizontal	Pass
3	5467.135	55.39	68.2	12.81	Peak	222.00	100	Horizontal	Pass
3**	5468.352	47.1	--	--	AV	222.00	100	Horizontal	N/A
4	5470.000	54.12	68.2	14.08	Peak	22.00	100	Horizontal	Pass
4**	5470.000	47.17	--	--	AV	22.00	100	Horizontal	N/A

U-NII-2C 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.45	68.2	14.75	Peak	217.00	100	Horizontal	Pass
2	5776.673	57.28	68.2	10.92	Peak	288.00	100	Horizontal	Pass

U-NII-3 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.841	57.66	68.2	10.54	Peak	153.00	100	Horizontal	Pass
2	5650.000	54.63	68.2	13.57	Peak	153.00	100	Horizontal	Pass

U-NII-3 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.18	68.2	14.02	Peak	43.00	100	Horizontal	Pass
2	5941.985	56.11	68.2	12.09	Peak	189.00	100	Horizontal	Pass

U-NII-3 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.130	55.03	68.2	13.17	Peak	240.00	200	Horizontal	Pass
2	5650.000	54.11	68.2	14.09	Peak	240.00	200	Horizontal	Pass

U-NII-3 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	52.93	68.2	15.27	Peak	269.00	300	Horizontal	Pass
2	5944.971	56.58	68.2	11.62	Peak	267.00	100	Horizontal	Pass

U-NII-3 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.845	55.85	68.2	12.35	Peak	220.00	200	Horizontal	Pass
2	5650.000	51.48	68.2	16.72	Peak	220.00	200	Horizontal	Pass

U-NII-3 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	52.23	68.2	15.97	Peak	77.00	300	Horizontal	Pass
2	5947.901	56.8	68.2	11.40	Peak	326.00	200	Horizontal	Pass

U-NII-3 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.735	54.64	68.2	13.56	Peak	101.00	100	Horizontal	Pass
2	5650.000	51.89	68.2	16.31	Peak	101.00	100	Horizontal	Pass

U-NII-3 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	51.39	68.2	16.81	Peak	168.00	200	Horizontal	Pass
2	5950.198	56.98	68.2	11.22	Peak	154.00	100	Horizontal	Pass

U-NII-3 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.759	54.65	68.2	13.55	Peak	38.00	300	Horizontal	Pass
2	5650.000	51.03	68.2	17.17	Peak	38.00	300	Horizontal	Pass

U-NII-3 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	51.12	68.2	17.08	Peak	23.00	200	Horizontal	Pass
2	5950.760	54.67	68.2	13.53	Peak	39.00	100	Horizontal	Pass

U-NII-3 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5638.502	54.11	68.2	14.09	Peak	144.00	200	Horizontal	Pass
2	5650.000	49.53	68.2	18.67	Peak	144.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	51.86	68.2	16.34	Peak	210.00	300	Horizontal	Pass
2	5953.743	52.6	68.2	15.60	Peak	87.00	100	Horizontal	Pass

U-NII-3 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5638.334	54.3	68.2	13.90	Peak	112.00	300	Horizontal	Pass
2	5650.000	50.37	68.2	17.83	Peak	112.00	300	Horizontal	Pass

U-NII-3 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	48.95	68.2	19.25	Peak	301.00	300	Horizontal	Pass
2	5955.450	53.05	68.2	15.15	Peak	250.00	300	Horizontal	Pass

U-NII-3 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5635.623	51.81	68.2	16.39	Peak	134.00	300	Horizontal	Pass
2	5650.000	50.37	68.2	17.83	Peak	134.00	300	Horizontal	Pass

U-NII-3 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	47.56	68.2	20.64	Peak	172.00	100	Horizontal	Pass
2	5958.308	51.12	68.2	17.08	Peak	303.00	300	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5634.006	51.62	68.2	16.58	Peak	220.00	200	Horizontal	Pass
2	5650.000	49.99	68.2	18.21	Peak	220.00	200	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	44.8	68.2	23.40	Peak	71.00	200	Horizontal	Pass
2	5958.557	48.13	68.2	20.07	Peak	253.00	100	Horizontal	Pass

Antenna B**U-NII-1 11ax80(SU) Middle Channel**

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5078.175	57.06	74	16.94	Peak	273	200	Horizontal	Pass
1**	5078.175	45.49	54	8.51	AV	273	200	Horizontal	Pass
2	5149.675	55.26	74	18.74	Peak	255	200	Horizontal	Pass
2**	5149.675	45.25	54	8.75	AV	255	200	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.53	74	18.47	Peak	102	150	Horizontal	Pass
1**	5350.055	45.27	54	8.73	AV	102	150	Horizontal	Pass
2	5421.665	57.56	74	16.44	Peak	290	100	Horizontal	Pass
2**	5421.665	46.01	54	7.99	AV	290	100	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.223	57.2	74.0	16.80	Peak	330.00	300	Horizontal	Pass
1**	4997.223	44.26	54.0	9.74	AV	330.00	300	Horizontal	Pass
2	5150.000	55.41	74.0	18.59	Peak	245.00	100	Horizontal	Pass
2**	5150.000	45.62	54.0	8.38	AV	245.00	100	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.66	74.0	20.34	Peak	88.00	200	Horizontal	Pass
1**	5350.000	43.71	54.0	10.29	AV	88.00	200	Horizontal	Pass
2	5459.612	55.65	74.0	18.35	Peak	72.00	200	Horizontal	Pass
2**	5459.612	43.91	54.0	10.09	AV	72.00	200	Horizontal	Pass

U-NII-2C 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.736	55.35	74.0	18.65	Peak	195.00	100	Horizontal	Pass
1**	5412.681	44.23	54.0	9.77	AV	195.00	100	Horizontal	Pass
2	5460.000	55.69	74.0	18.31	Peak	100.00	200	Horizontal	Pass
2**	5460.000	47.02	54.0	6.98	AV	100.00	200	Horizontal	Pass
3	5466.296	54.63	68.2	13.57	Peak	158.00	300	Horizontal	Pass
3**	5468.329	45.56	--	--	AV	158.00	300	Horizontal	N/A
4	5470.000	53.19	68.2	15.01	Peak	8.00	300	Horizontal	Pass
4**	5470.000	46.03	--	--	AV	8.00	300	Horizontal	N/A

U-NII-3 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5632.277	49.94	68.2	18.26	Peak	85.00	100	Horizontal	Pass
2	5650.000	44.12	68.2	24.08	Peak	85.00	100	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.73	68.2	13.47	Peak	83.00	100	Horizontal	Pass
2	5954.698	45.18	68.2	23.02	Peak	30.00	100	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2571609-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2571609-AW-1.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2571609-AI-1.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--