



802.11a CH36



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1258.125000	42.72	---	68.20	25.48	150.0	200.0	V	103.0	-3.2
1374.500000	---	32.25	54.00	21.75	150.0	200.0	H	257.0	-2.3
1702.625000	---	33.33	54.00	20.67	150.0	200.0	V	89.0	-0.3
1971.250000	46.18	---	68.20	22.02	150.0	200.0	H	296.0	1.4
2607.375000	47.75	---	68.20	20.45	150.0	200.0	H	154.0	4.4
2759.625000	---	37.02	54.00	16.98	150.0	200.0	V	82.0	5.4
3084.250000	49.32	---	68.20	18.88	150.0	200.0	V	18.0	7.2
3762.375000	---	39.34	54.00	14.66	150.0	200.0	H	347.0	8.0
5058.250000	---	50.48	54.00	3.52	150.0	200.0	V	213.0	14.5
5361.875000	67.79	---	74.00	6.21	150.0	200.0	V	213.0	14.6
5704.000000	56.95	---	68.20	11.25	150.0	200.0	V	235.0	15.5
7566.000000	---	42.05	54.00	11.95	150.0	200.0	H	184.0	15.4



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8728.750000	40.90	---	68.20	27.30	150.0	100.0	H	356.0	5.0
9018.750000	---	32.02	54.00	21.98	150.0	200.0	V	42.0	5.0
9446.250000	---	31.63	54.00	22.37	150.0	200.0	H	151.0	5.6
10360.000000	45.34	---	68.20	22.86	150.0	200.0	H	198.0	6.4
10491.250000	40.60	---	68.20	27.60	150.0	100.0	H	18.0	6.2
11003.750000	---	33.47	54.00	20.53	150.0	100.0	H	6.0	7.1
13326.250000	---	34.84	54.00	19.16	150.0	100.0	V	152.0	10.9
13405.000000	44.75	---	68.20	23.45	150.0	100.0	H	252.0	11.2
15211.250000	46.19	---	68.20	22.01	150.0	100.0	V	152.0	12.7
15540.000000	---	37.24	54.00	16.76	150.0	100.0	V	52.0	12.9
17082.500000	51.40	---	68.20	16.80	150.0	200.0	H	106.0	19.1
17902.500000	---	42.76	54.00	11.24	150.0	100.0	V	125.0	20.6

802.11a CH40



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1297.500000	42.63	---	68.20	25.57	150.0	200.0	H	0.0	-2.9
1380.625000	---	31.79	54.00	22.21	150.0	200.0	V	4.0	-2.3
1663.250000	---	33.56	54.00	20.44	150.0	200.0	V	47.0	-0.4
1976.500000	45.60	---	68.20	22.60	150.0	200.0	V	0.0	1.5
2610.875000	47.85	---	68.20	20.35	150.0	200.0	H	241.0	4.4
2731.625000	---	36.92	54.00	17.08	150.0	200.0	V	91.0	5.3
3000.250000	49.03	---	68.20	19.17	150.0	200.0	V	4.0	7.0
3783.375000	---	39.17	54.00	14.83	150.0	200.0	H	256.0	8.1
5141.375000	---	50.33	54.00	3.67	150.0	200.0	V	250.0	14.5
5147.500000	63.68	---	74.00	10.32	150.0	200.0	V	250.0	14.5
5973.500000	54.71	---	68.20	13.49	150.0	200.0	V	40.0	15.9
7632.500000	---	42.35	54.00	11.65	150.0	200.0	V	62.0	15.4



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8781.250000	41.40	---	68.20	26.80	150.0	100.0	H	312.0	5.0
9121.250000	---	32.27	54.00	21.73	150.0	200.0	V	161.0	5.1
9175.000000	---	32.28	54.00	21.72	150.0	200.0	V	150.0	5.1
10360.000000	45.36	---	68.20	22.84	150.0	100.0	V	71.0	6.4
10572.500000	41.66	---	68.20	26.54	150.0	100.0	V	76.0	6.4
10702.500000	---	33.62	54.00	20.38	150.0	200.0	H	0.0	7.1
13001.250000	44.02	---	68.20	24.18	150.0	100.0	H	285.0	10.9
13333.750000	---	34.54	54.00	19.46	150.0	100.0	V	60.0	10.9
15218.750000	46.37	---	68.20	21.83	150.0	100.0	V	8.0	12.8
15372.500000	---	36.69	54.00	17.31	150.0	100.0	H	248.0	13.5
17347.500000	51.23	---	68.20	16.97	150.0	100.0	V	139.0	20.3
17912.500000	---	42.19	54.00	11.81	150.0	200.0	V	37.0	20.6

802.11a CH48



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1271.250000	43.09	---	68.20	25.11	150.0	200.0	V	178.0	-3.1
1374.500000	---	32.44	54.00	21.56	150.0	200.0	H	300.0	-2.3
1700.875000	---	33.19	54.00	20.81	150.0	200.0	H	0.0	-0.3
1987.875000	47.10	---	68.20	21.10	150.0	200.0	H	56.0	1.7
2573.250000	47.42	---	68.20	20.78	150.0	200.0	H	175.0	4.2
2740.375000	---	37.07	54.00	16.93	150.0	200.0	V	237.0	5.3
3010.750000	49.40	---	68.20	18.80	150.0	200.0	H	71.0	7.0
3894.500000	---	38.83	54.00	15.17	150.0	200.0	H	27.0	8.1
5382.875000	---	52.65	54.00	1.35	150.0	200.0	V	259.0	14.6
5549.125000	53.74	---	68.20	14.46	150.0	200.0	H	182.0	15.0
5853.625000	54.28	---	68.20	13.92	150.0	200.0	V	0.0	15.9
7367.375000	---	42.17	54.00	11.83	150.0	200.0	H	161.0	14.4



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8655.000000	40.99	---	68.20	27.21	150.0	200.0	H	75.0	4.9
9121.250000	---	31.82	54.00	22.18	150.0	200.0	H	354.0	5.1
9178.750000	---	31.59	54.00	22.41	150.0	200.0	H	332.0	5.1
10360.000000	43.61	---	68.20	24.59	150.0	200.0	H	192.0	6.4
10566.250000	40.55	---	68.20	27.65	150.0	200.0	V	181.0	6.3
10970.000000	---	33.23	54.00	20.77	150.0	100.0	H	266.0	7.1
13372.500000	---	34.74	54.00	19.26	150.0	100.0	H	118.0	11.1
13412.500000	43.29	---	68.20	24.91	150.0	200.0	V	0.0	11.2
15176.250000	45.55	---	68.20	22.65	150.0	200.0	H	218.0	12.4
15368.750000	---	36.52	54.00	17.48	150.0	100.0	V	133.0	13.5
17616.250000	50.49	---	68.20	17.71	150.0	100.0	V	181.0	20.2
17911.250000	---	42.12	54.00	11.88	150.0	200.0	V	149.0	20.6

802.11a CH52



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1285.250000	43.55	---	68.20	24.65	150.0	200.0	H	18.0	-2.9
1374.500000	---	32.00	54.00	22.00	150.0	200.0	H	40.0	-2.3
1707.875000	---	33.10	54.00	20.90	150.0	200.0	H	75.0	-0.2
1953.750000	46.39	---	68.20	21.81	150.0	200.0	H	134.0	1.4
2532.125000	49.26	---	68.20	18.94	150.0	200.0	V	225.0	3.9
2743.000000	---	37.01	54.00	16.99	150.0	200.0	H	192.0	5.3
3118.375000	49.51	---	68.20	18.69	150.0	200.0	H	266.0	7.2
3797.375000	---	38.95	54.00	15.05	150.0	200.0	H	47.0	8.1
5411.750000	59.60	---	74.00	14.40	150.0	200.0	V	321.0	14.7
5411.750000	---	51.20	54.00	2.80	150.0	200.0	V	321.0	14.7
5744.250000	54.20	---	68.20	14.00	150.0	200.0	V	314.0	15.7
7328.000000	---	41.77	54.00	12.23	150.0	200.0	H	0.0	14.2



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8826.250000	40.36	---	68.20	27.84	150.0	200.0	V	205.0	4.9
9010.000000	---	31.83	54.00	22.17	150.0	100.0	H	281.0	5.0
9173.750000	---	31.28	54.00	22.72	150.0	200.0	V	274.0	5.1
10360.000000	45.20	---	68.20	23.00	150.0	100.0	V	73.0	6.4
10485.000000	39.89	---	68.20	28.31	150.0	200.0	H	281.0	6.2
10790.000000	---	33.02	54.00	20.98	150.0	200.0	V	89.0	7.3
13325.000000	---	34.61	54.00	19.39	150.0	100.0	H	143.0	10.9
13731.250000	44.24	---	68.20	23.96	150.0	200.0	V	131.0	9.5
15198.750000	45.79	---	68.20	22.41	150.0	200.0	V	0.0	12.6
15358.750000	---	36.47	54.00	17.53	150.0	100.0	V	327.0	13.6
17267.500000	50.56	---	68.20	17.64	150.0	200.0	H	270.0	20.1
17913.750000	---	42.39	54.00	11.61	150.0	200.0	H	254.0	20.6

802.11a CH60



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1253.750000	42.55	---	68.20	25.65	150.0	200.0	V	334.0	-3.2
1374.500000	---	32.25	54.00	21.75	150.0	200.0	H	0.0	-2.3
1701.750000	---	33.19	54.00	20.81	150.0	200.0	V	311.0	-0.3
1906.500000	46.05	---	68.20	22.15	150.0	200.0	V	122.0	1.1
2442.875000	49.01	---	68.20	19.19	150.0	200.0	H	30.0	3.6
2791.125000	---	37.11	54.00	16.89	150.0	200.0	H	232.0	5.7
3052.750000	48.94	---	68.20	19.26	150.0	200.0	H	30.0	7.0
3923.375000	---	38.74	54.00	15.26	150.0	200.0	H	187.0	8.0
5352.250000	62.89	---	74.00	11.11	150.0	200.0	V	221.0	14.6
5400.375000	---	48.15	54.00	5.85	150.0	200.0	V	76.0	14.6
5761.750000	53.88	---	68.20	14.32	150.0	200.0	H	187.0	15.7
7596.625000	---	41.99	54.00	12.01	150.0	200.0	V	258.0	15.5



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8788.750000	40.65	---	68.20	27.55	150.0	200.0	H	286.0	5.0
9001.250000	---	31.94	54.00	22.06	150.0	200.0	H	228.0	5.0
9186.250000	---	31.74	54.00	22.26	150.0	200.0	V	0.0	5.2
10360.000000	45.47	---	68.20	22.73	150.0	200.0	V	74.0	6.4
10576.250000	40.87	---	68.20	27.33	150.0	200.0	H	344.0	6.4
10745.000000	---	33.30	54.00	20.70	150.0	200.0	V	138.0	7.4
13326.250000	---	34.82	54.00	19.18	150.0	200.0	V	153.0	10.9
13428.750000	43.59	---	68.20	24.61	150.0	200.0	H	222.0	11.2
15317.500000	45.86	---	68.20	22.34	150.0	200.0	H	344.0	13.5
15361.250000	---	36.97	54.00	17.03	150.0	200.0	V	138.0	13.6
17437.500000	51.31	---	68.20	16.89	150.0	200.0	V	242.0	20.2
17836.250000	---	42.55	54.00	11.45	150.0	200.0	V	58.0	20.5

802.11a CH64



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1283.500000	40.21	---	68.20	27.99	500.0	200.0	H	339.0	-8.3
1397.250000	---	29.66	54.00	24.34	500.0	200.0	H	33.0	-7.6
1499.625000	---	29.99	54.00	24.01	500.0	200.0	V	243.0	-7.0
1958.125000	42.64	---	68.20	25.56	500.0	200.0	H	245.0	-4.7
2455.125000	45.25	---	68.20	22.95	500.0	200.0	V	136.0	-2.3
2825.250000	---	36.12	54.00	17.88	500.0	200.0	V	118.0	-1.2
3562.000000	50.79	---	68.20	17.41	500.0	200.0	H	41.0	1.7
3969.750000	---	39.43	54.00	14.57	500.0	200.0	V	290.0	3.0
4449.250000	50.69	---	68.20	17.51	500.0	200.0	V	355.0	3.5
5039.875000	---	40.09	54.00	13.91	500.0	200.0	V	330.0	4.7
6988.500000	55.19	---	68.20	13.01	500.0	200.0	V	27.0	7.1
7308.750000	---	43.26	54.00	10.74	500.0	200.0	V	18.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8967.500000	40.75	---	68.20	27.45	150.0	200.0	V	13.0	5.1
9141.250000	---	31.71	54.00	22.29	150.0	100.0	H	0.0	5.1
9167.500000	---	31.41	54.00	22.59	150.0	200.0	V	98.0	5.1
10360.000000	45.02	---	68.20	23.18	150.0	200.0	H	197.0	6.4
10563.750000	40.61	---	68.20	27.59	150.0	100.0	H	356.0	6.3
11006.250000	---	33.14	54.00	20.86	150.0	200.0	H	298.0	7.1
13020.000000	44.05	---	68.20	24.15	150.0	200.0	H	266.0	11.0
13353.750000	---	34.49	54.00	19.51	150.0	200.0	H	303.0	11.0
15155.000000	46.83	---	68.20	21.37	150.0	200.0	V	192.0	12.2
15361.250000	---	36.34	54.00	17.66	150.0	200.0	V	29.0	13.6
17616.250000	50.84	---	68.20	17.36	150.0	200.0	V	61.0	20.2
17801.250000	---	42.14	54.00	11.86	150.0	200.0	H	309.0	20.5

802.11a CH100



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1252.875000	43.97	---	68.20	24.23	150.0	200.0	V	59.0	-3.2
1410.375000	---	32.00	54.00	22.00	150.0	100.0	V	251.0	-2.1
1685.125000	---	33.18	54.00	20.82	150.0	200.0	H	204.0	-0.4
1965.125000	46.39	---	68.20	21.81	150.0	200.0	H	91.0	1.3
2502.375000	48.27	---	68.20	19.93	150.0	100.0	V	152.0	3.9
2820.000000	---	36.99	54.00	17.01	150.0	200.0	H	68.0	5.8
3137.625000	49.08	---	68.20	19.12	150.0	200.0	V	141.0	7.4
3602.250000	---	39.37	54.00	14.63	150.0	100.0	H	68.0	7.9
5358.375000	---	46.89	54.00	7.11	150.0	200.0	V	292.0	14.6
5469.500000	61.06	---	68.20	7.14	150.0	200.0	V	235.0	14.8
5885.125000	54.89	---	68.20	13.31	150.0	100.0	V	204.0	15.8
7748.875000	---	42.09	54.00	11.91	150.0	200.0	V	344.0	15.3



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8935.000000	40.95	---	68.20	27.25	150.0	200.0	V	183.0	5.2
9088.750000	---	32.12	54.00	21.88	150.0	100.0	V	0.0	5.0
9158.750000	---	31.82	54.00	22.18	150.0	200.0	V	0.0	5.1
10360.000000	44.46	---	68.20	23.75	150.0	200.0	V	78.0	6.4
10578.750000	40.19	---	68.20	28.01	150.0	100.0	V	168.0	6.4
10692.500000	---	33.46	54.00	20.54	150.0	200.0	H	111.0	7.1
13321.250000	---	34.69	54.00	19.31	150.0	200.0	H	279.0	10.9
13643.750000	44.37	---	68.20	23.83	150.0	200.0	H	339.0	9.9
15293.750000	46.06	---	68.20	22.14	150.0	200.0	H	257.0	13.4
15366.250000	---	36.43	54.00	17.57	150.0	100.0	V	278.0	13.6
17282.500000	51.11	---	68.20	17.09	150.0	200.0	V	48.0	20.2
17852.500000	---	41.96	54.00	12.04	150.0	100.0	V	149.0	20.5

802.11a CH116



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1241.500000	42.51	---	68.20	25.69	150.0	100.0	V	207.0	-3.3
1402.500000	---	31.94	54.00	22.06	150.0	200.0	H	83.0	-2.2
1714.000000	52.79	---	68.20	15.41	150.0	100.0	H	240.0	-0.1
1719.250000	---	35.05	54.00	18.95	150.0	200.0	H	214.0	-0.1
2669.500000	47.92	---	68.20	20.28	150.0	200.0	H	194.0	4.8
2765.750000	---	36.98	54.00	17.02	150.0	100.0	H	120.0	5.4
2967.875000	50.01	---	68.20	18.19	150.0	200.0	H	99.0	6.7
3791.250000	---	39.15	54.00	14.85	150.0	200.0	V	264.0	8.1
5432.750000	---	50.04	54.00	3.96	150.0	100.0	V	77.0	14.7
5460.750000	54.18	---	68.20	14.02	150.0	200.0	V	354.0	14.8
5951.625000	54.81	---	68.20	13.39	150.0	200.0	H	145.0	15.8
7544.125000	---	42.11	54.00	11.89	150.0	100.0	H	230.0	15.3



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8896.250000	40.86	---	68.20	27.34	150.0	200.0	V	280.0	5.1
9156.250000	---	31.88	54.00	22.12	150.0	100.0	H	167.0	5.1
9401.250000	---	31.71	54.00	22.29	150.0	200.0	H	154.0	5.5
10360.000000	44.49	---	68.20	23.71	150.0	200.0	V	74.0	6.4
10571.250000	40.54	---	68.20	27.66	150.0	100.0	V	334.0	6.4
11025.000000	---	33.26	54.00	20.74	150.0	200.0	V	114.0	7.1
13322.500000	---	34.38	54.00	19.62	150.0	200.0	H	231.0	10.9
13413.750000	43.48	---	68.20	24.72	150.0	200.0	V	6.0	11.2
15171.250000	45.61	---	68.20	22.59	150.0	200.0	H	299.0	12.3
15375.000000	---	36.63	54.00	17.37	150.0	200.0	H	190.0	13.5
17262.500000	50.71	---	68.20	17.49	150.0	200.0	V	84.0	20.1
17983.750000	---	42.01	54.00	11.99	150.0	200.0	H	306.0	19.4

802.11a CH140



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1296.625000	43.28	---	68.20	24.92	150.0	200.0	H	34.0	-2.9
1399.875000	---	32.09	54.00	21.91	150.0	100.0	H	0.0	-2.2
1714.875000	55.89	---	68.20	12.31	150.0	200.0	H	258.0	-0.1
1719.250000	---	36.05	54.00	17.95	150.0	100.0	H	258.0	-0.1
2689.625000	47.74	---	68.20	20.46	150.0	200.0	V	295.0	4.9
2787.625000	---	36.95	54.00	17.05	150.0	100.0	V	254.0	5.6
2954.750000	49.84	---	68.20	18.36	150.0	200.0	V	259.0	6.7
3994.250000	---	38.96	54.00	15.04	150.0	100.0	V	96.0	8.1
5004.000000	---	44.82	54.00	9.18	150.0	200.0	H	70.0	14.4
5256.875000	53.74	---	68.20	14.46	150.0	100.0	V	279.0	14.5
5895.625000	55.28	---	68.20	12.92	150.0	200.0	H	34.0	15.8
7631.625000	---	42.39	54.00	11.61	150.0	100.0	V	326.0	15.4



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8806.250000	41.04	---	68.20	27.16	150.0	200.0	V	147.0	5.0
9023.750000	---	31.94	54.00	22.06	150.0	100.0	V	77.0	5.0
9183.750000	---	31.24	54.00	22.76	150.0	200.0	H	276.0	5.1
10360.000000	45.61	---	68.20	22.59	150.0	200.0	V	69.0	6.4
10582.500000	40.59	---	68.20	27.61	150.0	100.0	H	227.0	6.4
10812.500000	---	33.12	54.00	20.88	150.0	200.0	H	0.0	7.3
13388.750000	---	34.60	54.00	19.40	150.0	200.0	H	144.0	11.1
13402.500000	44.38	---	68.20	23.82	150.0	200.0	V	58.0	11.2
15155.000000	46.09	---	68.20	22.11	150.0	200.0	V	207.0	12.2
15390.000000	---	36.61	54.00	17.39	150.0	200.0	V	9.0	13.4
17207.500000	51.89	---	68.20	16.31	150.0	100.0	H	284.0	20.0
17787.500000	---	42.29	54.00	11.71	150.0	200.0	H	111.0	20.4

802.11a CH144



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1293.125000	42.67	---	68.20	25.53	150.0	200.0	H	224.0	-2.9
1374.500000	---	32.19	54.00	21.81	150.0	200.0	V	0.0	-2.3
1721.000000	---	33.40	54.00	20.60	150.0	200.0	H	109.0	-0.1
1929.250000	46.44	---	68.20	21.76	150.0	200.0	H	27.0	1.3
2657.250000	48.20	---	68.20	20.00	150.0	200.0	V	342.0	4.6
2821.750000	---	37.06	54.00	16.94	150.0	200.0	H	63.0	5.8
2947.750000	49.13	---	68.20	19.07	150.0	200.0	H	119.0	6.6
3917.250000	---	38.87	54.00	15.13	150.0	200.0	H	48.0	8.1
4920.000000	---	45.10	54.00	8.90	150.0	200.0	V	306.0	13.8
5270.000000	54.44	---	68.20	13.76	150.0	200.0	V	179.0	14.5
5872.000000	57.05	---	68.20	11.15	150.0	200.0	V	236.0	15.8
7588.750000	---	42.20	54.00	11.80	150.0	200.0	V	75.0	15.5



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8982.500000	40.94	---	68.20	27.26	150.0	200.0	V	176.0	5.0
9121.250000	---	31.70	54.00	22.30	150.0	100.0	V	131.0	5.1
9185.000000	---	31.76	54.00	22.24	150.0	200.0	V	67.0	5.1
10360.000000	45.53	---	68.20	22.67	150.0	200.0	V	70.0	6.4
10590.000000	40.94	---	68.20	27.26	150.0	200.0	V	23.0	6.5
10710.000000	---	33.10	54.00	20.90	150.0	100.0	H	99.0	7.2
13390.000000	---	34.22	54.00	19.78	150.0	200.0	H	200.0	11.1
13403.750000	43.60	---	68.20	24.60	150.0	200.0	H	308.0	11.2
15130.000000	45.71	---	68.20	22.49	150.0	200.0	V	187.0	12.0
15352.500000	---	36.76	54.00	17.24	150.0	200.0	V	30.0	13.6
17086.250000	50.61	---	68.20	17.59	150.0	100.0	H	256.0	19.1
17782.500000	---	42.49	54.00	11.51	150.0	200.0	V	217.0	20.4

802.11ac80 CH42



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1294.000000	42.80	---	68.20	25.40	150.0	200.0	V	263.0	-2.9
1413.000000	---	32.12	54.00	21.88	150.0	200.0	H	259.0	-2.1
1664.125000	---	33.18	54.00	20.82	150.0	200.0	V	208.0	-0.4
1952.875000	45.83	---	68.20	22.37	150.0	200.0	H	316.0	1.4
2676.500000	47.73	---	68.20	20.47	150.0	200.0	H	338.0	4.8
2797.250000	---	37.07	54.00	16.93	150.0	200.0	V	194.0	5.7
3179.625000	48.94	---	68.20	19.26	150.0	200.0	H	0.0	7.3
3908.500000	---	38.98	54.00	15.02	150.0	200.0	V	308.0	8.1
5124.750000	---	50.68	54.00	3.32	150.0	200.0	V	136.0	14.5
5142.250000	62.68	---	74.00	11.32	150.0	200.0	V	144.0	14.5
5910.500000	54.41	---	68.20	13.79	150.0	200.0	H	216.0	15.8
7747.125000	---	42.12	54.00	11.88	150.0	200.0	V	285.0	15.3



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8691.250000	42.08	---	68.20	26.12	150.0	200.0	V	176.0	4.9
9028.750000	---	31.69	54.00	22.31	150.0	100.0	V	14.0	5.0
9168.750000	---	31.71	54.00	22.29	150.0	200.0	H	115.0	5.1
10360.000000	45.50	---	68.20	22.70	150.0	100.0	V	77.0	6.4
10521.250000	40.42	---	68.20	27.78	150.0	200.0	H	315.0	6.2
10992.500000	---	33.02	54.00	20.98	150.0	200.0	V	155.0	7.1
13352.500000	---	34.03	54.00	19.97	150.0	100.0	V	124.0	11.0
13596.250000	43.63	---	68.20	24.57	150.0	200.0	H	78.0	10.1
15287.500000	46.28	---	68.20	21.92	150.0	100.0	V	56.0	13.3
15357.500000	---	36.56	54.00	17.44	150.0	200.0	H	157.0	13.6
17355.000000	50.60	---	68.20	17.60	150.0	100.0	H	357.0	20.3
17910.000000	---	42.56	54.00	11.44	150.0	200.0	V	51.0	20.6

802.11ac80 CH58



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1245.875000	42.86	---	68.20	25.34	150.0	200.0	H	310.0	-3.2
1374.500000	---	32.10	54.00	21.90	150.0	200.0	H	357.0	-2.3
1706.125000	---	33.50	54.00	20.50	150.0	200.0	H	208.0	-0.2
1997.500000	45.95	---	68.20	22.25	150.0	200.0	H	90.0	1.7
2628.375000	47.75	---	68.20	20.45	150.0	200.0	V	76.0	4.5
2746.500000	---	37.01	54.00	16.99	150.0	200.0	H	266.0	5.3
3000.250000	49.35	---	68.20	18.85	150.0	200.0	H	142.0	7.0
3792.125000	---	39.13	54.00	14.87	150.0	200.0	H	252.0	8.1
5353.125000	65.77	---	74.00	8.23	150.0	200.0	V	173.0	14.6
5375.000000	---	50.74	54.00	3.26	150.0	200.0	V	359.0	14.6
5712.750000	54.77	---	68.20	13.43	150.0	200.0	V	248.0	15.6
7620.250000	---	42.25	54.00	11.75	150.0	200.0	H	193.0	15.5



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8902.500000	40.47	---	68.20	27.73	150.0	100.0	H	242.0	5.1
9066.250000	---	31.68	54.00	22.32	150.0	200.0	V	66.0	5.0
9166.250000	---	32.20	54.00	21.80	150.0	200.0	H	300.0	5.1
10360.000000	43.95	---	68.20	24.25	150.0	100.0	V	45.0	6.4
10592.500000	40.26	---	68.20	27.94	150.0	200.0	H	96.0	6.5
10943.750000	---	33.27	54.00	20.73	150.0	200.0	H	305.0	7.1
13337.500000	---	33.97	54.00	20.03	150.0	10.0	V	34.0	10.9
13582.500000	44.10	---	68.20	24.10	150.0	200.0	H	226.0	10.1
15331.250000	46.38	---	68.20	21.82	150.0	200.0	V	170.0	13.5
15371.250000	---	37.29	54.00	16.71	150.0	100.0	V	102.0	13.5
17177.500000	50.51	---	68.20	17.69	150.0	200.0	V	118.0	19.8
17883.750000	---	41.93	54.00	12.07	150.0	200.0	V	302.0	20.5

802.11ac80 CH106



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1296.625000	43.25	---	68.20	24.95	150.0	200.0	V	211.0	-2.9
1404.250000	---	32.12	54.00	21.88	150.0	200.0	H	29.0	-2.2
1709.625000	---	33.59	54.00	20.41	150.0	200.0	H	57.0	-0.2
1879.375000	46.03	---	68.20	22.17	150.0	200.0	V	343.0	0.9
2607.375000	47.96	---	68.20	20.24	150.0	200.0	V	348.0	4.4
2791.125000	---	37.32	54.00	16.68	150.0	200.0	V	69.0	5.7
3241.750000	49.38	---	68.20	18.82	150.0	200.0	V	261.0	7.5
3915.500000	---	38.88	54.00	15.12	150.0	200.0	H	67.0	8.1
5433.625000	---	50.09	54.00	3.91	150.0	200.0	V	322.0	14.7
5460.750000	63.03	---	68.20	5.17	150.0	200.0	V	149.0	14.8
5985.750000	55.33	---	68.20	12.87	150.0	200.0	V	211.0	15.9
7576.500000	---	42.05	54.00	11.95	150.0	200.0	H	138.0	15.4



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8863.750000	41.24	---	68.20	26.96	150.0	200.0	H	0.0	5.0
9007.500000	---	31.78	54.00	22.22	150.0	100.0	H	234.0	5.0
9163.750000	---	31.46	54.00	22.54	150.0	200.0	H	331.0	5.1
10360.000000	45.20	---	68.20	23.00	150.0	200.0	V	71.0	6.4
10533.750000	40.44	---	68.20	27.76	150.0	100.0	H	272.0	6.2
11051.250000	---	33.02	54.00	20.98	150.0	200.0	V	249.0	7.1
13085.000000	43.46	---	68.20	24.74	150.0	200.0	H	302.0	10.6
13315.000000	---	34.37	54.00	19.63	150.0	200.0	H	331.0	10.9
15246.250000	46.15	---	68.20	22.05	150.0	100.0	H	223.0	13.0
15367.500000	---	37.04	54.00	16.96	150.0	200.0	V	44.0	13.6
17202.500000	50.55	---	68.20	17.65	150.0	200.0	V	119.0	20.0
17777.500000	---	42.01	54.00	11.99	150.0	100.0	H	324.0	20.4

802.11ac80 CH122



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1294.000000	42.81	---	68.20	25.39	150.0	200.0	H	0.0	-2.9
1402.500000	---	32.12	54.00	21.88	150.0	200.0	H	97.0	-2.2
1707.000000	---	33.32	54.00	20.68	150.0	200.0	H	321.0	-0.2
1892.500000	46.31	---	68.20	21.89	150.0	200.0	H	204.0	1.1
2421.875000	51.56	---	68.20	16.64	150.0	200.0	H	219.0	3.3
2789.375000	---	37.28	54.00	16.72	150.0	200.0	H	280.0	5.7
2981.875000	50.09	---	68.20	18.11	150.0	200.0	H	117.0	6.8
3924.250000	---	39.77	54.00	14.23	150.0	200.0	H	194.0	8.0
5459.000000	---	48.27	54.00	5.73	150.0	200.0	V	151.0	14.8
5467.750000	59.08	---	68.20	9.12	150.0	200.0	V	90.0	14.8
5907.000000	54.99	---	68.20	13.21	150.0	200.0	V	85.0	15.8
7643.875000	---	42.24	54.00	11.76	150.0	200.0	H	326.0	15.3



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8930.000000	41.41	---	68.20	26.79	150.0	200.0	V	19.0	5.2
9028.750000	---	31.90	54.00	22.10	150.0	100.0	H	126.0	5.0
9456.250000	---	31.72	54.00	22.28	150.0	200.0	H	355.0	5.6
10360.000000	44.68	---	68.20	23.52	150.0	100.0	V	60.0	6.4
10591.250000	40.20	---	68.20	28.00	150.0	200.0	V	12.0	6.5
11006.250000	---	33.20	54.00	20.80	150.0	200.0	V	96.0	7.1
13253.750000	---	34.16	54.00	19.84	150.0	100.0	V	200.0	10.6
13688.750000	43.37	---	68.20	24.83	150.0	200.0	H	248.0	9.7
15202.500000	46.01	---	68.20	22.19	150.0	100.0	V	133.0	12.6
15361.250000	---	36.77	54.00	17.23	150.0	200.0	V	38.0	13.6
17145.000000	50.77	---	68.20	17.43	150.0	100.0	V	42.0	19.6
17858.750000	---	42.29	54.00	11.71	150.0	200.0	H	15.0	20.5

802.11ac80 CH138



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1252.000000	42.91	---	68.20	25.29	150.0	100.0	H	224.0	-3.2
1407.750000	---	32.14	54.00	21.86	150.0	200.0	H	152.0	-2.1
1668.500000	---	33.34	54.00	20.66	150.0	100.0	H	224.0	-0.4
1890.750000	46.16	---	68.20	22.04	150.0	200.0	H	338.0	1.1
2617.000000	47.93	---	68.20	20.27	150.0	200.0	H	173.0	4.5
2738.625000	---	37.23	54.00	16.77	150.0	200.0	H	317.0	5.3
2932.000000	49.39	---	68.20	18.81	150.0	100.0	H	287.0	6.5
3971.500000	---	38.80	54.00	15.20	150.0	200.0	H	317.0	8.0
5457.250000	---	46.45	54.00	7.55	150.0	200.0	V	51.0	14.8
5465.125000	55.32	---	68.20	12.88	150.0	200.0	V	273.0	14.8
5850.125000	61.31	---	68.20	6.89	150.0	100.0	V	41.0	15.9
7601.000000	---	42.35	54.00	11.65	150.0	200.0	V	174.0	15.5



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8913.750000	41.42	---	68.20	26.78	150.0	100.0	H	248.0	5.2
9032.500000	---	31.94	54.00	22.06	150.0	200.0	H	348.0	5.0
9457.500000	---	31.70	54.00	22.30	150.0	100.0	V	113.0	5.6
10360.000000	45.02	---	68.20	23.18	150.0	200.0	V	72.0	6.4
10563.750000	40.37	---	68.20	27.83	150.0	100.0	V	72.0	6.3
10872.500000	---	33.21	54.00	20.79	150.0	200.0	V	0.0	7.2
13388.750000	---	34.12	54.00	19.88	150.0	100.0	V	354.0	11.1
13637.500000	43.87	---	68.20	24.33	150.0	200.0	H	185.0	10.0
15176.250000	45.77	---	68.20	22.43	150.0	100.0	H	289.0	12.4
15392.500000	---	36.55	54.00	17.45	150.0	200.0	H	308.0	13.4
17295.000000	50.38	---	68.20	17.82	150.0	100.0	V	0.0	20.2
17915.000000	---	42.30	54.00	11.70	150.0	200.0	V	250.0	20.6

802.11ac160 CH50



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1264.250000	42.97	---	68.20	25.23	150.0	200.0	V	21.0	-3.1
1401.625000	---	32.06	54.00	21.94	150.0	100.0	H	232.0	-2.2
1697.375000	---	33.27	54.00	20.73	150.0	200.0	H	259.0	-0.3
1938.000000	46.72	---	68.20	21.48	150.0	200.0	V	81.0	1.4
2473.500000	48.09	---	68.20	20.11	150.0	100.0	H	69.0	3.5
2790.250000	---	37.36	54.00	16.64	150.0	200.0	H	239.0	5.7
3163.875000	49.30	---	68.20	18.90	150.0	200.0	H	239.0	7.4
3890.125000	---	39.21	54.00	14.79	150.0	100.0	V	240.0	8.1
5133.500000	---	51.48	54.00	2.52	150.0	200.0	V	313.0	14.5
5144.000000	64.87	---	74.00	9.13	150.0	200.0	V	0.0	14.5
6002.375000	54.14	---	68.20	14.06	150.0	100.0	V	168.0	16.0
7671.875000	---	42.33	54.00	11.67	150.0	200.0	V	327.0	15.1



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8885.000000	40.77	---	68.20	27.43	150.0	200.0	H	75.0	5.1
9016.250000	---	31.85	54.00	22.15	150.0	200.0	V	197.0	5.0
9478.750000	---	31.37	54.00	22.63	150.0	200.0	V	0.0	5.7
10128.750000	42.09	---	68.20	26.11	150.0	200.0	H	211.0	6.2
10500.000000	44.94	---	68.20	23.26	150.0	200.0	H	227.0	6.2
10763.750000	---	33.25	54.00	20.75	150.0	200.0	H	43.0	7.4
13027.500000	43.87	---	68.20	24.33	150.0	200.0	H	101.0	11.0
13352.500000	---	34.23	54.00	19.77	150.0	200.0	H	0.0	11.0
15313.750000	45.43	---	68.20	22.77	150.0	200.0	H	75.0	13.4
15382.500000	---	36.73	54.00	17.27	150.0	200.0	H	165.0	13.5
17341.250000	50.30	---	68.20	17.90	150.0	200.0	H	106.0	20.3
17787.500000	---	42.20	54.00	11.80	150.0	200.0	V	101.0	20.4

802.11ac160 CH114



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1273.875000	43.28	---	68.20	24.92	150.0	200.0	H	340.0	-3.0
1394.625000	---	32.11	54.00	21.89	150.0	100.0	V	266.0	-2.2
1686.875000	---	33.44	54.00	20.56	150.0	200.0	V	301.0	-0.4
1947.625000	46.66	---	68.20	21.54	150.0	100.0	V	350.0	1.4
2611.750000	48.47	---	68.20	19.73	150.0	200.0	H	96.0	4.4
2818.250000	---	37.27	54.00	16.73	150.0	100.0	V	312.0	5.8
2932.875000	49.35	---	68.20	18.85	150.0	200.0	V	296.0	6.5
3877.000000	---	39.18	54.00	14.82	150.0	100.0	H	101.0	8.1
5458.125000	---	52.55	54.00	1.45	150.0	200.0	V	159.0	14.8
5464.250000	61.11	---	68.20	7.09	150.0	100.0	V	123.0	14.8
5926.250000	53.87	---	68.20	14.33	150.0	200.0	H	157.0	15.8
7635.125000	---	42.52	54.00	11.48	150.0	100.0	H	345.0	15.4



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8898.750000	41.01	---	68.20	27.19	150.0	100.0	V	0.0	5.1
9013.750000	---	31.85	54.00	22.15	150.0	200.0	H	296.0	5.0
9163.750000	---	31.97	54.00	22.03	150.0	200.0	V	183.0	5.1
10137.500000	42.25	---	68.20	25.95	150.0	100.0	V	231.0	6.2
10581.250000	40.17	---	68.20	28.03	150.0	200.0	H	168.0	6.4
11140.000000	---	37.58	54.00	16.42	150.0	200.0	H	285.0	7.2
13043.750000	43.28	---	68.20	24.92	150.0	200.0	V	183.0	10.9
13356.250000	---	34.24	54.00	19.76	150.0	200.0	H	240.0	11.0
15247.500000	45.89	---	68.20	22.31	150.0	100.0	H	252.0	13.0
15355.000000	---	36.76	54.00	17.24	150.0	200.0	H	330.0	13.6
17230.000000	50.66	---	68.20	17.54	150.0	200.0	V	153.0	20.1
17862.500000	---	42.55	54.00	11.45	150.0	100.0	H	56.0	20.5

802.11ax20 CH36



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1273.875000	43.04	---	68.20	25.16	150.0	200.0	H	256.0	-3.0
1403.375000	---	32.17	54.00	21.83	150.0	100.0	V	40.0	-2.2
1485.625000	---	33.75	54.00	20.25	150.0	200.0	H	306.0	-1.6
2689.625000	48.73	---	68.20	19.47	150.0	100.0	H	256.0	4.9
2793.750000	---	37.15	54.00	16.85	150.0	200.0	H	216.0	5.7
2931.125000	49.81	---	68.20	18.39	150.0	100.0	V	11.0	6.5
3786.000000	---	38.96	54.00	15.04	150.0	200.0	V	226.0	8.1
5149.250000	---	52.40	54.00	1.60	150.0	100.0	V	278.0	14.5
5149.250000	64.12	---	74.00	9.88	150.0	200.0	V	278.0	14.5
5750.375000	54.16	---	68.20	14.04	150.0	100.0	H	209.0	15.7
7613.250000	---	42.63	54.00	11.37	150.0	200.0	H	320.0	15.6



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8903.750000	40.71	---	68.20	27.49	150.0	200.0	H	320.0	5.1
9013.750000	---	31.64	54.00	22.36	150.0	100.0	H	191.0	5.0
9317.500000	---	31.63	54.00	22.37	150.0	200.0	V	109.0	5.2
10360.000000	44.57	---	68.20	23.63	150.0	100.0	V	72.0	6.4
10592.500000	40.35	---	68.20	27.85	150.0	200.0	V	354.0	6.5
10897.500000	---	33.13	54.00	20.87	150.0	100.0	H	202.0	7.2
13041.250000	43.71	---	68.20	24.49	150.0	200.0	H	281.0	10.9
13355.000000	---	34.35	54.00	19.65	150.0	100.0	V	177.0	11.0
15213.750000	45.82	---	68.20	22.38	150.0	200.0	V	0.0	12.7
15362.500000	---	37.07	54.00	16.93	150.0	100.0	H	25.0	13.6
17233.750000	50.99	---	68.20	17.21	150.0	200.0	H	233.0	20.1
17792.500000	---	42.08	54.00	11.92	150.0	100.0	H	326.0	20.5

802.11ax20 CH40



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1287.875000	43.31	---	68.20	24.89	150.0	100.0	H	297.0	-2.9
1394.625000	---	32.19	54.00	21.81	150.0	200.0	H	183.0	-2.2
1685.125000	---	33.40	54.00	20.60	150.0	100.0	H	269.0	-0.4
1991.375000	46.32	---	68.20	21.88	150.0	200.0	H	359.0	1.7
2643.250000	48.24	---	68.20	19.96	150.0	100.0	H	219.0	4.5
2744.750000	---	37.12	54.00	16.88	150.0	200.0	V	61.0	5.3
3093.000000	49.30	---	68.20	18.90	150.0	100.0	H	359.0	7.1
3613.625000	---	39.07	54.00	14.93	150.0	200.0	H	197.0	7.9
5146.625000	64.55	---	74.00	9.45	150.0	100.0	V	0.0	14.5
5147.500000	---	52.06	54.00	1.94	150.0	200.0	V	154.0	14.5
5776.625000	54.81	---	68.20	13.39	150.0	100.0	V	32.0	15.8
7549.375000	---	42.07	54.00	11.93	150.0	200.0	H	103.0	15.3



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8941.250000	40.78	---	68.20	27.42	150.0	200.0	V	48.0	5.2
9052.500000	---	32.12	54.00	21.88	150.0	100.0	H	164.0	5.0
9176.250000	---	31.49	54.00	22.51	150.0	200.0	V	243.0	5.1
10360.000000	44.52	---	68.20	23.68	150.0	100.0	V	69.0	6.4
10596.250000	40.65	---	68.20	27.55	150.0	200.0	H	74.0	6.5
10902.500000	---	32.86	54.00	21.14	150.0	100.0	V	137.0	7.2
13395.000000	---	34.31	54.00	19.69	150.0	200.0	H	47.0	11.1
13447.500000	43.74	---	68.20	24.46	150.0	100.0	H	312.0	11.0
15197.500000	45.92	---	68.20	22.28	150.0	200.0	V	307.0	12.6
15357.500000	---	37.13	54.00	16.87	150.0	200.0	H	207.0	13.6
17468.750000	50.86	---	68.20	17.34	150.0	100.0	H	207.0	20.2
17777.500000	---	42.14	54.00	11.86	150.0	200.0	V	74.0	20.4

802.11ax20 CH48



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1292.250000	42.42	---	68.20	25.78	150.0	100.0	H	271.0	-2.9
1405.125000	---	32.15	54.00	21.85	150.0	200.0	H	315.0	-2.1
1719.250000	---	33.79	54.00	20.21	150.0	100.0	H	337.0	-0.1
1882.875000	46.29	---	68.20	21.91	150.0	200.0	H	322.0	1.0
2589.875000	47.67	---	68.20	20.53	150.0	200.0	H	355.0	4.3
2791.125000	---	37.00	54.00	17.00	150.0	100.0	H	330.0	5.7
2939.000000	50.14	---	68.20	18.06	150.0	200.0	H	286.0	6.6
3610.125000	---	39.12	54.00	14.88	150.0	200.0	H	148.0	7.8
5390.750000	---	49.05	54.00	4.95	150.0	100.0	V	68.0	14.6
5611.250000	53.57	---	68.20	14.63	150.0	200.0	H	199.0	15.2
6043.500000	54.51	---	68.20	13.69	150.0	100.0	H	140.0	15.9
7522.250000	---	41.73	54.00	12.27	150.0	200.0	H	243.0	15.2



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8787.500000	40.44	---	68.20	27.76	150.0	100.0	V	222.0	5.0
9028.750000	---	32.37	54.00	21.63	150.0	200.0	H	298.0	5.0
9350.000000	---	31.42	54.00	22.58	150.0	100.0	H	235.0	5.3
10360.000000	44.78	---	68.20	23.42	150.0	200.0	V	71.0	6.4
10513.750000	40.79	---	68.20	27.41	150.0	100.0	V	0.0	6.2
10763.750000	---	33.29	54.00	20.71	150.0	200.0	H	163.0	7.4
13395.000000	---	34.20	54.00	19.80	150.0	100.0	H	277.0	11.1
13697.500000	44.29	---	68.20	23.91	150.0	200.0	V	19.0	9.7
15241.250000	45.98	---	68.20	22.22	150.0	200.0	H	94.0	13.0
15397.500000	---	36.35	54.00	17.65	150.0	100.0	V	206.0	13.4
17365.000000	51.00	---	68.20	17.20	150.0	200.0	H	355.0	20.3
17886.250000	---	42.14	54.00	11.86	150.0	200.0	V	296.0	20.5

802.11ax20 CH52



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1257.250000	42.56	---	68.20	25.64	150.0	100.0	H	258.0	-3.2
1400.750000	---	32.45	54.00	21.55	150.0	200.0	H	186.0	-2.2
1609.875000	---	33.54	54.00	20.46	150.0	100.0	H	316.0	-0.8
1864.500000	45.93	---	68.20	22.27	150.0	200.0	H	265.0	0.8
2600.375000	47.97	---	68.20	20.23	150.0	100.0	H	265.0	4.3
2792.875000	---	37.16	54.00	16.84	150.0	200.0	H	294.0	5.7
2911.000000	48.99	---	68.20	19.21	150.0	200.0	H	344.0	6.5
3652.125000	---	38.79	54.00	15.21	150.0	100.0	H	208.0	8.0
5358.375000	---	49.88	54.00	4.12	150.0	200.0	V	182.0	14.6
5460.750000	53.55	---	68.20	14.65	150.0	200.0	V	146.0	14.8
6026.000000	54.34	---	68.20	13.86	150.0	100.0	H	92.0	15.9
7594.875000	---	42.02	54.00	11.98	150.0	200.0	H	251.0	15.5



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8802.500000	41.34	---	68.20	26.86	150.0	100.0	H	344.0	5.0
9006.250000	---	31.76	54.00	22.24	150.0	200.0	H	200.0	5.0
9376.250000	---	31.98	54.00	22.02	150.0	100.0	H	184.0	5.4
10360.000000	44.73	---	68.20	23.47	150.0	200.0	V	75.0	6.4
10517.500000	40.84	---	68.20	27.36	150.0	200.0	H	58.0	6.2
11057.500000	---	32.98	54.00	21.02	150.0	100.0	V	127.0	7.2
13366.250000	---	34.17	54.00	19.83	150.0	200.0	H	252.0	11.0
13416.250000	43.12	---	68.20	25.08	150.0	100.0	V	169.0	11.2
15323.750000	45.80	---	68.20	22.40	150.0	200.0	V	222.0	13.5
15388.750000	---	36.75	54.00	17.25	150.0	200.0	V	111.0	13.4
17266.250000	50.84	---	68.20	17.36	150.0	100.0	H	283.0	20.1
17917.500000	---	42.00	54.00	12.00	150.0	200.0	H	294.0	20.5

802.11ax20 CH60



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1244.125000	42.88	---	68.20	25.32	150.0	200.0	V	0.0	-3.2
1413.875000	---	32.31	54.00	21.69	150.0	100.0	H	199.0	-2.1
1689.500000	---	33.49	54.00	20.51	150.0	200.0	H	253.0	-0.4
1968.625000	46.11	---	68.20	22.09	150.0	100.0	H	74.0	1.3
2681.750000	47.95	---	68.20	20.25	150.0	200.0	V	280.0	4.9
2771.000000	---	37.11	54.00	16.89	150.0	200.0	H	332.0	5.5
2983.625000	49.27	---	68.20	18.93	150.0	100.0	V	86.0	6.9
3906.750000	---	39.04	54.00	14.96	150.0	200.0	H	231.0	8.1
5352.250000	69.85	---	74.00	4.15	150.0	100.0	V	162.0	14.6
5361.875000	---	53.28	54.00	0.72	150.0	200.0	V	2.0	14.6
5889.500000	54.73	---	68.20	13.47	150.0	100.0	V	169.0	15.8
7693.750000	---	41.83	54.00	12.17	150.0	200.0	H	282.0	15.0



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8846.250000	40.85	---	68.20	27.35	150.0	100.0	V	0.0	5.0
9027.500000	---	31.92	54.00	22.08	150.0	200.0	V	137.0	5.0
9413.750000	---	31.87	54.00	22.13	150.0	100.0	V	13.0	5.5
10360.000000	43.75	---	68.20	24.45	150.0	200.0	V	71.0	6.4
10518.750000	40.24	---	68.20	27.96	150.0	100.0	V	1.0	6.2
10928.750000	---	33.32	54.00	20.68	150.0	200.0	V	153.0	7.1
13035.000000	43.93	---	68.20	24.27	150.0	100.0	V	321.0	11.0
13352.500000	---	34.27	54.00	19.73	150.0	200.0	V	8.0	11.0
15327.500000	45.91	---	68.20	22.29	150.0	200.0	V	342.0	13.5
15353.750000	---	36.42	54.00	17.58	150.0	100.0	H	245.0	13.6
17306.250000	50.57	---	68.20	17.63	150.0	200.0	H	255.0	20.2
17887.500000	---	42.23	54.00	11.77	150.0	200.0	V	195.0	20.5

802.11ax20 CH64



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1295.750000	42.95	---	68.20	25.25	150.0	100.0	H	314.0	-2.9
1403.375000	---	32.23	54.00	21.77	150.0	200.0	V	202.0	-2.2
1720.125000	---	33.40	54.00	20.60	150.0	100.0	H	289.0	-0.1
1912.625000	46.69	---	68.20	21.51	150.0	200.0	V	339.0	1.1
2637.125000	48.91	---	68.20	19.29	150.0	100.0	H	180.0	4.5
2789.375000	---	37.20	54.00	16.80	150.0	200.0	H	238.0	5.7
3050.125000	49.85	---	68.20	18.35	150.0	200.0	V	70.0	6.9
3778.125000	---	39.27	54.00	14.73	150.0	100.0	H	152.0	8.0
5351.375000	63.40	---	74.00	10.60	150.0	200.0	V	0.0	14.6
5352.250000	---	50.84	54.00	3.16	150.0	200.0	V	359.0	14.6
5945.500000	54.34	---	68.20	13.86	150.0	100.0	H	159.0	15.8
7594.875000	---	42.04	54.00	11.96	150.0	200.0	H	166.0	15.5



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8923.750000	41.34	---	68.20	26.86	150.0	200.0	H	132.0	5.2
9008.750000	---	32.08	54.00	21.92	150.0	100.0	V	37.0	5.0
9166.250000	---	31.40	54.00	22.60	150.0	200.0	H	95.0	5.1
10360.000000	44.44	---	68.20	23.76	150.0	200.0	V	74.0	6.4
10487.500000	40.70	---	68.20	27.50	150.0	100.0	V	152.0	6.2
11130.000000	---	33.00	54.00	21.00	150.0	200.0	H	304.0	7.2
13320.000000	---	34.20	54.00	19.80	150.0	200.0	V	184.0	10.9
13731.250000	43.83	---	68.20	24.37	150.0	100.0	V	184.0	9.5
15267.500000	45.76	---	68.20	22.44	150.0	200.0	V	2.0	13.2
15381.250000	---	36.58	54.00	17.42	150.0	200.0	V	256.0	13.5
17143.750000	50.44	---	68.20	17.76	150.0	100.0	H	267.0	19.5
17787.500000	---	42.01	54.00	11.99	150.0	200.0	H	289.0	20.4

802.11ax20 CH100



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1271.250000	42.61	---	68.20	25.59	150.0	200.0	V	110.0	-3.1
1391.125000	---	32.12	54.00	21.88	150.0	100.0	H	323.0	-2.2
1701.750000	---	33.42	54.00	20.58	150.0	200.0	H	197.0	-0.3
1924.000000	45.93	---	68.20	22.27	150.0	100.0	V	43.0	1.2
2689.625000	48.68	---	68.20	19.52	150.0	200.0	V	203.0	4.9
2819.125000	---	37.18	54.00	16.82	150.0	200.0	H	197.0	5.8
3298.625000	49.56	---	68.20	18.64	150.0	100.0	V	27.0	7.7
3930.375000	---	38.94	54.00	15.06	150.0	200.0	H	151.0	8.0
5459.875000	---	46.99	54.00	7.01	150.0	200.0	V	146.0	14.8
5465.125000	63.43	---	68.20	4.77	150.0	100.0	V	151.0	14.8
5998.875000	54.78	---	68.20	13.42	150.0	200.0	V	208.0	16.0
7602.750000	---	41.92	54.00	12.08	150.0	200.0	H	141.0	15.5



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8890.000000	40.83	---	68.20	27.37	150.0	100.0	V	57.0	5.1
9007.500000	---	31.59	54.00	22.41	150.0	200.0	V	237.0	5.0
9190.000000	---	31.58	54.00	22.42	150.0	100.0	V	130.0	5.2
10006.250000	41.86	---	68.20	26.34	150.0	200.0	V	13.0	6.0
11000.000000	---	40.41	54.00	13.59	150.0	200.0	V	342.0	7.1
11000.000000	46.29	---	74.00	27.71	150.0	100.0	V	342.0	7.1
13398.750000	---	33.97	54.00	20.03	150.0	200.0	H	332.0	11.1
13636.250000	43.85	---	68.20	24.35	150.0	100.0	H	211.0	10.0
15326.250000	45.91	---	68.20	22.29	150.0	200.0	H	302.0	13.5
15361.250000	---	36.36	54.00	17.64	150.0	100.0	H	302.0	13.6
17315.000000	50.35	---	68.20	17.85	150.0	200.0	H	340.0	20.2
17862.500000	---	42.62	54.00	11.38	150.0	200.0	H	332.0	20.5

802.11ax20 CH116



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1283.500000	42.73	---	68.20	25.47	150.0	100.0	H	227.0	-3.0
1392.875000	---	32.03	54.00	21.97	150.0	200.0	H	304.0	-2.2
1703.500000	---	33.27	54.00	20.73	150.0	100.0	H	283.0	-0.2
1893.375000	46.27	---	68.20	21.93	150.0	200.0	H	278.0	1.1
2621.375000	47.64	---	68.20	20.56	150.0	100.0	H	288.0	4.5
2740.375000	---	36.97	54.00	17.03	150.0	200.0	H	304.0	5.3
3084.250000	49.77	---	68.20	18.43	150.0	100.0	H	350.0	7.2
3632.875000	---	39.19	54.00	14.81	150.0	200.0	H	217.0	7.9
5389.000000	---	47.98	54.00	6.02	150.0	200.0	V	36.0	14.6
5462.500000	54.09	---	68.20	14.11	150.0	200.0	V	36.0	14.8
6098.625000	53.94	---	68.20	14.26	150.0	100.0	H	288.0	15.7
7749.750000	---	41.72	54.00	12.28	150.0	200.0	V	93.0	15.3



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8922.500000	41.42	---	68.20	26.78	150.0	200.0	V	243.0	5.2
9001.250000	---	31.64	54.00	22.36	150.0	200.0	V	79.0	5.0
9170.000000	---	31.45	54.00	22.55	150.0	200.0	V	323.0	5.1
10310.000000	42.07	---	68.20	26.13	150.0	200.0	V	38.0	6.4
10511.250000	40.54	---	68.20	27.66	150.0	200.0	H	136.0	6.2
11160.000000	---	38.32	54.00	15.68	150.0	200.0	V	342.0	7.2
12998.750000	43.92	---	68.20	24.28	150.0	200.0	V	342.0	10.9
13362.500000	---	33.99	54.00	20.01	150.0	200.0	H	200.0	11.0
15227.500000	45.55	---	68.20	22.65	150.0	200.0	V	24.0	12.8
15356.250000	---	37.07	54.00	16.93	150.0	200.0	V	57.0	13.6
17423.750000	50.90	---	68.20	17.30	150.0	200.0	H	308.0	20.3
17927.500000	---	42.35	54.00	11.65	150.0	200.0	H	102.0	20.4

802.11ax20 CH140



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1279.125000	42.49	---	68.20	25.71	150.0	100.0	V	290.0	-3.0
1402.500000	---	32.02	54.00	21.98	150.0	200.0	H	111.0	-2.2
1699.125000	---	33.38	54.00	20.62	150.0	100.0	V	332.0	-0.3
1979.125000	48.17	---	68.20	20.03	150.0	200.0	H	346.0	1.5
2653.750000	47.87	---	68.20	20.33	150.0	100.0	H	218.0	4.6
2788.500000	---	37.14	54.00	16.86	150.0	200.0	V	123.0	5.7
3284.625000	49.14	---	68.20	19.06	150.0	100.0	H	187.0	7.5
3632.875000	---	39.03	54.00	14.97	150.0	200.0	H	157.0	7.9
5030.250000	---	45.14	54.00	8.86	150.0	100.0	V	190.0	14.4
5179.000000	53.94	---	68.20	14.26	150.0	200.0	V	357.0	14.5
5906.125000	55.19	---	68.20	13.01	150.0	200.0	V	296.0	15.8
7721.750000	---	42.07	54.00	11.93	150.0	200.0	V	174.0	15.1



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8850.000000	41.29	---	68.20	26.91	150.0	200.0	V	69.0	5.0
9030.000000	---	31.70	54.00	22.30	150.0	200.0	H	115.0	5.0
9375.000000	---	31.74	54.00	22.26	150.0	200.0	V	6.0	5.4
9981.250000	41.90	---	68.20	26.30	150.0	200.0	V	54.0	5.9
10576.250000	40.66	---	68.20	27.54	150.0	200.0	H	301.0	6.4
11400.000000	---	37.06	54.00	16.94	150.0	200.0	V	54.0	7.6
13352.500000	---	34.86	54.00	19.14	150.0	200.0	V	40.0	11.0
13735.000000	43.74	---	68.20	24.46	150.0	200.0	V	124.0	9.5
15331.250000	46.38	---	68.20	21.82	150.0	200.0	V	113.0	13.5
15357.500000	---	36.75	54.00	17.25	150.0	200.0	H	293.0	13.6
17402.500000	50.64	---	68.20	17.56	150.0	200.0	H	228.0	20.3
17891.250000	---	42.50	54.00	11.50	150.0	200.0	H	92.0	20.5

802.11ax20 CH144



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1284.375000	42.54	---	68.20	25.66	150.0	200.0	H	311.0	-3.0
1400.750000	---	32.02	54.00	21.98	150.0	100.0	H	118.0	-2.2
1716.625000	45.81	---	68.20	22.39	150.0	200.0	V	5.0	-0.1
1721.875000	---	33.47	54.00	20.53	150.0	100.0	H	197.0	-0.1
2525.125000	47.91	---	68.20	20.29	150.0	100.0	H	184.0	3.8
2785.875000	---	37.09	54.00	16.91	150.0	200.0	H	264.0	5.6
2940.750000	48.87	---	68.20	19.33	150.0	200.0	H	274.0	6.6
3787.750000	---	39.23	54.00	14.77	150.0	200.0	H	46.0	8.1
5024.125000	---	44.64	54.00	9.36	150.0	100.0	H	123.0	14.4
5329.500000	54.07	---	68.20	14.13	150.0	200.0	V	225.0	14.5
5951.625000	54.51	---	68.20	13.69	150.0	100.0	V	276.0	15.8
7598.375000	---	42.10	54.00	11.90	150.0	200.0	H	26.0	15.5



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8887.500000	42.58	---	68.20	25.62	500.0	200.0	H	88.0	-1.4
9096.250000	---	31.31	54.00	22.69	500.0	200.0	V	296.0	-1.2
9456.250000	---	32.94	54.00	21.06	500.0	200.0	H	285.0	-0.2
9766.250000	45.44	---	68.20	22.76	500.0	200.0	H	82.0	-0.5
10571.250000	43.07	---	68.20	25.13	500.0	200.0	V	138.0	-0.9
11440.000000	---	40.94	54.00	13.06	500.0	200.0	H	285.0	-0.6
13357.500000	---	34.08	54.00	19.92	500.0	200.0	H	339.0	2.4
13726.250000	45.68	---	68.20	22.52	500.0	200.0	V	138.0	3.3
15280.000000	48.49	---	68.20	19.71	500.0	200.0	H	113.0	5.6
15600.000000	---	36.65	54.00	17.35	500.0	200.0	V	232.0	6.5
17602.500000	50.86	---	68.20	17.34	500.0	200.0	H	43.0	10.1
17726.250000	---	39.74	54.00	14.26	500.0	200.0	H	249.0	10.3

802.11ax40 CH38



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1288.750000	42.69	---	68.20	25.51	150.0	100.0	H	287.0	-2.9
1361.375000	---	31.95	54.00	22.05	150.0	200.0	H	20.0	-2.4
1721.875000	---	33.69	54.00	20.31	150.0	100.0	H	28.0	-0.1
1723.625000	54.68	---	68.20	13.52	150.0	200.0	H	28.0	-0.1
2630.125000	48.15	---	68.20	20.05	150.0	100.0	H	258.0	4.5
2790.250000	---	37.19	54.00	16.81	150.0	200.0	V	80.0	5.7
3001.125000	49.71	---	68.20	18.49	150.0	100.0	H	243.0	7.0
3806.125000	---	39.14	54.00	14.86	150.0	200.0	H	251.0	8.0
5148.375000	62.53	---	74.00	11.47	150.0	100.0	V	182.0	14.5
5149.250000	---	51.57	54.00	2.43	150.0	200.0	V	236.0	14.5
5990.125000	54.98	---	68.20	13.22	150.0	200.0	V	95.0	15.9
7602.750000	---	42.06	54.00	11.94	150.0	200.0	H	279.0	15.5



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8942.500000	41.12	---	68.20	27.08	150.0	100.0	V	56.0	5.2
9027.500000	---	31.47	54.00	22.53	150.0	200.0	V	45.0	5.0
9158.750000	---	31.50	54.00	22.50	150.0	200.0	H	204.0	5.1
10380.000000	45.14	---	68.20	23.06	150.0	200.0	H	204.0	6.3
10595.000000	40.34	---	68.20	27.86	150.0	100.0	V	207.0	6.5
10721.250000	---	32.66	54.00	21.34	150.0	200.0	V	348.0	7.2
12991.250000	43.46	---	68.20	24.74	150.0	200.0	V	186.0	10.8
13258.750000	---	34.51	54.00	19.49	150.0	100.0	V	1.0	10.6
15203.750000	46.01	---	68.20	22.19	150.0	200.0	V	35.0	12.6
15373.750000	---	36.10	54.00	17.90	150.0	200.0	V	4.0	13.5
17247.500000	50.45	---	68.20	17.75	150.0	100.0	H	100.0	20.1
17740.000000	---	42.58	54.00	11.42	150.0	200.0	H	85.0	20.4

802.11ax40 CH46



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1294.000000	42.22	---	68.20	25.98	150.0	100.0	H	75.0	-2.9
1403.375000	---	31.88	54.00	22.12	150.0	200.0	H	68.0	-2.2
1682.500000	---	33.24	54.00	20.76	150.0	100.0	H	176.0	-0.4
1861.875000	46.41	---	68.20	21.79	150.0	200.0	V	308.0	0.8
2424.500000	48.04	---	68.20	20.16	150.0	100.0	V	359.0	3.3
2765.750000	---	37.24	54.00	16.76	150.0	200.0	H	0.0	5.4
3552.375000	49.31	---	68.20	18.89	150.0	100.0	H	148.0	8.0
3896.250000	---	39.05	54.00	14.95	150.0	200.0	H	227.0	8.1
5149.250000	64.16	---	74.00	9.84	150.0	100.0	V	359.0	14.5
5149.250000	---	52.07	54.00	1.93	150.0	200.0	V	359.0	14.5
5746.000000	54.93	---	68.20	13.27	150.0	100.0	H	176.0	15.7
7596.625000	---	42.37	54.00	11.63	150.0	200.0	H	112.0	15.5



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8916.250000	40.77	---	68.20	27.43	150.0	100.0	V	24.0	5.2
9068.750000	---	31.36	54.00	22.64	150.0	200.0	V	311.0	5.0
9171.250000	---	31.26	54.00	22.74	150.0	200.0	H	323.0	5.1
10460.000000	46.76	---	68.20	21.44	150.0	200.0	H	203.0	6.2
10571.250000	40.54	---	68.20	27.66	150.0	100.0	V	0.0	6.4
10750.000000	---	33.69	54.00	20.31	150.0	200.0	V	0.0	7.4
12987.500000	43.43	---	68.20	24.77	150.0	200.0	H	344.0	10.8
13355.000000	---	34.23	54.00	19.77	150.0	100.0	H	160.0	11.0
15188.750000	46.12	---	68.20	22.08	150.0	200.0	V	182.0	12.5
15352.500000	---	36.01	54.00	17.99	150.0	100.0	V	177.0	13.6
17640.000000	50.97	---	68.20	17.23	150.0	200.0	V	3.0	20.2
17917.500000	---	42.50	54.00	11.50	150.0	100.0	H	35.0	20.5

802.11ax40 CH54



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.875000	---	35.51	54.00	18.49	150.0	200.0	H	333.0	-5.0
1260.750000	42.55	---	68.20	25.65	150.0	100.0	V	304.0	-3.1
1721.000000	---	33.32	54.00	20.68	150.0	200.0	H	111.0	-0.1
1900.375000	45.81	---	68.20	22.39	150.0	100.0	H	11.0	1.1
2408.750000	48.78	---	68.20	19.42	150.0	200.0	H	266.0	3.4
2826.125000	---	37.09	54.00	16.91	150.0	100.0	H	146.0	5.8
3103.500000	49.24	---	68.20	18.96	150.0	200.0	H	168.0	7.1
3658.250000	---	38.91	54.00	15.09	150.0	100.0	H	111.0	8.0
5362.750000	68.52	---	74.00	5.48	150.0	200.0	V	141.0	14.6
5388.125000	---	51.49	54.00	2.51	150.0	200.0	V	5.0	14.6
5995.375000	54.09	---	68.20	14.11	150.0	100.0	H	82.0	15.9
7606.250000	---	41.95	54.00	12.05	150.0	200.0	H	11.0	15.6



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8992.500000	40.77	---	68.20	27.43	150.0	100.0	V	10.0	5.0
9028.750000	---	31.92	54.00	22.08	150.0	200.0	H	83.0	5.0
9310.000000	---	31.86	54.00	22.14	150.0	100.0	V	263.0	5.2
10043.750000	42.92	---	68.20	25.28	150.0	200.0	V	173.0	6.1
10540.000000	45.02	---	68.20	23.18	150.0	200.0	H	221.0	6.2
10807.500000	---	32.75	54.00	21.25	150.0	100.0	V	68.0	7.3
13033.750000	43.48	---	68.20	24.72	150.0	200.0	V	126.0	11.0
13333.750000	---	33.83	54.00	20.17	150.0	100.0	V	168.0	10.9
15332.500000	45.74	---	68.20	22.46	150.0	200.0	V	131.0	13.5
15357.500000	---	36.30	54.00	17.70	150.0	200.0	H	269.0	13.6
17600.000000	50.77	---	68.20	17.43	150.0	100.0	V	57.0	20.1
17897.500000	---	42.15	54.00	11.85	150.0	200.0	V	5.0	20.6

802.11ax40 CH62



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1282.625000	42.77	---	68.20	25.43	150.0	100.0	V	80.0	-3.0
1393.750000	---	32.16	54.00	21.84	150.0	200.0	V	102.0	-2.2
1713.125000	51.38	---	68.20	16.82	150.0	100.0	V	197.0	-0.1
1720.125000	---	38.16	54.00	15.84	150.0	200.0	V	197.0	-0.1
2553.125000	47.80	---	68.20	20.40	150.0	100.0	H	281.0	4.1
2739.500000	---	37.17	54.00	16.83	150.0	200.0	H	317.0	5.3
3140.250000	49.13	---	68.20	19.07	150.0	100.0	V	80.0	7.4
3852.500000	---	39.22	54.00	14.78	150.0	200.0	H	0.0	7.9
5351.375000	---	50.87	54.00	3.13	150.0	100.0	V	1.0	14.6
5351.375000	61.93	---	74.00	12.07	150.0	200.0	V	1.0	14.6
5991.875000	54.63	---	68.20	13.57	150.0	200.0	H	358.0	15.9
7593.125000	---	41.94	54.00	12.06	150.0	200.0	H	338.0	15.5



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8900.000000	42.49	---	68.20	25.71	150.0	100.0	H	174.0	5.1
9020.000000	---	31.78	54.00	22.22	150.0	200.0	H	94.0	5.0
9166.250000	---	31.41	54.00	22.59	150.0	200.0	H	0.0	5.1
10086.250000	41.66	---	68.20	26.54	150.0	200.0	V	134.0	6.1
10620.000000	---	41.94	54.00	12.06	150.0	200.0	H	222.0	6.6
10620.000000	46.38	---	74.00	27.62	150.0	100.0	H	222.0	6.6
12893.750000	43.46	---	68.20	24.74	150.0	200.0	H	206.0	10.5
13358.750000	---	34.01	54.00	19.99	150.0	200.0	V	91.0	11.0
15281.250000	46.35	---	68.20	21.85	150.0	100.0	V	0.0	13.3
15355.000000	---	36.07	54.00	17.93	150.0	200.0	H	333.0	13.6
17291.250000	50.45	---	68.20	17.75	150.0	200.0	H	190.0	20.2
17912.500000	---	42.90	54.00	11.10	150.0	100.0	H	317.0	20.6

802.11ax40 CH102



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1243.250000	42.56	---	68.20	25.64	150.0	200.0	H	132.0	-3.2
1404.250000	---	31.95	54.00	22.05	150.0	100.0	H	158.0	-2.2
1721.000000	---	40.87	54.00	13.13	150.0	200.0	H	122.0	-0.1
1722.750000	47.34	---	68.20	20.86	150.0	100.0	H	122.0	-0.1
2680.875000	47.79	---	68.20	20.41	150.0	200.0	V	97.0	4.9
2762.250000	---	37.10	54.00	16.90	150.0	200.0	H	225.0	5.4
3597.875000	49.22	---	68.20	18.98	150.0	200.0	H	355.0	7.9
3804.375000	---	39.21	54.00	14.79	150.0	100.0	V	180.0	8.0
5459.875000	---	46.49	54.00	7.51	150.0	200.0	V	143.0	14.8
5469.500000	60.40	---	68.20	7.80	150.0	200.0	V	234.0	14.8
5988.375000	54.80	---	68.20	13.40	150.0	200.0	V	128.0	15.9
7748.000000	---	42.09	54.00	11.91	150.0	200.0	H	102.0	15.3



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8937.500000	41.68	---	68.20	26.52	150.0	100.0	V	273.0	5.2
9063.750000	---	31.48	54.00	22.52	150.0	200.0	V	16.0	5.0
9161.250000	---	31.68	54.00	22.32	150.0	200.0	H	154.0	5.1
10092.500000	41.32	---	68.20	26.88	150.0	100.0	H	136.0	6.1
10595.000000	40.87	---	68.20	27.33	150.0	200.0	V	139.0	6.5
11020.000000	---	40.35	54.00	13.65	150.0	200.0	V	342.0	7.1
13017.500000	43.45	---	68.20	24.75	150.0	100.0	H	222.0	11.0
13355.000000	---	34.19	54.00	19.81	150.0	100.0	H	341.0	11.0
15143.750000	45.21	---	68.20	22.99	150.0	200.0	H	60.0	12.1
15400.000000	---	36.50	54.00	17.50	150.0	200.0	H	117.0	13.4
17295.000000	51.01	---	68.20	17.19	150.0	200.0	V	42.0	20.2
17895.000000	---	42.34	54.00	11.66	150.0	100.0	H	278.0	20.6

802.11ax40 CH118



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1260.750000	42.84	---	68.20	25.36	150.0	100.0	H	308.0	-3.1
1402.500000	---	32.10	54.00	21.90	150.0	200.0	H	349.0	-2.2
1721.875000	---	47.78	54.00	6.22	150.0	100.0	H	344.0	-0.1
1723.625000	55.38	---	68.20	12.82	150.0	200.0	H	344.0	-0.1
2652.000000	47.95	---	68.20	20.25	150.0	100.0	H	212.0	4.6
2827.000000	---	37.02	54.00	16.98	150.0	200.0	H	74.0	5.8
3059.750000	50.01	---	68.20	18.19	150.0	200.0	H	217.0	7.0
3905.875000	---	39.07	54.00	14.93	150.0	100.0	H	145.0	8.1
5414.375000	---	47.85	54.00	6.15	150.0	200.0	V	47.0	14.7
5469.500000	58.23	---	68.20	9.97	150.0	200.0	V	77.0	14.8
5928.000000	54.37	---	68.20	13.83	150.0	200.0	H	186.0	15.8
7637.750000	---	42.41	54.00	11.59	150.0	200.0	H	349.0	15.4



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8940.000000	40.73	---	68.20	27.47	150.0	100.0	V	177.0	5.2
9011.250000	---	31.75	54.00	22.25	150.0	200.0	H	338.0	5.0
9161.250000	---	31.30	54.00	22.70	150.0	200.0	H	245.0	5.1
9807.500000	42.78	---	68.20	25.42	150.0	100.0	V	230.0	5.6
10591.250000	40.11	---	68.20	28.09	150.0	200.0	H	279.0	6.5
11180.000000	---	37.74	54.00	16.26	150.0	200.0	V	230.0	7.3
12935.000000	43.37	---	68.20	24.83	150.0	100.0	H	200.0	10.6
13318.750000	---	34.29	54.00	19.71	150.0	200.0	H	193.0	10.9
15340.000000	45.60	---	68.20	22.60	150.0	200.0	H	350.0	13.6
15387.500000	---	36.44	54.00	17.56	150.0	100.0	H	226.0	13.4
17461.250000	50.63	---	68.20	17.57	150.0	200.0	H	81.0	20.2
17880.000000	---	42.21	54.00	11.79	150.0	200.0	H	174.0	20.5

802.11ax40 CH134



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1291.375000	43.05	---	68.20	25.15	150.0	200.0	H	76.0	-2.9
1405.125000	---	32.22	54.00	21.78	150.0	100.0	V	181.0	-2.1
1665.875000	---	33.25	54.00	20.75	150.0	200.0	H	133.0	-0.4
1931.000000	46.02	---	68.20	22.18	150.0	200.0	V	191.0	1.3
2539.125000	48.08	---	68.20	20.12	150.0	200.0	H	224.0	4.0
2736.875000	---	37.28	54.00	16.72	150.0	100.0	H	112.0	5.3
3414.125000	49.59	---	68.20	18.61	150.0	200.0	H	199.0	7.8
3811.375000	---	39.07	54.00	14.93	150.0	200.0	H	204.0	8.0
5176.375000	53.60	---	68.20	14.60	150.0	200.0	V	191.0	14.5
5459.875000	---	45.09	54.00	8.91	150.0	200.0	V	165.0	14.8
5863.250000	55.01	---	68.20	13.19	150.0	200.0	V	104.0	15.9
7553.750000	---	42.18	54.00	11.82	150.0	200.0	H	204.0	15.4



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8930.000000	40.73	---	68.20	27.47	150.0	100.0	H	244.0	5.2
9016.250000	---	31.53	54.00	22.47	150.0	200.0	V	44.0	5.0
9327.500000	---	31.64	54.00	22.36	150.0	200.0	H	344.0	5.3
10130.000000	42.09	---	68.20	26.11	150.0	100.0	V	206.0	6.2
10525.000000	40.11	---	68.20	28.09	150.0	200.0	H	277.0	6.2
11340.000000	---	36.85	54.00	17.15	150.0	200.0	V	236.0	7.5
13357.500000	---	34.22	54.00	19.78	150.0	200.0	H	348.0	11.0
13425.000000	43.19	---	68.20	25.01	150.0	200.0	V	198.0	11.2
15282.500000	46.01	---	68.20	22.19	150.0	100.0	H	196.0	13.3
15367.500000	---	36.16	54.00	17.84	150.0	200.0	H	12.0	13.6
17373.750000	51.51	---	68.20	16.69	150.0	200.0	H	251.0	20.3
17907.500000	---	42.06	54.00	11.94	150.0	200.0	V	44.0	20.6

802.11ax40 CH142



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1259.875000	42.86	---	68.20	25.34	150.0	100.0	H	310.0	-3.2
1400.750000	---	32.17	54.00	21.83	150.0	200.0	H	304.0	-2.2
1721.875000	---	33.21	54.00	20.79	150.0	100.0	H	133.0	-0.1
1956.375000	46.49	---	68.20	21.71	150.0	200.0	H	314.0	1.4
2557.500000	47.93	---	68.20	20.27	150.0	100.0	H	112.0	4.1
2823.500000	---	37.00	54.00	17.00	150.0	200.0	H	310.0	5.8
3562.875000	49.22	---	68.20	18.98	150.0	200.0	H	299.0	8.0
3785.125000	---	38.92	54.00	15.08	150.0	200.0	H	335.0	8.1
4944.500000	---	45.23	54.00	8.77	150.0	100.0	H	299.0	14.0
5314.625000	53.43	---	68.20	14.77	150.0	200.0	H	246.0	14.5
5858.000000	56.70	---	68.20	11.50	150.0	100.0	V	214.0	15.9
7531.875000	---	42.13	54.00	11.87	150.0	200.0	H	127.0	15.3



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8981.250000	40.98	---	68.20	27.22	150.0	200.0	H	171.0	5.0
9012.500000	---	31.62	54.00	22.38	150.0	100.0	H	129.0	5.0
9471.250000	---	31.61	54.00	22.39	150.0	200.0	H	208.0	5.7
9807.500000	42.34	---	68.20	25.86	150.0	200.0	H	212.0	5.6
10591.250000	41.03	---	68.20	27.17	150.0	100.0	H	300.0	6.5
11420.000000	---	37.05	54.00	16.95	150.0	200.0	V	157.0	7.6
12973.750000	43.55	---	68.20	24.65	150.0	200.0	V	214.0	10.8
13258.750000	---	33.89	54.00	20.11	150.0	200.0	H	231.0	10.6
15317.500000	46.08	---	68.20	22.12	150.0	100.0	H	136.0	13.5
15387.500000	---	36.40	54.00	17.60	150.0	200.0	H	22.0	13.4
17321.250000	51.86	---	68.20	16.34	150.0	100.0	H	238.0	20.2
17886.250000	---	42.49	54.00	11.51	150.0	200.0	H	114.0	20.5

802.11ax80 CH42



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1264.250000	42.63	---	68.20	25.57	150.0	100.0	H	315.0	-3.1
1373.625000	---	31.90	54.00	22.10	150.0	200.0	H	315.0	-2.3
1709.625000	---	33.34	54.00	20.66	150.0	100.0	V	51.0	-0.2
1982.625000	46.26	---	68.20	21.94	150.0	200.0	V	139.0	1.6
2604.750000	48.27	---	68.20	19.93	150.0	100.0	V	146.0	4.4
2819.125000	---	37.29	54.00	16.71	150.0	200.0	H	355.0	5.8
2990.625000	49.39	---	68.20	18.81	150.0	200.0	V	355.0	6.9
3884.875000	---	39.27	54.00	14.73	150.0	200.0	H	0.0	8.1
5143.125000	---	53.72	54.00	0.28	150.0	100.0	V	139.0	14.5
5144.000000	62.96	---	74.00	11.04	150.0	200.0	V	15.0	14.5
5852.750000	54.56	---	68.20	13.64	150.0	200.0	V	234.0	15.9
7635.125000	---	41.88	54.00	12.12	150.0	100.0	V	146.0	15.4



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8865.000000	40.71	---	68.20	27.49	150.0	100.0	H	343.0	5.0
9022.500000	---	31.82	54.00	22.18	150.0	200.0	H	229.0	5.0
9315.000000	---	31.34	54.00	22.66	150.0	200.0	V	35.0	5.2
10420.000000	45.38	---	68.20	22.82	150.0	200.0	H	202.0	6.3
10570.000000	40.00	---	68.20	28.20	150.0	100.0	H	218.0	6.3
10980.000000	---	33.06	54.00	20.94	150.0	200.0	V	221.0	7.1
13352.500000	---	34.32	54.00	19.68	150.0	200.0	H	328.0	11.0
13686.250000	43.78	---	68.20	24.42	150.0	200.0	V	252.0	9.7
15321.250000	45.57	---	68.20	22.63	150.0	200.0	H	348.0	13.5
15362.500000	---	36.34	54.00	17.66	150.0	100.0	H	0.0	13.6
17086.250000	51.01	---	68.20	17.19	150.0	200.0	H	165.0	19.1
17906.250000	---	42.00	54.00	12.00	150.0	200.0	V	93.0	20.6

802.11ax80 CH58



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1247.625000	42.61	---	68.20	25.59	150.0	100.0	H	197.0	-3.2
1336.000000	---	32.43	54.00	21.57	150.0	200.0	V	262.0	-2.6
1719.250000	---	34.89	54.00	19.11	150.0	100.0	H	0.0	-0.1
1904.750000	45.96	---	68.20	22.24	150.0	200.0	H	161.0	1.1
2399.125000	48.01	---	68.20	20.19	150.0	200.0	V	115.0	3.4
2769.250000	---	37.26	54.00	16.74	150.0	100.0	V	203.0	5.5
3111.375000	49.74	---	68.20	18.46	150.0	200.0	H	189.0	7.1
3988.125000	---	39.39	54.00	14.61	150.0	200.0	H	66.0	8.1
5357.500000	65.46	---	74.00	8.54	150.0	100.0	V	0.0	14.6
5361.875000	---	53.39	54.00	0.61	150.0	200.0	V	359.0	14.6
5872.875000	53.92	---	68.20	14.28	150.0	100.0	H	269.0	15.8
7601.000000	---	42.32	54.00	11.68	150.0	200.0	V	42.0	15.5



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8812.500000	40.69	---	68.20	27.51	150.0	100.0	V	51.0	5.0
9052.500000	---	31.62	54.00	22.38	150.0	200.0	H	174.0	5.0
9167.500000	---	31.58	54.00	22.42	150.0	200.0	H	184.0	5.1
10005.000000	41.70	---	68.20	26.50	150.0	100.0	H	279.0	6.0
10580.000000	45.56	---	68.20	22.64	150.0	200.0	H	221.0	6.4
10788.750000	---	33.02	54.00	20.98	150.0	200.0	V	72.0	7.3
13018.750000	43.18	---	68.20	25.02	150.0	100.0	H	67.0	11.0
13326.250000	---	34.03	54.00	19.97	150.0	200.0	H	205.0	10.9
15245.000000	45.81	---	68.20	22.39	150.0	200.0	V	114.0	13.0
15373.750000	---	36.80	54.00	17.20	150.0	100.0	V	30.0	13.5
17605.000000	50.75	---	68.20	17.45	150.0	200.0	H	116.0	20.1
17907.500000	---	42.23	54.00	11.77	150.0	200.0	H	216.0	20.6

802.11ax80 CH106



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1266.875000	43.00	---	68.20	25.20	150.0	200.0	H	70.0	-3.1
1400.750000	---	32.04	54.00	21.96	150.0	200.0	H	85.0	-2.2
1696.500000	---	33.17	54.00	20.84	150.0	200.0	H	131.0	-0.3
1969.500000	45.80	---	68.20	22.40	150.0	200.0	V	196.0	1.3
2669.500000	49.03	---	68.20	19.17	150.0	200.0	V	65.0	4.8
2819.125000	---	37.44	54.00	16.56	150.0	200.0	V	96.0	5.8
3001.125000	49.77	---	68.20	18.43	150.0	200.0	H	60.0	7.0
3912.875000	---	39.33	54.00	14.67	150.0	200.0	V	349.0	8.1
5458.125000	---	49.56	54.00	4.44	150.0	200.0	V	116.0	14.8
5463.375000	58.89	---	68.20	9.31	150.0	200.0	V	0.0	14.8
5865.875000	54.37	---	68.20	13.83	150.0	200.0	V	33.0	15.9
7590.500000	---	42.21	54.00	11.79	150.0	200.0	V	303.0	15.5



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8932.500000	41.45	---	68.20	26.75	150.0	200.0	V	280.0	5.2
9085.000000	---	31.49	54.00	22.51	150.0	200.0	V	190.0	5.0
9167.500000	---	32.36	54.00	21.64	150.0	200.0	H	177.0	5.1
10453.750000	42.11	---	68.20	26.09	150.0	200.0	H	217.0	6.2
10561.250000	40.10	---	68.20	28.10	150.0	200.0	V	247.0	6.3
11060.000000	---	39.51	54.00	14.49	150.0	200.0	H	166.0	7.2
13240.000000	43.74	---	68.20	24.46	150.0	200.0	V	337.0	10.6
13356.250000	---	33.94	54.00	20.06	150.0	200.0	V	265.0	11.0
15292.500000	45.67	---	68.20	22.53	150.0	200.0	H	127.0	13.3
15383.750000	---	36.56	54.00	17.44	150.0	200.0	H	5.0	13.5
17668.750000	50.66	---	68.20	17.54	150.0	200.0	H	40.0	20.3
17907.500000	---	42.70	54.00	11.30	150.0	200.0	H	87.0	20.6

802.11ax80 CH122



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1279.125000	43.19	---	68.20	25.01	150.0	200.0	H	216.0	-3.0
1400.750000	---	31.95	54.00	22.05	150.0	100.0	H	201.0	-2.2
1721.000000	---	33.29	54.00	20.71	150.0	200.0	H	0.0	-0.1
1887.250000	46.73	---	68.20	21.47	150.0	100.0	V	214.0	1.0
2602.125000	48.01	---	68.20	20.19	150.0	200.0	H	190.0	4.3
2789.375000	---	37.15	54.00	16.85	150.0	200.0	H	206.0	5.7
3001.125000	49.59	---	68.20	18.61	150.0	100.0	V	193.0	7.0
3741.375000	---	38.98	54.00	15.02	150.0	200.0	H	53.0	7.9
5452.000000	---	47.71	54.00	6.29	150.0	200.0	V	32.0	14.8
5465.125000	58.95	---	68.20	9.25	150.0	100.0	V	53.0	14.8
5981.375000	54.28	---	68.20	13.92	150.0	200.0	V	219.0	15.9
7342.000000	---	42.07	54.00	11.93	150.0	200.0	H	358.0	14.3



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8977.500000	40.83	---	68.20	27.37	150.0	100.0	H	105.0	5.1
9006.250000	---	31.67	54.00	22.33	150.0	200.0	H	41.0	5.0
9186.250000	---	31.60	54.00	22.40	150.0	200.0	V	343.0	5.2
10228.750000	41.93	---	68.20	26.27	150.0	200.0	V	339.0	6.3
10582.500000	41.27	---	68.20	26.93	150.0	100.0	V	156.0	6.4
11220.000000	---	37.78	54.00	16.22	150.0	200.0	V	228.0	7.4
13262.500000	---	33.93	54.00	20.07	150.0	100.0	V	335.0	10.7
13682.500000	43.46	---	68.20	24.74	150.0	200.0	V	272.0	9.8
15342.500000	45.96	---	68.20	22.24	150.0	100.0	V	257.0	13.6
15390.000000	---	36.29	54.00	17.71	150.0	200.0	H	56.0	13.4
17128.750000	50.91	---	68.20	17.29	150.0	200.0	H	191.0	19.4
17882.500000	---	42.29	54.00	11.71	150.0	200.0	V	247.0	20.5

802.11ax80 CH138



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1269.500000	42.29	---	68.20	25.91	150.0	100.0	H	245.0	-3.1
1371.875000	---	31.95	54.00	22.05	150.0	200.0	V	338.0	-2.4
1700.875000	---	33.15	54.00	20.85	150.0	100.0	H	160.0	-0.3
1979.125000	46.28	---	68.20	21.92	150.0	200.0	H	27.0	1.5
2653.750000	48.34	---	68.20	19.86	150.0	200.0	H	130.0	4.6
2737.750000	---	36.93	54.00	17.07	150.0	100.0	H	340.0	5.3
3074.625000	49.03	---	68.20	19.17	150.0	200.0	H	12.0	7.2
3873.500000	---	38.87	54.00	15.13	150.0	200.0	V	222.0	8.1
4966.375000	---	45.35	54.00	8.65	150.0	100.0	V	150.0	14.2
5469.500000	55.16	---	68.20	13.04	150.0	200.0	V	312.0	14.8
5851.000000	58.63	---	68.20	9.57	150.0	200.0	V	312.0	15.9
7557.250000	---	42.03	54.00	11.97	150.0	100.0	V	98.0	15.4



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8928.750000	41.43	---	68.20	26.77	150.0	100.0	H	8.0	5.2
9018.750000	---	32.82	54.00	21.18	150.0	200.0	V	103.0	5.0
9461.250000	---	31.96	54.00	22.04	150.0	200.0	V	354.0	5.6
9807.500000	42.31	---	68.20	25.89	150.0	200.0	H	166.0	5.6
10488.750000	40.62	---	68.20	27.58	150.0	100.0	H	61.0	6.2
11380.000000	---	36.61	54.00	17.39	150.0	200.0	V	226.0	7.5
13348.750000	---	33.89	54.00	20.11	150.0	200.0	V	114.0	11.0
13630.000000	44.31	---	68.20	23.89	150.0	100.0	H	192.0	10.0
15337.500000	46.42	---	68.20	21.78	150.0	200.0	H	293.0	13.6
15365.000000	---	36.12	54.00	17.88	150.0	100.0	V	178.0	13.6
17608.750000	50.84	---	68.20	17.36	150.0	200.0	V	164.0	20.1
17912.500000	---	43.26	54.00	10.74	150.0	200.0	V	3.0	20.6

802.11ax160 CH50



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1254.625000	42.68	---	68.20	25.52	150.0	100.0	V	208.0	-3.2
1392.000000	---	31.90	54.00	22.10	150.0	200.0	V	223.0	-2.2
1696.500000	---	33.44	54.00	20.56	150.0	100.0	H	337.0	-0.3
1975.625000	45.78	---	68.20	22.42	150.0	200.0	V	172.0	1.5
2549.625000	47.83	---	68.20	20.37	150.0	100.0	V	1.0	4.1
2788.500000	---	37.23	54.00	16.77	150.0	200.0	V	64.0	5.7
3401.000000	49.88	---	68.20	18.32	150.0	100.0	V	296.0	7.8
3889.250000	---	38.91	54.00	15.09	150.0	200.0	H	36.0	8.1
5387.250000	---	50.96	54.00	3.04	150.0	100.0	V	0.0	14.6
5387.250000	66.72	---	74.00	7.28	150.0	100.0	V	0.0	14.6
6002.375000	54.70	---	68.20	13.50	150.0	100.0	H	330.0	16.0
7609.750000	---	41.82	54.00	12.18	150.0	200.0	V	93.0	15.6



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8720.000000	40.60	---	68.20	27.60	150.0	100.0	V	358.0	5.0
9088.750000	---	31.53	54.00	22.47	150.0	200.0	H	111.0	5.0
9478.750000	---	31.48	54.00	22.52	150.0	200.0	H	122.0	5.7
10135.000000	42.19	---	68.20	26.01	150.0	100.0	V	313.0	6.2
10500.000000	44.86	---	68.20	23.34	150.0	200.0	H	209.0	6.2
10995.000000	---	32.92	54.00	21.08	150.0	200.0	V	267.0	7.1
13052.500000	43.35	---	68.20	24.85	150.0	100.0	H	70.0	10.8
13255.000000	---	33.84	54.00	20.16	150.0	200.0	H	348.0	10.6
15187.500000	45.59	---	68.20	22.61	150.0	100.0	V	241.0	12.5
15367.500000	---	36.55	54.00	17.45	150.0	200.0	V	272.0	13.6
17205.000000	50.45	---	68.20	17.75	150.0	200.0	V	308.0	20.0
17811.250000	---	42.34	54.00	11.66	150.0	100.0	V	222.0	20.5

802.11ax160 CH114



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1268.625000	40.26	---	68.20	27.94	500.0	200.0	H	190.0	-8.5
1385.000000	---	29.58	54.00	24.42	500.0	200.0	H	200.0	-7.7
1458.500000	---	29.85	54.00	24.15	500.0	200.0	H	17.0	-7.2
1956.375000	43.30	---	68.20	24.90	500.0	200.0	H	74.0	-4.7
2467.375000	45.94	---	68.20	22.26	500.0	200.0	H	350.0	-2.3
2748.250000	---	35.54	54.00	18.46	500.0	200.0	H	68.0	-1.5
3485.875000	49.85	---	68.20	18.35	500.0	200.0	H	174.0	1.7
3975.000000	---	38.95	54.00	15.05	500.0	200.0	H	297.0	3.1
5252.500000	49.45	---	68.20	18.75	500.0	200.0	V	118.0	5.3
5379.375000	---	40.95	54.00	13.05	500.0	200.0	V	12.0	5.1
6684.875000	52.58	---	68.20	15.62	500.0	200.0	H	82.0	6.5
7321.000000	---	40.71	54.00	13.29	500.0	200.0	H	208.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8928.750000	41.20	---	68.20	27.00	150.0	200.0	H	102.0	5.2
9005.000000	---	31.84	54.00	22.16	150.0	100.0	V	355.0	5.0
9162.500000	---	31.43	54.00	22.57	150.0	200.0	H	121.0	5.1
9807.500000	42.99	---	68.20	25.21	150.0	200.0	H	144.0	5.6
10560.000000	40.21	---	68.20	27.99	150.0	100.0	H	17.0	6.3
11140.000000	---	37.43	54.00	16.57	150.0	200.0	H	264.0	7.2
13248.750000	43.40	---	68.20	24.80	150.0	200.0	H	147.0	10.6
13281.250000	---	33.74	54.00	20.26	150.0	100.0	V	78.0	10.8
15177.500000	45.70	---	68.20	22.50	150.0	200.0	H	290.0	12.4
15351.250000	---	36.69	54.00	17.31	150.0	200.0	H	298.0	13.6
17367.500000	50.84	---	68.20	17.36	150.0	100.0	V	288.0	20.3
17863.750000	---	42.35	54.00	11.65	150.0	200.0	H	286.0	20.5

802.11n20 CH36



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1299.250000	42.65	---	68.20	25.55	150.0	200.0	H	118.0	-2.9
1374.500000	---	32.04	54.00	21.96	150.0	100.0	H	169.0	-2.3
1711.375000	47.44	---	68.20	20.76	150.0	200.0	H	277.0	-0.1
1721.875000	---	37.97	54.00	16.03	150.0	100.0	H	338.0	-0.1
2562.750000	48.32	---	68.20	19.88	150.0	200.0	H	169.0	4.2
2746.500000	---	37.02	54.00	16.98	150.0	200.0	H	140.0	5.3
3026.500000	49.27	---	68.20	18.93	150.0	100.0	H	345.0	7.0
3746.625000	---	38.71	54.00	15.29	150.0	200.0	H	161.0	7.9
5148.375000	65.34	---	74.00	8.66	150.0	200.0	V	55.0	14.5
5331.250000	---	47.69	---	---	150.0	100.0	V	244.0	14.5
5953.375000	54.25	---	68.20	13.95	150.0	200.0	H	284.0	15.8
7581.750000	---	42.90	54.00	11.10	150.0	200.0	V	120.0	15.5



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8986.250000	40.82	---	68.20	27.38	150.0	200.0	H	281.0	5.0
9152.500000	---	31.56	54.00	22.44	150.0	100.0	V	11.0	5.1
9166.250000	---	31.73	54.00	22.27	150.0	200.0	H	161.0	5.1
10360.000000	44.43	---	68.20	23.77	150.0	200.0	V	69.0	6.4
10582.500000	40.70	---	68.20	27.50	150.0	100.0	H	323.0	6.4
10980.000000	---	33.68	54.00	20.32	150.0	200.0	V	0.0	7.1
13317.500000	---	34.70	54.00	19.30	150.0	100.0	V	80.0	10.9
13622.500000	43.49	---	68.20	24.71	150.0	200.0	H	286.0	10.0
15273.750000	46.26	---	68.20	21.94	150.0	200.0	V	27.0	13.2
15363.750000	---	37.47	54.00	16.53	150.0	200.0	V	54.0	13.6
17313.750000	51.00	---	68.20	17.20	150.0	200.0	V	126.0	20.2
17798.750000	---	42.20	54.00	11.80	150.0	100.0	V	179.0	20.5

802.11n20 CH40



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1266.875000	42.57	---	68.20	25.63	150.0	100.0	H	0.0	-3.1
1399.875000	---	32.16	54.00	21.84	150.0	200.0	H	265.0	-2.2
1720.125000	---	38.08	54.00	15.92	150.0	100.0	H	322.0	-0.1
1876.750000	45.66	---	68.20	22.54	150.0	200.0	H	139.0	0.9
2191.750000	47.85	---	68.20	20.35	150.0	200.0	H	28.0	2.3
2743.875000	---	36.79	54.00	17.21	150.0	100.0	H	236.0	5.3
3006.375000	49.13	---	68.20	19.07	150.0	200.0	H	330.0	7.0
3984.625000	---	39.05	54.00	14.95	150.0	200.0	H	337.0	8.0
5148.375000	---	47.65	54.00	6.35	150.0	100.0	V	0.0	14.5
5529.000000	53.62	---	68.20	14.58	150.0	200.0	H	21.0	15.0
5770.500000	53.95	---	68.20	14.25	150.0	100.0	V	129.0	15.7
7622.875000	---	42.39	54.00	11.61	150.0	200.0	H	258.0	15.5



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8985.000000	40.56	---	68.20	27.64	150.0	200.0	V	96.0	5.0
9016.250000	---	32.57	54.00	21.43	150.0	100.0	H	183.0	5.0
9362.500000	---	31.72	54.00	22.28	150.0	200.0	H	196.0	5.4
10360.000000	44.72	---	68.20	23.48	150.0	200.0	V	70.0	6.4
10576.250000	41.56	---	68.20	26.64	150.0	100.0	H	134.0	6.4
11005.000000	---	33.39	54.00	20.61	150.0	200.0	V	27.0	7.1
13221.250000	43.87	---	68.20	24.33	150.0	200.0	H	341.0	10.5
13277.500000	---	34.46	54.00	19.54	150.0	200.0	V	80.0	10.7
15206.250000	46.37	---	68.20	21.83	150.0	200.0	V	329.0	12.6
15356.250000	---	36.33	54.00	17.67	150.0	100.0	H	359.0	13.6
17677.500000	51.25	---	68.20	16.95	150.0	200.0	V	231.0	20.3
17870.000000	---	42.07	54.00	11.93	150.0	100.0	H	202.0	20.5

802.11n20 CH48



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1253.750000	43.03	---	68.20	25.17	150.0	200.0	H	200.0	-3.2
1374.500000	---	32.26	54.00	21.74	150.0	200.0	H	70.0	-2.3
1662.375000	---	33.43	54.00	20.57	150.0	200.0	V	65.0	-0.4
1946.750000	45.90	---	68.20	22.30	150.0	200.0	H	77.0	1.4
2581.125000	47.95	---	68.20	20.25	150.0	200.0	H	229.0	4.3
2742.125000	---	36.95	54.00	17.05	150.0	200.0	H	304.0	5.3
3141.125000	48.86	---	68.20	19.34	150.0	200.0	H	251.0	7.4
3609.250000	---	39.50	54.00	14.50	150.0	200.0	H	9.0	7.8
5390.750000	---	47.69	54.00	6.31	150.0	200.0	V	161.0	14.6
5624.375000	53.61	---	68.20	14.59	150.0	200.0	H	48.0	15.3
5848.375000	55.33	---	68.20	12.87	150.0	200.0	H	251.0	15.9
7634.250000	---	42.16	54.00	11.84	150.0	200.0	H	37.0	15.4



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8905.000000	41.27	---	68.20	26.93	150.0	200.0	V	320.0	5.1
9011.250000	---	32.16	54.00	21.84	150.0	200.0	H	243.0	5.0
9167.500000	---	32.00	54.00	22.00	150.0	200.0	H	301.0	5.1
10360.000000	43.86	---	68.20	24.34	150.0	200.0	V	70.0	6.4
10597.500000	40.62	---	68.20	27.58	150.0	200.0	V	28.0	6.5
10981.250000	---	33.63	54.00	20.37	150.0	100.0	V	81.0	7.1
13320.000000	---	34.85	54.00	19.15	150.0	200.0	H	211.0	10.9
13722.500000	43.57	---	68.20	24.63	150.0	200.0	V	2.0	9.6
15305.000000	45.80	---	68.20	22.40	150.0	100.0	H	285.0	13.4
15356.250000	---	36.77	54.00	17.23	150.0	200.0	V	17.0	13.6
17331.250000	50.92	---	68.20	17.28	150.0	100.0	H	275.0	20.2
17908.750000	---	42.38	54.00	11.62	150.0	200.0	H	254.0	20.6