




Mode: 802.11a (6 Mbps)
 Band: UNII-2A
 Distance of measurement: 3 meter
 Channel: 64


- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 056.24	43.62	Peak	H	-6.59	-	37.03	74.00	36.97
1 166.73	42.54	Peak	V	-6.03	-	36.51	74.00	37.49

- Band edge

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
5 350.66	42.77	Peak	V	5.91	-	48.68	74.00	25.32
5 352.21	50.81	Peak	H	5.91	-	56.72	74.00	17.28
5 352.21	33.60	Average	H	5.91	-	39.51	54.00	14.49





Note.


1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: 802.11n_HT20 (MCS0)
 Band: UNII-2A
 Distance of measurement: 3 meter
 Channel: 52

- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 081.24	42.59	Peak	V	-6.47	-	36.12	74.00	37.88
1 465.20	42.36	Peak	H	-4.41	-	37.95	74.00	36.05



Note.


1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: 802.11n_HT20 (MCS0)
 Band: UNII-2A
 Distance of measurement: 3 meter
 Channel: 56

- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 021.25	43.16	Peak	H	-6.77	-	36.39	74.00	37.61
1 428.71	43.08	Peak	V	-4.60	-	38.48	68.20	29.72



Note.

1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: 802.11n_HT20 (MCS0)
 Band: UNII-2A
 Distance of measurement: 3 meter
 Channel: 64


- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 014.75	43.51	Peak	H	-6.80	-	36.71	74.00	37.29
1 175.23	42.78	Peak	V	-5.99	-	36.79	74.00	37.21

- Band edge

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
5 353.93	59.39	Peak	H	5.91	-	65.30	74.00	8.70
5 353.93	34.07	Average	H	5.91	-	39.98	54.00	14.02
5 355.06	50.36	Peak	V	5.91	-	56.27	74.00	17.73
5 355.06	29.08	Average	V	5.91	-	34.99	54.00	19.01





Note.


1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: 802.11ac_VHT20 (MCS0)
 Band: UNII-2A
 Distance of measurement: 3 meter
 Channel: 52

- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 081.24	42.76	Peak	H	-6.47	-	36.29	74.00	37.71
1 215.23	43.20	Peak	V	-5.78	-	37.42	74.00	36.58



Note.


1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: 802.11ac_VHT20 (MCS0)
 Band: UNII-2A
 Distance of measurement: 3 meter
 Channel: 56

- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 077.74	43.01	Peak	V	-6.48	-	36.53	74.00	37.47
1 116.74	43.18	Peak	H	-6.29	-	36.89	74.00	37.11



Note.

1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: 802.11ac_VHT20 (MCS0)
 Band: UNII-2A
 Distance of measurement: 3 meter
 Channel: 64


- **Spurious**

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 004.75	43.57	Peak	H	-6.85	-	36.72	74.00	37.28
1 523.70	43.15	Peak	V	-4.15	-	39.00	74.00	35.00

- **Band edge**

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
5 353.27	48.51	Peak	V	5.91	-	54.42	74.00	19.58
5 353.27	28.87	Average	V	5.91	-	34.78	54.00	19.22
5 355.43	59.97	Peak	H	5.91	-	65.88	74.00	8.12
5 355.43	34.12	Average	H	5.91	-	40.03	54.00	13.97
5 356.74	49.65	Peak	V	5.92	-	55.57	74.00	18.43
5 356.74	29.50	Average	V	5.92	-	35.42	54.00	18.58





Note.

1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode:	802.11a (6 Mbps)
Band:	UNII-2C
Distance of measurement:	3 meter
Channel:	100


- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 069.24	42.37	Peak	H	-6.53	-	35.84	74.00	38.16
1 122.74	42.92	Peak	V	-6.26	-	36.66	74.00	37.34

- Band edge

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
5 454.62	50.84	Peak	H	6.04	-	56.88	74.00	17.12
5 454.62	33.70	Average	H	6.04	-	39.74	54.00	14.26
5 457.20	44.71	Peak	V	6.04	-	50.75	74.00	23.25





Note.


1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: 802.11a (6 Mbps)
 Band: UNII-2C
 Distance of measurement: 3 meter
 Channel: 120

- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 082.24	42.82	Peak	V	-6.46	-	36.36	74.00	37.64
1 201.73	43.22	Peak	H	-5.86	-	37.36	74.00	36.64



Note.

1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: 802.11a (6 Mbps)
 Band: UNII-2C
 Distance of measurement: 3 meter
 Channel: 140


- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 009.25	42.66	Peak	V	-6.83	-	35.83	74.00	38.17
1 260.72	43.18	Peak	H	-5.53	-	37.65	68.20	30.55

- Band edge

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
5 726.54	46.14	Peak	V	6.63	-	52.77	68.20	15.43
5 726.54	32.40	Average	V	6.63	-	39.03	48.20	9.17
5 729.48	51.52	Peak	H	6.64	-	58.16	68.20	10.04
5 729.48	36.01	Average	H	6.64	-	42.65	48.20	5.55





Note.


1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: 802.11a (6 Mbps)
 Band: UNII-2C
 Distance of measurement: 3 meter
 Channel: 144

- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 033.75	43.80	Peak	H	-6.71	-	37.09	74.00	36.91
1 067.24	42.37	Peak	V	-6.54	-	35.83	74.00	38.17



Note.

1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: 802.11n_HT20 (MCS0)

Band: UNII-2C

Distance of measurement: 3 meter


Channel: 100


- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 082.24	42.18	Peak	H	-6.46	-	35.72	74.00	38.28
1 181.73	42.46	Peak	V	-5.96	-	36.50	74.00	37.50

- Band edge

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
5 448.80	53.00	Peak	H	6.03	-	59.03	74.00	14.97
5 448.80	33.09	Average	H	6.03	-	39.12	54.00	14.88
5 452.57	55.21	Peak	H	6.03	-	61.24	74.00	12.76
5 452.57	35.23	Average	H	6.03	-	41.26	54.00	12.74
5 455.08	48.25	Peak	V	6.04	-	54.29	74.00	19.71
5 455.08	31.56	Average	V	6.04	-	37.60	54.00	16.40





Note.


1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: 802.11n_HT20 (MCS0)
 Band: UNII-2C
 Distance of measurement: 3 meter
 Channel: 120

- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 469.70	42.81	Peak	V	-4.38	-	38.43	74.00	35.57
1 950.65	42.64	Peak	H	-3.09	-	39.55	68.20	28.65



Note.

1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: 802.11n_HT20 (MCS0)
 Band: UNII-2C
 Distance of measurement: 3 meter
 Channel: 140

- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 033.25	43.08	Peak	V	-6.71	-	36.37	74.00	37.63
1 138.24	43.99	Peak	H	-6.18	-	37.81	74.00	36.19

- Band edge

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
5 725.04	55.81	Peak	H	6.63	-	62.44	68.20	5.76
5 725.04	39.93	Average	H	6.63	-	46.56	48.20	1.64
5 725.10	50.69	Peak	V	6.63	-	57.32	68.20	10.88
5 725.10	34.41	Average	V	6.63	-	41.04	48.20	7.16

