



## Appendix E

### RF Test Data for 5.3GWIFI (Conducted Measurement)

Product Name: Magic Mirror Appliance

Test Model: MMA21-4-A

#### Environmental Conditions

Temperature:	23.8°C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Jay Luo
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity



### E.1 -26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5260	Ant1	28.585	---	Pass
NVNT	a	5300	Ant1	28.557	---	Pass
NVNT	a	5320	Ant1	28.656	---	Pass
NVNT	n20	5260	Ant1	29.324	---	Pass
NVNT	n20	5300	Ant1	28.764	---	Pass
NVNT	n20	5320	Ant1	26.029	---	Pass
NVNT	n40	5270	Ant1	45.742	---	Pass
NVNT	n40	5310	Ant1	45.89	---	Pass
NVNT	ac20	5260	Ant1	28.868	---	Pass
NVNT	ac20	5300	Ant1	28.564	---	Pass
NVNT	ac20	5320	Ant1	28.701	---	Pass
NVNT	ac40	5270	Ant1	45.061	---	Pass
NVNT	ac40	5310	Ant1	44.535	---	Pass
NVNT	ac80	5290	Ant1	88.422	---	Pass
NVNT	ax20	5260	Ant1	28.362	---	Pass
NVNT	ax20	5300	Ant1	29.643	---	Pass
NVNT	ax20	5320	Ant1	29.066	---	Pass
NVNT	ax40	5270	Ant1	49.022	---	Pass
NVNT	ax40	5310	Ant1	48.849	---	Pass
NVNT	ax80	5290	Ant1	92.572	---	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
 Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




Test Graphs

-26dB Bandwidth NVNT a 5260MHz Ant1




-26dB Bandwidth NVNT a 5300MHz Ant1








-26dB Bandwidth NVNT a 5320MHz Ant1




-26dB Bandwidth NVNT n20 5260MHz Ant1








-26dB Bandwidth NVNT n40 5270MHz Ant1




-26dB Bandwidth NVNT n40 5310MHz Ant1






-26dB Bandwidth NVNT ac20 5260MHz Ant1




-26dB Bandwidth NVNT ac20 5300MHz Ant1






-26dB Bandwidth NVNT ac20 5320MHz Ant1




-26dB Bandwidth NVNT ac40 5270MHz Ant1






-26dB Bandwidth NVNT ac40 5310MHz Ant1




-26dB Bandwidth NVNT ac80 5290MHz Ant1






-26dB Bandwidth NVNT ax20 5260MHz Ant1




-26dB Bandwidth NVNT ax20 5300MHz Ant1






-26dB Bandwidth NVNT ax20 5320MHz Ant1




-26dB Bandwidth NVNT ax40 5270MHz Ant1






-26dB Bandwidth NVNT ax40 5310MHz Ant1



-26dB Bandwidth NVNT ax80 5290MHz Ant1





### E.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	10.6	0.24	10.84	24	Pass
NVNT	a	5300	Ant1	11.25	0.24	11.49	24	Pass
NVNT	a	5320	Ant1	11.59	0.24	11.83	24	Pass
NVNT	n20	5260	Ant1	10.94	0.28	11.22	24	Pass
NVNT	n20	5300	Ant1	10.57	0.28	10.85	24	Pass
NVNT	n20	5320	Ant1	10.95	0.28	11.23	24	Pass
NVNT	n40	5270	Ant1	9.94	0.24	10.18	24	Pass
NVNT	n40	5310	Ant1	10.7	0.24	10.94	24	Pass
NVNT	ac20	5260	Ant1	11.67	0.28	11.95	24	Pass
NVNT	ac20	5300	Ant1	10.6	0.28	10.88	24	Pass
NVNT	ac20	5320	Ant1	10.76	0.28	11.04	24	Pass
NVNT	ac40	5270	Ant1	10.37	0.24	10.61	24	Pass
NVNT	ac40	5310	Ant1	10.94	0.24	11.18	24	Pass
NVNT	ac80	5290	Ant1	10.58	0.47	11.05	24	Pass
NVNT	ax20	5260	Ant1	11.39	0.12	11.51	24	Pass
NVNT	ax20	5300	Ant1	11.83	0.12	<b>11.95</b>	24	Pass
NVNT	ax20	5320	Ant1	11.41	0.12	11.53	24	Pass
NVNT	ax40	5270	Ant1	10.75	0.24	10.99	24	Pass
NVNT	ax40	5310	Ant1	10.85	0.24	11.09	24	Pass
NVNT	ax80	5290	Ant1	9.42	0.47	9.89	24	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
 Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity



### E.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD(dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5260	Ant1	-0.06	0.24	0.18	11	Pass
NVNT	a	5300	Ant1	1.02	0.24	1.26	11	Pass
NVNT	a	5320	Ant1	0.94	0.24	1.18	11	Pass
NVNT	n20	5260	Ant1	0.18	0.28	0.46	11	Pass
NVNT	n20	5300	Ant1	0.08	0.28	0.36	11	Pass
NVNT	n20	5320	Ant1	0.1	0.28	0.38	11	Pass
NVNT	n40	5270	Ant1	-3.36	0.24	-3.12	11	Pass
NVNT	n40	5310	Ant1	-3.1	0.24	-2.86	11	Pass
NVNT	ac20	5260	Ant1	0.81	0.28	1.09	11	Pass
NVNT	ac20	5300	Ant1	-0.19	0.28	0.09	11	Pass
NVNT	ac20	5320	Ant1	0.21	0.28	0.49	11	Pass
NVNT	ac40	5270	Ant1	-3.19	0.24	-2.95	11	Pass
NVNT	ac40	5310	Ant1	-2.9	0.24	-2.66	11	Pass
NVNT	ac80	5290	Ant1	-6.36	0.47	-5.89	11	Pass
NVNT	ax20	5260	Ant1	0.85	0.12	0.97	11	Pass
NVNT	ax20	5300	Ant1	0.91	0.12	1.03	11	Pass
NVNT	ax20	5320	Ant1	0.88	0.12	1	11	Pass
NVNT	ax40	5270	Ant1	-2.71	0.24	-2.47	11	Pass
NVNT	ax40	5310	Ant1	-3.07	0.24	-2.83	11	Pass
NVNT	ax80	5290	Ant1	-7.61	0.47	-7.14	11	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
 Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity






Test Graphs



PSD NVNT a 5260MHz Ant1







PSD NVNT a 5300MHz Ant1

































## E.4 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5260	Ant1	4500	-52.11	4.58	-	47.70	Peak	68.2	Pass
NVNT	a	5260	Ant1	4500	-58.72	4.58	0.24	41.33	Average	54	Pass
NVNT	a	5260	Ant1	5060.82	-46.05	4.58	-	53.76	Peak	68.2	Pass
NVNT	a	5260	Ant1	4787.82	-55.11	4.58	0.24	44.94	Average	54	Pass
NVNT	a	5260	Ant1	5150	-47.51	4.58	-	52.30	Peak	68.2	Pass
NVNT	a	5260	Ant1	5150	-56.75	4.58	0.24	43.30	Average	54	Pass
NVNT	a	5320	Ant1	5350	-47.5	4.58	-	52.31	Peak	68.2	Pass
NVNT	a	5320	Ant1	5350	-55.92	4.58	0.24	44.13	Average	54	Pass
NVNT	a	5320	Ant1	5350.6	-40.22	4.58	-	59.59	Peak	68.2	Pass
NVNT	a	5320	Ant1	5350.2	-55.76	4.58	0.24	44.29	Average	54	Pass
NVNT	a	5320	Ant1	5460	-47.97	4.58	-	51.84	Peak	68.2	Pass
NVNT	a	5320	Ant1	5460	-58.45	4.58	0.24	41.60	Average	54	Pass
NVNT	n20	5260	Ant1	4500	-49.4	4.58	-	50.41	Peak	68.2	Pass
NVNT	n20	5260	Ant1	4500	-59.79	4.58	0.28	40.30	Average	54	Pass
NVNT	n20	5260	Ant1	4788.6	-46.01	4.58	-	53.80	Peak	68.2	Pass
NVNT	n20	5260	Ant1	4787.82	-54.33	4.58	0.28	45.76	Average	54	Pass
NVNT	n20	5260	Ant1	5150	-48.66	4.58	-	51.15	Peak	68.2	Pass
NVNT	n20	5260	Ant1	5150	-56.57	4.58	0.28	43.52	Average	54	Pass
NVNT	n20	5320	Ant1	5350	-41.19	4.58	-	58.62	Peak	68.2	Pass
NVNT	n20	5320	Ant1	5350	-55	4.58	0.28	45.09	Average	54	Pass
NVNT	n20	5320	Ant1	5350.2	-39.11	4.58	-	60.70	Peak	68.2	Pass
NVNT	n20	5320	Ant1	5350.6	-53.94	4.58	0.28	46.15	Average	54	Pass
NVNT	n20	5320	Ant1	5460	-48.19	4.58	-	51.62	Peak	68.2	Pass
NVNT	n20	5320	Ant1	5460	-58.19	4.58	0.28	41.90	Average	54	Pass
NVNT	n40	5270	Ant1	4500	-50.12	4.58	-	49.69	Peak	68.2	Pass
NVNT	n40	5270	Ant1	4500	-59.16	4.58	0.24	40.89	Average	54	Pass
NVNT	n40	5270	Ant1	4806.18	-41.61	4.58	-	58.20	Peak	68.2	Pass
NVNT	n40	5270	Ant1	4806.18	-51.68	4.58	0.24	48.37	Average	54	Pass
NVNT	n40	5270	Ant1	5150	-48.58	4.58	-	51.23	Peak	68.2	Pass
NVNT	n40	5270	Ant1	5150	-56.84	4.58	0.24	43.21	Average	54	Pass
NVNT	n40	5310	Ant1	5350	-45.1	4.58	-	54.71	Peak	68.2	Pass
NVNT	n40	5310	Ant1	5350	-55.72	4.58	0.24	44.33	Average	54	Pass
NVNT	n40	5310	Ant1	5353	-42.44	4.58	-	57.37	Peak	68.2	Pass
NVNT	n40	5310	Ant1	5350.8	-55.29	4.58	0.24	44.76	Average	54	Pass
NVNT	n40	5310	Ant1	5460	-49.51	4.58	-	50.30	Peak	68.2	Pass
NVNT	n40	5310	Ant1	5460	-58	4.58	0.24	42.05	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
 Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity



NVNT	ac20	5260	Ant1	4500	-49.15	4.58	-	50.66	Peak	68.2	Pass
NVNT	ac20	5260	Ant1	4500	-59.07	4.58	0.28	41.02	Average	54	Pass
NVNT	ac20	5260	Ant1	4772.22	-44.69	4.58	-	55.12	Peak	68.2	Pass
NVNT	ac20	5260	Ant1	4787.04	-54.42	4.58	0.28	45.67	Average	54	Pass
NVNT	ac20	5260	Ant1	5150	-47.89	4.58	-	51.92	Peak	68.2	Pass
NVNT	ac20	5260	Ant1	5150	-56.54	4.58	0.28	43.55	Average	54	Pass
NVNT	ac20	5320	Ant1	5350	-40.6	4.58	-	59.21	Peak	68.2	Pass
NVNT	ac20	5320	Ant1	5350	-54.74	4.58	0.28	45.35	Average	54	Pass
NVNT	ac20	5320	Ant1	5352	-39.29	4.58	-	60.52	Peak	68.2	Pass
NVNT	ac20	5320	Ant1	5350.6	-54.13	4.58	0.28	45.96	Average	54	Pass
NVNT	ac20	5320	Ant1	5460	-48.86	4.58	-	50.95	Peak	68.2	Pass
NVNT	ac20	5320	Ant1	5460	-57.78	4.58	0.28	42.31	Average	54	Pass
NVNT	ac40	5270	Ant1	4500	-49.82	4.58	-	49.99	Peak	68.2	Pass
NVNT	ac40	5270	Ant1	4500	-59.24	4.58	0.24	40.81	Average	54	Pass
NVNT	ac40	5270	Ant1	4806.99	-44.46	4.58	-	55.35	Peak	68.2	Pass
NVNT	ac40	5270	Ant1	4806.99	-51.74	4.58	0.24	48.31	Average	54	Pass
NVNT	ac40	5270	Ant1	5150	-47.84	4.58	-	51.97	Peak	68.2	Pass
NVNT	ac40	5270	Ant1	5150	-57.12	4.58	0.24	42.93	Average	54	Pass
NVNT	ac40	5310	Ant1	5350	-43.3	4.58	-	56.51	Peak	68.2	Pass
NVNT	ac40	5310	Ant1	5350	-55.53	4.58	0.24	44.52	Average	54	Pass
NVNT	ac40	5310	Ant1	5350.6	-40.58	4.58	-	59.23	Peak	68.2	Pass
NVNT	ac40	5310	Ant1	5350.2	-55.03	4.58	0.24	45.02	Average	54	Pass
NVNT	ac40	5310	Ant1	5460	-50.12	4.58	-	49.69	Peak	68.2	Pass
NVNT	ac40	5310	Ant1	5460	-58.4	4.58	0.24	41.65	Average	54	Pass
NVNT	ac80	5290	Ant1	4500	-50.36	4.58	-	49.45	Peak	68.2	Pass
NVNT	ac80	5290	Ant1	4500	-58.52	4.58	0	41.29	Average	54	Pass
NVNT	ac80	5290	Ant1	5108.13	-45.93	4.58	-	53.88	Peak	68.2	Pass
NVNT	ac80	5290	Ant1	5149.89	-56.6	4.58	0	43.21	Average	54	Pass
NVNT	ac80	5290	Ant1	5150	-48.96	4.58	-	50.85	Peak	68.2	Pass
NVNT	ac80	5290	Ant1	5150	-56.6	4.58	0	43.21	Average	54	Pass
NVNT	ac80	5290	Ant1	5350	-47.38	4.58	-	52.43	Peak	68.2	Pass
NVNT	ac80	5290	Ant1	5350	-54.72	4.58	0	45.09	Average	54	Pass
NVNT	ac80	5290	Ant1	5354.25	-40.67	4.58	-	59.14	Peak	68.2	Pass
NVNT	ac80	5290	Ant1	5351.5	-53.84	4.58	0	45.97	Average	54	Pass
NVNT	ac80	5290	Ant1	5460	-48.82	4.58	-	50.99	Peak	68.2	Pass
NVNT	ac80	5290	Ant1	5460	-58.22	4.58	0	41.59	Average	54	Pass
NVNT	ax20	5260	Ant1	4500	-50.61	4.58	-	49.20	Peak	68.2	Pass
NVNT	ax20	5260	Ant1	4500	-59.18	4.58	0.12	40.75	Average	54	Pass
NVNT	ax20	5260	Ant1	4788.6	-45.73	4.58	-	54.08	Peak	68.2	Pass
NVNT	ax20	5260	Ant1	4787.82	-54.25	4.58	0.12	45.68	Average	54	Pass
NVNT	ax20	5260	Ant1	5150	-49.36	4.58	-	50.45	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
 Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity



NVNT	ax20	5260	Ant1	5150	-56.75	4.58	0.12	43.18	Average	54	Pass
NVNT	ax20	5320	Ant1	5350	-39.44	4.58	-	60.37	Peak	68.2	Pass
NVNT	ax20	5320	Ant1	5350	-54.52	4.58	0.12	45.41	Average	54	Pass
NVNT	ax20	5320	Ant1	5353.2	-36.85	4.58	-	62.96	Peak	68.2	Pass
NVNT	ax20	5320	Ant1	5351.8	-54.32	4.58	0.12	45.61	Average	54	Pass
NVNT	ax20	5320	Ant1	5460	-49.26	4.58	-	50.55	Peak	68.2	Pass
NVNT	ax20	5320	Ant1	5460	-58.11	4.58	0.12	41.82	Average	54	Pass
NVNT	ax40	5270	Ant1	4500	-51.82	4.58	-	47.99	Peak	68.2	Pass
NVNT	ax40	5270	Ant1	4500	-59.27	4.58	0.24	40.78	Average	54	Pass
NVNT	ax40	5270	Ant1	4806.99	-43.21	4.58	-	56.60	Peak	68.2	Pass
NVNT	ax40	5270	Ant1	4806.99	-51.74	4.58	0.24	48.31	Average	54	Pass
NVNT	ax40	5270	Ant1	5150	-48.61	4.58	-	51.20	Peak	68.2	Pass
NVNT	ax40	5270	Ant1	5150	-56.45	4.58	0.24	43.60	Average	54	Pass
NVNT	ax40	5310	Ant1	5350	-40.71	4.58	-	59.10	Peak	68.2	Pass
NVNT	ax40	5310	Ant1	5350	-54.58	4.58	0.24	45.47	Average	54	Pass
NVNT	ax40	5310	Ant1	5350	-40.71	4.58	-	59.10	Peak	68.2	Pass
NVNT	ax40	5310	Ant1	5352	-54.39	4.58	0.24	45.66	Average	54	Pass
NVNT	ax40	5310	Ant1	5460	-50.87	4.58	-	48.94	Peak	68.2	Pass
NVNT	ax40	5310	Ant1	5460	-57.69	4.58	0.24	42.36	Average	54	Pass
NVNT	ax80	5290	Ant1	5350	-45.59	4.58	-	54.22	Peak	68.2	Pass
NVNT	ax80	5290	Ant1	5350	-56.03	4.58	0.47	44.25	Average	54	Pass
NVNT	ax80	5290	Ant1	5369	-45.2	4.58	-	54.61	Peak	68.2	Pass
NVNT	ax80	5290	Ant1	5356	-55.84	4.58	0.47	44.44	Average	54	Pass
NVNT	ax80	5290	Ant1	5460	-50.06	4.58	-	49.75	Peak	68.2	Pass
NVNT	ax80	5290	Ant1	5460	-57.85	4.58	0.47	42.43	Average	54	Pass
NVNT	ax80	5290	Ant1	4500	-50.63	4.58	-	49.18	Peak	68.2	Pass
NVNT	ax80	5290	Ant1	4500	-59.23	4.58	0.47	41.05	Average	54	Pass
NVNT	ax80	5290	Ant1	5099.43	-45.84	4.58	-	53.97	Peak	68.2	Pass
NVNT	ax80	5290	Ant1	5146.41	-55.2	4.58	0.47	45.08	Average	54	Pass
NVNT	ax80	5290	Ant1	5150	-46.65	4.58	-	53.16	Peak	68.2	Pass
NVNT	ax80	5290	Ant1	5150	-55.2	4.58	0.47	45.08	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
 Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT a 5260MHz Ant1 Peak




Restrict Band NVNT a 5260MHz Ant1 Average






Restrict Band NVNT a 5320MHz Ant1 Peak




Restrict Band NVNT a 5320MHz Ant1 Average






Restrict Band NVNT n20 5260MHz Ant1 Peak




Restrict Band NVNT n20 5260MHz Ant1 Average






Restrict Band NVNT n20 5320MHz Ant1 Peak




Restrict Band NVNT n20 5320MHz Ant1 Average






Restrict Band NVNT n40 5270MHz Ant1 Peak




Restrict Band NVNT n40 5270MHz Ant1 Average






Restrict Band NVNT n40 5310MHz Ant1 Peak




Restrict Band NVNT n40 5310MHz Ant1 Average






Restrict Band NVNT ac20 5260MHz Ant1 Peak




Restrict Band NVNT ac20 5260MHz Ant1 Average






Restrict Band NVNT ac20 5320MHz Ant1 Peak




Restrict Band NVNT ac20 5320MHz Ant1 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
 Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity



Restrict Band NVNT ac40 5270MHz Ant1 Peak




Restrict Band NVNT ac40 5270MHz Ant1 Average






Restrict Band NVNT ac40 5310MHz Ant1 Peak




Restrict Band NVNT ac40 5310MHz Ant1 Average






Restrict Band NVNT ac80 5290MHz Ant1 Peak




Restrict Band NVNT ac80 5290MHz Ant1 Average






Restrict Band NVNT ac80 5290MHz Ant1 Peak




Restrict Band NVNT ac80 5290MHz Ant1 Average






Restrict Band NVNT ax20 5260MHz Ant1 Peak




Restrict Band NVNT ax20 5260MHz Ant1 Average






Restrict Band NVNT ax20 5320MHz Ant1 Peak




Restrict Band NVNT ax20 5320MHz Ant1 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
 Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity



Restrict Band NVNT ax40 5270MHz Ant1 Peak




Restrict Band NVNT ax40 5270MHz Ant1 Average






Restrict Band NVNT ax40 5310MHz Ant1 Peak




Restrict Band NVNT ax40 5310MHz Ant1 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
 Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity



Restrict Band NVNT ax80 5290MHz Ant1 Peak




Restrict Band NVNT ax80 5290MHz Ant1 Average






Restrict Band NVNT ax80 5290MHz Ant1 Peak



Restrict Band NVNT ax80 5290MHz Ant1 Average





### E.5 Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5260	Ant1	5259.98	-20000	-3.8	25	Pass
NVNT	a	5300	Ant1	5299.98	-20000	-3.77	25	Pass
NVNT	a	5320	Ant1	5319.98	-20000	-3.76	25	Pass
NVNT	n20	5260	Ant1	5259.98	-20000	-3.8	25	Pass
NVNT	n20	5300	Ant1	5299.98	-20000	-3.77	25	Pass
NVNT	n20	5320	Ant1	5320	0	0	25	Pass
NVNT	n40	5270	Ant1	5270	0	0	25	Pass
NVNT	n40	5310	Ant1	5310	0	0	25	Pass
NVNT	ac20	5260	Ant1	5259.98	-20000	-3.8	25	Pass
NVNT	ac20	5300	Ant1	5300	0	0	25	Pass
NVNT	ac20	5320	Ant1	5320	0	0	25	Pass
NVNT	ac40	5270	Ant1	5269.96	-40000	-7.59	25	Pass
NVNT	ac40	5310	Ant1	5310	0	0	25	Pass
NVNT	ac80	5290	Ant1	5290	0	0	25	Pass
NVNT	ax20	5260	Ant1	5259.98	-20000	-3.8	25	Pass
NVNT	ax20	5300	Ant1	5300	0	0	25	Pass
NVNT	ax20	5320	Ant1	5320	0	0	25	Pass
NVNT	ax40	5270	Ant1	5270	0	0	25	Pass
NVNT	ax40	5310	Ant1	5310	0	0	25	Pass
NVNT	ax80	5290	Ant1	5290	0	0	25	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
 Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




Test Graphs



Freq. Stability NVNT a 5260MHz Ant1



Freq. Stability NVNT a 5300MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
 Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
 Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity



Freq. Stability NVNT n20 5300MHz Ant1




Freq. Stability NVNT n20 5320MHz Ant1






Freq. Stability NVNT n40 5270MHz Ant1




Freq. Stability NVNT n40 5310MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
 Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity



Freq. Stability NVNT ac20 5260MHz Ant1




Freq. Stability NVNT ac20 5300MHz Ant1






Freq. Stability NVNT ac20 5320MHz Ant1




Freq. Stability NVNT ac40 5270MHz Ant1






Freq. Stability NVNT ac40 5310MHz Ant1




Freq. Stability NVNT ac80 5290MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
 Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity



Freq. Stability NVNT ax20 5260MHz Ant1




Freq. Stability NVNT ax20 5300MHz Ant1






Freq. Stability NVNT ax20 5320MHz Ant1




Freq. Stability NVNT ax40 5270MHz Ant1






Freq. Stability NVNT ax40 5310MHz Ant1



Freq. Stability NVNT ax80 5290MHz Ant1





### E.6 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5260	Ant1	94.56	0.24	0.91
NVNT	a	5300	Ant1	94.65	0.24	0.91
NVNT	a	5320	Ant1	94.56	0.24	0.91
NVNT	n20	5260	Ant1	93.77	0.28	1.07
NVNT	n20	5300	Ant1	93.77	0.28	1.07
NVNT	n20	5320	Ant1	93.77	0.28	1.07
NVNT	n40	5270	Ant1	94.71	0.24	0.9
NVNT	n40	5310	Ant1	94.71	0.24	0.9
NVNT	ac20	5260	Ant1	93.82	0.28	1.06
NVNT	ac20	5300	Ant1	93.72	0.28	1.06
NVNT	ac20	5320	Ant1	93.72	0.28	1.06
NVNT	ac40	5270	Ant1	94.72	0.24	0.9
NVNT	ac40	5310	Ant1	94.72	0.24	0.9
NVNT	ac80	5290	Ant1	89.65	0.47	1.86
NVNT	ax20	5260	Ant1	97.34	0.12	0.44
NVNT	ax20	5300	Ant1	97.34	0.12	0.44
NVNT	ax20	5320	Ant1	97.34	0.12	0.44
NVNT	ax40	5270	Ant1	94.72	0.24	0.9
NVNT	ax40	5310	Ant1	94.72	0.24	0.9
NVNT	ax80	5290	Ant1	89.65	0.47	1.86




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
 Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




Test Graphs

Duty Cycle NVNT a 5260MHz Ant1




Duty Cycle NVNT a 5300MHz Ant1








Duty Cycle NVNT a 5320MHz Ant1




Duty Cycle NVNT n20 5260MHz Ant1












Duty Cycle NVNT n40 5270MHz Ant1



Duty Cycle NVNT n40 5310MHz Ant1











Duty Cycle NVNT ac40 5310MHz Ant1




Duty Cycle NVNT ac80 5290MHz Ant1






Duty Cycle NVNT ax20 5260MHz Ant1




Duty Cycle NVNT ax20 5300MHz Ant1






Duty Cycle NVNT ax20 5320MHz Ant1




Duty Cycle NVNT ax40 5270MHz Ant1





Duty Cycle NVNT ax40 5310MHz Ant1



Duty Cycle NVNT ax80 5290MHz Ant1

