















Band5-4233-1-0.009~0.15MHz-PASS




Band5-4233-1-0.15~30MHz-PASS




Band5-4233-1-30~1000MHz-PASS




Band5-4233-1-1000~10000MHz-PASS



Band5-4233-2-0.009~0.15MHz-PASS




Band5-4233-2-0.15~30MHz-PASS




Band5-4233-2-30~1000MHz-PASS




Band5-4233-2-1000~10000MHz-PASS




Band5-4233-3-0.009~0.15MHz-PASS




Band5-4233-3-0.15~30MHz-PASS




Band5-4233-3-30~1000MHz-PASS




Band5-4233-3-1000~10000MHz-PASS



Band5-4233-4-0.009~0.15MHz-PASS




Band5-4233-4-0.15~30MHz-PASS




Band5-4233-4-30~1000MHz-PASS




Band5-4233-4-1000~10000MHz-PASS




Band5-4132-1-0.009~0.15MHz-PASS




Band5-4132-1-0.15~30MHz-PASS




Band5-4132-1-30~1000MHz-PASS




Band5-4132-1-1000~10000MHz-PASS



Band5-4132-2-0.009~0.15MHz-PASS




Band5-4132-2-0.15~30MHz-PASS



Band5-4132-2-30~1000MHz-PASS




Band5-4132-2-1000~10000MHz-PASS



Band5-4132-3-0.009~0.15MHz-PASS




Band5-4132-3-0.15~30MHz-PASS




Band5-4132-3-30~1000MHz-PASS



Band5-4132-3-1000~10000MHz-PASS



Band5-4132-4-0.009~0.15MHz-PASS




Band5-4132-4-0.15~30MHz-PASS




Band5-4132-4-30~1000MHz-PASS




Band5-4132-4-1000~10000MHz-PASS



Band5-4132-5-0.009~0.15MHz-PASS



Band5-4132-5-0.15~30MHz-PASS




Band5-4132-5-30~1000MHz-PASS




Band5-4132-5-1000~10000MHz-PASS



Band5-4182-1-0.009~0.15MHz-PASS



Band5-4182-1-0.15~30MHz-PASS




Band5-4182-1-30~1000MHz-PASS




Band5-4182-1-1000~10000MHz-PASS



Band5-4182-2-0.009~0.15MHz-PASS




Band5-4182-2-0.15~30MHz-PASS




Band5-4182-2-30~1000MHz-PASS




Band5-4182-2-1000~10000MHz-PASS



Band5-4182-3-0.009~0.15MHz-PASS





Band5-4182-3-0.15~30MHz-PASS



Band5-4182-3-30~1000MHz-PASS





Band5-4182-3-1000~10000MHz-PASS





Band5-4182-4-0.009~0.15MHz-PASS

Band5-4182-4-0.15~30MHz-PASS




Band5-4182-4-30~1000MHz-PASS

Band5-4182-4-1000~10000MHz-PASS




Band5-4182-5-0.009~0.15MHz-PASS

Band5-4182-5-0.15~30MHz-PASS




Band5-4182-5-30~1000MHz-PASS


Band5-4182-5-1000~10000MHz-PASS



Band5-4233-1-0.009~0.15MHz-PASS




Band5-4233-1-0.15~30MHz-PASS




Band5-4233-1-30~1000MHz-PASS




Band5-4233-1-1000~10000MHz-PASS



Band5-4233-2-0.009~0.15MHz-PASS




Band5-4233-2-0.15~30MHz-PASS




Band5-4233-2-30~1000MHz-PASS




Band5-4233-2-1000~10000MHz-PASS



Band5-4233-3-0.009~0.15MHz-PASS




Band5-4233-3-0.15~30MHz-PASS




Band5-4233-3-30~1000MHz-PASS




Band5-4233-3-1000~10000MHz-PASS



Band5-4233-4-0.009~0.15MHz-PASS




Band5-4233-4-0.15~30MHz-PASS




Band5-4233-4-30~1000MHz-PASS




Band5-4233-4-1000~10000MHz-PASS




Band5-4233-5-0.009~0.15MHz-PASS



Band5-4233-5-0.15~30MHz-PASS



Band5-4233-5-30~1000MHz-PASS



Band5-4233-5-1000~10000MHz-PASS

Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	VN	NT	-0.66	-0.000799	±2.5	PASS
Band5	4132	VL	NT	-0.48	-0.000581	±2.5	PASS
Band5	4132	VH	NT	-1.43	-0.001730	±2.5	PASS
Band5	4182	VN	NT	-0.76	-0.000909	±2.5	PASS
Band5	4182	VL	NT	-0.35	-0.000418	±2.5	PASS
Band5	4182	VH	NT	-0.17	-0.000203	±2.5	PASS
Band5	4233	VN	NT	-1.81	-0.002138	±2.5	PASS
Band5	4233	VL	NT	-2.26	-0.002670	±2.5	PASS
Band5	4233	VH	NT	-0.78	-0.000921	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	NV	-30	-0.64	-0.000774	±2.5	PASS
Band5	4132	NV	-20	-0.55	-0.000666	±2.5	PASS
Band5	4132	NV	-10	-0.30	-0.000363	±2.5	PASS
Band5	4132	NV	0	-0.74	-0.000895	±2.5	PASS
Band5	4132	NV	10	-0.44	-0.000532	±2.5	PASS
Band5	4132	NV	20	0.19	0.000230	±2.5	PASS
Band5	4132	NV	30	0.26	0.000315	±2.5	PASS
Band5	4132	NV	40	0.16	0.000194	±2.5	PASS
Band5	4132	NV	50	0.75	0.000908	±2.5	PASS
Band5	4182	NV	-30	-0.34	-0.000407	±2.5	PASS
Band5	4182	NV	-20	-0.63	-0.000753	±2.5	PASS
Band5	4182	NV	-10	-0.70	-0.000837	±2.5	PASS
Band5	4182	NV	0	-0.54	-0.000646	±2.5	PASS
Band5	4182	NV	10	-0.55	-0.000658	±2.5	PASS
Band5	4182	NV	20	-0.15	-0.000179	±2.5	PASS
Band5	4182	NV	30	0.43	0.000514	±2.5	PASS
Band5	4182	NV	40	-0.17	-0.000203	±2.5	PASS
Band5	4182	NV	50	-0.20	-0.000239	±2.5	PASS
Band5	4233	NV	-30	-1.80	-0.002126	±2.5	PASS
Band5	4233	NV	-20	-1.69	-0.001996	±2.5	PASS
Band5	4233	NV	-10	-1.99	-0.002351	±2.5	PASS

Band5	4233	NV	0	-1.37	-0.001618	±2.5	PASS
Band5	4233	NV	10	-1.84	-0.002173	±2.5	PASS
Band5	4233	NV	20	-0.97	-0.001146	±2.5	PASS
Band5	4233	NV	30	-1.55	-0.001831	±2.5	PASS
Band5	4233	NV	40	-1.71	-0.002020	±2.5	PASS
Band5	4233	NV	50	-1.13	-0.001335	±2.5	PASS

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	VN	NT	0.93	0.001125	±2.5	PASS
Band5	4132	1	VL	NT	0.87	0.001053	±2.5	PASS
Band5	4132	1	VH	NT	1.00	0.001210	±2.5	PASS
Band5	4132	2	VN	NT	1.05	0.001271	±2.5	PASS
Band5	4132	2	VL	NT	0.87	0.001053	±2.5	PASS
Band5	4132	2	VH	NT	1.21	0.001464	±2.5	PASS
Band5	4132	3	VN	NT	1.63	0.001972	±2.5	PASS
Band5	4132	3	VL	NT	0.57	0.000690	±2.5	PASS
Band5	4132	3	VH	NT	1.01	0.001222	±2.5	PASS
Band5	4132	4	VN	NT	1.35	0.001634	±2.5	PASS
Band5	4132	4	VL	NT	1.30	0.001573	±2.5	PASS
Band5	4132	4	VH	NT	1.19	0.001440	±2.5	PASS
Band5	4182	1	VN	NT	-0.66	-0.000789	±2.5	PASS
Band5	4182	1	VL	NT	-1.06	-0.001267	±2.5	PASS
Band5	4182	1	VH	NT	-0.84	-0.001004	±2.5	PASS
Band5	4182	2	VN	NT	-0.50	-0.000598	±2.5	PASS
Band5	4182	2	VL	NT	-0.28	-0.000335	±2.5	PASS
Band5	4182	2	VH	NT	0.05	0.000060	±2.5	PASS
Band5	4182	3	VN	NT	-0.22	-0.000263	±2.5	PASS
Band5	4182	3	VL	NT	0.04	0.000048	±2.5	PASS
Band5	4182	3	VH	NT	-0.45	-0.000538	±2.5	PASS
Band5	4182	4	VN	NT	3.98	0.004758	±2.5	PASS
Band5	4182	4	VL	NT	-0.47	-0.000562	±2.5	PASS
Band5	4182	4	VH	NT	-0.20	-0.000239	±2.5	PASS
Band5	4233	1	VN	NT	-2.64	-0.003118	±2.5	PASS
Band5	4233	1	VL	NT	-1.41	-0.001665	±2.5	PASS
Band5	4233	1	VH	NT	-1.83	-0.002162	±2.5	PASS
Band5	4233	2	VN	NT	-1.82	-0.002150	±2.5	PASS
Band5	4233	2	VL	NT	-0.77	-0.000910	±2.5	PASS
Band5	4233	2	VH	NT	-1.46	-0.001725	±2.5	PASS
Band5	4233	3	VN	NT	-2.40	-0.002835	±2.5	PASS
Band5	4233	3	VL	NT	-2.45	-0.002894	±2.5	PASS

Band5	4233	3	VH	NT	-2.08	-0.002457	±2.5	PASS
Band5	4233	4	VN	NT	-1.52	-0.001795	±2.5	PASS
Band5	4233	4	VL	NT	-1.94	-0.002292	±2.5	PASS
Band5	4233	4	VH	NT	-0.90	-0.001063	±2.5	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	NV	-30	1.80	0.002178	±2.5	PASS
Band5	4132	1	NV	-20	1.55	0.001876	±2.5	PASS
Band5	4132	1	NV	-10	0.76	0.000920	±2.5	PASS
Band5	4132	1	NV	0	1.28	0.001549	±2.5	PASS
Band5	4132	1	NV	10	1.58	0.001912	±2.5	PASS
Band5	4132	1	NV	20	1.88	0.002275	±2.5	PASS
Band5	4132	1	NV	30	2.14	0.002590	±2.5	PASS
Band5	4132	1	NV	40	1.58	0.001912	±2.5	PASS
Band5	4132	1	NV	50	1.42	0.001718	±2.5	PASS
Band5	4132	2	NV	-30	2.11	0.002553	±2.5	PASS
Band5	4132	2	NV	-20	1.36	0.001646	±2.5	PASS
Band5	4132	2	NV	-10	1.62	0.001960	±2.5	PASS
Band5	4132	2	NV	0	1.40	0.001694	±2.5	PASS
Band5	4132	2	NV	10	2.10	0.002541	±2.5	PASS
Band5	4132	2	NV	20	1.40	0.001694	±2.5	PASS
Band5	4132	2	NV	30	1.99	0.002408	±2.5	PASS
Band5	4132	2	NV	40	2.04	0.002469	±2.5	PASS
Band5	4132	2	NV	50	1.83	0.002214	±2.5	PASS
Band5	4132	3	NV	-30	1.92	0.002323	±2.5	PASS
Band5	4132	3	NV	-20	2.01	0.002432	±2.5	PASS
Band5	4132	3	NV	-10	1.24	0.001500	±2.5	PASS
Band5	4132	3	NV	0	1.06	0.001283	±2.5	PASS
Band5	4132	3	NV	10	1.42	0.001718	±2.5	PASS
Band5	4132	3	NV	20	2.29	0.002771	±2.5	PASS
Band5	4132	3	NV	30	0.81	0.000980	±2.5	PASS
Band5	4132	3	NV	40	1.69	0.002045	±2.5	PASS
Band5	4132	3	NV	50	1.39	0.001682	±2.5	PASS
Band5	4132	4	NV	-30	1.59	0.001924	±2.5	PASS
Band5	4132	4	NV	-20	1.69	0.002045	±2.5	PASS
Band5	4132	4	NV	-10	1.56	0.001888	±2.5	PASS
Band5	4132	4	NV	0	2.11	0.002553	±2.5	PASS
Band5	4132	4	NV	10	1.21	0.001464	±2.5	PASS
Band5	4132	4	NV	20	1.92	0.002323	±2.5	PASS
Band5	4132	4	NV	30	1.50	0.001815	±2.5	PASS

Band5	4132	4	NV	40	1.58	0.001912	±2.5	PASS
Band5	4132	4	NV	50	1.80	0.002178	±2.5	PASS
Band5	4182	1	NV	-30	-1.40	-0.001674	±2.5	PASS
Band5	4182	1	NV	-20	-0.05	-0.000060	±2.5	PASS
Band5	4182	1	NV	-10	-0.13	-0.000155	±2.5	PASS
Band5	4182	1	NV	0	-0.11	-0.000132	±2.5	PASS
Band5	4182	1	NV	10	-0.70	-0.000837	±2.5	PASS
Band5	4182	1	NV	20	-0.77	-0.000921	±2.5	PASS
Band5	4182	1	NV	30	-0.58	-0.000693	±2.5	PASS
Band5	4182	1	NV	40	0.70	0.000837	±2.5	PASS
Band5	4182	1	NV	50	0.15	0.000179	±2.5	PASS
Band5	4182	2	NV	-30	1.03	0.001231	±2.5	PASS
Band5	4182	2	NV	-20	0.49	0.000586	±2.5	PASS
Band5	4182	2	NV	-10	0.41	0.000490	±2.5	PASS
Band5	4182	2	NV	0	0.07	0.000084	±2.5	PASS
Band5	4182	2	NV	10	-0.17	-0.000203	±2.5	PASS
Band5	4182	2	NV	20	0.22	0.000263	±2.5	PASS
Band5	4182	2	NV	30	-0.47	-0.000562	±2.5	PASS
Band5	4182	2	NV	40	-0.41	-0.000490	±2.5	PASS
Band5	4182	2	NV	50	0.59	0.000705	±2.5	PASS
Band5	4182	3	NV	-30	0.04	0.000048	±2.5	PASS
Band5	4182	3	NV	-20	0.40	0.000478	±2.5	PASS
Band5	4182	3	NV	-10	0.42	0.000502	±2.5	PASS
Band5	4182	3	NV	0	0.21	0.000251	±2.5	PASS
Band5	4182	3	NV	10	-0.13	-0.000155	±2.5	PASS
Band5	4182	3	NV	20	-1.37	-0.001638	±2.5	PASS
Band5	4182	3	NV	30	-0.33	-0.000395	±2.5	PASS
Band5	4182	3	NV	40	-0.22	-0.000263	±2.5	PASS
Band5	4182	3	NV	50	0.48	0.000574	±2.5	PASS
Band5	4182	4	NV	-30	-0.48	-0.000574	±2.5	PASS
Band5	4182	4	NV	-20	-0.12	-0.000143	±2.5	PASS
Band5	4182	4	NV	-10	-0.38	-0.000454	±2.5	PASS
Band5	4182	4	NV	0	0.46	0.000550	±2.5	PASS
Band5	4182	4	NV	10	-0.30	-0.000359	±2.5	PASS
Band5	4182	4	NV	20	-0.10	-0.000120	±2.5	PASS
Band5	4182	4	NV	30	-0.40	-0.000478	±2.5	PASS
Band5	4182	4	NV	40	-0.22	-0.000263	±2.5	PASS
Band5	4182	4	NV	50	-0.62	-0.000741	±2.5	PASS
Band5	4233	1	NV	-30	-2.57	-0.003036	±2.5	PASS
Band5	4233	1	NV	-20	-2.33	-0.002752	±2.5	PASS
Band5	4233	1	NV	-10	-2.21	-0.002610	±2.5	PASS

Band5	4233	1	NV	0	-0.60	-0.000709	±2.5	PASS
Band5	4233	1	NV	10	-1.75	-0.002067	±2.5	PASS
Band5	4233	1	NV	20	-1.85	-0.002185	±2.5	PASS
Band5	4233	1	NV	30	-1.76	-0.002079	±2.5	PASS
Band5	4233	1	NV	40	-1.82	-0.002150	±2.5	PASS
Band5	4233	1	NV	50	-1.79	-0.002114	±2.5	PASS
Band5	4233	2	NV	-30	-1.64	-0.001937	±2.5	PASS
Band5	4233	2	NV	-20	-1.45	-0.001713	±2.5	PASS
Band5	4233	2	NV	-10	-2.62	-0.003095	±2.5	PASS
Band5	4233	2	NV	0	-1.87	-0.002209	±2.5	PASS
Band5	4233	2	NV	10	-1.67	-0.001973	±2.5	PASS
Band5	4233	2	NV	20	-1.73	-0.002043	±2.5	PASS
Band5	4233	2	NV	30	-1.78	-0.002103	±2.5	PASS
Band5	4233	2	NV	40	-2.11	-0.002492	±2.5	PASS
Band5	4233	2	NV	50	-1.61	-0.001902	±2.5	PASS
Band5	4233	3	NV	-30	-1.19	-0.001406	±2.5	PASS
Band5	4233	3	NV	-20	-2.46	-0.002906	±2.5	PASS
Band5	4233	3	NV	-10	-1.21	-0.001429	±2.5	PASS
Band5	4233	3	NV	0	-1.75	-0.002067	±2.5	PASS
Band5	4233	3	NV	10	-1.42	-0.001677	±2.5	PASS
Band5	4233	3	NV	20	-1.87	-0.002209	±2.5	PASS
Band5	4233	3	NV	30	-1.85	-0.002185	±2.5	PASS
Band5	4233	3	NV	40	-1.23	-0.001453	±2.5	PASS
Band5	4233	3	NV	50	-1.22	-0.001441	±2.5	PASS
Band5	4233	4	NV	-30	-2.09	-0.002469	±2.5	PASS
Band5	4233	4	NV	-20	-1.68	-0.001984	±2.5	PASS
Band5	4233	4	NV	-10	-1.07	-0.001264	±2.5	PASS
Band5	4233	4	NV	0	-1.09	-0.001288	±2.5	PASS
Band5	4233	4	NV	10	-1.90	-0.002244	±2.5	PASS
Band5	4233	4	NV	20	-1.48	-0.001748	±2.5	PASS
Band5	4233	4	NV	30	-1.84	-0.002173	±2.5	PASS
Band5	4233	4	NV	40	-1.64	-0.001937	±2.5	PASS
Band5	4233	4	NV	50	-1.64	-0.001937	±2.5	PASS

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	VN	NT	-0.63	-0.000762	±2.5	PASS
Band5	4132	1	VL	NT	0.01	0.000012	±2.5	PASS
Band5	4132	1	VH	NT	-1.21	-0.001464	±2.5	PASS
Band5	4132	2	VN	NT	1.33	0.001609	±2.5	PASS
Band5	4132	2	VL	NT	-0.48	-0.000581	±2.5	PASS
Band5	4132	2	VH	NT	0.55	0.000666	±2.5	PASS
Band5	4132	3	VN	NT	0.18	0.000218	±2.5	PASS
Band5	4132	3	VL	NT	0.35	0.000424	±2.5	PASS
Band5	4132	3	VH	NT	0.75	0.000908	±2.5	PASS
Band5	4132	4	VN	NT	1.10	0.001331	±2.5	PASS
Band5	4132	4	VL	NT	0.08	0.000097	±2.5	PASS
Band5	4132	4	VH	NT	0.62	0.000750	±2.5	PASS
Band5	4132	5	VN	NT	0.36	0.000436	±2.5	PASS
Band5	4132	5	VL	NT	1.14	0.001379	±2.5	PASS
Band5	4132	5	VH	NT	0.90	0.001089	±2.5	PASS
Band5	4182	1	VN	NT	-0.56	-0.000670	±2.5	PASS
Band5	4182	1	VL	NT	-0.44	-0.000526	±2.5	PASS
Band5	4182	1	VH	NT	-1.03	-0.001231	±2.5	PASS
Band5	4182	2	VN	NT	1.41	0.001686	±2.5	PASS
Band5	4182	2	VL	NT	-0.97	-0.001160	±2.5	PASS
Band5	4182	2	VH	NT	-0.52	-0.000622	±2.5	PASS
Band5	4182	3	VN	NT	-0.13	-0.000155	±2.5	PASS
Band5	4182	3	VL	NT	-0.71	-0.000849	±2.5	PASS
Band5	4182	3	VH	NT	-0.24	-0.000287	±2.5	PASS
Band5	4182	4	VN	NT	3.77	0.004507	±2.5	PASS
Band5	4182	4	VL	NT	1.29	0.001542	±2.5	PASS
Band5	4182	4	VH	NT	-0.68	-0.000813	±2.5	PASS
Band5	4182	5	VN	NT	-0.13	-0.000155	±2.5	PASS
Band5	4182	5	VL	NT	0.23	0.000275	±2.5	PASS
Band5	4182	5	VH	NT	-1.13	-0.001351	±2.5	PASS
Band5	4233	1	VN	NT	-0.68	-0.000803	±2.5	PASS
Band5	4233	1	VL	NT	-1.22	-0.001441	±2.5	PASS
Band5	4233	1	VH	NT	-1.55	-0.001831	±2.5	PASS
Band5	4233	2	VN	NT	-0.86	-0.001016	±2.5	PASS
Band5	4233	2	VL	NT	0.51	0.000602	±2.5	PASS
Band5	4233	2	VH	NT	-0.93	-0.001099	±2.5	PASS
Band5	4233	3	VN	NT	-1.75	-0.002067	±2.5	PASS
Band5	4233	3	VL	NT	-1.19	-0.001406	±2.5	PASS
Band5	4233	3	VH	NT	-2.00	-0.002362	±2.5	PASS

Band5	4233	4	VN	NT	-1.01	-0.001193	±2.5	PASS
Band5	4233	4	VL	NT	0.30	0.000354	±2.5	PASS
Band5	4233	4	VH	NT	-1.44	-0.001701	±2.5	PASS
Band5	4233	5	VN	NT	-1.63	-0.001925	±2.5	PASS
Band5	4233	5	VL	NT	-1.32	-0.001559	±2.5	PASS
Band5	4233	5	VH	NT	-0.95	-0.001122	±2.5	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	NV	-30	-0.51	-0.000617	±2.5	PASS
Band5	4132	1	NV	-20	0.18	0.000218	±2.5	PASS
Band5	4132	1	NV	-10	-0.65	-0.000787	±2.5	PASS
Band5	4132	1	NV	0	0.02	0.000024	±2.5	PASS
Band5	4132	1	NV	10	0.06	0.000073	±2.5	PASS
Band5	4132	1	NV	20	-0.06	-0.000073	±2.5	PASS
Band5	4132	1	NV	30	0.33	0.000399	±2.5	PASS
Band5	4132	1	NV	40	0.57	0.000690	±2.5	PASS
Band5	4132	1	NV	50	0.21	0.000254	±2.5	PASS
Band5	4132	2	NV	-30	0.42	0.000508	±2.5	PASS
Band5	4132	2	NV	-20	-0.28	-0.000339	±2.5	PASS
Band5	4132	2	NV	-10	0.55	0.000666	±2.5	PASS
Band5	4132	2	NV	0	-0.14	-0.000169	±2.5	PASS
Band5	4132	2	NV	10	0.47	0.000569	±2.5	PASS
Band5	4132	2	NV	20	0.81	0.000980	±2.5	PASS
Band5	4132	2	NV	30	0.38	0.000460	±2.5	PASS
Band5	4132	2	NV	40	0.44	0.000532	±2.5	PASS
Band5	4132	2	NV	50	0.24	0.000290	±2.5	PASS
Band5	4132	3	NV	-30	0.49	0.000593	±2.5	PASS
Band5	4132	3	NV	-20	1.04	0.001258	±2.5	PASS
Band5	4132	3	NV	-10	-0.11	-0.000133	±2.5	PASS
Band5	4132	3	NV	0	0.28	0.000339	±2.5	PASS
Band5	4132	3	NV	10	0.12	0.000145	±2.5	PASS
Band5	4132	3	NV	20	0.33	0.000399	±2.5	PASS
Band5	4132	3	NV	30	0.64	0.000774	±2.5	PASS
Band5	4132	3	NV	40	0.46	0.000557	±2.5	PASS
Band5	4132	3	NV	50	1.53	0.001851	±2.5	PASS
Band5	4132	4	NV	-30	0.13	0.000157	±2.5	PASS
Band5	4132	4	NV	-20	2.27	0.002747	±2.5	PASS
Band5	4132	4	NV	-10	2.03	0.002456	±2.5	PASS
Band5	4132	4	NV	0	2.59	0.003134	±2.5	PASS
Band5	4132	4	NV	10	2.28	0.002759	±2.5	PASS

Band5	4132	4	NV	20	2.40	0.002904	±2.5	PASS
Band5	4132	4	NV	30	2.83	0.003424	±2.5	PASS
Band5	4132	4	NV	40	1.44	0.001742	±2.5	PASS
Band5	4132	4	NV	50	0.49	0.000593	±2.5	PASS
Band5	4132	5	NV	-30	0.53	0.000641	±2.5	PASS
Band5	4132	5	NV	-20	1.23	0.001488	±2.5	PASS
Band5	4132	5	NV	-10	0.09	0.000109	±2.5	PASS
Band5	4132	5	NV	0	0.34	0.000411	±2.5	PASS
Band5	4132	5	NV	10	0.77	0.000932	±2.5	PASS
Band5	4132	5	NV	20	1.01	0.001222	±2.5	PASS
Band5	4132	5	NV	30	0.80	0.000968	±2.5	PASS
Band5	4132	5	NV	40	0.57	0.000690	±2.5	PASS
Band5	4132	5	NV	50	1.14	0.001379	±2.5	PASS
Band5	4182	1	NV	-30	-1.29	-0.001542	±2.5	PASS
Band5	4182	1	NV	-20	-1.37	-0.001638	±2.5	PASS
Band5	4182	1	NV	-10	-0.46	-0.000550	±2.5	PASS
Band5	4182	1	NV	0	-0.30	-0.000359	±2.5	PASS
Band5	4182	1	NV	10	-0.68	-0.000813	±2.5	PASS
Band5	4182	1	NV	20	-0.51	-0.000610	±2.5	PASS
Band5	4182	1	NV	30	-0.06	-0.000072	±2.5	PASS
Band5	4182	1	NV	40	-0.96	-0.001148	±2.5	PASS
Band5	4182	1	NV	50	-0.12	-0.000143	±2.5	PASS
Band5	4182	2	NV	-30	2.47	0.002953	±2.5	PASS
Band5	4182	2	NV	-20	0.31	0.000371	±2.5	PASS
Band5	4182	2	NV	-10	1.36	0.001626	±2.5	PASS
Band5	4182	2	NV	0	0.64	0.000765	±2.5	PASS
Band5	4182	2	NV	10	1.01	0.001208	±2.5	PASS
Band5	4182	2	NV	20	0.54	0.000646	±2.5	PASS
Band5	4182	2	NV	30	-0.36	-0.000430	±2.5	PASS
Band5	4182	2	NV	40	0.28	0.000335	±2.5	PASS
Band5	4182	2	NV	50	0.36	0.000430	±2.5	PASS
Band5	4182	3	NV	-30	-0.70	-0.000837	±2.5	PASS
Band5	4182	3	NV	-20	-1.14	-0.001363	±2.5	PASS
Band5	4182	3	NV	-10	0.52	0.000622	±2.5	PASS
Band5	4182	3	NV	0	-0.34	-0.000407	±2.5	PASS
Band5	4182	3	NV	10	0.46	0.000550	±2.5	PASS
Band5	4182	3	NV	20	-0.49	-0.000586	±2.5	PASS
Band5	4182	3	NV	30	-0.11	-0.000132	±2.5	PASS
Band5	4182	3	NV	40	0.47	0.000562	±2.5	PASS
Band5	4182	3	NV	50	0.15	0.000179	±2.5	PASS
Band5	4182	4	NV	-30	0.58	0.000693	±2.5	PASS

Band5	4182	4	NV	-20	1.48	0.001769	±2.5	PASS
Band5	4182	4	NV	-10	-0.45	-0.000538	±2.5	PASS
Band5	4182	4	NV	0	1.65	0.001973	±2.5	PASS
Band5	4182	4	NV	10	0.68	0.000813	±2.5	PASS
Band5	4182	4	NV	20	0.95	0.001136	±2.5	PASS
Band5	4182	4	NV	30	-0.48	-0.000574	±2.5	PASS
Band5	4182	4	NV	40	-0.36	-0.000430	±2.5	PASS
Band5	4182	4	NV	50	-0.05	-0.000060	±2.5	PASS
Band5	4182	5	NV	-30	-1.31	-0.001566	±2.5	PASS
Band5	4182	5	NV	-20	-0.84	-0.001004	±2.5	PASS
Band5	4182	5	NV	-10	0.39	0.000466	±2.5	PASS
Band5	4182	5	NV	0	-0.04	-0.000048	±2.5	PASS
Band5	4182	5	NV	10	-0.07	-0.000084	±2.5	PASS
Band5	4182	5	NV	20	-0.62	-0.000741	±2.5	PASS
Band5	4182	5	NV	30	-0.18	-0.000215	±2.5	PASS
Band5	4182	5	NV	40	0.15	0.000179	±2.5	PASS
Band5	4182	5	NV	50	-0.33	-0.000395	±2.5	PASS
Band5	4233	1	NV	-30	-1.76	-0.002079	±2.5	PASS
Band5	4233	1	NV	-20	-1.34	-0.001583	±2.5	PASS
Band5	4233	1	NV	-10	-1.50	-0.001772	±2.5	PASS
Band5	4233	1	NV	0	-0.72	-0.000850	±2.5	PASS
Band5	4233	1	NV	10	-1.79	-0.002114	±2.5	PASS
Band5	4233	1	NV	20	-1.25	-0.001476	±2.5	PASS
Band5	4233	1	NV	30	-0.30	-0.000354	±2.5	PASS
Band5	4233	1	NV	40	-1.00	-0.001181	±2.5	PASS
Band5	4233	1	NV	50	-1.56	-0.001843	±2.5	PASS
Band5	4233	2	NV	-30	0.58	0.000685	±2.5	PASS
Band5	4233	2	NV	-20	-1.62	-0.001914	±2.5	PASS
Band5	4233	2	NV	-10	-0.80	-0.000945	±2.5	PASS
Band5	4233	2	NV	0	-0.70	-0.000827	±2.5	PASS
Band5	4233	2	NV	10	-0.62	-0.000732	±2.5	PASS
Band5	4233	2	NV	20	-0.91	-0.001075	±2.5	PASS
Band5	4233	2	NV	30	-0.25	-0.000295	±2.5	PASS
Band5	4233	2	NV	40	-0.42	-0.000496	±2.5	PASS
Band5	4233	2	NV	50	-0.04	-0.000047	±2.5	PASS
Band5	4233	3	NV	-30	-1.42	-0.001677	±2.5	PASS
Band5	4233	3	NV	-20	-0.45	-0.000532	±2.5	PASS
Band5	4233	3	NV	-10	-1.13	-0.001335	±2.5	PASS
Band5	4233	3	NV	0	-1.41	-0.001665	±2.5	PASS
Band5	4233	3	NV	10	-1.76	-0.002079	±2.5	PASS
Band5	4233	3	NV	20	-1.50	-0.001772	±2.5	PASS

Band5	4233	3	NV	30	-0.30	-0.000354	±2.5	PASS
Band5	4233	3	NV	40	-1.71	-0.002020	±2.5	PASS
Band5	4233	3	NV	50	-1.14	-0.001347	±2.5	PASS
Band5	4233	4	NV	-30	-1.76	-0.002079	±2.5	PASS
Band5	4233	4	NV	-20	-1.63	-0.001925	±2.5	PASS
Band5	4233	4	NV	-10	-0.89	-0.001051	±2.5	PASS
Band5	4233	4	NV	0	-1.18	-0.001394	±2.5	PASS
Band5	4233	4	NV	10	-1.32	-0.001559	±2.5	PASS
Band5	4233	4	NV	20	-0.92	-0.001087	±2.5	PASS
Band5	4233	4	NV	30	-2.33	-0.002752	±2.5	PASS
Band5	4233	4	NV	40	-1.23	-0.001453	±2.5	PASS
Band5	4233	4	NV	50	-0.59	-0.000697	±2.5	PASS
Band5	4233	5	NV	-30	-0.71	-0.000839	±2.5	PASS
Band5	4233	5	NV	-20	-1.61	-0.001902	±2.5	PASS
Band5	4233	5	NV	-10	-1.55	-0.001831	±2.5	PASS
Band5	4233	5	NV	0	-1.21	-0.001429	±2.5	PASS
Band5	4233	5	NV	10	-2.07	-0.002445	±2.5	PASS
Band5	4233	5	NV	20	-2.04	-0.002410	±2.5	PASS
Band5	4233	5	NV	30	-1.61	-0.001902	±2.5	PASS
Band5	4233	5	NV	40	-1.15	-0.001358	±2.5	PASS
Band5	4233	5	NV	50	-2.39	-0.002823	±2.5	PASS

----- THE END -----