

Manufacturer: Dongguan Lefang Industrial Co.Ltd  
Address: Road 1,Xikeng Road,Puxin Village,Shipai  
Town,Dongguan Cityt



A39Electronic version  
User Manual  
Mobile multimedia speaker


Performance characteristics

Portable Active Multimedia  
Speakier  
Stereo Surround Sound


Supports laptops,MP3/MP4,and  
USB powered  
phones for Greater portability

Technical specifications

Impedance: 4Ω  
Degree of distortion: ≤ 0.5%  
Response frequency:100Hz~20KHz  
Output power: 3W×2  
Signal to Noise Ratio: ≥80dB  
Signal input: φ 3.5mm stereo  
signal cable  
Power supply: DC 5V



Key functions



- 1.Modulation: Volume adjustment: Adjust the volume of the speaker
- 2.Lndicator light: Indicator light: The light is on when the machine is turned on.
- 3.On/Off/On, Off Light Bar Light: Pull to turn the light bar light on/off separately/ Turn on/off.
- 4.Wire siot: Cable slot: speaker power cable, audio cable, and other cable slotsV
- 5.Light strip: Light strip: LED glare light strip.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:  
(1) this device may not cause harmful interference, and  
(2) this device must accept any interference received, including interference that may cause undesired operation.  
Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.  
NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions,

may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.  
If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:  
-- Reorient or relocate the receiving antenna.  
-- Increase the separation between the equipment and receiver.  
-- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.  
-- Consult the dealer or an experienced radio/TV technician for help.  
The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction