






EXHIBIT 3 - EUT INTERNAL PHOTOGRAPHS**EUT Housing and
Board View 1****EUT Housing and
Board View 2**

**EUT Housing and
Board View 3**




**Solder
Board-Component
View 1**




Solder Board-Component View 2	 A photograph of a black printed circuit board (PCB) component, labeled "MASTER VOL", positioned horizontally against a blue background. The component features a central potentiometer with a blue knob, several small surface-mount components, and a connector on the right side. A black ruler with white markings is placed vertically to the left of the component, showing measurements from 0 to 80 mm. The component's length is approximately 80 mm.
Solder Board-Component View 3	 A photograph of the same black PCB component, labeled "MASTER VOL", positioned horizontally against a blue background. The component features a central potentiometer with a blue knob, several small surface-mount components, and a connector on the right side. A black ruler with white markings is placed vertically to the left of the component, showing measurements from 0 to 90 mm. The component's length is approximately 80 mm. The text "ASP66 KEY V1.3" and "2024/12/31" is visible on the right side of the component.


Solder
Board-Component
View 4




Solder
Board-Component
View 5





**Solder
Board-Component
View 6**



**Solder
Board-Component
View 7**



Antenna View 1**BDR/EDR/BLE Ant.****Antenna View 2****BLE Ant.**